017 Ascension SE Wisconsin - Elmbrook Campus

19333 West North Avenue

Brookfield, WI 53045

Hospital Type: GMS

Other or Unknown Insurance

County: Waukesha

Analysis Area: 2A-Southeastern

0.0%

| 262-785-2000 | | | Inpatient Volume Group: 5 | | | | | |
|--|---|--------------------------------|---------------------------|---|--|--|--|--|
| Overall Hospital Utilization | | | Patient Discharge Status | | | | | |
| Total Discharges: | 3,721 | Average Length of Stay (days): | 4.4 | Discharge Status | % Discharges | | | |
| Total Patient Days: | 16,318 | Average Charge per Discharge: | \$40,622 | Home or Self-Care Other GMS Hospital | 64.3% 1.7% | | | |
| Obstetrical Utilization | | | | Critical Access Hospital (CAH) | 0.0% | | | |
| Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: | 211 Percent of All Childbirths: 78 Percent of All Childbirths: 14 Percent of All Childbirths: 303 296 1 Percent of All Discharges: | | 69.6% 25.7% 4.6% | Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt | 12.0% 0.0% 2.8% 4.4% 0.1% 11.5% 0.5% 2.2% 0.1% | | | |
| Patient Days: | 3 | Percent of All Patient Days: | 0.0% | Other | 0.3% | | | |
| | | | | Expected Pay Source Distril | cted Pay Source Distribution | | | |
| AODA Utilization | | | | Primary Payer | % Discharges | | | |
| Discharges: | 31 | Percent of All Discharges: | 0.8% | Medicare | 58.0% | | | |
| Patient Days: | 147 | Percent of All Patient Days: | 0.9% | Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay | 9.3% 0.1% 31.2% 1.4% | | | |

| Age Distribution | | | Sex Distribution | <u>n</u> | Race Distribution | | | |
|------------------|--------------|----------------|------------------|--------------|-------------------|-------------------------|--------------|----------------|
| Age Group | % Discharges | % Patient Days | <u>Sex</u> | % Discharges | % Patient Days | <u>Race</u> | % Discharges | % Patient Days |
| Newborn | 8.0% | 3.7% | Male | 43.4% | 45.7% | Amer.Ind/Alaskan Native | 0.4% | 0.5% |
| Under 15 | 0.1% | 0.1% | Female | 56.6% | 54.3% | Asian | 2.8% | 2.2% |
| 15 - 19 | 0.1% | 0.0% | | | | Black/African Amer. | 9.4% | 11.8% |
| 20 - 24 | 1.1% | 0.7% | | | | Native Hawaii/Pac.Isl. | 0.1% | 0.1% |
| 25 - 34 | 8.8% | 5.2% | | | | White | 84.2% | 83.3% |
| 35 - 44 | 6.4% | 4.2% | | | | Multiracial | 0.6% | 0.4% |
| 45 - 54 | 7.8% | 7.4% | | | | Declined | 2.6% | 1.8% |
| 55 - 64 | 12.0% | 12.2% | | | | Unavailable | 0 % | 0 % |
| 65 - 74 | 19.2% | 21.6% | | | | | | |
| 75 - 84 | 19.5% | 24.6% | | | | | | |
| 85 & Over | 17.0% | 20.3% | | | | | | |

APR-DRG Specific Data - Average Length of Stay (ALOS)

| This Facility | | | Group Averages | | | | | |
|--|------------|------|----------------|-------|------------------------|-------|-------------------|-------|
| | | | Analysis Area | | Inpatient Volume Group | | All GMS Hospitals | |
| APR-DRG # and Description | Discharges | ALOS | ALOS | Ratio | ALOS | Ratio | ALOS | Ratio |
| 045 Stroke and Precerebral Occlusion with Infarct | 67 | 3.0 | 4.2 | 0.71 | 4.3 | 0.70 | 4.8 | 0.63 |
| 133 Respiratory failure | 30 | 5.3 | 4.5 | 1.18 | 4.2 | 1.26 | 4.5 | 1.18 |
| 137 Respiratory Infections and Inflammations | 77 | 6.3 | 5.0 | 1.26 | 5.3 | 1.19 | 5.2 | 1.21 |
| 139 Pneumonia | 50 | 4.8 | 4.4 | 1.09 | 4.3 | 1.12 | 4.2 | 1.14 |
| 174 Percutaneous coronary intervention w AMI | 58 | 2.6 | 2.7 | 0.96 | 2.7 | 0.96 | 2.9 | 0.90 |
| 194 Heart Failure | 139 | 5.3 | 4.8 | 1.10 | 4.8 | 1.10 | 4.9 | 1.08 |
| 201 Heart Abnormal Rhythm and Conduction Disorders | 66 | 2.7 | 2.8 | 0.96 | 2.9 | 0.93 | 2.9 | 0.93 |
| 463 Kidney/Urinary Tract Infection | 70 | 3.9 | 3.7 | 1.05 | 4.0 | 0.98 | 3.9 | 1.00 |
| 469 Acute kidney injury | 62 | 5.1 | 5.2 | 0.98 | 5.0 | 1.02 | 5.1 | 1.00 |
| 540 Cesarean Delivery | 78 | 3.1 | 3.1 | 1.00 | 2.9 | 1.07 | 3.4 | 0.91 |
| 560 Vaginal Delivery | 211 | 1.9 | 2.0 | 0.95 | 1.9 | 1.00 | 2.1 | 0.90 |
| 640 Normal Newborn, Birthweight 2500g+ | 271 | 1.9 | 1.9 | 1.00 | 1.9 | 1.00 | 1.9 | 1.00 |
| 720 Blood Infection/Septicemia | 193 | 6.6 | 5.5 | 1.20 | 5.7 | 1.16 | 5.9 | 1.12 |
| 751 Psychoses | 0 | N/A | 5.1 | N/A | 4.9 | N/A | 5.2 | N/A |
| 775 Alcohol Abuse/Dependence | 16 | 6.3 | 4.1 | 1.54 | 3.9 | 1.62 | 3.9 | 1.62 |

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

| This | | | cility | | | Risk Adjusted Group Averages | | | |
|--------------------------------------|----------------------|-------------------|---------------------------------------|------------------------------|-----------------|----------------------------------|----------------------|---------------------------------|-------------------|
| APR-DRG # and Description | | Average Charge | Risk Adjusted Average Charge | Analysi Average Charge | s Area Ratio | Inpatient V Average Charge | olume Group Ratio | All GMS Ho Average Charge | ospitals Ratio |
| 045 Stroke and Precerebral Occlus | sion with Infarct | \$33,368 | \$33,435 | \$48,841 | 0.68 | \$47,748 | 0.70 | \$48,817 | 0.68 |
| 133 Respiratory failure | | \$35,759 | \$33,164 | \$40,487 | 0.82 | \$37,099 | 0.89 | \$40,230 | 0.82 |
| 137 Respiratory Infections and Infla | ammations | \$36,866 | \$36,725 | \$43,191 | 0.85 | \$41,393 | 0.89 | \$42,641 | 0.86 |
| 139 Pneumonia | | \$28,989 | \$28,405 | \$37,172 | 0.76 | \$34,303 | 0.83 | \$33,326 | 0.85 |
| 174 Percutaneous coronary interve | ention w AMI | \$69,676 | \$67,028 | \$88,471 | 0.76 | \$85,768 | 0.78 | \$88,028 | 0.76 |
| 194 Heart Failure | | \$29,872 | \$30,163 | \$37,913 | 0.80 | \$35,400 | 0.85 | \$37,402 | 0.81 |
| 201 Heart Abnormal Rhythm and C | Conduction Disorders | \$20,934 | \$21,429 | \$28,341 | 0.76 | \$25,284 | 0.85 | \$26,261 | 0.82 |
| 463 Kidney/Urinary Tract Infection | | \$26,138 | \$26,286 | \$29,800 | 0.88 | \$30,786 | 0.85 | \$28,895 | 0.91 |
| 469 Acute kidney injury | | \$28,431 | \$28,923 | \$39,143 | 0.74 | \$36,604 | 0.79 | \$38,198 | 0.76 |
| 540 Cesarean Delivery | | \$27,489 | \$27,823 | \$31,537 | 0.88 | \$27,373 | 1.02 | \$29,333 | 0.95 |
| 560 Vaginal Delivery | | \$13,274 | \$13,597 | \$17,466 | 0.78 | \$14,481 | 0.94 | \$15,112 | 0.90 |
| 640 Normal Newborn, Birthweight | 2500g+ | \$6,260 | \$6,279 | \$6,387 | 0.98 | \$5,825 | 1.08 | \$5,404 | 1.16 |
| 720 Blood Infection/Septicemia | | \$46,275 | \$43,975 | \$53,476 | 0.82 | \$52,329 | 0.84 | \$55,330 | 0.79 |
| 751 Psychoses | | N/A | # | # | * | # | * | # | * |
| 775 Alcohol Abuse/Dependence | | \$43,302 | # | # | # | # | # | # | # |

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using the 3M™ APR DRG Software licensed through 3M Health Information Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.