198 OakLeaf Surgical Hospital 1000 OakLeaf Way

Altoona, WI 54720

85 & Over

5.7%

11.4%

Hospital Type: GMS

County: Eau Claire

Analysis Area: 5A-West Central

715-831-8130	5-831-8130 Inpatient Volume Group: 2							
Overall Hospital Utilization			Patient Discharge Status					
Total Discharges: Total Patient Days: Obstetrical Utilization Normal Childbirths: Cesarean Childbirths:	281 700 0 0	Percent of All Childbirths:	2.5 \$105,394 0.0% 0.0%	Discharge Status Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	% Discharges 81.1% 0.4% 0.0% 10.7% 0.0% 1.1%			
Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	0 0 0	Percent of All Childbirths:	0.0%	Hospice Other Institution Home Health Service Left Against Medical Advice Expired	0.0% 0.0% 5.3% 0.0% 0.0%			
Discharges: Patient Days:	0		0.0% 0.0%	Discharge/Tran to Court/Law Enforcmnt Other Expected Pay Source Distrik	0.0% 1.4%			

			Expected Fay Source Dis	tribution
			Primary Payer	% Discharges
0	Percent of All Discharges:	0.0%	Medicare	43.8%
0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	2.1%
			Other Government	0.0%
			Commercial or Private Insurance	54.1%
			Self-Pay	0.0%
			Other or Unknown Insurance	0.0%
	-	•	3	Primary Payer O Percent of All Discharges: O Percent of All Patient Days: O Percent of All Discharges: O Primary Payer Medicare Other Government Commercial or Private Insurance Self-Pay

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	42.7%	43.7%	Amer.Ind/Alaskan Native	1.1%	1.7%
Under 15	0.4%	0.3%	Female	57.3%	56.3%	Asian	0.4%	0.6%
15 - 19	0.4%	0.3%				Black/African Amer.	0.0%	0.0%
20 - 24	0.4%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	3.6%	2.7%				White	97.9%	97.3%
35 - 44	5.7%	5.1%				Multiracial	0.0%	0.0%
45 - 54	10.7%	14.3%				Declined	0.4%	0.1%
55 - 64	24.2%	24.6%				Unavailable	0.4%	0.3%
65 - 74	34.9%	28.4%						
75 - 84	14.2%	12.7%						

		This Facil	Group Averages						
				Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DF	RG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Re	espiratory failure	0	N/A	4.4	N/A	3.5	N/A	4.5	N/A
137 Re	espiratory Infections and Inflammations	0	N/A	5.2	N/A	4.0	N/A	5.2	N/A
139 Pr	neumonia	0	N/A	4.1	N/A	3.8	N/A	4.2	N/A
140 Cł	hronic Obstructive Pulmonary Disease	0	N/A	3.5	N/A	3.1	N/A	3.4	N/A
194 He	eart Failure	0	N/A	4.8	N/A	3.8	N/A	4.9	N/A
201 He	eart Abnormal Rhythm and Conduction Disorders	0	N/A	3.0	N/A	2.5	N/A	2.9	N/A
247 Int	testinal Obstruction without Surgery	0	N/A	3.0	N/A	3.0	N/A	3.5	N/A
383 Ce	ellulitis & other skin infections	0	N/A	4.6	N/A	4.4	N/A	4.3	N/A
463 Ki	dney/Urinary Tract Infection	0	N/A	3.8	N/A	3.7	N/A	3.9	N/A
469 Ad	cute kidney injury	0	N/A	4.4	N/A	3.1	N/A	5.1	N/A
540 Ce	esarean Delivery	0	N/A	2.9	N/A	2.8	N/A	3.4	N/A
560 Va	aginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 No	ormal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A
720 BI	ood Infection/Septicemia	0	N/A	5.3	N/A	3.8	N/A	5.9	N/A
861 Si	gns & Symptoms	0	N/A	5.5	N/A	J 5.5	N/A	5.6	N/A

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	N/A	N/A	\$31,265	*	\$24,966	*	\$40,230	*
137 Respiratory Infections and Inflammations	N/A	N/A	\$34,167	*	\$23,829	*	\$42,641	*
139 Pneumonia	N/A	N/A	\$25,436	*	\$21,847	*	\$33,326	*
140 Chronic Obstructive Pulmonary Disease	N/A	N/A	\$21,325	*	\$18,738	*	\$30,692	*
194 Heart Failure	N/A	N/A	\$28,691	*	\$21,808	*	\$37,402	*
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$20,515	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	N/A	N/A	\$16,040	*	\$15,683	*	\$25,745	*
383 Cellulitis & other skin infections	N/A	N/A	\$21,857	*	\$19,917	*	\$28,319	*
463 Kidney/Urinary Tract Infection	N/A	N/A	\$19,582	*	\$17,130	*	\$28,895	*
469 Acute kidney injury	N/A	N/A	\$26,200	*	\$19,497	*	\$38,198	*
540 Cesarean Delivery	N/A	N/A	\$22,289	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,513	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,672	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	N/A	N/A	\$40,375	*	\$27,838	*	\$55,330	*
861 Signs & Symptoms	N/A	N/A	\$20,134	*	\$17,922	*	\$35,921	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

001 Amery Regional Medical Center

265 Griffin Street East

Amery, WI 54001

715-268-8000 Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,190	Average Length of Stay (days):	3.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	4,665	Average Charge per Discharge:	\$16,114	Home or Self-Care	72.9%
Total Patient Days:	4,005	Average Charge per Discharge:	Ф10,114	Other GMS Hospital	6.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths:	57	Percent of All Childbirths:	76.0%	Skilled Nursing Facility	1.7%
Cesarean Childbirths:	12	Percent of All Childbirths:	16.0%	Intermediate Care Facility	4.8%
Other Childbirths:	6	Percent of All Childbirths:	8.0%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	75	r crocht of All Offidalitis.	0.070	Hospice	1.4%
Total Childbirths.	75			Other Institution	0.0%
Total Newborns:	71			Home Health Service	5.8%
B				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	2.2%
Discharges:	307	Percent of All Discharges:	25.8%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1,898	Percent of All Patient Days:	40.7%	Other	3.4%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	42	Percent of All Discharges:	3.5%	Medicare	50.3%
Patient Days:	133	Percent of All Patient Days:	2.9%	Medicaid/BadgerCare	19.0%
•		•		Other Government	2.8%
				Commercial or Private Insurance	27.6%
				Self-Pay	0.1%
				Other or Unknown Insurance	0.2%

Hospital Type: GMS

County: Polk

Analysis Area: 5A-West Central

Age Distribution				Sex Distribution	<u>1</u>	Rac	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days	
Newborn	6.0%	2.9%	Male	44.8%	44.0%	Amer.Ind/Alaskan Native	e 0.4%	0.3%	
Under 15	0.1%	0.0%	Female	55.1%	55.9%	Asian	0.2%	0.2%	
15 - 19	2.0%	2.7%				Black/African Amer.	0.9%	0.9%	
20 - 24	5.9%	6.0%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	11.1%	10.0%				White	93.9%	93.0%	
35 - 44	10.2%	10.4%				Multiracial	0.0%	0.0%	
45 - 54	8.0%	9.0%				Declined	1.0%	1.4%	
55 - 64	10.8%	10.8%				Unavailable	3.5%	4.2%	
65 - 74	16.5%	18.9%							
75 - 84	18.5%	18.2%							
85 & Over	11.1%	11.1%							

	lity							
			<u>Analysis Area</u>		Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	16	3.5	4.4	0.80	3.4	1.03	4.5	0.78
137 Respiratory Infections and Inflammations	28	4.6	5.2	0.88	3.8	1.21	5.2	0.88
139 Pneumonia	42	3.7	4.1	0.90	3.6	1.03	4.2	0.88
140 Chronic Obstructive Pulmonary Disease	34	2.6	3.5	0.74	3.1	0.84	3.4	0.76
194 Heart Failure	55	3.7	4.8	0.77	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	20	2.7	3.0	0.90	2.3	1.17	2.9	0.93
326 Elective knee joint replacement	*	*	2.2	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	14	4.4	4.6	0.96	3.7	1.19	4.3	1.02
463 Kidney/Urinary Tract Infection	13	3.7	3.8	0.97	3.4	1.09	3.9	0.95
469 Acute kidney injury	17	2.8	4.4	0.64	3.4	0.82	5.1	0.55
540 Cesarean Delivery	12	2.5	2.9	0.86	2.8	0.89	3.4	0.74
560 Vaginal Delivery	57	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	65	1.9	1.8	1.06	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	65	3.2	5.3	0.60	4.3	0.74	5.9	0.54
775 Alcohol Abuse/Dependence	30	3.4	3.8	0.89	3.6	0.94	3.9	0.87

	This Fac	ility			Risk Adjusted	Group Averages	;		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Ho Average Charge	<u> </u>	
133 Respiratory failure	\$20,174	\$24,600	\$31,265	0.79	\$28,186	0.87	\$40,230	0.61	
137 Respiratory Infections and Inflammations	\$19,635	\$24,555	\$34,167	0.72	\$27,697	0.89	\$42,641	0.58	
139 Pneumonia	\$18,500	\$21,636	\$25,436	0.85	\$24,745	0.87	\$33,326	0.65	
140 Chronic Obstructive Pulmonary Disease	\$13,779	\$15,190	\$21,325	0.71	\$21,626	0.70	\$30,692	0.49	
194 Heart Failure	\$17,621	\$19,682	\$28,691	0.69	\$25,105	0.78	\$37,402	0.53	
201 Heart Abnormal Rhythm and Conduction Disorders	\$13,408	\$14,741	\$20,515	0.72	\$18,832	0.78	\$26,261	0.56	
326 Elective knee joint replacement	*	*	\$41,297	*	\$51,872	*	\$61,836	*	
383 Cellulitis & other skin infections	\$19,224	\$19,425	\$21,857	0.89	\$21,471	0.90	\$28,319	0.69	
463 Kidney/Urinary Tract Infection	\$14,162	\$15,849	\$19,582	0.81	\$19,405	0.82	\$28,895	0.55	
469 Acute kidney injury	\$11,202	\$12,774	\$26,200	0.49	\$23,727	0.54	\$38,198	0.33	
540 Cesarean Delivery	\$21,410	\$21,328	\$22,289	0.96	\$24,636	0.87	\$29,333	0.73	
560 Vaginal Delivery	\$12,742	\$12,490	\$11,513	1.08	\$11,580	1.08	\$15,112	0.83	
640 Normal Newborn, Birthweight 2500g+	\$3,410	\$3,362	\$3,672	0.92	\$4,369	0.77	\$5,404	0.62	
720 Blood Infection/Septicemia	\$15,960	\$21,187	\$40,375	0.52	\$35,041	0.60	\$55,330	0.38	
775 Alcohol Abuse/Dependence	\$12,670	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

002 Aspirus Langlade Hospital 112 East Fifth Avenue

Antigo, WI 54409

715-623-2331

Hospital Type: GMS

County: Langlade

Analysis Area: 6-North Central

Inpatient	Volume	Group:	3
-----------	--------	--------	---

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,040	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,663	Average Charge per Discharge:	\$24,762	Home or Self-Care	59.6%
Total Patient Days.	3,003	Average Charge per Discharge.	Φ24,702	Other GMS Hospital	6.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	101	Percent of All Childbirths:	73.7%	Skilled Nursing Facility	7.7%
Cesarean Childbirths:	32	Percent of All Childbirths:	23.4%	Intermediate Care Facility	2.2%
Other Childbirths:	4	Percent of All Childbirths:	2.9%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	137	r creent of All Offidalities.	2.970	Hospice	3.8%
Total Childbirths.	137			Other Institution	0.0%
Total Newborns:	136			Home Health Service	13.8%
5				Left Against Medical Advice	1.4%
Psychiatric Utilization				Expired	2.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.8%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	0.5%	Medicare	53.1%
Patient Days:	27	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	17.8%
				Other Government	3.6%
				Commercial or Private Insurance	25.5%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	13.1%	6.6%	Male	41.3%	43.7%	Amer.Ind/Alaskan Native	€ 8.3%	5.8%
Under 15	0.3%	0.1%	Female	58.8%	56.3%	Asian	0.0%	0.0%
15 - 19	0.8%	0.4%				Black/African Amer.	0.3%	0.1%
20 - 24	3.9%	2.8%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	9.5%	5.6%				White	90.1%	93.3%
35 - 44	3.8%	2.6%				Multiracial	0.8%	0.5%
45 - 54	4.7%	4.3%				Declined	0.4%	0.2%
55 - 64	13.9%	16.4%				Unavailable	0 %	0 %
65 - 74	18.3%	22.3%						
75 - 84	18.0%	22.8%						
85 & Over	13.8%	16.0%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	34	3.9	4.4	0.89	3.4	1.15	4.5	0.87
137 Respiratory Infections and Inflammations	24	3.3	4.9	0.67	3.8	0.87	5.2	0.63
139 Pneumonia	36	3.9	4.2	0.93	3.6	1.08	4.2	0.93
140 Chronic Obstructive Pulmonary Disease	13	3.0	3.5	0.86	3.1	0.97	3.4	0.88
194 Heart Failure	71	3.7	4.8	0.77	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	19	2.2	2.8	0.79	2.3	0.96	2.9	0.76
326 Elective knee joint replacement	*	*	2.0	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	8	3.4	4.0	0.85	3.7	0.92	4.3	0.79
463 Kidney/Urinary Tract Infection	9	3.6	4.7	0.77	3.4	1.06	3.9	0.92
469 Acute kidney injury	22	2.9	4.8	0.60	3.4	0.85	5.1	0.57
540 Cesarean Delivery	32	2.5	3.6	0.69	2.8	0.89	3.4	0.74
560 Vaginal Delivery	101	1.8	2.0	0.90	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	126	1.8	2.0	0.90	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	163	4.9	6.2	0.79	4.3	1.14	5.9	0.83
775 Alcohol Abuse/Dependence	*	*	4.3	*	3.6	*	3.9	*

•	•	• •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
Respiratory failure	\$27,542	\$30,014	\$36,797	0.82	\$28,186	1.06	\$40,230	0.75
Respiratory Infections and Inflammations	\$27,206	\$26,085	\$33,124	0.79	\$27,697	0.94	\$42,641	0.61
Pneumonia	\$27,785	\$26,371	\$27,942	0.94	\$24,745	1.07	\$33,326	0.79
Chronic Obstructive Pulmonary Disease	\$24,543	\$25,001	\$26,064	0.96	\$21,626	1.16	\$30,692	0.81
Heart Failure	\$24,930	\$25,974	\$31,718	0.82	\$25,105	1.03	\$37,402	0.69
Heart Abnormal Rhythm and Conduction Disorders	\$18,361	\$16,621	\$22,917	0.73	\$18,832	0.88	\$26,261	0.63
Elective knee joint replacement	*	*	\$50,208	*	\$51,872	*	\$61,836	*
Cellulitis & other skin infections	\$25,071	\$20,469	\$24,844	0.82	\$21,471	0.95	\$28,319	0.72
Kidney/Urinary Tract Infection	\$28,666	\$26,867	\$26,040	1.03	\$19,405	1.38	\$28,895	0.93
Acute kidney injury	\$23,023	\$27,479	\$33,126	0.83	\$23,727	1.16	\$38,198	0.72
Cesarean Delivery	\$23,054	\$24,795	\$25,753	0.96	\$24,636	1.01	\$29,333	0.85
Vaginal Delivery	\$9,948	\$9,957	\$11,317	0.88	\$11,580	0.86	\$15,112	0.66
Normal Newborn, Birthweight 2500g+	\$5,211	\$5,857	\$6,943	0.84	\$4,369	1.34	\$5,404	1.08
Blood Infection/Septicemia	\$34,803	\$36,903	\$46,585	0.79	\$35,041	1.05	\$55,330	0.67
Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
	Respiratory Infections and Inflammations Pneumonia Chronic Obstructive Pulmonary Disease Heart Failure Heart Abnormal Rhythm and Conduction Disorders Elective knee joint replacement Cellulitis & other skin infections Kidney/Urinary Tract Infection Acute kidney injury Cesarean Delivery Vaginal Delivery Normal Newborn, Birthweight 2500g+ Blood Infection/Septicemia	Average C-DRG # and Description Respiratory failure Respiratory Infections and Inflammations Pneumonia Seronal Chronic Obstructive Pulmonary Disease Heart Failure Heart Abnormal Rhythm and Conduction Disorders Elective knee joint replacement Cellulitis & other skin infections Kidney/Urinary Tract Infection Acute kidney injury Seronal Cesarean Delivery Vaginal Delivery Normal Newborn, Birthweight 2500g+ Bizznamia Seronal Seron	Adjusted Average	Risk Adjusted Average Average Charge Sepiratory Infections and Inflammations \$27,542 \$30,014 \$36,797 \$33,124 Pneumonia \$27,785 \$26,371 \$27,942 Chronic Obstructive Pulmonary Disease \$24,543 \$25,001 \$26,064 Heart Failure \$24,930 \$25,974 \$31,718 Heart Abnormal Rhythm and Conduction Disorders \$18,361 \$16,621 \$22,917 Elective knee joint replacement * * * \$50,208 Cellulitis & other skin infections \$25,071 \$20,469 \$24,844 Kidney/Urinary Tract Infection \$28,666 \$26,867 \$26,040 Acute kidney injury \$23,023 \$27,479 \$33,126 Cesarean Delivery \$23,054 \$24,795 \$25,753 Vaginal Delivery \$9,948 \$9,957 \$11,317 Normal Newborn, Birthweight 2500g+ \$5,211 \$5,857 \$6,943 Blood Infection/Septicemia \$34,803 \$36,903 \$46,585	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio Respiratory failure Respiratory Infections and Inflammations \$27,542 \$30,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,797 0.82 \$35,014 \$36,014	Risk Adjusted Average Average Charge Charg	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Ratio Respiratory failure \$27,542 \$30,014 \$36,797 0.82 \$28,186 1.06 Respiratory Infections and Inflammations \$27,206 \$26,085 \$33,124 0.79 \$27,697 0.94 Pneumonia \$27,785 \$26,371 \$27,942 0.94 \$24,745 1.07 Chronic Obstructive Pulmonary Disease \$24,543 \$25,001 \$26,064 0.96 \$21,626 1.16 Heart Failure \$24,930 \$25,974 \$31,718 0.82 \$25,105 1.03 Heart Abnormal Rhythm and Conduction Disorders \$18,361 \$16,621 \$22,917 0.73 \$18,832 0.88 Elective knee joint replacement * * * * \$50,208 * \$51,872 * Cellulitis & other skin infections \$25,071 \$20,469 \$24,844 0.82 \$21,471 0.95 Kidney/Urinary Tract Infection \$28,666 \$26,867 \$26,040 1.03 \$19,405 1.38 Acute kidney injury \$23,023 \$27,479 \$33,126 0.83 \$23,727 1.16 Cesarean Delivery \$23,023 \$27,479 \$25,753 0.96 \$24,636 1.01 Vaginal Delivery \$9,948 \$9,957 \$11,317 0.88 \$11,580 0.86 Normal Newborn, Birthweight 2500g+ \$5,211 \$5,857 \$6,943 0.84 \$4,369 1.34 Blood Infection/Septicemia \$34,803 \$36,903 \$46,585 0.79 \$35,041 1.05	Risk Adjusted Average

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

004 Ascension NE Wisconsin - St. Elizabeth Campus

7.4%

8.5%

1506 South Oneida Street

Appleton, WI 54915

920-738-2000

85 & Over

Hospital Type: GMS

Inpatient Volume Group: 6

County: Outagamie

Analysis Area: 3-Lake Winnebago

Patient Discharge Status

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	7,882	Average Length of Stay (days):	4.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	35,290	Average Charge per Discharge:	\$30,489	Home or Self-Care Other GMS Hospital	74.6% 0.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	716 239 33 988 957	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	72.5% 24.2% 3.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	7.9% 0.1% 0.8% 2.2% 0.1% 8.5% 1.6% 2.5% 0.1%
Patient Days:	5,461	Percent of All Patient Days:	15.5%	Other	0.8%
AODA Utilization	·	·		Expected Pay Source Distrib	oution % Discharges
Discharges:	296	Percent of All Discharges:	3.8%	Medicare	38.0%
Patient Days:	957	Percent of All Patient Days:	2.7%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	23.4% 5.0% 31.8% 1.7% 0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	12.1%	10.5%	Male	45.5%	48.3%	Amer.Ind/Alaskan Native	e 1.3%	1.2%	
Under 15	5.5%	6.5%	Female	54.4%	51.6%	Asian	3.1%	2.5%	
15 - 19	4.8%	4.7%				Black/African Amer.	3.5%	2.9%	
20 - 24	3.4%	2.2%				Native Hawaii/Pac.Isl.	0.2%	0.1%	
25 - 34	12.8%	7.7%				White	86.1%	88.1%	
35 - 44	7.6%	6.0%				Multiracial	1.3%	1.4%	
45 - 54	5.6%	5.6%				Declined	4.4%	3.7%	
55 - 64	11.4%	14.6%				Unavailable	0.1%	0.1%	
65 - 74	16.0%	18.5%							
75 - 84	13.3%	15.2%							

	This Facil	ity			Group A	Averages		
			Analys	is Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	118	4.7	4.1	1.15	5.2	0.90	4.8	0.98
133 Respiratory failure	73	4.5	4.1	1.10	4.9	0.92	4.5	1.00
137 Respiratory Infections and Inflammations	104	6.7	4.9	1.37	5.7	1.18	5.2	1.29
139 Pneumonia	89	5.2	3.9	1.33	4.5	1.16	4.2	1.24
174 Percutaneous coronary intervention w AMI	101	3.0	2.8	1.07	3.0	1.00	2.9	1.03
175 Percutaneous coronary intervention w/o AMI	137	2.3	2.4	0.96	2.7	0.85	2.8	0.82
194 Heart Failure	213	4.4	4.0	1.10	5.3	0.83	4.9	0.90
201 Heart Abnormal Rhythm and Conduction Disorders	201	2.7	2.5	1.08	3.0	0.90	2.9	0.93
463 Kidney/Urinary Tract Infection	53	4.3	3.6	1.19	4.0	1.08	3.9	1.10
469 Acute kidney injury	73	5.6	4.3	1.30	5.7	0.98	5.1	1.10
540 Cesarean Delivery	239	3.3	3.1	1.06	3.7	0.89	3.4	0.97
560 Vaginal Delivery	716	1.9	1.9	1.00	2.2	0.86	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	825	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	352	7.1	5.5	1.29	6.6	1.08	5.9	1.20
751 Psychoses	658	4.6	4.5	1.02	5.1	0.90	5.2	0.88

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$35,695	\$33,995	\$34,041	1.00	\$52,261	0.65	\$48,817	0.70
133	Respiratory failure	\$29,065	\$31,108	\$29,682	1.05	\$43,773	0.71	\$40,230	0.77
137	Respiratory Infections and Inflammations	\$32,202	\$30,064	\$28,745	1.05	\$48,694	0.62	\$42,641	0.71
139	Pneumonia	\$25,312	\$22,652	\$24,374	0.93	\$37,991	0.60	\$33,326	0.68
174	Percutaneous coronary intervention w AMI	\$100,939	\$101,032	\$76,906	1.31	\$88,693	1.14	\$88,028	1.15
175	Percutaneous coronary intervention w/o AMI	\$92,622	\$94,654	\$90,494	1.05	\$106,262	0.89	\$104,016	0.91
194	Heart Failure	\$20,686	\$20,978	\$23,797	0.88	\$41,878	0.50	\$37,402	0.56
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,409	\$17,755	\$18,789	0.94	\$27,906	0.64	\$26,261	0.68
463	Kidney/Urinary Tract Infection	\$19,536	\$18,981	\$21,677	0.88	\$31,651	0.60	\$28,895	0.66
469	Acute kidney injury	\$24,676	\$25,063	\$25,999	0.96	\$42,194	0.59	\$38,198	0.66
540	Cesarean Delivery	\$13,574	\$13,982	\$19,835	0.70	\$30,606	0.46	\$29,333	0.48
560	Vaginal Delivery	\$6,158	\$6,171	\$9,045	0.68	\$16,232	0.38	\$15,112	0.41
640	Normal Newborn, Birthweight 2500g+	\$4,635	\$4,306	\$4,007	1.07	\$5,514	0.78	\$5,404	0.80
720	Blood Infection/Septicemia	\$38,720	\$40,058	\$38,128	1.05	\$61,811	0.65	\$55,330	0.72
751	Psychoses	\$11,622	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

338 ThedaCare Medical Center Orthopedics, Spine and Pain

2400 E Capitol Drive

Appleton, WI 54911

Hospital Type: GMS

County: Outagamie

Analysis Area: 3-Lake Winnebago

Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u> S</u>
Total Discharges:	344	Average Length of Stay (days):	1.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	432	Average Charge per Discharge:	\$61,651	Home or Self-Care	79.4%
Iotal Fatient Days.	432	Average Charge per Discharge.	φ01,031	Other GMS Hospital	1.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	11.6%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.3%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0	1 Groom Grand Grands and Grands	0.070	Hospice	0.0%
Total Childbirths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	6.7%
B. Alta C. Hell and				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.9%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	58.4%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	5.5%
				Other Government	2.6%
				Commercial or Private Insurance	32.3%
				Self-Pay	0.6%
				Other or Unknown Insurance	0.6%

	Age Distribution	<u>.</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	49.7%	52.3%	Amer.Ind/Alaskan Native	0.3%	0.2%
Under 15	0.0%	0.0%	Female	50.3%	47.7%	Asian	0.3%	0.2%
15 - 19	0.0%	0.0%				Black/African Amer.	0.3%	0.2%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.6%	2.5%				White	98.8%	99.1%
35 - 44	4.1%	3.5%				Multiracial	0.0%	0.0%
45 - 54	9.3%	7.9%				Declined	0.0%	0.0%
55 - 64	29.1%	31.7%				Unavailable	0.3%	0.2%
65 - 74	31.4%	31.9%						
75 - 84	18.6%	17.6%						
85 & Over	4.9%	4.9%						

		This Facil	ity			Group /	Averages		
				Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR	-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133	Respiratory failure	0	N/A	4.1	N/A	3.4	N/A	4.5	N/A
137	Respiratory Infections and Inflammations	0	N/A	4.9	N/A	3.8	N/A	5.2	N/A
139	Pneumonia	0	N/A	3.9	N/A	3.6	N/A	4.2	N/A
140	Chronic Obstructive Pulmonary Disease	0	N/A	2.9	N/A	3.1	N/A	3.4	N/A
194	Heart Failure	0	N/A	4.0	N/A	3.8	N/A	4.9	N/A
201	Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.5	N/A	2.3	N/A	2.9	N/A
326	Elective knee joint replacement	78	1.3	1.6	0.81	1.4	0.93	1.9	0.68
383	Cellulitis & other skin infections	0	N/A	4.0	N/A	3.7	N/A	4.3	N/A
463	Kidney/Urinary Tract Infection	0	N/A	3.6	N/A	3.4	N/A	3.9	N/A
469	Acute kidney injury	0	N/A	4.3	N/A	3.4	N/A	5.1	N/A
540	Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A
560	Vaginal Delivery	0	N/A	1.9	N/A	1.9	N/A	2.1	N/A
640	Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720	Blood Infection/Septicemia	0	N/A	5.5	N/A	4.3	N/A	5.9	N/A
775	Alcohol Abuse/Dependence	0	N/A	3.4	N/A	3.6	N/A	3.9	N/A

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	N/A	N/A	\$29,682	*	\$28,186	*	\$40,230	*
137 Respiratory Infections and Inflammations	N/A	N/A	\$28,745	*	\$27,697	*	\$42,641	*
139 Pneumonia	N/A	N/A	\$24,374	*	\$24,745	*	\$33,326	*
140 Chronic Obstructive Pulmonary Disease	N/A	N/A	\$21,435	*	\$21,626	*	\$30,692	*
194 Heart Failure	N/A	N/A	\$23,797	*	\$25,105	*	\$37,402	*
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$18,789	*	\$18,832	*	\$26,261	*
326 Elective knee joint replacement	\$42,450	\$43,045	\$44,298	0.97	\$51,872	0.83	\$61,836	0.70
383 Cellulitis & other skin infections	N/A	N/A	\$20,438	*	\$21,471	*	\$28,319	*
463 Kidney/Urinary Tract Infection	N/A	N/A	\$21,677	*	\$19,405	*	\$28,895	*
469 Acute kidney injury	N/A	N/A	\$25,999	*	\$23,727	*	\$38,198	*
540 Cesarean Delivery	N/A	N/A	\$19,835	*	\$24,636	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$9,045	*	\$11,580	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,007	*	\$4,369	*	\$5,404	*
720 Blood Infection/Septicemia	N/A	N/A	\$38,128	*	\$35,041	*	\$55,330	*
775 Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

003 ThedaCare Regional Medical Center - Appleton, Inc.

9.9%

10.5%

1818 North Meade Street

Appleton, WI 54911

Psychiatric Utilization

920-731-4101

Hospital Type: GMS

Inpatient Volume Group: 6

Left Against Medical Advice

Expired

County: Outagamie

Analysis Area: 3-Lake Winnebago

Expected Pay Source Distribution

0.6%

2.0%

Overall Hospital Utilization				Patient Discharge S	tatus
Total Discharges:	8,399	Average Length of Stay (days):	3.6	Discharge Status	% Discharges
Total Patient Days:	30,442	Average Charge per Discharge:	\$35,284	Home or Self-Care Other GMS Hospital	64.8% 1.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	512 171	Percent of All Childbirths: Percent of All Childbirths:	71.4% 23.8%	Skilled Nursing Facility Intermediate Care Facility	13.1% 1.5%
Other Childbirths:	34	Percent of All Childbirths:	4.7%	Inpatient Rehabilitation Facility Hospice	0.4% 4.0%
Total Childbirths:	717			Other Institution	0.0%
Total Newborns:	777			Home Health Service	10.4%

Discharge/Tran to Court/Law Enforcmnt Percent of All Discharges: 0.0% 0.2% Discharges: Patient Days: 28 Percent of All Patient Days: 0.1% 1.1%

AODA Utilization

85 & Over

AODA Utilization				Primary Payer	% Discharges
Discharges:	53	Percent of All Discharges:	0.6%	Medicare	54.2%
Patient Days:	224	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	10.2%
				Other Government	3.3%
				Commercial or Private Insurance	29.9%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	9.3%	4.6%	Male	48.3%	50.6%	Amer.Ind/Alaskan Native	2.3%	2.6%
Under 15	0.0%	0.0%	Female	51.7%	49.4%	Asian	2.4%	2.1%
15 - 19	0.4%	0.3%				Black/African Amer.	1.5%	1.4%
20 - 24	2.0%	1.4%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.8%	6.1%				White	91.2%	91.6%
35 - 44	5.7%	5.3%				Multiracial	0.2%	0.2%
45 - 54	7.6%	8.4%				Declined	0.2%	0.2%
55 - 64	15.0%	16.5%				Unavailable	2.2%	1.8%
65 - 74	20.9%	23.7%						
75 - 84	20.4%	23.0%						

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	101	2.8	4.1	0.68	5.2	0.54	4.8	0.58		
133 Respiratory failure	76	3.6	4.1	0.88	4.9	0.73	4.5	0.80		
137 Respiratory Infections and Inflammations	133	4.1	4.9	0.84	5.7	0.72	5.2	0.79		
139 Pneumonia	106	4.2	3.9	1.08	4.5	0.93	4.2	1.00		
174 Percutaneous coronary intervention w AMI	251	2.7	2.8	0.96	3.0	0.90	2.9	0.93		
175 Percutaneous coronary intervention w/o AMI	86	2.6	2.4	1.08	2.7	0.96	2.8	0.93		
194 Heart Failure	328	3.8	4.0	0.95	5.3	0.72	4.9	0.78		
201 Heart Abnormal Rhythm and Conduction Disorders	143	2.6	2.5	1.04	3.0	0.87	2.9	0.90		
463 Kidney/Urinary Tract Infection	101	2.9	3.6	0.81	4.0	0.73	3.9	0.74		
469 Acute kidney injury	232	4.6	4.3	1.07	5.7	0.81	5.1	0.90		
540 Cesarean Delivery	171	2.9	3.1	0.94	3.7	0.78	3.4	0.85		
560 Vaginal Delivery	512	1.9	1.9	1.00	2.2	0.86	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	720	1.8	1.9	0.95	2.0	0.90	1.9	0.95		
720 Blood Infection/Septicemia	699	5.1	5.5	0.93	6.6	0.77	5.9	0.86		
751 Psychoses	0	N/A	4.5	N/A	5.1	N/A	5.2	N/A		

					•				
		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion	n with Infarct	\$24,799	\$26,239	\$34,041	0.77	\$52,261	0.50	\$48,817	0.54
133 Respiratory failure		\$27,215	\$23,776	\$29,682	0.80	\$43,773	0.54	\$40,230	0.59
137 Respiratory Infections and Inflan	nmations	\$23,504	\$25,011	\$28,745	0.87	\$48,694	0.51	\$42,641	0.59
139 Pneumonia		\$23,335	\$21,551	\$24,374	0.88	\$37,991	0.57	\$33,326	0.65
174 Percutaneous coronary intervent	ion w AMI	\$74,465	\$74,371	\$76,906	0.97	\$88,693	0.84	\$88,028	0.84
175 Percutaneous coronary intervent	ion w/o AMI	\$79,337	\$77,331	\$90,494	0.85	\$106,262	0.73	\$104,016	0.74
194 Heart Failure		\$21,315	\$21,050	\$23,797	0.88	\$41,878	0.50	\$37,402	0.56
201 Heart Abnormal Rhythm and Co	nduction Disorders	\$16,683	\$15,934	\$18,789	0.85	\$27,906	0.57	\$26,261	0.61
463 Kidney/Urinary Tract Infection		\$18,648	\$18,333	\$21,677	0.85	\$31,651	0.58	\$28,895	0.63
469 Acute kidney injury		\$26,832	\$24,906	\$25,999	0.96	\$42,194	0.59	\$38,198	0.65
540 Cesarean Delivery		\$19,747	\$21,132	\$19,835	1.07	\$30,606	0.69	\$29,333	0.72
560 Vaginal Delivery		\$9,255	\$9,653	\$9,045	1.07	\$16,232	0.59	\$15,112	0.64
640 Normal Newborn, Birthweight 25	00g+	\$3,425	\$3,404	\$4,007	0.85	\$5,514	0.62	\$5,404	0.63
720 Blood Infection/Septicemia		\$34,499	\$34,807	\$38,128	0.91	\$61,811	0.56	\$55,330	0.63
751 Psychoses		N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

006 Tamarack Health Ashland Medical Center

1615 Maple Lane

County: Ashland Analysis Area: 7-Western Lake Superior Ashland, WI 54806

Hospital Type: GMS

715-685-5500 Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	2,049	Average Length of Stay (days):	4.5	Discharge Status	% Discharges
Total Patient Days:	9,221	Average Charge per Discharge:	\$17,488	Home or Self-Care Other GMS Hospital	72.6% 5.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.8%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	152 35 9 196 203	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	77.6% 17.9% 4.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	8.1% 1.6% 0.8% 0.3% 0.0% 0.3% 5.5% 1.7% 0.1%
Discharges: Patient Days:	2,088	Percent of All Discharges: Percent of All Patient Days:	22.6%	Other	2.5%
AODA Utilization		·		Expected Pay Source Distrib	% Discharges
Discharges: Patient Days:	212 943	Percent of All Discharges: Percent of All Patient Days:	10.3% 10.2%	Medicare Medicaid/BadgerCare	43.6% 21.4%
i aucii Days.	943	Tercent of All Fatient Days.	10.276	Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	3.9% 26.1% 5.1% 0.0%

	Age Distribution	Ĺ		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	9.9%	4.1%	Male	47.2%	50.7%	Amer.Ind/Alaskan Native	16.4%	15.0%
Under 15	1.1%	0.3%	Female	52.8%	49.3%	Asian	0.4%	1.1%
15 - 19	1.8%	1.5%				Black/African Amer.	0.3%	0.3%
20 - 24	5.0%	3.6%				Native Hawaii/Pac.Isl.	0.3%	0.3%
25 - 34	14.0%	11.5%				White	79.8%	80.7%
35 - 44	10.1%	9.6%				Multiracial	1.0%	1.2%
45 - 54	7.7%	8.1%				Declined	1.7%	1.4%
55 - 64	10.9%	13.0%				Unavailable	0 %	0 %
65 - 74	16.8%	17.5%						
75 - 84	14.7%	19.3%						
85 & Over	8.0%	11.5%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	21	5.3	5.1	1.04	3.9	1.36	4.8	1.10
133 Respiratory failure	14	5.1	3.7	1.38	3.8	1.34	4.5	1.13
137 Respiratory Infections and Inflammations	52	7.0	5.2	1.35	4.9	1.43	5.2	1.35
139 Pneumonia	51	4.5	4.5	1.00	4.0	1.13	4.2	1.07
194 Heart Failure	56	4.8	4.2	1.14	4.2	1.14	4.9	0.98
201 Heart Abnormal Rhythm and Conduction Disorders	35	3.2	2.7	1.19	2.8	1.14	2.9	1.10
247 Intestinal Obstruction without Surgery	21	2.3	2.8	0.82	3.0	0.77	3.5	0.66
383 Cellulitis & other skin infections	53	5.6	5.1	1.10	4.4	1.27	4.3	1.30
463 Kidney/Urinary Tract Infection	38	7.1	5.2	1.37	3.9	1.82	3.9	1.82
469 Acute kidney injury	27	4.7	4.0	1.18	4.4	1.07	5.1	0.92
540 Cesarean Delivery	35	2.7	2.8	0.96	2.7	1.00	3.4	0.79
560 Vaginal Delivery	152	1.8	1.8	1.00	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	191	1.8	1.8	1.00	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	73	6.2	4.8	1.29	4.9	1.27	5.9	1.05
775 Alcohol Abuse/Dependence	139	4.5	4.8	0.94	3.6	1.25	3.9	1.15

	• .	•	•	-	•		
This Faci	lity			Risk Adjusted	Group Averages	•	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
\$24,061	\$28,665	\$25,025	1.15	\$40,171	0.71	\$48,817	0.59
\$26,157	\$30,747	\$20,493	1.50	\$36,698	0.84	\$40,230	0.76
\$28,427	\$33,972	\$25,603	1.33	\$36,939	0.92	\$42,641	0.80
\$19,318	\$23,225	\$21,744	1.07	\$30,699	0.76	\$33,326	0.70
\$17,462	\$19,566	\$18,201	1.07	\$31,713	0.62	\$37,402	0.52
ers \$12,146	\$14,057	\$11,027	1.27	\$24,868	0.57	\$26,261	0.54
\$13,255	\$14,237	\$13,626	1.04	\$23,106	0.62	\$25,745	0.55
\$19,921	\$18,729	\$18,104	1.03	\$26,486	0.71	\$28,319	0.66
\$23,066	\$22,192	\$18,415	1.21	\$26,652	0.83	\$28,895	0.77
\$17,720	\$21,950	\$21,456	1.02	\$33,034	0.66	\$38,198	0.57
\$24,021	\$24,796	\$25,435	0.97	\$26,530	0.93	\$29,333	0.85
\$7,475	\$7,272	\$7,651	0.95	\$12,146	0.60	\$15,112	0.48
\$4,208	\$4,121	\$4,469	0.92	\$4,923	0.84	\$5,404	0.76
\$26,439	\$28,752	\$25,870	1.11	\$44,231	0.65	\$55,330	0.52
\$14,746	#	#	#	#	#	#	#
	Average Charge \$24,061 \$26,157 \$28,427 \$19,318 \$17,462 ers \$12,146 \$13,255 \$19,921 \$23,066 \$17,720 \$24,021 \$7,475 \$4,208 \$26,439	Adjusted Average Charge Charge Charge Charge Charge \$24,061 \$28,665 \$26,157 \$30,747 \$28,427 \$33,972 \$19,318 \$23,225 \$17,462 \$19,566 \$12,146 \$14,057 \$13,255 \$14,237 \$19,921 \$18,729 \$23,066 \$22,192 \$17,720 \$21,950 \$24,021 \$24,796 \$7,475 \$7,272 \$4,208 \$4,121 \$26,439 \$28,752	Risk Adjusted Average Charge S24,061 \$28,665 \$25,025 \$26,157 \$30,747 \$20,493 \$28,427 \$33,972 \$25,603 \$19,318 \$23,225 \$21,744 \$17,462 \$19,566 \$18,201 \$17,462 \$19,566 \$18,201 \$11,027 \$13,626 \$19,921 \$18,729 \$13,626 \$19,921 \$18,729 \$18,104 \$23,066 \$22,192 \$18,415 \$17,720 \$21,950 \$21,456 \$24,021 \$24,796 \$25,435 \$7,475 \$7,272 \$7,651 \$4,208 \$4,121 \$4,469 \$26,439 \$28,752 \$25,870	Risk Adjusted Average Charge Ratio \$24,061 \$28,665 \$25,025 1.15 \$26,157 \$30,747 \$20,493 1.50 \$28,427 \$33,972 \$25,603 1.33 \$19,318 \$23,225 \$21,744 1.07 \$17,462 \$19,566 \$18,201 1.07 \$17,462 \$19,566 \$18,201 1.07 \$13,255 \$14,057 \$11,027 1.27 \$13,255 \$14,237 \$13,626 1.04 \$19,921 \$18,729 \$18,104 1.03 \$23,066 \$22,192 \$18,104 1.03 \$23,066 \$22,192 \$18,415 1.21 \$17,720 \$21,950 \$21,456 1.02 \$24,021 \$24,796 \$25,435 0.97 \$7,475 \$7,272 \$7,651 0.95 \$4,208 \$4,121 \$4,469 0.92 \$26,439 \$28,752 \$25,870 1.11	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge S24,061 \$28,665 \$25,025 1.15 \$40,171 \$26,157 \$30,747 \$20,493 1.50 \$36,698 \$28,427 \$33,972 \$25,603 1.33 \$36,939 \$19,318 \$23,225 \$21,744 1.07 \$30,699 \$17,462 \$19,566 \$18,201 1.07 \$31,713 ers \$12,146 \$14,057 \$11,027 1.27 \$24,868 \$13,255 \$14,237 \$13,626 1.04 \$23,106 \$19,921 \$18,729 \$18,104 1.03 \$26,486 \$23,066 \$22,192 \$18,415 1.21 \$26,652 \$17,720 \$21,950 \$21,456 1.02 \$33,034 \$24,021 \$24,796 \$25,435 0.97 \$26,530 \$7,475 \$7,272 \$7,651 0.95 \$12,146 \$4,208 \$4,121 \$4,469 0.92 \$4,923 \$26,439 \$28,752 \$25,870 1.11 \$44,231	Risk Adjusted Average Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio \$24,061 \$28,665 \$25,025 1.15 \$40,171 0.71 \$26,157 \$30,747 \$20,493 1.50 \$36,698 0.84 \$28,427 \$33,972 \$25,603 1.33 \$36,939 0.92 \$19,318 \$23,225 \$21,744 1.07 \$30,699 0.76 \$17,462 \$19,566 \$18,201 1.07 \$31,713 0.62 \$12,146 \$14,057 \$11,027 1.27 \$24,868 0.57 \$13,255 \$14,237 \$13,626 1.04 \$23,106 0.62 \$19,921 \$18,729 \$18,104 1.03 \$26,486 0.71 \$23,066 \$22,192 \$18,415 1.21 \$26,652 0.83 \$17,720 \$21,950 \$21,456 1.02 \$33,034 0.66 \$24,021 \$24,796 \$25,435 0.97 \$26,530 0.93 \$7,475 \$7,272 \$7,651 0.95 \$12,146 0.60 \$4,208 \$4,121 \$4,469 0.92 \$4,923 0.84 \$26,439 \$28,752 \$25,870 1.11 \$44,231 0.65	Risk Adjusted Average Charge Charge Ratio

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

007 Western Wisconsin Health

1100 Bergslien St

Baldwin, WI 54002

85 & Over

8.5%

15.4%

715-684-3311 Innatient Volume Group: 2

715-684-3311				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	862	Average Length of Stay (days):	3.0	Discharge Status	% Discharges
Total Patient Days:	2,559	Average Charge per Discharge:	\$12,577	Home or Self-Care Other GMS Hospital	81.0% 4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	218 24 7	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	87.6% 9.6% 2.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	7.3% 0.0% 0.0%
Total Childbirths:	249			Hospice Other Institution	1.2% 0.8%
Total Newborns:	214			Home Health Service	1.7%
Psychiatric Utilization				Left Against Medical Advice Expired	1.2% 0.3%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	5	Percent of All Patient Days:	0.2%	Other	1.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	0.6%	Medicare	31.4%
Patient Days:	23	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	21.1%
				Other Government	1.6%
				Commercial or Private Insurance	44.4%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.1%

Hospital Type: GMS

County: Saint Croix

Analysis Area: 5A-West Central

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	24.8%	12.8%	Male	33.2%	40.9%	Amer.Ind/Alaskan Native	9.6%	0.6%
Under 15	0.3%	0.3%	Female	66.8%	59.1%	Asian	0.1%	0.0%
15 - 19	1.2%	0.8%				Black/African Amer.	0.5%	0.7%
20 - 24	3.4%	2.4%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	22.3%	14.3%				White	98.0%	98.2%
35 - 44	6.7%	4.5%				Multiracial	0.0%	0.0%
45 - 54	2.6%	2.6%				Declined	0.6%	0.3%
55 - 64	8.6%	10.0%				Unavailable	0 %	0 %
65 - 74	11.3%	19.9%						
75 - 84	10.4%	17.0%						

	This Facil	ity			Group /	Averages		
			Analys	is Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.5	*	4.5	*
137 Respiratory Infections and Inflammations	16	5.8	5.2	1.12	4.0	1.45	5.2	1.12
139 Pneumonia	25	4.6	4.1	1.12	3.8	1.21	4.2	1.10
140 Chronic Obstructive Pulmonary Disease	17	3.2	3.5	0.91	3.1	1.03	3.4	0.94
194 Heart Failure	27	3.4	4.8	0.71	3.8	0.89	4.9	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	5	1.6	3.0	0.53	2.5	0.64	2.9	0.55
247 Intestinal Obstruction without Surgery	11	3.4	3.0	1.13	3.0	1.13	3.5	0.97
383 Cellulitis & other skin infections	9	6.9	4.6	1.50	4.4	1.57	4.3	1.60
463 Kidney/Urinary Tract Infection	9	3.4	3.8	0.89	3.7	0.92	3.9	0.87
469 Acute kidney injury	7	3.1	4.4	0.70	3.1	1.00	5.1	0.61
540 Cesarean Delivery	24	2.9	2.9	1.00	2.8	1.04	3.4	0.85
560 Vaginal Delivery	218	1.7	2.0	0.85	1.8	0.94	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	204	1.5	1.8	0.83	1.7	0.88	1.9	0.79
720 Blood Infection/Septicemia	43	4.1	5.3	0.77	3.8	1.08	5.9	0.69
861 Signs & Symptoms	12	6.2	5.5	1.13	5.5	1.13	5.6	1.11

	-	_	• •	•	•	-	•		
		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and I	Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory f	failure	*	*	\$31,265	*	\$24,966	*	\$40,230	*
137 Respiratory I	Infections and Inflammations	\$18,788	\$23,878	\$34,167	0.70	\$23,829	1.00	\$42,641	0.56
139 Pneumonia		\$17,130	\$21,795	\$25,436	0.86	\$21,847	1.00	\$33,326	0.65
140 Chronic Obs	tructive Pulmonary Disease	\$14,818	\$17,095	\$21,325	0.80	\$18,738	0.91	\$30,692	0.56
194 Heart Failure		\$13,989	\$18,845	\$28,691	0.66	\$21,808	0.86	\$37,402	0.50
201 Heart Abnorr	mal Rhythm and Conduction Disorders	\$5,693	\$5,723	\$20,515	0.28	\$15,774	0.36	\$26,261	0.22
247 Intestinal Ob	struction without Surgery	\$10,726	\$12,851	\$16,040	0.80	\$15,683	0.82	\$25,745	0.50
383 Cellulitis & o	ther skin infections	\$20,629	\$25,312	\$21,857	1.16	\$19,917	1.27	\$28,319	0.89
463 Kidney/Urina	ary Tract Infection	\$7,689	\$8,458	\$19,582	0.43	\$17,130	0.49	\$28,895	0.29
469 Acute kidney	/ injury	\$11,599	\$17,967	\$26,200	0.69	\$19,497	0.92	\$38,198	0.47
540 Cesarean De	elivery	\$20,905	\$21,679	\$22,289	0.97	\$25,945	0.84	\$29,333	0.74
560 Vaginal Deliv	/ery	\$8,284	\$8,692	\$11,513	0.75	\$9,423	0.92	\$15,112	0.58
640 Normal New	born, Birthweight 2500g+	\$3,333	\$3,507	\$3,672	0.96	\$4,311	0.81	\$5,404	0.65
720 Blood Infection	on/Septicemia	\$17,749	\$29,458	\$40,375	0.73	\$27,838	1.06	\$55,330	0.53
861 Signs & Sym	nptoms	\$14,755	\$18,382	\$20,134	0.91	\$17,922	1.03	\$35,921	0.51

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

008 SSM Health St. Clare Hospital - Baraboo

707 Fourteenth Street

Baraboo, WI 53913

608-356-1400 Inpatient Volume Group: 4

000-330-1400				inpatient volume Group. 4	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,753	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	6,130	Average Charge per Discharge:	\$29,817	Home or Self-Care Other GMS Hospital	63.6% 7.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths:	129 45 7 181	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	71.3% 24.9% 3.9%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution	11.7% 0.3% 0.2% 4.4% 0.0%
Total Newborns:	196			Home Health Service	8.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.8% 2.1%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	46	Percent of All Patient Days:	0.8%	Other	0.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	28	Percent of All Discharges:	1.6%	Medicare	54.5%
Patient Days:	82	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	20.1%
				Other Government	3.5%
				Commercial or Private Insurance	20.4%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

Hospital Type: GMS

County: Sauk

Analysis Area: 1-Southern

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	11.2%	6.3%	Male	44.4%	46.2%	Amer.Ind/Alaskan Native	2.1%	2.3%	
Under 15	0.7%	0.2%	Female	55.6%	53.8%	Asian	0.6%	0.5%	
15 - 19	0.8%	0.5%				Black/African Amer.	1.7%	1.3%	
20 - 24	3.2%	2.0%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	8.2%	5.3%				White	86.6%	90.7%	
35 - 44	6.3%	5.3%				Multiracial	0.3%	0.3%	
45 - 54	5.5%	5.1%				Declined	0.3%	0.2%	
55 - 64	10.8%	10.0%				Unavailable	8.3%	4.7%	
65 - 74	17.4%	20.5%							
75 - 84	21.2%	25.8%							
85 & Over	14.7%	18.8%							

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	17	4.8	4.8	1.00	3.9	1.23	4.8	1.00
133 Respiratory failure	28	2.8	4.2	0.67	3.8	0.74	4.5	0.62
137 Respiratory Infections and Inflammations	72	5.5	5.3	1.04	4.9	1.12	5.2	1.06
139 Pneumonia	56	3.5	4.0	0.88	4.0	0.88	4.2	0.83
194 Heart Failure	114	3.4	5.0	0.68	4.2	0.81	4.9	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	38	2.1	3.0	0.70	2.8	0.75	2.9	0.72
247 Intestinal Obstruction without Surgery	27	3.0	3.6	0.83	3.0	1.00	3.5	0.86
383 Cellulitis & other skin infections	48	4.0	4.5	0.89	4.4	0.91	4.3	0.93
463 Kidney/Urinary Tract Infection	28	4.1	3.9	1.05	3.9	1.05	3.9	1.05
469 Acute kidney injury	26	5.5	5.0	1.10	4.4	1.25	5.1	1.08
540 Cesarean Delivery	45	2.9	3.7	0.78	2.7	1.07	3.4	0.85
560 Vaginal Delivery	129	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	189	1.9	2.0	0.95	1.7	1.12	1.9	1.00
720 Blood Infection/Septicemia	173	4.7	6.2	0.76	4.9	0.96	5.9	0.80
775 Alcohol Abuse/Dependence	24	2.9	3.9	0.74	3.6	0.81	3.9	0.74

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Hospitals Average Charge Ratio	
045 Stroke and Precerebral Occlusion with Infarct	\$36,622	\$45,578	\$58,073	0.78	\$40,171	1.13	\$48,817	0.93
133 Respiratory failure	\$31,691	\$39,614	\$48,230	0.82	\$36,698	1.08	\$40,230	0.98
137 Respiratory Infections and Inflammations	\$44,600	\$44,488	\$50,848	0.87	\$36,939	1.20	\$42,641	1.04
139 Pneumonia	\$33,475	\$32,230	\$38,234	0.84	\$30,699	1.05	\$33,326	0.97
194 Heart Failure	\$29,163	\$29,399	\$43,714	0.67	\$31,713	0.93	\$37,402	0.79
201 Heart Abnormal Rhythm and Conduction Disorders	\$28,387	\$29,240	\$31,461	0.93	\$24,868	1.18	\$26,261	1.11
247 Intestinal Obstruction without Surgery	\$24,036	\$22,845	\$30,614	0.75	\$23,106	0.99	\$25,745	0.89
383 Cellulitis & other skin infections	\$29,804	\$26,349	\$32,909	0.80	\$26,486	0.99	\$28,319	0.93
463 Kidney/Urinary Tract Infection	\$30,606	\$31,233	\$32,986	0.95	\$26,652	1.17	\$28,895	1.08
469 Acute kidney injury	\$43,279	\$41,233	\$45,552	0.91	\$33,034	1.25	\$38,198	1.08
540 Cesarean Delivery	\$24,736	\$26,612	\$34,658	0.77	\$26,530	1.00	\$29,333	0.91
560 Vaginal Delivery	\$12,475	\$12,527	\$16,752	0.75	\$12,146	1.03	\$15,112	0.83
640 Normal Newborn, Birthweight 2500g+	\$3,891	\$3,932	\$5,371	0.73	\$4,923	0.80	\$5,404	0.73
720 Blood Infection/Septicemia	\$43,590	\$44,564	\$69,381	0.64	\$44,231	1.01	\$55,330	0.81
775 Alcohol Abuse/Dependence	\$31,117	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

009 Mayo Clinic Health System - Northland in Barron

1222 E Woodland Avenue

Barron, WI 54812

715-537-3186

Hospital Type: GMS
County: Barron

Analysis Area: 5A-West Central

Inpatient Volume Group:	2	

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	705	Average Length of Stay (days):	2.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,054	Average Charge per Discharge:	\$14,680	Home or Self-Care	54.9%
Total Fatient Days.	2,034	Average Charge per Discharge.	Ф14,000	Other GMS Hospital	7.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	10.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
	0	reicent of All Childbirths.	0.0%	Hospice	3.7%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	6.8%
				Left Against Medical Advice	0.7%
Psychiatric Utilization				Expired	1.8%
Discharges:	2	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	14.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	4	Percent of All Discharges:	0.6%	Medicare	80.7%
Patient Days:	13	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	6.2%
·		•		Other Government	4.4%
				Commercial or Private Insurance	7.8%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution			e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	47.8%	47.3%	Amer.Ind/Alaskan Native	0.9%	0.6%
Under 15	0.0%	0.0%	Female	52.2%	52.7%	Asian	0.1%	0.1%
15 - 19	0.0%	0.0%				Black/African Amer.	0.1%	0.0%
20 - 24	0.3%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.4%	1.6%				White	98.2%	98.6%
35 - 44	3.7%	3.3%				Multiracial	0.0%	0.0%
45 - 54	6.5%	5.0%				Declined	0.3%	0.2%
55 - 64	12.1%	10.8%				Unavailable	0.4%	0.4%
65 - 74	26.0%	26.2%						
75 - 84	29.5%	31.7%						
85 & Over	20.6%	21.3%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	11	2.5	4.4	0.57	3.5	0.71	4.5	0.56	
137 Respiratory Infections and Inflammations	54	3.3	5.2	0.63	4.0	0.83	5.2	0.63	
139 Pneumonia	58	3.2	4.1	0.78	3.8	0.84	4.2	0.76	
140 Chronic Obstructive Pulmonary Disease	12	2.0	3.5	0.57	3.1	0.65	3.4	0.59	
194 Heart Failure	76	3.0	4.8	0.63	3.8	0.79	4.9	0.61	
201 Heart Abnormal Rhythm and Conduction Disorders	8	2.5	3.0	0.83	2.5	1.00	2.9	0.86	
247 Intestinal Obstruction without Surgery	18	2.1	3.0	0.70	3.0	0.70	3.5	0.60	
383 Cellulitis & other skin infections	45	3.2	4.6	0.70	4.4	0.73	4.3	0.74	
463 Kidney/Urinary Tract Infection	31	3.1	3.8	0.82	3.7	0.84	3.9	0.79	
469 Acute kidney injury	30	2.4	4.4	0.55	3.1	0.77	5.1	0.47	
540 Cesarean Delivery	0	N/A	2.9	N/A	2.8	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A	
720 Blood Infection/Septicemia	81	3.2	5.3	0.60	3.8	0.84	5.9	0.54	
861 Signs & Symptoms	16	2.6	5.5	0.47	5.5	0.47	5.6	0.46	

	This Faci	This Facility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$13,842	\$19,697	\$31,265	0.63	\$24,966	0.79	\$40,230	0.49
137 Respiratory Infections and Inflammations	\$19,916	\$21,539	\$34,167	0.63	\$23,829	0.90	\$42,641	0.51
139 Pneumonia	\$16,100	\$16,851	\$25,436	0.66	\$21,847	0.77	\$33,326	0.51
140 Chronic Obstructive Pulmonary Disease	\$10,262	\$10,598	\$21,325	0.50	\$18,738	0.57	\$30,692	0.35
194 Heart Failure	\$14,853	\$17,661	\$28,691	0.62	\$21,808	0.81	\$37,402	0.47
201 Heart Abnormal Rhythm and Conduction Disorde	ers \$12,061	\$13,172	\$20,515	0.64	\$15,774	0.84	\$26,261	0.50
247 Intestinal Obstruction without Surgery	\$8,706	\$11,203	\$16,040	0.70	\$15,683	0.71	\$25,745	0.44
383 Cellulitis & other skin infections	\$13,233	\$14,115	\$21,857	0.65	\$19,917	0.71	\$28,319	0.50
463 Kidney/Urinary Tract Infection	\$11,700	\$12,406	\$19,582	0.63	\$17,130	0.72	\$28,895	0.43
469 Acute kidney injury	\$11,545	\$13,139	\$26,200	0.50	\$19,497	0.67	\$38,198	0.34
540 Cesarean Delivery	N/A	N/A	\$22,289	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,513	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,672	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$16,995	\$22,574	\$40,375	0.56	\$27,838	0.81	\$55,330	0.41
861 Signs & Symptoms	\$10,617	\$11,327	\$20,134	0.56	\$17,922	0.63	\$35,921	0.32

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

010 Marshfield Medical Center - Beaver Dam

707 South University Avenue

Beaver Dam, WI 53916

920-887-7181

85 & Over

10.8%

12.9%

Hospital Type: GMS
County: Dodge
Analysis Area: 1-Southern

Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	918	Average Length of Stay (days):	2.8	Discharge Status	% Discharges
Total Patient Days:	2,594	Average Charge per Discharge:	\$22,545	Home or Self-Care	67.4%
Total Fation Days.	2,004	Average onlarge per bischarge.	Ψ22,040	Other GMS Hospital	5.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	125	Percent of All Childbirths:	74.9%	Skilled Nursing Facility	11.5%
Cesarean Childbirths:	29	Percent of All Childbirths:	17.4%	Intermediate Care Facility	2.1%
Other Childbirths:	13	Percent of All Childbirths:	7.8%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	167			Hospice	2.3%
rotal Grindshale.				Other Institution	0.0%
Total Newborns:	163			Home Health Service	8.3%
Develorie Utilization				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	1.5%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.4%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	0.1%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	12	Percent of All Discharges:	1.3%	Medicare	43.8%
Patient Days:	24	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	23.5%
				Other Government	2.3%
				Commercial or Private Insurance	28.9%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	17.8%	11.9%	Male	39.7%	40.7%	Amer.Ind/Alaskan Native	0.4%	0.7%	
Under 15	0.0%	0.0%	Female	60.2%	59.3%	Asian	0.4%	0.3%	
15 - 19	0.8%	0.4%				Black/African Amer.	0.5%	0.3%	
20 - 24	5.6%	4.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	13.3%	13.0%				White	97.4%	97.7%	
35 - 44	6.1%	4.9%				Multiracial	0.0%	0.0%	
45 - 54	7.3%	7.0%				Declined	0.4%	0.5%	
55 - 64	11.0%	13.1%				Unavailable	0.8%	0.5%	
65 - 74	13.4%	16.6%							
75 - 84	14.1%	16.0%							

	This Facil	ity	Group Averages					
			<u>Analysis Area</u>		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	19	3.2	4.2	0.76	3.4	0.94	4.5	0.71
137 Respiratory Infections and Inflammations	29	3.1	5.3	0.58	3.8	0.82	5.2	0.60
139 Pneumonia	31	3.2	4.0	0.80	3.6	0.89	4.2	0.76
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*
194 Heart Failure	41	3.5	5.0	0.70	3.8	0.92	4.9	0.71
201 Heart Abnormal Rhythm and Conduction Disorders	21	1.9	3.0	0.63	2.3	0.83	2.9	0.66
326 Elective knee joint replacement	*	*	1.7	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	8	2.5	4.5	0.56	3.7	0.68	4.3	0.58
463 Kidney/Urinary Tract Infection	10	4.0	3.9	1.03	3.4	1.18	3.9	1.03
469 Acute kidney injury	16	2.9	5.0	0.58	3.4	0.85	5.1	0.57
540 Cesarean Delivery	29	3.3	3.7	0.89	2.8	1.18	3.4	0.97
560 Vaginal Delivery	125	2.2	2.1	1.05	1.9	1.16	2.1	1.05
640 Normal Newborn, Birthweight 2500g+	145	1.9	2.0	0.95	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	121	3.9	6.2	0.63	4.3	0.91	5.9	0.66
775 Alcohol Abuse/Dependence	12	2.0	3.9	0.51	3.6	0.56	3.9	0.51

•	•	• •	•	•	•	•			
	This Fac	ility	Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio	
133 Respiratory failure	\$24,603	\$34,357	\$48,230	0.71	\$28,186	1.22	\$40,230	0.85	
137 Respiratory Infections and Inflammations	\$28,313	\$28,574	\$50,848	0.56	\$27,697	1.03	\$42,641	0.67	
139 Pneumonia	\$30,113	\$28,047	\$38,234	0.73	\$24,745	1.13	\$33,326	0.84	
140 Chronic Obstructive Pulmonary Disease	*	*	\$35,760	*	\$21,626	*	\$30,692	*	
194 Heart Failure	\$27,073	\$26,289	\$43,714	0.60	\$25,105	1.05	\$37,402	0.70	
201 Heart Abnormal Rhythm and Conduction Disorders	\$16,396	\$15,857	\$31,461	0.50	\$18,832	0.84	\$26,261	0.60	
326 Elective knee joint replacement	*	*	\$55,883	*	\$51,872	*	\$61,836	*	
383 Cellulitis & other skin infections	\$16,996	\$14,210	\$32,909	0.43	\$21,471	0.66	\$28,319	0.50	
463 Kidney/Urinary Tract Infection	\$27,954	\$27,126	\$32,986	0.82	\$19,405	1.40	\$28,895	0.94	
469 Acute kidney injury	\$24,339	\$28,608	\$45,552	0.63	\$23,727	1.21	\$38,198	0.75	
540 Cesarean Delivery	\$28,544	\$28,453	\$34,658	0.82	\$24,636	1.15	\$29,333	0.97	
560 Vaginal Delivery	\$12,909	\$13,091	\$16,752	0.78	\$11,580	1.13	\$15,112	0.87	
640 Normal Newborn, Birthweight 2500g+	\$5,375	\$5,012	\$5,371	0.93	\$4,369	1.15	\$5,404	0.93	
720 Blood Infection/Septicemia	\$32,047	\$35,225	\$69,381	0.51	\$35,041	1.01	\$55,330	0.64	
775 Alcohol Abuse/Dependence	\$14,412	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

ed ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

011 Beloit Health System 1969 West Hart Road Beloit, WI 53511 608-324-5011 Hospital Type: GMS County: Rock

Analysis Area: 1-Southern

Inpatient Volume Group: 5

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	4,264	Average Length of Stay (days):	4.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	18,603	Average Charge per Discharge:	\$59,111	Home or Self-Care	74.1%
Iotal Fatient Days.	10,003	Average Charge per Discharge.	φ39,111	Other GMS Hospital	1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	197	Percent of All Childbirths:	68.6%	Skilled Nursing Facility	11.9%
Cesarean Childbirths:	85	Percent of All Childbirths:	29.6%	Intermediate Care Facility	0.0%
Other Childbirths:	5	Percent of All Childbirths:	1.7%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	287		1.1 70	Hospice	2.4%
Total Officialities	_			Other Institution	0.0%
Total Newborns:	282			Home Health Service	3.1%
Psychiatric Utilization				Left Against Medical Advice	2.0%
Psychiatric Offization				Expired	3.7%
Discharges:	3	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.0%	Other	0.5%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	67	Percent of All Discharges:	1.6%	Medicare	57.2%
Patient Days:	241	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	21.2%
				Other Government	2.3%
				Commercial or Private Insurance	17.0%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.1%

Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	6.6%	3.1%	Male	43.2%	47.6%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.4%	0.1%	Female	56.8%	52.4%	Asian	0.5%	0.5%
15 - 19	0.9%	0.5%				Black/African Amer.	12.4%	12.1%
20 - 24	2.9%	1.4%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	6.8%	3.7%				White	85.4%	86.3%
35 - 44	6.2%	4.3%				Multiracial	0.9%	0.5%
45 - 54	8.7%	8.2%				Declined	0.5%	0.4%
55 - 64	15.7%	17.6%				Unavailable	0 %	0 %
65 - 74	21.7%	24.8%						
75 - 84	19.1%	23.0%						
85 & Over	11.0%	13.3%						

	This Facili	ity			Group A	Averages		
			Analysis Area Inpatient Volume Group			All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	77	5.2	4.8	1.08	4.3	1.21	4.8	1.08
133 Respiratory failure	19	3.3	4.2	0.79	4.2	0.79	4.5	0.73
137 Respiratory Infections and Inflammations	91	5.2	5.3	0.98	5.3	0.98	5.2	1.00
139 Pneumonia	108	4.2	4.0	1.05	4.3	0.98	4.2	1.00
174 Percutaneous coronary intervention w AMI	65	4.8	3.1	1.55	2.7	1.78	2.9	1.66
194 Heart Failure	307	4.9	5.0	0.98	4.8	1.02	4.9	1.00
201 Heart Abnormal Rhythm and Conduction Disorders	83	3.6	3.0	1.20	2.9	1.24	2.9	1.24
463 Kidney/Urinary Tract Infection	88	4.2	3.9	1.08	4.0	1.05	3.9	1.08
469 Acute kidney injury	93	4.7	5.0	0.94	5.0	0.94	5.1	0.92
540 Cesarean Delivery	85	2.8	3.7	0.76	2.9	0.97	3.4	0.82
560 Vaginal Delivery	197	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	259	1.9	2.0	0.95	1.9	1.00	1.9	1.00
720 Blood Infection/Septicemia	362	5.9	6.2	0.95	5.7	1.04	5.9	1.00
751 Psychoses	*	*	6.0	*	4.9	*	5.2	*
775 Alcohol Abuse/Dependence	49	4.2	3.9	1.08	3.9	1.08	3.9	1.08

	This Fa	This Facility			Risk Adjusted	Group Averages	3				
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	Analys Average Charge	is Area Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio			
045 Stroke and Precerebral Occlusion with	Infarct \$73,864	\$79,279	\$58,073	1.37	\$47,748	1.66	\$48,817	1.62			
133 Respiratory failure	\$40,772	\$40,602	\$48,230	0.84	\$37,099	1.09	\$40,230	1.01			
137 Respiratory Infections and Inflammation	ns \$55,732	\$53,362	\$50,848	1.05	\$41,393	1.29	\$42,641	1.25			
139 Pneumonia	\$43,102	\$39,067	\$38,234	1.02	\$34,303	1.14	\$33,326	1.17			
174 Percutaneous coronary intervention w A	AMI \$147,390	\$141,495	\$96,731	1.46	\$85,768	1.65	\$88,028	1.61			
194 Heart Failure	\$45,272	\$47,575	\$43,714	1.09	\$35,400	1.34	\$37,402	1.27			
201 Heart Abnormal Rhythm and Conductio	n Disorders \$43,909	\$41,040	\$31,461	1.30	\$25,284	1.62	\$26,261	1.56			
463 Kidney/Urinary Tract Infection	\$44,166	\$44,239	\$32,986	1.34	\$30,786	1.44	\$28,895	1.53			
469 Acute kidney injury	\$46,954	\$52,223	\$45,552	1.15	\$36,604	1.43	\$38,198	1.37			
540 Cesarean Delivery	\$35,362	\$37,648	\$34,658	1.09	\$27,373	1.38	\$29,333	1.28			
560 Vaginal Delivery	\$22,231	\$23,203	\$16,752	1.39	\$14,481	1.60	\$15,112	1.54			
640 Normal Newborn, Birthweight 2500g+	\$6,181	\$6,686	\$5,371	1.24	\$5,825	1.15	\$5,404	1.24			
720 Blood Infection/Septicemia	\$76,355	\$76,193	\$69,381	1.10	\$52,329	1.46	\$55,330	1.38			
751 Psychoses	*	#	#	*	#	*	#	*			
775 Alcohol Abuse/Dependence	\$35,612	#	#	#	#	#	#	#			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

013 ThedaCare Medical Center - Berlin, Inc.

225 Memorial Drive

Berlin, WI 54923

Hospital Type: GMS

County: Green Lake

Analysis Area: 3-Lake Winnebago

920-361-1313				Inpatient Volume Group: 3	_				
Overall Hospital Utilization			Patient Discharge Status						
Total Discharges:	927	Average Length of Stay (days):	3.2	<u>Discharge Status</u>	% Discharges				
Total Patient Days:	3,011	Average Charge per Discharge:	\$24,195	Home or Self-Care Other GMS Hospital	55.3% 7.3%				
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%				
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	75 19 1 95 106	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	78.9% 20.0% 1.1%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired	15.4% 3.0% 0.3% 4.6% 0.1% 9.2% 0.6% 1.0%				
Discharges: Patient Days:	0	Percent of All Discharges: Percent of All Patient Days:	0.0% 0.0%	Discharge/Tran to Court/Law Enforcmnt Other	1.3% 1.7%				
AODA Utilization Discharges: Patient Days:	7 29	Percent of All Discharges: Percent of All Patient Days:	0.8% 1.0%	Expected Pay Source Distril Primary Payer Medicare Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay					
				Other or Unknown Insurance					

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	11.4%	6.4%	Male	45.7%	45.9%	Amer.Ind/Alaskan Native	0.6%	0.5%
Under 15	0.4%	0.2%	Female	54.3%	54.1%	Asian	0.1%	0.0%
15 - 19	1.1%	0.7%				Black/African Amer.	0.5%	0.4%
20 - 24	2.2%	1.6%				Native Hawaii/Pac.Isl.	0.3%	0.1%
25 - 34	7.8%	5.5%				White	97.1%	98.1%
35 - 44	5.2%	3.6%				Multiracial	0.2%	0.1%
45 - 54	4.6%	3.8%				Declined	0.0%	0.0%
55 - 64	11.5%	14.8%				Unavailable	1.1%	0.8%
65 - 74	20.3%	21.1%						
75 - 84	22.4%	26.8%						
85 & Over	13.1%	15.5%						

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	14	4.3	4.1	1.05	3.4	1.26	4.5	0.96	
137 Respiratory Infections and Inflammations	25	4.0	4.9	0.82	3.8	1.05	5.2	0.77	
139 Pneumonia	47	3.4	3.9	0.87	3.6	0.94	4.2	0.81	
140 Chronic Obstructive Pulmonary Disease	22	3.2	2.9	1.10	3.1	1.03	3.4	0.94	
194 Heart Failure	44	3.5	4.0	0.88	3.8	0.92	4.9	0.71	
201 Heart Abnormal Rhythm and Conduction Disorders	24	2.4	2.5	0.96	2.3	1.04	2.9	0.83	
326 Elective knee joint replacement	0	N/A	1.6	N/A	1.4	N/A	1.9	N/A	
383 Cellulitis & other skin infections	11	4.8	4.0	1.20	3.7	1.30	4.3	1.12	
463 Kidney/Urinary Tract Infection	18	2.6	3.6	0.72	3.4	0.76	3.9	0.67	
469 Acute kidney injury	39	5.1	4.3	1.19	3.4	1.50	5.1	1.00	
540 Cesarean Delivery	19	2.8	3.1	0.90	2.8	1.00	3.4	0.82	
560 Vaginal Delivery	75	2.1	1.9	1.11	1.9	1.11	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	98	1.8	1.9	0.95	1.8	1.00	1.9	0.95	
720 Blood Infection/Septicemia	90	4.7	5.5	0.85	4.3	1.09	5.9	0.80	
775 Alcohol Abuse/Dependence	6	4.7	3.4	1.38	3.6	1.31	3.9	1.21	

	This Ess			Pick Adjusted	Croup Averegee			
	This Fac	Risk			Risk Adjusted			
	Average	Adjusted Average	Analysi Average	s Area	Inpatient Volume Group Average		All GMS Ho Average	ospitals
APR-DRG # and Description	Charge	Charge	Charge	Ratio	Charge	Ratio	Charge	Ratio
133 Respiratory failure	\$32,502	\$41,442	\$29,682	1.40	\$28,186	1.47	\$40,230	1.03
137 Respiratory Infections and Inflammations	\$30,093	\$30,937	\$28,745	1.08	\$27,697	1.12	\$42,641	0.73
139 Pneumonia	\$26,122	\$26,913	\$24,374	1.10	\$24,745	1.09	\$33,326	0.81
140 Chronic Obstructive Pulmonary Disease	\$22,493	\$22,194	\$21,435	1.04	\$21,626	1.03	\$30,692	0.72
194 Heart Failure	\$21,853	\$21,816	\$23,797	0.92	\$25,105	0.87	\$37,402	0.58
201 Heart Abnormal Rhythm and Conduction Disorders	\$19,401	\$21,022	\$18,789	1.12	\$18,832	1.12	\$26,261	0.80
326 Elective knee joint replacement	N/A	N/A	\$44,298	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$28,998	\$27,281	\$20,438	1.33	\$21,471	1.27	\$28,319	0.96
463 Kidney/Urinary Tract Infection	\$23,731	\$23,192	\$21,677	1.07	\$19,405	1.20	\$28,895	0.80
469 Acute kidney injury	\$29,236	\$32,887	\$25,999	1.26	\$23,727	1.39	\$38,198	0.86
540 Cesarean Delivery	\$22,847	\$24,681	\$19,835	1.24	\$24,636	1.00	\$29,333	0.84
560 Vaginal Delivery	\$12,662	\$12,401	\$9,045	1.37	\$11,580	1.07	\$15,112	0.82
640 Normal Newborn, Birthweight 2500g+	\$4,190	\$4,379	\$4,007	1.09	\$4,369	1.00	\$5,404	0.81
720 Blood Infection/Septicemia	\$31,312	\$35,981	\$38,128	0.94	\$35,041	1.03	\$55,330	0.65
775 Alcohol Abuse/Dependence	\$33,121	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

014 Black River Memorial Hospital

711 West Adams Street

Black River Falls, WI 54615

715-284-5361

Hospital Type: GMS

County: Jackson

Analysis Area: 5B-Southwestern

Dations	Diaghanna	Ctatura
Patient	Discharge	Status

Inpatient Volume Group: 2

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	536	Average Length of Stay (days):	2.9	<u>Discharge Status</u>	% Discharges
Total Dationt Days:	1,536	Average Charge per Discharge:	\$13,925	Home or Self-Care	70.1%
Total Patient Days:	1,550	Average Charge per Discharge:	\$13,925	Other GMS Hospital	6.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	71	Percent of All Childbirths:	70.3%	Skilled Nursing Facility	6.3%
Cesarean Childbirths:	23	Percent of All Childbirths:	22.8%	Intermediate Care Facility	0.0%
Other Childbirths:	7	Percent of All Childbirths:	6.9%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	101	1 Groom Gram Grandbartho.	0.570	Hospice	0.9%
Iotal Childbirths.	101			Other Institution	0.0%
Total Newborns:	104			Home Health Service	1.9%
B. H. C. Heller				Left Against Medical Advice	0.4%
Psychiatric Utilization				Expired	2.1%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	10	Percent of All Patient Days:	0.7%	Other	10.4%
				Expected Pay Source Distrib	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	7	Percent of All Discharges:	1.3%	Medicare	45.9%
Patient Days:	25	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	22.0%
•		·		Other Government	3.2%
				Commercial or Private Insurance	25.4%
				Self-Pay	3.5%
				Other or Unknown Insurance	0.0%

Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	19.4%	10.7%	Male	40.9%	49.1%	Amer.Ind/Alaskan Native	8.4%	8.3%
Under 15	0.4%	0.2%	Female	59.1%	50.9%	Asian	0.0%	0.0%
15 - 19	1.1%	0.8%				Black/African Amer.	0.7%	1.1%
20 - 24	5.0%	4.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	14.9%	10.1%				White	81.3%	85.4%
35 - 44	3.5%	3.1%				Multiracial	0.0%	0.0%
45 - 54	3.9%	4.0%				Declined	0.0%	0.0%
55 - 64	8.8%	14.4%				Unavailable	9.5%	5.3%
65 - 74	15.1%	19.9%						
75 - 84	17.7%	20.6%						
85 & Over	10.1%	12.1%						

	This Facil	ity			Group /	Averages		
			Analys	is Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	6	2.5	4.0	0.63	3.5	0.71	4.5	0.56
137 Respiratory Infections and Inflammations	19	4.1	4.8	0.85	4.0	1.03	5.2	0.79
139 Pneumonia	19	3.8	3.3	1.15	3.8	1.00	4.2	0.90
140 Chronic Obstructive Pulmonary Disease	12	2.6	3.4	0.76	3.1	0.84	3.4	0.76
194 Heart Failure	23	2.8	4.5	0.62	3.8	0.74	4.9	0.57
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.1	*	2.5	*	2.9	*
247 Intestinal Obstruction without Surgery	7	5.7	2.9	1.97	3.0	1.90	3.5	1.63
383 Cellulitis & other skin infections	14	4.4	3.9	1.13	4.4	1.00	4.3	1.02
463 Kidney/Urinary Tract Infection	30	3.6	3.5	1.03	3.7	0.97	3.9	0.92
469 Acute kidney injury	10	1.9	4.9	0.39	3.1	0.61	5.1	0.37
540 Cesarean Delivery	23	2.6	3.3	0.79	2.8	0.93	3.4	0.76
560 Vaginal Delivery	71	1.6	2.1	0.76	1.8	0.89	2.1	0.76
640 Normal Newborn, Birthweight 2500g+	96	1.6	1.8	0.89	1.7	0.94	1.9	0.84
720 Blood Infection/Septicemia	33	3.7	4.6	0.80	3.8	0.97	5.9	0.63
861 Signs & Symptoms	*	*	6.5	*	5.5	*	5.6	*

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$14,166	\$18,321	\$26,914	0.68	\$24,966	0.73	\$40,230	0.46
137 Respiratory Infections and Inflammations	\$18,140	\$24,260	\$29,196	0.83	\$23,829	1.02	\$42,641	0.57
139 Pneumonia	\$20,923	\$25,575	\$21,792	1.17	\$21,847	1.17	\$33,326	0.77
140 Chronic Obstructive Pulmonary Disease	\$16,577	\$18,793	\$22,105	0.85	\$18,738	1.00	\$30,692	0.61
194 Heart Failure	\$15,007	\$18,916	\$24,371	0.78	\$21,808	0.87	\$37,402	0.51
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$18,433	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	\$21,883	\$26,138	\$16,141	1.62	\$15,683	1.67	\$25,745	1.02
383 Cellulitis & other skin infections	\$23,101	\$23,737	\$19,481	1.22	\$19,917	1.19	\$28,319	0.84
463 Kidney/Urinary Tract Infection	\$15,792	\$15,655	\$17,675	0.89	\$17,130	0.91	\$28,895	0.54
469 Acute kidney injury	\$10,904	\$14,921	\$24,071	0.62	\$19,497	0.77	\$38,198	0.39
540 Cesarean Delivery	\$16,830	\$18,169	\$28,961	0.63	\$25,945	0.70	\$29,333	0.62
560 Vaginal Delivery	\$8,214	\$7,995	\$16,404	0.49	\$9,423	0.85	\$15,112	0.53
640 Normal Newborn, Birthweight 2500g+	\$5,424	\$5,684	\$4,720	1.20	\$4,311	1.32	\$5,404	1.05
720 Blood Infection/Septicemia	\$19,674	\$28,500	\$30,818	0.92	\$27,838	1.02	\$55,330	0.52
861 Signs & Symptoms	*	*	\$26,429	*	\$17,922	*	\$35,921	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

015 Mayo Clinic Health System - Chippewa Valley in Bloomer

1501 Thompson Street

Bloomer, WI 54724

715-568-2000

85 & Over

23.4%

24.7%

Hospital Type: GMS

Inpatient Volume Group: 2

County: Chippewa

Analysis Area: 5A-West Central

Patient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	278	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	969	Average Charge per Discharge:	\$15,337	Home or Self-Care	50.7%
Total Fatterit Days.	303	Average Charge per Discharge.	ψ10,007	Other GMS Hospital	6.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	7.6%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		0.070	Hospice	1.4%
Total Offidalitis.	O			Other Institution	0.0%
Total Newborns:	0			Home Health Service	8.3%
Dovobiotrio Utilization				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	2.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	21.9%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	0.7%	Medicare	80.6%
Patient Days:	6	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	4.0%
				Other Government	2.5%
				Commercial or Private Insurance	12.6%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distribution	<u>1</u>	<u>Rac</u>	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	48.6%	46.4%	Amer.Ind/Alaskan Native	€ 0.0%	0.0%
Under 15	0.0%	0.0%	Female	51.4%	53.6%	Asian	0.7%	0.6%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.4%	0.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.4%	1.0%				White	99.3%	99.4%
35 - 44	2.2%	2.0%				Multiracial	0.0%	0.0%
45 - 54	5.0%	4.7%				Declined	0.0%	0.0%
55 - 64	14.4%	12.9%				Unavailable	0 %	0 %
65 - 74	23.7%	23.6%						
75 - 84	29.5%	30.9%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.5	*	4.5	*
137 Respiratory Infections and Inflammations	21	4.0	5.2	0.77	4.0	1.00	5.2	0.77
139 Pneumonia	43	3.4	4.1	0.83	3.8	0.89	4.2	0.81
140 Chronic Obstructive Pulmonary Disease	6	2.8	3.5	0.80	3.1	0.90	3.4	0.82
194 Heart Failure	27	3.6	4.8	0.75	3.8	0.95	4.9	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.0	*	2.5	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	3.0	*	3.0	*	3.5	*
383 Cellulitis & other skin infections	19	3.6	4.6	0.78	4.4	0.82	4.3	0.84
463 Kidney/Urinary Tract Infection	18	3.6	3.8	0.95	3.7	0.97	3.9	0.92
469 Acute kidney injury	11	3.6	4.4	0.82	3.1	1.16	5.1	0.71
540 Cesarean Delivery	0	N/A	2.9	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	29	3.7	5.3	0.70	3.8	0.97	5.9	0.63
861 Signs & Symptoms	5	2.0	5.5	0.36	5.5	0.36	5.6	0.36

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$31,265	*	\$24,966	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$21,136	\$22,439	\$34,167	0.66	\$23,829	0.94	\$42,641	0.53
139 Pneumonia	\$15,731	\$15,812	\$25,436	0.62	\$21,847	0.72	\$33,326	0.47
140 Chronic Obstructive Pulmonary Disease	\$15,323	\$14,599	\$21,325	0.68	\$18,738	0.78	\$30,692	0.48
194 Heart Failure	\$16,404	\$17,741	\$28,691	0.62	\$21,808	0.81	\$37,402	0.47
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$20,515	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	*	*	\$16,040	*	\$15,683	*	\$25,745	*
383 Cellulitis & other skin infections	\$14,766	\$15,078	\$21,857	0.69	\$19,917	0.76	\$28,319	0.53
463 Kidney/Urinary Tract Infection	\$11,550	\$11,483	\$19,582	0.59	\$17,130	0.67	\$28,895	0.40
469 Acute kidney injury	\$16,322	\$19,346	\$26,200	0.74	\$19,497	0.99	\$38,198	0.51
540 Cesarean Delivery	N/A	N/A	\$22,289	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,513	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,672	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$17,601	\$21,294	\$40,375	0.53	\$27,838	0.76	\$55,330	0.38
861 Signs & Symptoms	\$7,351	\$7,016	\$20,134	0.35	\$17,922	0.39	\$35,921	0.20

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

016 Gundersen Boscobel Area Hospital and Clinics

205 Parker Street

Boscobel, WI 53805

85 & Over

24.0%

24.2%

Hospital Type: GMS County: Grant

Commercial or Private Insurance

Other or Unknown Insurance

Self-Pay

7.8%

0.0%

0.0%

Analysis Area: 1-Southern

608-375-4112				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	154	Average Length of Stay (days):	2.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	417	Average Charge per Discharge:	\$10,344	Home or Self-Care Other GMS Hospital	57.1% 11.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	20.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	0.0% 0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	2.6% 1.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	6.5%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	74.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	9.7%
				Other Government	8.4%

	Age Distribution			Sex Distribution	<u>1</u>	Race	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	56.5%	61.6%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	43.5%	38.4%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	1.3%	1.4%
20 - 24	1.3%	1.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	3.9%	3.6%				White	98.1%	98.1%
35 - 44	3.9%	5.3%				Multiracial	0.6%	0.5%
45 - 54	5.8%	4.1%				Declined	0.0%	0.0%
55 - 64	17.5%	15.8%				Unavailable	0 %	0 %
65 - 74	16.9%	17.5%						
75 - 84	26.6%	28.5%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	4.1	4.2	0.98	3.0	1.37	4.5	0.91
137 Respiratory Infections and Inflammations	5	2.2	5.3	0.42	3.7	0.59	5.2	0.42
139 Pneumonia	6	2.2	4.0	0.55	3.3	0.67	4.2	0.52
140 Chronic Obstructive Pulmonary Disease	7	2.0	3.4	0.59	3.1	0.65	3.4	0.59
194 Heart Failure	14	2.6	5.0	0.52	3.5	0.74	4.9	0.53
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.0	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.7	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	11	2.3	4.2	0.55	2.6	0.88	3.9	0.59
383 Cellulitis & other skin infections	10	3.9	4.5	0.87	3.9	1.00	4.3	0.91
420 Diabetes	*	*	3.3	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	9	2.9	3.9	0.74	3.5	0.83	3.9	0.74
469 Acute kidney injury	5	3.8	5.0	0.76	3.3	1.15	5.1	0.75
720 Blood Infection/Septicemia	20	2.2	6.2	0.35	3.5	0.63	5.9	0.37
861 Signs & Symptoms	*	*	4.4	*	10.3	*	5.6	*
862 Other Factors Influencing Health Status	0	N/A	4.3	N/A	12.2	N/A	8.2	N/A

	This Fac	ility		-	Pick Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$14,264	\$14,799	\$48,230	0.31	\$20,930	0.71	\$40,230	0.37
137 Respiratory Infections and Inflammations	\$12,590	\$11,818	\$50,848	0.23	\$22,966	0.51	\$42,641	0.28
139 Pneumonia	\$8,161	\$9,968	\$38,234	0.26	\$20,677	0.48	\$33,326	0.30
140 Chronic Obstructive Pulmonary Disease	\$7,629	\$7,329	\$35,760	0.20	\$17,434	0.42	\$30,692	0.24
194 Heart Failure	\$10,057	\$12,404	\$43,714	0.28	\$19,130	0.65	\$37,402	0.33
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$31,461	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$33,904	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	\$11,157	\$11,771	\$38,271	0.31	\$18,647	0.63	\$34,273	0.34
383 Cellulitis & other skin infections	\$12,764	\$11,077	\$32,909	0.34	\$18,221	0.61	\$28,319	0.39
420 Diabetes	*	*	\$36,041	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$9,574	\$8,693	\$32,986	0.26	\$16,696	0.52	\$28,895	0.30
469 Acute kidney injury	\$10,877	\$18,123	\$45,552	0.40	\$19,375	0.94	\$38,198	0.47
720 Blood Infection/Septicemia	\$7,067	\$9,429	\$69,381	0.14	\$25,105	0.38	\$55,330	0.17
861 Signs & Symptoms	*	*	\$32,782	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$18,129	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

017 Ascension SE Wisconsin - Elmbrook Campus

19333 West North Avenue

Brookfield, WI 53045

85 & Over

17.0%

20.3%

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

262-785-2000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	3,721	Average Length of Stay (days):	4.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	16,318	Average Charge per Discharge:	\$40,622	Home or Self-Care Other GMS Hospital	64.3% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: Patient Days:	211 78 14 303 296	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	69.6% 25.7% 4.6% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	12.0% 0.0% 2.8% 4.4% 0.1% 11.5% 0.5% 2.2% 0.1% 0.3%
,		,		Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	31	Percent of All Discharges:	0.8%	Medicare	58.0%
Patient Days:	147	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	9.3%
				Other Government	0.1%
				Commercial or Private Insurance	31.2%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	8.0%	3.7%	Male	43.4%	45.7%	Amer.Ind/Alaskan Native	0.4%	0.5%
Under 15	0.1%	0.1%	Female	56.6%	54.3%	Asian	2.8%	2.2%
15 - 19	0.1%	0.0%				Black/African Amer.	9.4%	11.8%
20 - 24	1.1%	0.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.8%	5.2%				White	84.2%	83.3%
35 - 44	6.4%	4.2%				Multiracial	0.6%	0.4%
45 - 54	7.8%	7.4%				Declined	2.6%	1.8%
55 - 64	12.0%	12.2%				Unavailable	0 %	0 %
65 - 74	19.2%	21.6%						
75 - 84	19.5%	24.6%						

	This Facil	ity			Group A	Averages		
			Analysis Area		Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	67	3.0	4.2	0.71	4.3	0.70	4.8	0.63
133 Respiratory failure	30	5.3	4.5	1.18	4.2	1.26	4.5	1.18
137 Respiratory Infections and Inflammations	77	6.3	5.0	1.26	5.3	1.19	5.2	1.21
139 Pneumonia	50	4.8	4.4	1.09	4.3	1.12	4.2	1.14
174 Percutaneous coronary intervention w AMI	58	2.6	2.7	0.96	2.7	0.96	2.9	0.90
194 Heart Failure	139	5.3	4.8	1.10	4.8	1.10	4.9	1.08
201 Heart Abnormal Rhythm and Conduction Disorders	66	2.7	2.8	0.96	2.9	0.93	2.9	0.93
463 Kidney/Urinary Tract Infection	70	3.9	3.7	1.05	4.0	0.98	3.9	1.00
469 Acute kidney injury	62	5.1	5.2	0.98	5.0	1.02	5.1	1.00
540 Cesarean Delivery	78	3.1	3.1	1.00	2.9	1.07	3.4	0.91
560 Vaginal Delivery	211	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	271	1.9	1.9	1.00	1.9	1.00	1.9	1.00
720 Blood Infection/Septicemia	193	6.6	5.5	1.20	5.7	1.16	5.9	1.12
751 Psychoses	0	N/A	5.1	N/A	4.9	N/A	5.2	N/A
775 Alcohol Abuse/Dependence	16	6.3	4.1	1.54	3.9	1.62	3.9	1.62

	This Fac	ility	Risk Adjusted Group Averages								
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	Analysi Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
045 Stroke and Precerebral Occlus	sion with Infarct	\$33,368	\$33,435	\$48,841	0.68	\$47,748	0.70	\$48,817	0.68		
133 Respiratory failure		\$35,759	\$33,164	\$40,487	0.82	\$37,099	0.89	\$40,230	0.82		
137 Respiratory Infections and Infla	ammations	\$36,866	\$36,725	\$43,191	0.85	\$41,393	0.89	\$42,641	0.86		
139 Pneumonia		\$28,989	\$28,405	\$37,172	0.76	\$34,303	0.83	\$33,326	0.85		
174 Percutaneous coronary interve	ention w AMI	\$69,676	\$67,028	\$88,471	0.76	\$85,768	0.78	\$88,028	0.76		
194 Heart Failure		\$29,872	\$30,163	\$37,913	0.80	\$35,400	0.85	\$37,402	0.81		
201 Heart Abnormal Rhythm and C	Conduction Disorders	\$20,934	\$21,429	\$28,341	0.76	\$25,284	0.85	\$26,261	0.82		
463 Kidney/Urinary Tract Infection		\$26,138	\$26,286	\$29,800	0.88	\$30,786	0.85	\$28,895	0.91		
469 Acute kidney injury		\$28,431	\$28,923	\$39,143	0.74	\$36,604	0.79	\$38,198	0.76		
540 Cesarean Delivery		\$27,489	\$27,823	\$31,537	0.88	\$27,373	1.02	\$29,333	0.95		
560 Vaginal Delivery		\$13,274	\$13,597	\$17,466	0.78	\$14,481	0.94	\$15,112	0.90		
640 Normal Newborn, Birthweight	2500g+	\$6,260	\$6,279	\$6,387	0.98	\$5,825	1.08	\$5,404	1.16		
720 Blood Infection/Septicemia		\$46,275	\$43,975	\$53,476	0.82	\$52,329	0.84	\$55,330	0.79		
751 Psychoses		N/A	#	#	*	#	*	#	*		
775 Alcohol Abuse/Dependence		\$43,302	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

018 Aurora Medical Center Burlington

252 McHenry Street

Burlington, WI 53105

262-767-6000

85 & Over

16.2%

15.9%

Hospital Type: GMS
County: Racine

Analysis Area: 2A-Southeastern

Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	2,136	Average Length of Stay (days):	4.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	9,165	Average Charge per Discharge:	\$47,937	Home or Self-Care	45.4%
Total Faticiti Days.	3,103	Average onlinge per bisonarge.	Ψ+1,331	Other GMS Hospital	5.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	15.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.8%
Total Childbirths:	0			Hospice	3.2%
	_			Other Institution	0.0%
Total Newborns:	0			Home Health Service	22.8%
Psychiatric Utilization				Left Against Medical Advice	0.9%
	0	D ((All D: 1	0.40/	Expired	1.7%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	14	Percent of All Patient Days:	0.2%	Other	0.7%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	40	Percent of All Discharges:	1.9%	Medicare	72.3%
Patient Days:	139	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare	8.1%
				Other Government	2.2%
				Commercial or Private Insurance	15.6%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.1%

	Age Distribution	i		Sex Distribution	<u>n</u>	<u>Rac</u>	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	51.1%	50.0%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.0%	0.0%	Female	48.9%	50.0%	Asian	0.6%	0.6%
15 - 19	0.1%	0.1%				Black/African Amer.	1.1%	1.5%
20 - 24	0.9%	0.8%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	2.4%	1.7%				White	97.6%	97.3%
35 - 44	4.4%	3.2%				Multiracial	0.0%	0.1%
45 - 54	7.9%	7.4%				Declined	0.3%	0.3%
55 - 64	17.4%	17.8%				Unavailable	0 %	0 %
65 - 74	25.6%	26.2%						
75 - 84	25.0%	26.9%						

	This Facil	ity			Group /	Averages		
			Analysis Area		Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	23	3.2	4.2	0.76	3.9	0.82	4.8	0.67
133 Respiratory failure	52	4.3	4.5	0.96	3.8	1.13	4.5	0.96
137 Respiratory Infections and Inflammations	61	4.5	5.0	0.90	4.9	0.92	5.2	0.87
139 Pneumonia	58	4.1	4.4	0.93	4.0	1.03	4.2	0.98
194 Heart Failure	137	4.8	4.8	1.00	4.2	1.14	4.9	0.98
201 Heart Abnormal Rhythm and Conduction Disorders	64	2.3	2.8	0.82	2.8	0.82	2.9	0.79
247 Intestinal Obstruction without Surgery	32	3.1	4.0	0.78	3.0	1.03	3.5	0.89
383 Cellulitis & other skin infections	60	4.2	4.1	1.02	4.4	0.95	4.3	0.98
463 Kidney/Urinary Tract Infection	30	3.2	3.7	0.86	3.9	0.82	3.9	0.82
469 Acute kidney injury	67	4.2	5.2	0.81	4.4	0.95	5.1	0.82
540 Cesarean Delivery	0	N/A	3.1	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	372	4.8	5.5	0.87	4.9	0.98	5.9	0.81
775 Alcohol Abuse/Dependence	32	3.9	4.1	0.95	3.6	1.08	3.9	1.00

	This Facility				Risk Adjusted Group Averages						
APR-[DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$43,550	\$48,351	\$48,841	0.99	\$40,171	1.20	\$48,817	0.99		
133 F	Respiratory failure	\$40,295	\$47,924	\$40,487	1.18	\$36,698	1.31	\$40,230	1.19		
137 F	Respiratory Infections and Inflammations	\$45,818	\$42,524	\$43,191	0.98	\$36,939	1.15	\$42,641	1.00		
139 F	Pneumonia	\$37,540	\$33,638	\$37,172	0.90	\$30,699	1.10	\$33,326	1.01		
194 H	Heart Failure	\$39,916	\$39,543	\$37,913	1.04	\$31,713	1.25	\$37,402	1.06		
201 H	Heart Abnormal Rhythm and Conduction Disorders	\$29,063	\$32,345	\$28,341	1.14	\$24,868	1.30	\$26,261	1.23		
247 I	ntestinal Obstruction without Surgery	\$28,084	\$31,397	\$29,283	1.07	\$23,106	1.36	\$25,745	1.22		
383 (Cellulitis & other skin infections	\$33,939	\$31,477	\$29,097	1.08	\$26,486	1.19	\$28,319	1.11		
463 k	Kidney/Urinary Tract Infection	\$31,106	\$29,896	\$29,800	1.00	\$26,652	1.12	\$28,895	1.03		
469 A	Acute kidney injury	\$38,431	\$38,250	\$39,143	0.98	\$33,034	1.16	\$38,198	1.00		
540 (Cesarean Delivery	N/A	N/A	\$31,537	*	\$26,530	*	\$29,333	*		
560 \	√aginal Delivery	N/A	N/A	\$17,466	*	\$12,146	*	\$15,112	*		
640 N	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,387	*	\$4,923	*	\$5,404	*		
720 E	Blood Infection/Septicemia	\$48,096	\$50,610	\$53,476	0.95	\$44,231	1.14	\$55,330	0.91		
775 A	Alcohol Abuse/Dependence	\$33,262	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

019 Ascension Calumet Hospital

614 Memorial Drive

85 & Over

31.6%

30.5%

Chilton, WI 53014

920-849-2386 Inpatient Volume Group: 1

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	228	Average Length of Stay (days):	6.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,357	Average Charge per Discharge:	\$12,382	Home or Self-Care	46.5%
Total Fatient Days.	1,557	Average Charge per Discharge.	Ψ12,302	Other GMS Hospital	11.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	10.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.8%
Total Childbirths:	0	-	0.070	Hospice	5.7%
rotal Crindshirio.	·			Other Institution	0.0%
Total Newborns:	0			Home Health Service	18.4%
Dovobiotrio Utilization				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	2.6%
Discharges:	1	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1	Percent of All Patient Days:	0.1%	Other	3.1%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	2.2%	Medicare	78.9%
Patient Days:	14	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	5.7%
				Other Government	3.1%
				Commercial or Private Insurance	9.6%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.0%
-					

Hospital Type: GMS

County: Calumet

Analysis Area: 3-Lake Winnebago

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	52.2%	65.2%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	47.8%	34.8%	Asian	0.0%	0.0%
15 - 19	0.4%	0.1%				Black/African Amer.	0.0%	0.0%
20 - 24	0.4%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.9%	2.0%				White	98.7%	99.6%
35 - 44	2.2%	1.0%				Multiracial	0.0%	0.0%
45 - 54	6.1%	3.8%				Declined	1.3%	0.4%
55 - 64	10.5%	7.7%				Unavailable	0 %	0 %
65 - 74	19.7%	29.8%						
75 - 84	28.1%	25.1%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.1	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	12	5.0	4.9	1.02	3.7	1.35	5.2	0.96
139 Pneumonia	13	2.4	3.9	0.62	3.3	0.73	4.2	0.57
140 Chronic Obstructive Pulmonary Disease	*	*	2.9	*	3.1	*	3.4	*
194 Heart Failure	13	3.5	4.0	0.88	3.5	1.00	4.9	0.71
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.5	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.4	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	3.8	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	*	*	4.0	*	3.9	*	4.3	*
420 Diabetes	*	*	3.0	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.6	*	3.5	*	3.9	*
469 Acute kidney injury	11	2.0	4.3	0.47	3.3	0.61	5.1	0.39
720 Blood Infection/Septicemia	24	5.2	5.5	0.95	3.5	1.49	5.9	0.88
861 Signs & Symptoms	29	12.6	5.5	2.29	10.3	1.22	5.6	2.25
862 Other Factors Influencing Health Status	14	11.6	6.6	1.76	12.2	0.95	8.2	1.41

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$29,682	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$9,039	\$10,807	\$28,745	0.38	\$22,966	0.47	\$42,641	0.25
139 Pneumonia	\$9,123	\$10,695	\$24,374	0.44	\$20,677	0.52	\$33,326	0.32
140 Chronic Obstructive Pulmonary Disease	*	*	\$21,435	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$8,045	\$8,019	\$23,797	0.34	\$19,130	0.42	\$37,402	0.21
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$18,789	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$21,096	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$23,671	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$20,438	*	\$18,221	*	\$28,319	*
420 Diabetes	*	*	\$21,959	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	*	*	\$21,677	*	\$16,696	*	\$28,895	*
469 Acute kidney injury	\$7,591	\$8,212	\$25,999	0.32	\$19,375	0.42	\$38,198	0.21
720 Blood Infection/Septicemia	\$15,392	\$19,375	\$38,128	0.51	\$25,105	0.77	\$55,330	0.35
861 Signs & Symptoms	\$13,461	\$13,310	\$22,203	0.60	\$18,999	0.70	\$35,921	0.37
862 Other Factors Influencing Health Status	\$9,602	\$10,924	\$18,749	0.58	\$19,869	0.55	\$32,059	0.34

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

020 St Joseph's Hospital 2661 County Highway I Chippewa Falls, WI 54729

715-717-7200

Hospital Type: GMS

County: Chippewa

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,555	Average Length of Stay (days):	3.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	5,096	Average Charge per Discharge:	\$11,598	Home or Self-Care	77.6%
Total Fatterit Days.	3,030	Average Charge per Discharge.	Ψ11,390	Other GMS Hospital	4.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	2.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.6%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	3.1%
Total Childbirths:	0			Hospice	0.6%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	1.7%
Psychiatric Utilization				Left Against Medical Advice	8.7%
r sycmatric offization				Expired	0.4%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	0.2%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1,217	Percent of All Discharges:	78.3%	Medicare	22.9%
Patient Days:	4,120	Percent of All Patient Days:	80.8%	Medicaid/BadgerCare	51.4%
				Other Government	3.0%
				Commercial or Private Insurance	21.0%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	60.5%	58.8%	Amer.Ind/Alaskan Native	e 5.7%	6.4%
Under 15	0.0%	0.0%	Female	39.5%	41.2%	Asian	0.3%	0.2%
15 - 19	0.8%	0.7%				Black/African Amer.	1.7%	1.6%
20 - 24	3.5%	3.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	20.9%	21.2%				White	89.7%	88.7%
35 - 44	26.8%	26.9%				Multiracial	0.5%	0.6%
45 - 54	16.1%	16.3%				Declined	1.5%	1.8%
55 - 64	15.0%	15.3%				Unavailable	0.5%	0.6%
65 - 74	7.7%	7.5%						
75 - 84	5.1%	4.8%						
85 & Over	4.1%	4.3%						

	This Facility Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	6	2.7	4.4	0.61	3.4	0.79	4.5	0.60
137 Respiratory Infections and Inflammations	16	3.5	5.2	0.67	3.8	0.92	5.2	0.67
139 Pneumonia	36	3.3	4.1	0.80	3.6	0.92	4.2	0.79
140 Chronic Obstructive Pulmonary Disease	14	2.5	3.5	0.71	3.1	0.81	3.4	0.74
194 Heart Failure	20	3.6	4.8	0.75	3.8	0.95	4.9	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	10	2.1	3.0	0.70	2.3	0.91	2.9	0.72
326 Elective knee joint replacement	0	N/A	2.2	N/A	1.4	N/A	1.9	N/A
383 Cellulitis & other skin infections	30	3.2	4.6	0.70	3.7	0.86	4.3	0.74
463 Kidney/Urinary Tract Infection	20	3.1	3.8	0.82	3.4	0.91	3.9	0.79
469 Acute kidney injury	17	3.1	4.4	0.70	3.4	0.91	5.1	0.61
540 Cesarean Delivery	0	N/A	2.9	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	22	3.8	5.3	0.72	4.3	0.88	5.9	0.64
775 Alcohol Abuse/Dependence	702	3.5	3.8	0.92	3.6	0.97	3.9	0.90

· · · · · · · · · · · · · · · · · · ·				•				
	This Fac	-			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$22,407	\$32,208	\$31,265	1.03	\$28,186	1.14	\$40,230	0.80
137 Respiratory Infections and Inflammations	\$24,052	\$26,678	\$34,167	0.78	\$27,697	0.96	\$42,641	0.63
139 Pneumonia	\$23,363	\$26,763	\$25,436	1.05	\$24,745	1.08	\$33,326	0.80
140 Chronic Obstructive Pulmonary Disease	\$17,050	\$19,768	\$21,325	0.93	\$21,626	0.91	\$30,692	0.64
194 Heart Failure	\$21,092	\$22,431	\$28,691	0.78	\$25,105	0.89	\$37,402	0.60
201 Heart Abnormal Rhythm and Conduction Disorders	\$18,122	\$18,183	\$20,515	0.89	\$18,832	0.97	\$26,261	0.69
326 Elective knee joint replacement	N/A	N/A	\$41,297	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$20,212	\$22,101	\$21,857	1.01	\$21,471	1.03	\$28,319	0.78
463 Kidney/Urinary Tract Infection	\$21,118	\$22,195	\$19,582	1.13	\$19,405	1.14	\$28,895	0.77
469 Acute kidney injury	\$20,606	\$24,396	\$26,200	0.93	\$23,727	1.03	\$38,198	0.64
540 Cesarean Delivery	N/A	N/A	\$22,289	*	\$24,636	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,513	*	\$11,580	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,672	*	\$4,369	*	\$5,404	*
720 Blood Infection/Septicemia	\$26,096	\$38,370	\$40,375	0.95	\$35,041	1.10	\$55,330	0.69
775 Alcohol Abuse/Dependence	\$9,447	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

022 Prairie Ridge Health 1515 Park Avenue Columbus, WI 53925

920-623-2200

Hospital Type: GMS

County: Columbia
Analysis Area: 1-Southern

Overall Heapital Utilization				Potiont Discharge Statu	10
Overall Hospital Utilization				Patient Discharge Statu	
Total Discharges:	928	Average Length of Stay (days):	3.1	<u>Discharge Status</u>	<u>% Discharges</u>
Total Patient Days:	2,873	Average Charge per Discharge:	\$19,979	Home or Self-Care	79.1%
Total Fation Bays.	2,070	Average charge per bisonarge.	ψ10,010	Other GMS Hospital	7.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	123	Percent of All Childbirths:	83.7%	Skilled Nursing Facility	7.1%
				Intermediate Care Facility	0.4%
Cesarean Childbirths:	22	Percent of All Childhirths:	15.0%	Inpatient Rehabilitation Facility	0.0%
Other Childbirths:	2	Percent of All Childbirths:	1.4%	Hospice	0.9%
Total Childbirths:	147			Other Institution	0.0%
Total Newborns:	158			Home Health Service	0.2%
				Left Against Medical Advice	0.2%
Psychiatric Utilization				Expired	2.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	2.5%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	0.6%	Medicare	48.3%
Patient Days:	25	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	13.3%
·		•		Other Government	0.3%
				Commercial or Private Insurance	35.9%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	17.0%	9.9%	Male	42.9%	44.9%	Amer.Ind/Alaskan Native	0.2%	0.2%
Under 15	0.4%	0.2%	Female	57.1%	55.1%	Asian	0.2%	0.2%
15 - 19	0.9%	0.7%				Black/African Amer.	0.4%	0.4%
20 - 24	3.2%	2.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	13.0%	9.0%				White	85.3%	88.8%
35 - 44	5.3%	4.0%				Multiracial	0.2%	0.1%
45 - 54	3.2%	4.6%				Declined	0.9%	1.2%
55 - 64	9.5%	11.7%				Unavailable	12.7%	9.0%
65 - 74	14.5%	15.7%						
75 - 84	17.0%	22.0%						
85 & Over	15.8%	20.0%						

	This Facil	ity	Group Averages					
			Analys	Analysis Area Inpatient Volume Group			All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	25	3.0	4.2	0.71	3.5	0.86	4.5	0.67
137 Respiratory Infections and Inflammations	23	4.3	5.3	0.81	4.0	1.08	5.2	0.83
139 Pneumonia	66	3.7	4.0	0.93	3.8	0.97	4.2	0.88
140 Chronic Obstructive Pulmonary Disease	23	2.8	3.4	0.82	3.1	0.90	3.4	0.82
194 Heart Failure	21	4.5	5.0	0.90	3.8	1.18	4.9	0.92
201 Heart Abnormal Rhythm and Conduction Disorders	18	2.6	3.0	0.87	2.5	1.04	2.9	0.90
247 Intestinal Obstruction without Surgery	19	3.2	3.6	0.89	3.0	1.07	3.5	0.91
383 Cellulitis & other skin infections	35	6.0	4.5	1.33	4.4	1.36	4.3	1.40
463 Kidney/Urinary Tract Infection	38	3.7	3.9	0.95	3.7	1.00	3.9	0.95
469 Acute kidney injury	5	2.8	5.0	0.56	3.1	0.90	5.1	0.55
540 Cesarean Delivery	22	3.0	3.7	0.81	2.8	1.07	3.4	0.88
560 Vaginal Delivery	123	2.0	2.1	0.95	1.8	1.11	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	152	1.8	2.0	0.90	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	21	4.5	6.2	0.73	3.8	1.18	5.9	0.76
861 Signs & Symptoms	16	2.8	4.4	0.64	5.5	0.51	5.6	0.50

	• .	•	•	-	•		
This Fac	ility			Risk Adjusted	Group Averages	3	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
\$21,021	\$29,557	\$48,230	0.61	\$24,966	1.18	\$40,230	0.73
\$22,144	\$28,547	\$50,848	0.56	\$23,829	1.20	\$42,641	0.67
\$21,672	\$31,329	\$38,234	0.82	\$21,847	1.43	\$33,326	0.94
\$19,614	\$25,372	\$35,760	0.71	\$18,738	1.35	\$30,692	0.83
\$27,919	\$35,482	\$43,714	0.81	\$21,808	1.63	\$37,402	0.95
Disorders \$23,299	\$32,103	\$31,461	1.02	\$15,774	2.04	\$26,261	1.22
\$19,442	\$25,997	\$30,614	0.85	\$15,683	1.66	\$25,745	1.01
\$29,936	\$32,708	\$32,909	0.99	\$19,917	1.64	\$28,319	1.15
\$19,137	\$21,296	\$32,986	0.65	\$17,130	1.24	\$28,895	0.74
\$17,248	\$25,038	\$45,552	0.55	\$19,497	1.28	\$38,198	0.66
\$24,779	\$27,178	\$34,658	0.78	\$25,945	1.05	\$29,333	0.93
\$10,510	\$11,210	\$16,752	0.67	\$9,423	1.19	\$15,112	0.74
\$4,323	\$5,079	\$5,371	0.95	\$4,311	1.18	\$5,404	0.94
\$35,065	\$58,743	\$69,381	0.85	\$27,838	2.11	\$55,330	1.06
\$17,616	\$26,070	\$32,782	0.80	\$17,922	1.45	\$35,921	0.73
	Average Charge \$21,021 \$22,144 \$21,672 \$19,614 \$27,919 Sisorders \$23,299 \$19,442 \$29,936 \$19,137 \$17,248 \$24,779 \$10,510 \$4,323 \$35,065	Adjusted Average Charge Charge \$21,021 \$29,557 \$22,144 \$28,547 \$21,672 \$31,329 \$19,614 \$25,372 \$27,919 \$35,482 \$23,299 \$32,103 \$19,442 \$25,997 \$29,936 \$32,708 \$19,137 \$21,296 \$17,248 \$25,038 \$24,779 \$27,178 \$10,510 \$11,210 \$4,323 \$5,079 \$35,065 \$58,743	Risk Adjusted Average Charge S21,021 \$29,557 \$48,230 \$22,144 \$28,547 \$50,848 \$21,672 \$31,329 \$38,234 \$19,614 \$25,372 \$35,760 \$27,919 \$35,482 \$43,714 \$23,299 \$32,103 \$31,461 \$19,442 \$25,997 \$30,614 \$29,936 \$32,708 \$32,909 \$19,137 \$21,296 \$32,986 \$17,248 \$25,038 \$45,552 \$24,779 \$27,178 \$34,658 \$10,510 \$11,210 \$16,752 \$4,323 \$5,079 \$5,371 \$35,065 \$58,743 \$69,381	Risk Adjusted Average Charge Ratio \$21,021 \$29,557 \$48,230 0.61 \$22,144 \$28,547 \$50,848 0.56 \$21,672 \$31,329 \$38,234 0.82 \$19,614 \$25,372 \$35,760 0.71 \$27,919 \$35,482 \$43,714 0.81 \$27,919 \$35,482 \$43,714 0.81 \$27,919 \$35,482 \$43,714 0.81 \$27,919 \$32,103 \$31,461 1.02 \$19,442 \$25,997 \$30,614 0.85 \$29,936 \$32,708 \$32,909 0.99 \$19,137 \$21,296 \$32,986 0.65 \$17,248 \$25,038 \$45,552 0.55 \$24,779 \$27,178 \$34,658 0.78 \$10,510 \$11,210 \$16,752 0.67 \$4,323 \$5,079 \$5,371 0.95 \$35,065 \$58,743 \$69,381 0.85	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge S22,144 \$28,547 \$50,848 0.56 \$23,829 \$21,672 \$31,329 \$38,234 0.82 \$21,847 \$19,614 \$25,372 \$35,760 0.71 \$18,738 \$27,919 \$35,482 \$43,714 0.81 \$21,808 \$27,919 \$35,482 \$43,714 0.81 \$21,808 \$23,299 \$32,103 \$31,461 1.02 \$15,774 \$19,442 \$25,997 \$30,614 0.85 \$15,683 \$29,936 \$32,708 \$32,909 0.99 \$19,917 \$19,137 \$21,296 \$32,986 0.65 \$17,130 \$17,248 \$25,038 \$45,552 0.55 \$19,497 \$24,779 \$27,178 \$34,658 0.78 \$25,945 \$10,510 \$11,210 \$16,752 0.67 \$9,423 \$4,323 \$5,079 \$5,371 0.95 \$4,311 \$35,065 \$58,743 \$69,381 0.85 \$27,838	Risk Adjusted Average Charge Charge Charge Ratio \$21,021 \$29,557 \$48,230 0.61 \$24,966 1.18 \$22,144 \$28,547 \$50,848 0.56 \$23,829 1.20 \$21,672 \$31,329 \$38,234 0.82 \$21,847 1.43 \$19,614 \$25,372 \$35,760 0.71 \$18,738 1.35 \$27,919 \$35,482 \$43,714 0.81 \$21,808 1.63 \$23,299 \$32,103 \$31,461 1.02 \$15,774 2.04 \$19,442 \$25,997 \$30,614 0.85 \$15,683 1.66 \$29,936 \$32,708 \$32,909 0.99 \$19,917 1.64 \$19,137 \$21,296 \$32,986 0.65 \$17,130 1.24 \$17,248 \$25,038 \$45,552 0.55 \$19,497 1.28 \$24,779 \$27,178 \$34,658 0.78 \$25,945 1.05 \$10,510 \$11,210 \$16,752 0.67 \$9,423 1.19 \$4,323 \$5,079 \$5,371 0.95 \$4,311 1.18 \$35,065 \$58,743 \$69,381 0.85 \$27,838 2.11	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Ch

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

182 Aurora St. Luke's South Shore

5900 S Lake Dr

Cudahy, WI 53110

414-489-9000

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

Inpatient Volume Gr	oup: 5	

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	3,287	Average Length of Stay (days):	5.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	17,642	Average Charge per Discharge:	\$64,274	Home or Self-Care	50.5%
Iolai Falletti Days.	17,042	Average Charge per Discharge.	φ04,274	Other GMS Hospital	0.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	15.6%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.9%
Total Childbirths:	0	1 Groom Gran Grandbartale.	0.070	Hospice	2.6%
Total Childbirths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	20.0%
-				Left Against Medical Advice	3.3%
Psychiatric Utilization				Expired	1.7%
Discharges:	350	Percent of All Discharges:	10.6%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	1,646	Percent of All Patient Days:	9.3%	Other	1.0%
				Expected Pay Source Distrik	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	289	Percent of All Discharges:	8.8%	Medicare	62.9%
Patient Days:	1,047	Percent of All Patient Days:	5.9%	Medicaid/BadgerCare	20.4%
				Other Government	2.0%
				Commercial or Private Insurance	12.5%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.2%

	Age Distribution	_		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	46.5%	48.6%	Amer.Ind/Alaskan Native	1.2%	1.0%
Under 15	0.0%	0.0%	Female	53.5%	51.4%	Asian	0.7%	0.8%
15 - 19	0.5%	0.3%				Black/African Amer.	5.4%	4.1%
20 - 24	1.9%	1.1%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	7.1%	4.4%				White	91.4%	92.9%
35 - 44	8.5%	5.7%				Multiracial	0.9%	0.7%
45 - 54	10.2%	8.9%				Declined	0.2%	0.1%
55 - 64	16.7%	19.9%				Unavailable	0.1%	0.1%
65 - 74	20.5%	21.6%						
75 - 84	18.4%	22.0%						
85 & Over	16.1%	16.1%						

	This Facil	ity	Group Averages						
			Analys	is Area	Inpatient V	olume Group	All GMS H	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	47	5.3	6.2	0.85	4.3	1.23	4.8	1.10	
133 Respiratory failure	58	4.4	4.9	0.90	4.2	1.05	4.5	0.98	
137 Respiratory Infections and Inflammations	55	5.0	6.1	0.82	5.3	0.94	5.2	0.96	
139 Pneumonia	53	4.8	4.5	1.07	4.3	1.12	4.2	1.14	
174 Percutaneous coronary intervention w AMI	38	3.4	3.8	0.89	2.7	1.26	2.9	1.17	
194 Heart Failure	215	4.9	5.6	0.88	4.8	1.02	4.9	1.00	
201 Heart Abnormal Rhythm and Conduction Disorders	39	3.8	3.2	1.19	2.9	1.31	2.9	1.31	
463 Kidney/Urinary Tract Infection	85	3.3	4.1	0.80	4.0	0.83	3.9	0.85	
469 Acute kidney injury	60	4.9	6.5	0.75	5.0	0.98	5.1	0.96	
540 Cesarean Delivery	0	N/A	3.7	N/A	2.9	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.9	N/A	1.9	N/A	
720 Blood Infection/Septicemia	455	5.9	7.2	0.82	5.7	1.04	5.9	1.00	
751 Psychoses	69	4.4	5.1	0.86	4.9	0.90	5.2	0.85	
775 Alcohol Abuse/Dependence	186	3.5	3.7	0.95	3.9	0.90	3.9	0.90	

•	•	• •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
Stroke and Precerebral Occlusion with Infarct	\$66,223	\$67,750	\$64,144	1.06	\$47,748	1.42	\$48,817	1.39
Respiratory failure	\$48,906	\$55,481	\$46,194	1.20	\$37,099	1.50	\$40,230	1.38
Respiratory Infections and Inflammations	\$58,865	\$56,832	\$55,648	1.02	\$41,393	1.37	\$42,641	1.33
Pneumonia	\$51,441	\$47,901	\$42,480	1.13	\$34,303	1.40	\$33,326	1.44
Percutaneous coronary intervention w AMI	\$139,260	\$138,301	\$120,280	1.15	\$85,768	1.61	\$88,028	1.57
Heart Failure	\$48,257	\$47,170	\$47,909	0.98	\$35,400	1.33	\$37,402	1.26
Heart Abnormal Rhythm and Conduction Disorders	\$45,252	\$38,599	\$31,682	1.22	\$25,284	1.53	\$26,261	1.47
Kidney/Urinary Tract Infection	\$36,843	\$37,992	\$36,892	1.03	\$30,786	1.23	\$28,895	1.31
Acute kidney injury	\$50,983	\$48,593	\$51,546	0.94	\$36,604	1.33	\$38,198	1.27
Cesarean Delivery	N/A	N/A	\$33,019	*	\$27,373	*	\$29,333	*
/aginal Delivery	N/A	N/A	\$18,150	*	\$14,481	*	\$15,112	*
Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,882	*	\$5,825	*	\$5,404	*
Blood Infection/Septicemia	\$66,041	\$67,466	\$73,537	0.92	\$52,329	1.29	\$55,330	1.22
Psychoses	\$24,377	#	#	#	#	#	#	#
Alcohol Abuse/Dependence	\$25,142	#	#	#	#	#	#	#
	DRG # and Description Stroke and Precerebral Occlusion with Infarct Respiratory failure Respiratory Infections and Inflammations Pneumonia Percutaneous coronary intervention w AMI Heart Failure Heart Abnormal Rhythm and Conduction Disorders Kidney/Urinary Tract Infection Acute kidney injury Cesarean Delivery Vaginal Delivery Normal Newborn, Birthweight 2500g+ Blood Infection/Septicemia Psychoses Alcohol Abuse/Dependence	Average Charge ORG # and Description Charge Stroke and Precerebral Occlusion with Infarct Respiratory failure Respiratory Infections and Inflammations Precurations Precurations Precutaneous coronary intervention w AMI Percutaneous coronary intervention w AMI Stage 139,260 Heart Failure S48,257 Heart Abnormal Rhythm and Conduction Disorders Cidney/Urinary Tract Infection S36,843 Acute kidney injury S50,983 Acute kidney injury N/A Vaginal Delivery N/A Roormal Newborn, Birthweight 2500g+ Roormal Newborn, Birthweight 2500g+ Roormal Newborn, Septicemia S44,377	Adjusted Average Charge Stroke and Precerebral Occlusion with Infarct \$66,223 \$67,750 \$65,750 \$65,832 \$67,750 \$55,865 \$56,832 \$67,901 \$65,441 \$47,901 \$66,832 \$67,441 \$47,901 \$67,466	Risk Adjusted Average Average Charge Stock and Precedent Charge Cha	Risk Adjusted Average	Risk Adjusted Average Average Charge	Risk Adjusted Average Charge Charge Charge Charge Ratio ORG # and Description ORG # and Precerebral Occlusion with Infarct Respiratory Infections and Inflammations Percutaneous coronary intervention w AMI Heart Failure \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 Heart Abnormal Rhythm and Conduction Disorders Kidney/Urinary Tract Infection \$36,843 \$37,992 \$36,892 1.03 \$30,786 1.23 Acute kidney injury \$50,983 \$48,593 \$51,546 0.94 \$36,604 1.33 Cesarean Delivery N/A N/A N/A \$18,150 * \$58,882 * \$58,825 * \$58,825 * \$25,284 1.53 Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio S47,748 1.42 \$47,748 1.42 \$47,748 1.42 \$47,749 1.20 \$37,099 1.50 \$47,490 1.30 \$37,099 1.50 \$41,393 1.37 \$42,480 1.13 \$34,303 1.40 \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 Heart Abnormal Rhythm and Conduction Disorders \$45,252 \$38,599 \$31,682 1.22 \$25,284 1.53 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$31,682 1.22 \$25,284 1.53 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,909 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infection \$48,257 \$47,170 \$47,900 0.98 \$35,400 1.33 **Coloney/Urinary Tract Infectio	Risk Adjusted Average Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

024 Cumberland Healthcare

1705 16th Ave

Cumberland, WI 54829

715-822-2741

Hospital Type: GMS County: Barron

Analysis Area: 5A-West Central

Patient	Discharge	Status

				inpationt volume Group.	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	186	Average Length of Stay (days):	3.9	Discharge Status	% Discharges
Total Patient Days:	726	Average Charge per Discharge:	\$33,781	Home or Self-Care Other GMS Hospital	67.7% 6.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	0 0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	10.2% 0.0% 0.0% 0.0% 0.5% 1.6% 3.8% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	9.7%
AODA Utilization				Expected Pay Source Distril Primary Payer	bution % Discharges
Discharges:	2	Percent of All Discharges:	1.1%	Medicare	78.0%
Patient Days:	4	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	8.1% 4.3% 6.5% 0.0% 3.2%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	54.3%	57.3%	Amer.Ind/Alaskan Native	e 3.8%	3.3%
Under 15	1.6%	0.8%	Female	45.7%	42.7%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.5%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.6%	1.2%				White	88.7%	89.0%
35 - 44	5.9%	3.4%				Multiracial	0.0%	0.0%
45 - 54	3.2%	2.5%				Declined	0.0%	0.0%
55 - 64	12.4%	10.6%				Unavailable	7.5%	7.7%
65 - 74	26.3%	28.5%						
75 - 84	27.4%	29.8%						
85 & Over	21.0%	23.0%						

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	11	3.5	4.4	0.80	3.0	1.17	4.5	0.78
137 Respiratory Infections and Inflammations	12	3.3	5.2	0.63	3.7	0.89	5.2	0.63
139 Pneumonia	16	4.9	4.1	1.20	3.3	1.48	4.2	1.17
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*
194 Heart Failure	12	3.4	4.8	0.71	3.5	0.97	4.9	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	9	3.6	3.0	1.20	2.6	1.38	2.9	1.24
249 Other gastroenteritis, nausea & vomiting	*	*	3.5	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	3.5	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	13	3.8	4.6	0.83	3.9	0.97	4.3	0.88
420 Diabetes	0	N/A	3.4	N/A	2.1	N/A	3.3	N/A
463 Kidney/Urinary Tract Infection	15	3.5	3.8	0.92	3.5	1.00	3.9	0.90
469 Acute kidney injury	*	*	4.4	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	*	*	5.3	*	3.5	*	5.9	*
861 Signs & Symptoms	0	N/A	5.5	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	0	N/A	9.1	N/A	12.2	N/A	8.2	N/A

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Re	espiratory failure	\$30,293	\$40,661	\$31,265	1.30	\$20,930	1.94	\$40,230	1.01
137 Re	espiratory Infections and Inflammations	\$32,683	\$43,213	\$34,167	1.26	\$22,966	1.88	\$42,641	1.01
139 Pn	neumonia	\$51,702	\$57,065	\$25,436	2.24	\$20,677	2.76	\$33,326	1.71
140 Ch	nronic Obstructive Pulmonary Disease	*	*	\$21,325	*	\$17,434	*	\$30,692	*
194 He	eart Failure	\$22,968	\$34,808	\$28,691	1.21	\$19,130	1.82	\$37,402	0.93
201 He	eart Abnormal Rhythm and Conduction Disorders	\$29,942	\$32,997	\$20,515	1.61	\$18,284	1.80	\$26,261	1.26
249 Ot	her gastroenteritis, nausea & vomiting	*	*	\$21,188	*	\$15,617	*	\$30,474	*
282 Dis	sorders of Pancreas Except Malignancy	*	*	\$23,495	*	\$18,647	*	\$34,273	*
383 Ce	ellulitis & other skin infections	\$26,135	\$23,014	\$21,857	1.05	\$18,221	1.26	\$28,319	0.81
420 Dia	abetes	N/A	N/A	\$24,417	*	\$15,182	*	\$29,270	*
463 Kid	dney/Urinary Tract Infection	\$27,058	\$27,541	\$19,582	1.41	\$16,696	1.65	\$28,895	0.95
469 Ac	cute kidney injury	*	*	\$26,200	*	\$19,375	*	\$38,198	*
720 Blo	ood Infection/Septicemia	*	*	\$40,375	*	\$25,105	*	\$55,330	*
861 Sig	gns & Symptoms	N/A	N/A	\$20,134	*	\$18,999	*	\$35,921	*
862 Ot	her Factors Influencing Health Status	N/A	N/A	\$19,643	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

025 Memorial Hospital of Lafayette Co.

800 Clay Street

Darlington, WI 53530

608-776-4466

Discharges:

85 & Over

19.0%

19.8%

Patient Days:

Hospital Type: GMS

Inpatient Volume Group: 2

County: Lafayette

Analysis Area: 1-Southern

77.9%

3.2%

1.6%

14.2%

2.8%

0.4%

Overall Hospital Utilization				Patient Discharge Statu	<u></u>
Total Discharges:	253	Average Length of Stay (days):	3.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	949	Average Charge per Discharge:	\$18,702	Home or Self-Care Other GMS Hospital	66.4% 11.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	11.5% 0.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	0.4% 0.0%
Total Newborns:	0			Home Health Service	0.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 2.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	7.1%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges

0.0%

0.0%

Medicare

Self-Pay

Medicaid/BadgerCare

Commercial or Private Insurance

Other or Unknown Insurance

Other Government

0 Percent of All Discharges:

0 Percent of All Patient Days:

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Race		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	47.0%	49.6%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	53.0%	50.4%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.4%	0.1%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.2%	0.7%				White	98.4%	99.6%
35 - 44	0.8%	0.5%				Multiracial	0.0%	0.0%
45 - 54	3.2%	2.0%				Declined	0.0%	0.0%
55 - 64	14.2%	25.3%				Unavailable	1.2%	0.3%
65 - 74	29.6%	23.4%						
75 - 84	32.0%	28.2%						

	This Facili	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.2	*	3.5	*	4.5	*
137 Respiratory Infections and Inflammations	10	3.1	5.3	0.58	4.0	0.78	5.2	0.60
139 Pneumonia	13	2.8	4.0	0.70	3.8	0.74	4.2	0.67
140 Chronic Obstructive Pulmonary Disease	8	2.4	3.4	0.71	3.1	0.77	3.4	0.71
194 Heart Failure	10	3.5	5.0	0.70	3.8	0.92	4.9	0.71
201 Heart Abnormal Rhythm and Conduction Disorders	5	1.6	3.0	0.53	2.5	0.64	2.9	0.55
247 Intestinal Obstruction without Surgery	6	4.2	3.6	1.17	3.0	1.40	3.5	1.20
383 Cellulitis & other skin infections	12	10.1	4.5	2.24	4.4	2.30	4.3	2.35
463 Kidney/Urinary Tract Infection	11	2.5	3.9	0.64	3.7	0.68	3.9	0.64
469 Acute kidney injury	*	*	5.0	*	3.1	*	5.1	*
540 Cesarean Delivery	0	N/A	3.7	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.1	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	*	*	6.2	*	3.8	*	5.9	*
861 Signs & Symptoms	17	7.9	4.4	1.80	5.5	1.44	5.6	1.41

		_		-			
This Fac	ility			Risk Adjusted	Group Averages	;	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	is Area Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
*	*	\$48,230	*	\$24,966	*	\$40,230	*
\$9,334	\$12,251	\$50,848	0.24	\$23,829	0.51	\$42,641	0.29
\$10,512	\$14,621	\$38,234	0.38	\$21,847	0.67	\$33,326	0.44
\$10,604	\$9,819	\$35,760	0.27	\$18,738	0.52	\$30,692	0.32
\$12,569	\$14,970	\$43,714	0.34	\$21,808	0.69	\$37,402	0.40
\$5,695	\$4,448	\$31,461	0.14	\$15,774	0.28	\$26,261	0.17
\$9,979	\$7,078	\$30,614	0.23	\$15,683	0.45	\$25,745	0.27
\$9,744	\$9,624	\$32,909	0.29	\$19,917	0.48	\$28,319	0.34
\$7,437	\$5,781	\$32,986	0.18	\$17,130	0.34	\$28,895	0.20
*	*	\$45,552	*	\$19,497	*	\$38,198	*
N/A	N/A	\$34,658	*	\$25,945	*	\$29,333	*
N/A	N/A	\$16,752	*	\$9,423	*	\$15,112	*
N/A	N/A	\$5,371	*	\$4,311	*	\$5,404	*
*	*	\$69,381	*	\$27,838	*	\$55,330	*
\$14,890	\$16,909	\$32,782	0.52	\$17,922	0.94	\$35,921	0.47
	* \$9,334 \$10,512 \$10,604 \$12,569 \$5,695 \$9,979 \$9,744 \$7,437 * N/A N/A N/A *	Adjusted Average Charge * * * \$9,334 \$12,251 \$10,512 \$14,621 \$10,604 \$9,819 \$12,569 \$14,970 \$5,695 \$4,448 \$9,979 \$7,078 \$9,744 \$9,624 \$7,437 \$5,781 * ** * * * * * * * * * * * * * * * *	Risk Adjusted Average Charge S48,230 \$9,334 \$12,251 \$50,848 \$10,512 \$14,621 \$38,234 \$10,604 \$9,819 \$35,760 \$12,569 \$14,970 \$43,714 \$5,695 \$4,448 \$31,461 \$9,979 \$7,078 \$30,614 \$9,979 \$7,078 \$30,614 \$9,744 \$9,624 \$32,909 \$7,437 \$5,781 \$32,986 \$45,552 N/A N/A N/A \$4,658 N/A N/A N/A \$4,658 N/A N/A N/A \$5,371 \$5,371 \$69,381	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio * * * \$48,230 * \$48,230 * \$9,334 \$12,251 \$50,848 0.24 \$10,512 \$14,621 \$38,234 0.38 \$10,604 \$9,819 \$35,760 0.27 \$12,569 \$14,970 \$43,714 0.34 \$5,695 \$4,448 \$31,461 0.14 \$9,979 \$7,078 \$30,614 0.23 \$9,744 \$9,624 \$32,909 0.29 \$7,437 \$5,781 \$32,986 0.18 * * \$45,552 * N/A N/A N/A \$34,658 * N/A N/A N/A \$16,752 * N/A N/A N/A \$5,371 * \$69,381 *	Risk Adjusted Average Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge	Risk Adjusted Average Charge Charge Charge Ratio * * * \$48,230 * \$24,966 * \$9,334 \$12,251 \$50,848 0.24 \$23,829 0.51 \$10,512 \$14,621 \$38,234 0.38 \$21,847 0.67 \$10,604 \$9,819 \$35,760 0.27 \$18,738 0.52 \$12,569 \$14,970 \$43,714 0.34 \$21,808 0.69 \$5,695 \$4,448 \$31,461 0.14 \$15,774 0.28 \$9,979 \$7,078 \$30,614 0.23 \$15,683 0.45 \$9,744 \$9,624 \$32,909 0.29 \$19,917 0.48 \$7,437 \$5,781 \$32,986 0.18 \$17,130 0.34 * * * \$45,552 * \$19,497 * N/A N/A N/A \$34,658 * \$25,945 * N/A N/A N/A \$16,752 * \$9,423 * N/A N/A N/A \$5,371 * \$4,311 * \$69,381 * \$27,838 *	Risk Adjusted Average Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge C

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M ™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

026 Upland Hills Health Inc 800 Compassion Way, PO Box 800 Dodgeville, WI 53533

608-930-8000

Hospital Type: GMS County: Iowa

Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,070	Average Length of Stay (days):	3.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,248	Average Charge per Discharge:	\$18,230	Home or Self-Care	80.8%
Total Fatterit Days.	3,240	Average Charge per Discharge.	Ψ10,230	Other GMS Hospital	6.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	142	Percent of All Childbirths:	65.1%	Skilled Nursing Facility	6.7%
Cesarean Childbirths:	57	Percent of All Childbirths:	26.1%	Intermediate Care Facility	1.2%
Other Childbirths:	19	Percent of All Childbirths:	8.7%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	218		3 /3	Hospice	0.0%
rotal Official Co.				Other Institution	0.2%
Total Newborns:	228			Home Health Service	0.1%
Psychiatric Utilization				Left Against Medical Advice	0.5%
Psychiatric Utilization				Expired	1.8%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	2.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	9	Percent of All Discharges:	0.8%	Medicare	44.0%
Patient Days:	22	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	15.9%
				Other Government	1.1%
				Commercial or Private Insurance	36.6%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	21.3%	13.0%	Male	36.4%	36.5%	Amer.Ind/Alaskan Native	e 0.1%	0.2%		
Under 15	0.4%	0.2%	Female	63.6%	63.5%	Asian	0.1%	0.1%		
15 - 19	0.7%	0.6%				Black/African Amer.	0.7%	0.5%		
20 - 24	2.5%	2.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	17.0%	12.4%				White	98.9%	99.1%		
35 - 44	5.1%	4.3%				Multiracial	0.3%	0.2%		
45 - 54	2.6%	2.6%				Declined	0.0%	0.0%		
55 - 64	9.5%	10.7%				Unavailable	0 %	0 %		
65 - 74	13.7%	15.8%								
75 - 84	12.6%	17.1%								
85 & Over	14.5%	21.5%								

	This Facil	ity			Group A	Averages		
			Analysis Area Inpatier			olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.2	*	3.4	*	4.5	*
137 Respiratory Infections and Inflammations	24	3.8	5.3	0.72	3.8	1.00	5.2	0.73
139 Pneumonia	37	2.8	4.0	0.70	3.6	0.78	4.2	0.67
140 Chronic Obstructive Pulmonary Disease	27	4.1	3.4	1.21	3.1	1.32	3.4	1.21
194 Heart Failure	50	3.6	5.0	0.72	3.8	0.95	4.9	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	20	2.4	3.0	0.80	2.3	1.04	2.9	0.83
326 Elective knee joint replacement	0	N/A	1.7	N/A	1.4	N/A	1.9	N/A
383 Cellulitis & other skin infections	20	4.4	4.5	0.98	3.7	1.19	4.3	1.02
463 Kidney/Urinary Tract Infection	19	2.7	3.9	0.69	3.4	0.79	3.9	0.69
469 Acute kidney injury	14	2.7	5.0	0.54	3.4	0.79	5.1	0.53
540 Cesarean Delivery	57	3.1	3.7	0.84	2.8	1.11	3.4	0.91
560 Vaginal Delivery	142	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	211	1.9	2.0	0.95	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	59	4.4	6.2	0.71	4.3	1.02	5.9	0.75
775 Alcohol Abuse/Dependence	9	2.4	3.9	0.62	3.6	0.67	3.9	0.62

		<u> </u>		•		,		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$48,230	*	\$28,186	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$27,227	\$32,357	\$50,848	0.64	\$27,697	1.17	\$42,641	0.76
139 Pneumonia	\$17,831	\$19,375	\$38,234	0.51	\$24,745	0.78	\$33,326	0.58
140 Chronic Obstructive Pulmonary Disease	\$32,354	\$30,302	\$35,760	0.85	\$21,626	1.40	\$30,692	0.99
194 Heart Failure	\$22,713	\$27,029	\$43,714	0.62	\$25,105	1.08	\$37,402	0.72
201 Heart Abnormal Rhythm and Conduction Disorders	\$15,382	\$17,707	\$31,461	0.56	\$18,832	0.94	\$26,261	0.67
326 Elective knee joint replacement	N/A	N/A	\$55,883	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$24,122	\$27,226	\$32,909	0.83	\$21,471	1.27	\$28,319	0.96
463 Kidney/Urinary Tract Infection	\$14,247	\$14,050	\$32,986	0.43	\$19,405	0.72	\$28,895	0.49
469 Acute kidney injury	\$17,230	\$21,084	\$45,552	0.46	\$23,727	0.89	\$38,198	0.55
540 Cesarean Delivery	\$25,496	\$27,864	\$34,658	0.80	\$24,636	1.13	\$29,333	0.95
560 Vaginal Delivery	\$10,106	\$10,853	\$16,752	0.65	\$11,580	0.94	\$15,112	0.72
640 Normal Newborn, Birthweight 2500g+	\$3,612	\$4,052	\$5,371	0.75	\$4,369	0.93	\$5,404	0.75
720 Blood Infection/Septicemia	\$28,420	\$35,175	\$69,381	0.51	\$35,041	1.00	\$55,330	0.64
775 Alcohol Abuse/Dependence	\$17,613	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

027 AdventHealth Durand 1220 Third Avenue, PO Box 224 Durand, WI 54736

Analysis Area: 5A-West Central

Hospital Type: GMS

County: Pepin

715-672-4211

85 & Over

23.9%

22.1%

				·	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	138	Average Length of Stay (days):	2.7	Discharge Status	% Discharges
Total Patient Days:	366	Average Charge per Discharge:	\$13,718	Home or Self-Care	55.8%
Total Fatterit Days.	300	Average Charge per Discharge.	Ψ13,710	Other GMS Hospital	9.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	25.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
		r ercent of All Childbirths.	0.070	Hospice	1.4%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	2.9%
5				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	3.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.4%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	1.4%	Medicare	85.5%
Patient Days:	3	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	4.3%
•		·		Other Government	2.2%
				Commercial or Private Insurance	8.0%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%
				outer of outer modification	0.070

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	47.8%	50.0%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	52.2%	50.0%	Asian	0.0%	0.0%	
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%	
20 - 24	0.7%	0.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	0.7%	1.1%				White	100.0%	100.0%	
35 - 44	2.2%	1.1%				Multiracial	0.0%	0.0%	
45 - 54	0.7%	0.5%				Declined	0.0%	0.0%	
55 - 64	12.3%	17.8%				Unavailable	0 %	0 %	
65 - 74	28.3%	29.0%							
75 - 84	31.2%	27.6%							

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	7	2.4	5.2	0.46	3.7	0.65	5.2	0.46
139 Pneumonia	8	2.1	4.1	0.51	3.3	0.64	4.2	0.50
140 Chronic Obstructive Pulmonary Disease	6	2.2	3.5	0.63	3.1	0.71	3.4	0.65
194 Heart Failure	19	2.5	4.8	0.52	3.5	0.71	4.9	0.51
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.0	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.5	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	3.5	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	5	2.4	4.6	0.52	3.9	0.62	4.3	0.56
420 Diabetes	0	N/A	3.4	N/A	2.1	N/A	3.3	N/A
463 Kidney/Urinary Tract Infection	9	2.3	3.8	0.61	3.5	0.66	3.9	0.59
469 Acute kidney injury	*	*	4.4	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	18	3.7	5.3	0.70	3.5	1.06	5.9	0.63
861 Signs & Symptoms	*	*	5.5	*	10.3	*	5.6	*
862 Other Factors Influencing Health Status	*	*	9.1	*	12.2	*	8.2	*

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$31,265	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$14,344	\$15,070	\$34,167	0.44	\$22,966	0.66	\$42,641	0.35
139 Pneumonia	\$12,714	\$15,790	\$25,436	0.62	\$20,677	0.76	\$33,326	0.47
140 Chronic Obstructive Pulmonary Disease	\$15,725	\$16,766	\$21,325	0.79	\$17,434	0.96	\$30,692	0.55
194 Heart Failure	\$11,377	\$14,711	\$28,691	0.51	\$19,130	0.77	\$37,402	0.39
201 Heart Abnormal Rhythm and Conduction Disorder	* *	*	\$20,515	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$21,188	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$23,495	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	\$10,331	\$11,377	\$21,857	0.52	\$18,221	0.62	\$28,319	0.40
420 Diabetes	N/A	N/A	\$24,417	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$8,060	\$9,419	\$19,582	0.48	\$16,696	0.56	\$28,895	0.33
469 Acute kidney injury	*	*	\$26,200	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$20,477	\$28,746	\$40,375	0.71	\$25,105	1.15	\$55,330	0.52
861 Signs & Symptoms	*	*	\$20,134	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	*	*	\$19,643	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

028 Aspirus Eagle River Hospital

201 E Hospital Road

Eagle River, WI 54521

715-479-7411

85 & Over

29.1%

30.5%

Hospital Type: GMS
County: Vilas

Analysis Area: 6-North Central

		Patient Discharge Statu	<u>s</u>
Average Length of Stay (days):	3.9	<u>Discharge Status</u>	% Discharges
Average Charge per Discharge:	\$23 103	Home or Self-Care	34.2%
Average onlings per bisonarge.	Ψ23,103	•	11.4%
		. , ,	0.0%
Percent of All Childbirths:	0.0%	,	8.9%
Percent of All Childbirths:	0.0%	•	1.3%
Percent of All Childbirths:	0.0%	•	0.6%
		•	6.0%
		•	0.0%
			20.3%
		•	0.9%
		•	2.5%
			0.9%
Percent of All Patient Days:	0.0%	Other	13.0%
		Expected Pay Source Distrik	<u>oution</u>
		Primary Payer	% Discharges
Percent of All Discharges:	2.8%	Medicare	80.4%
Percent of All Patient Days:	3.0%	Medicaid/BadgerCare	4.7%
		Other Government	6.3%
		Commercial or Private Insurance	8.5%
		Self-Pay	0.0%
		Other or Unknown Insurance	0.0%
	Average Charge per Discharge: Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	Average Charge per Discharge: \$23,103 Percent of All Childbirths: 0.0% Percent of All Childbirths: 0.0% Percent of All Childbirths: 0.0% Percent of All Discharges: 0.0% Percent of All Discharges: 0.0% Percent of All Discharges: 2.8%	Average Length of Stay (days): Average Charge per Discharge: \$23,103 Percent of All Childbirths: Percent of All Discharges: Percent of All Discharges: Percent of All Discharges: Percent of All Patient Days: Percent of All Discharges: Percent of All Patient Days: Perc

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	47.8%	50.9%	Amer.Ind/Alaskan Native	e 2.2%	2.2%		
Under 15	0.0%	0.0%	Female	52.2%	49.1%	Asian	0.0%	0.0%		
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%		
20 - 24	0.6%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	0.3%	0.4%				White	97.5%	97.4%		
35 - 44	2.8%	1.6%				Multiracial	0.3%	0.4%		
45 - 54	2.8%	2.7%				Declined	0.0%	0.0%		
55 - 64	10.8%	13.8%				Unavailable	0 %	0 %		
65 - 74	23.7%	21.3%								
75 - 84	29.7%	29.4%								

	This Facil	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	2.5	4.4	0.57	3.5	0.71	4.5	0.56
137 Respiratory Infections and Inflammations	25	4.4	4.9	0.90	4.0	1.10	5.2	0.85
139 Pneumonia	23	3.8	4.2	0.90	3.8	1.00	4.2	0.90
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*
194 Heart Failure	26	3.7	4.8	0.77	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	10	2.5	2.8	0.89	2.5	1.00	2.9	0.86
247 Intestinal Obstruction without Surgery	*	*	3.4	*	3.0	*	3.5	*
383 Cellulitis & other skin infections	8	2.6	4.0	0.65	4.4	0.59	4.3	0.60
463 Kidney/Urinary Tract Infection	18	4.4	4.7	0.94	3.7	1.19	3.9	1.13
469 Acute kidney injury	8	2.3	4.8	0.48	3.1	0.74	5.1	0.45
540 Cesarean Delivery	0	N/A	3.6	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	34	6.9	6.2	1.11	3.8	1.82	5.9	1.17
861 Signs & Symptoms	*	*	5.9	*	J 5.5	*	5.6	*

_	• •	•	•	-	•		
This Fac	ility	Risk Adjusted Group Averages				;	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
\$14,767	\$20,106	\$36,797	0.55	\$24,966	0.81	\$40,230	0.50
\$25,188	\$28,462	\$33,124	0.86	\$23,829	1.19	\$42,641	0.67
\$23,788	\$22,068	\$27,942	0.79	\$21,847	1.01	\$33,326	0.66
*	*	\$26,064	*	\$18,738	*	\$30,692	*
\$20,749	\$20,044	\$31,718	0.63	\$21,808	0.92	\$37,402	0.54
\$17,347	\$19,635	\$22,917	0.86	\$15,774	1.24	\$26,261	0.75
*	*	\$22,137	*	\$15,683	*	\$25,745	*
\$15,249	\$18,794	\$24,844	0.76	\$19,917	0.94	\$28,319	0.66
\$21,977	\$24,174	\$26,040	0.93	\$17,130	1.41	\$28,895	0.84
\$12,950	\$14,991	\$33,126	0.45	\$19,497	0.77	\$38,198	0.39
N/A	N/A	\$25,753	*	\$25,945	*	\$29,333	*
N/A	N/A	\$11,317	*	\$9,423	*	\$15,112	*
N/A	N/A	\$6,943	*	\$4,311	*	\$5,404	*
\$33,628	\$34,368	\$46,585	0.74	\$27,838	1.23	\$55,330	0.62
*	*	\$35,344	*	\$17,922	*	\$35,921	*
	Average Charge \$14,767 \$25,188 \$23,788 * \$20,749 \$17,347 * \$15,249 \$21,977 \$12,950 N/A N/A	Adjusted Average Charge Charge Charge Charge \$14,767 \$20,106 \$25,188 \$28,462 \$23,788 \$22,068 * \$20,749 \$20,044 \$17,347 \$19,635 * \$15,249 \$18,794 \$21,977 \$24,174 \$12,950 \$14,991 N/A N/A N/A N/A N/A N/A N/A N/A	Risk Adjusted Average Average Charge	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Charge Ratio \$14,767 \$20,106 \$36,797 0.55 \$25,188 \$28,462 \$33,124 0.86 \$23,788 \$22,068 \$27,942 0.79 \$26,064 \$31,718 0.63 \$17,347 \$19,635 \$22,917 0.86 \$22,137 \$15,249 \$18,794 \$24,844 0.76 \$21,977 \$24,174 \$26,040 0.93 \$12,950 \$14,991 \$33,126 0.45 N/A N/A N/A \$25,753 \$N/A N/A N/A \$11,317	Risk Adjusted Average Average Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge S25,188 \$20,106 \$36,797 0.55 \$24,966 \$25,188 \$28,462 \$33,124 0.86 \$23,829 \$23,788 \$22,068 \$27,942 0.79 \$21,847 \$26,064 \$18,738 \$20,749 \$20,044 \$31,718 0.63 \$21,808 \$17,347 \$19,635 \$22,917 0.86 \$15,774 \$22,137 \$15,683 \$15,249 \$18,794 \$24,844 0.76 \$19,917 \$21,977 \$24,174 \$26,040 0.93 \$17,130 \$12,950 \$14,991 \$33,126 0.45 \$19,497 N/A N/A N/A \$25,753 \$25,945 N/A N/A N/A \$11,317 \$9,423 N/A N/A N/A \$6,943 \$34,311 \$33,628 \$34,368 \$46,585 0.74 \$27,838	Risk Adjusted Average Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio \$14,767 \$20,106 \$36,797 0.55 \$24,966 0.81 \$25,188 \$28,462 \$33,124 0.86 \$23,829 1.19 \$23,788 \$22,068 \$27,942 0.79 \$21,847 1.01 \$20,749 \$20,044 \$31,718 0.63 \$21,808 0.92 \$17,347 \$19,635 \$22,917 0.86 \$15,774 1.24 \$22,137 \$15,683 \$17,347 \$19,635 \$22,917 0.86 \$15,774 1.24 \$15,249 \$18,794 \$24,844 0.76 \$19,917 0.94 \$21,977 \$24,174 \$26,040 0.93 \$17,130 1.41 \$12,950 \$14,991 \$33,126 0.45 \$19,497 0.77 N/A N/A N/A \$25,753 \$15,683 \$10,23 \$10,000	Risk Adjusted Average Charge Average Charge Average Charge Average Charge Average Charge Ratio Inpatient Volume Group Average Average Charge All GMS Howard Average Charge Average Charge Ratio All GMS Howard Average Charge Ratio All GMS Howard Average Charge Ratio All GMS Howard Average Charge Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Charge Charge Ratio Average Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Charge Charge Charge Charge Charge Ratio Average Charge Ratio Average Charge Ratio Average Charge Char

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

322 Marshfield Medical Center - Eau Claire

2310 Craig Rd

85 & Over

6.7%

10.9%

Eau Claire, WI 54701

Hospital Type: GMS

County: Eau Claire

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	2,771	Average Length of Stay (days):	4.6	Discharge Status	% Discharges
Total Patient Days:	12,699	Average Charge per Discharge:	\$31,560	Home or Self-Care Other GMS Hospital	78.7% 4.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	316	Percent of All Childbirths:	73.5%	Skilled Nursing Facility	6.9% 1.4%
Cesarean Childbirths:	92	Percent of All Childbirths:	21.4%	Intermediate Care Facility	
Other Childbirths:	22	Percent of All Childbirths:	5.1%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	430			Hospice Other Institution	1.4% 0.0%
Total Newborns:	449			Home Health Service	2.8%
Psychiatric Utilization				Left Against Medical Advice	1.4%
PSychiatric Offization				Expired	2.3%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	4	Percent of All Patient Days:	0.0%	Other	0.3%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	22	Percent of All Discharges:	0.8%	Medicare	40.9%
Patient Days:	134	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	24.0%
				Other Government	4.5%
				Commercial or Private Insurance	29.1%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	16.2%	7.1%	Male	44.3%	48.2%	Amer.Ind/Alaskan Native	1.0%	1.1%	
Under 15	0.6%	0.2%	Female	55.7%	51.8%	Asian	3.1%	2.3%	
15 - 19	0.9%	0.5%				Black/African Amer.	1.2%	0.5%	
20 - 24	3.9%	2.0%				Native Hawaii/Pac.Isl.	0.5%	0.4%	
25 - 34	12.2%	6.8%				White	90.7%	92.3%	
35 - 44	6.9%	5.7%				Multiracial	0.0%	0.0%	
45 - 54	7.3%	7.6%				Declined	1.4%	1.7%	
55 - 64	13.0%	14.6%				Unavailable	2.1%	1.8%	
65 - 74	16.9%	23.1%							
75 - 84	15.5%	21.5%							

Eau Claire, WI 54701

775 Alcohol Abuse/Dependence

	This Facility Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	28	6.1	4.4	1.39	3.9	1.56	4.8	1.27
133 Respiratory failure	36	5.7	4.4	1.30	3.8	1.50	4.5	1.27
137 Respiratory Infections and Inflammations	64	6.8	5.2	1.31	4.9	1.39	5.2	1.31
139 Pneumonia	83	6.4	4.1	1.56	4.0	1.60	4.2	1.52
194 Heart Failure	73	5.1	4.8	1.06	4.2	1.21	4.9	1.04
201 Heart Abnormal Rhythm and Conduction Disorders	41	3.8	3.0	1.27	2.8	1.36	2.9	1.31
247 Intestinal Obstruction without Surgery	16	2.9	3.0	0.97	3.0	0.97	3.5	0.83
383 Cellulitis & other skin infections	20	13.1	4.6	2.85	4.4	2.98	4.3	3.05
463 Kidney/Urinary Tract Infection	31	6.6	3.8	1.74	3.9	1.69	3.9	1.69
469 Acute kidney injury	68	6.5	4.4	1.48	4.4	1.48	5.1	1.27
540 Cesarean Delivery	92	2.7	2.9	0.93	2.7	1.00	3.4	0.79
560 Vaginal Delivery	316	2.1	2.0	1.05	1.9	1.11	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	421	1.8	1.8	1.00	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	186	7.3	5.3	1.38	4.9	1.49	5.9	1.24

5.4 APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

16

1.42

3.6

1.50

3.8

3.9

1.38

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$44,350	\$43,137	\$34,936	1.23	\$40,171	1.07	\$48,817	0.88
133 Respiratory failure	\$34,082	\$31,638	\$31,265	1.01	\$36,698	0.86	\$40,230	0.79
137 Respiratory Infections and Inflammations	\$39,823	\$37,363	\$34,167	1.09	\$36,939	1.01	\$42,641	0.88
139 Pneumonia	\$37,182	\$33,872	\$25,436	1.33	\$30,699	1.10	\$33,326	1.02
194 Heart Failure	\$30,568	\$29,201	\$28,691	1.02	\$31,713	0.92	\$37,402	0.78
201 Heart Abnormal Rhythm and Conduction Disorders	\$29,614	\$29,931	\$20,515	1.46	\$24,868	1.20	\$26,261	1.14
247 Intestinal Obstruction without Surgery	\$19,565	\$16,895	\$16,040	1.05	\$23,106	0.73	\$25,745	0.66
383 Cellulitis & other skin infections	\$35,271	\$31,558	\$21,857	1.44	\$26,486	1.19	\$28,319	1.11
463 Kidney/Urinary Tract Infection	\$31,125	\$29,941	\$19,582	1.53	\$26,652	1.12	\$28,895	1.04
469 Acute kidney injury	\$35,203	\$35,333	\$26,200	1.35	\$33,034	1.07	\$38,198	0.92
540 Cesarean Delivery	\$17,859	\$18,265	\$22,289	0.82	\$26,530	0.69	\$29,333	0.62
560 Vaginal Delivery	\$9,176	\$9,368	\$11,513	0.81	\$12,146	0.77	\$15,112	0.62
640 Normal Newborn, Birthweight 2500g+	\$4,464	\$4,553	\$3,672	1.24	\$4,923	0.92	\$5,404	0.84
720 Blood Infection/Septicemia	\$46,089	\$47,833	\$40,375	1.18	\$44,231	1.08	\$55,330	0.86
775 Alcohol Abuse/Dependence	\$37,626	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

029 Mayo Clinic Health System - Eau Claire

1221 Whipple Street

Eau Claire, WI 54703

Hospital Type: GMS

County: Eau Claire

Analysis Area: 5A-West Central

715-838-3311				Inpatient Volume Group: 6					
Overall Hospital Utilization			Patient Discharge Status						
Total Discharges:	12,285	Average Length of Stay (days):	4.6	<u>Discharge Status</u>	% Discharges				
Total Patient Days:	56,908	Average Charge per Discharge:	\$40,547	Home or Self-Care Other GMS Hospital	73.4% 1.1%				
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%				
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: Patient Days:	763 260 57 1,080 1,147 1,073 5,573	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	70.6% 24.1% 5.3% 8.7% 9.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	7.9% 2.1% 0.8% 1.7% 0.0% 5.7% 0.8% 1.8% 0.3% 4.5%				
,	2,212	,		Expected Pay Source Distril					
AODA Utilization				Primary Payer	% Discharges				
Discharges:	209	Percent of All Discharges:	1.7%	Medicare	50.5%				
Patient Days:	1,020	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	16.7%				
				Other Government	3.9%				
				Commercial or Private Insurance	26.6%				
				Self-Pay	2.1%				
				Other or Unknown Insurance	0.1%				

Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	9.3%	4.9%	Male	47.0%	50.9%	Amer.Ind/Alaskan Native	e 0.5%	0.7%	
Under 15	0.7%	0.3%	Female	53.0%	49.1%	Asian	1.5%	1.2%	
15 - 19	1.3%	1.1%				Black/African Amer.	1.2%	1.2%	
20 - 24	3.6%	2.7%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	11.4%	7.2%				White	94.5%	95.3%	
35 - 44	7.6%	6.7%				Multiracial	0.5%	0.4%	
45 - 54	7.6%	8.3%				Declined	0.3%	0.2%	
55 - 64	12.9%	15.6%				Unavailable	1.4%	1.0%	
65 - 74	18.4%	20.8%							
75 - 84	18.0%	21.9%							
85 & Over	9.2%	10.4%							

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	141	4.7	4.4	1.07	5.2	0.90	4.8	0.98
133 Respiratory failure	64	5.1	4.4	1.16	4.9	1.04	4.5	1.13
137 Respiratory Infections and Inflammations	275	6.7	5.2	1.29	5.7	1.18	5.2	1.29
139 Pneumonia	206	5.1	4.1	1.24	4.5	1.13	4.2	1.21
174 Percutaneous coronary intervention w AMI	175	3.0	2.7	1.11	3.0	1.00	2.9	1.03
175 Percutaneous coronary intervention w/o AMI	115	2.8	2.7	1.04	2.7	1.04	2.8	1.00
194 Heart Failure	443	6.3	4.8	1.31	5.3	1.19	4.9	1.29
201 Heart Abnormal Rhythm and Conduction Disorders	227	3.1	3.0	1.03	3.0	1.03	2.9	1.07
463 Kidney/Urinary Tract Infection	136	4.1	3.8	1.08	4.0	1.03	3.9	1.05
469 Acute kidney injury	153	5.3	4.4	1.20	5.7	0.93	5.1	1.04
540 Cesarean Delivery	260	3.1	2.9	1.07	3.7	0.84	3.4	0.91
560 Vaginal Delivery	763	2.1	2.0	1.05	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,011	2.0	1.8	1.11	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	601	6.0	5.3	1.13	6.6	0.91	5.9	1.02
751 Psychoses	617	4.7	5.2	0.90	5.1	0.92	5.2	0.90

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$43,559	\$44,605	\$34,936	1.28	\$52,261	0.85	\$48,817	0.91
133 Respiratory failure	\$45,529	\$40,587	\$31,265	1.30	\$43,773	0.93	\$40,230	1.01
137 Respiratory Infections and Inflammations	\$47,060	\$46,777	\$34,167	1.37	\$48,694	0.96	\$42,641	1.10
139 Pneumonia	\$34,940	\$33,848	\$25,436	1.33	\$37,991	0.89	\$33,326	1.02
174 Percutaneous coronary intervention w AMI	\$75,254	\$74,001	\$79,172	0.93	\$88,693	0.83	\$88,028	0.84
175 Percutaneous coronary intervention w/o AMI	\$74,713	\$75,168	\$79,990	0.94	\$106,262	0.71	\$104,016	0.72
194 Heart Failure	\$39,884	\$38,515	\$28,691	1.34	\$41,878	0.92	\$37,402	1.03
201 Heart Abnormal Rhythm and Conduction Disord	ers \$20,816	\$21,700	\$20,515	1.06	\$27,906	0.78	\$26,261	0.83
463 Kidney/Urinary Tract Infection	\$24,817	\$23,242	\$19,582	1.19	\$31,651	0.73	\$28,895	0.80
469 Acute kidney injury	\$34,623	\$32,310	\$26,200	1.23	\$42,194	0.77	\$38,198	0.85
540 Cesarean Delivery	\$20,928	\$20,533	\$22,289	0.92	\$30,606	0.67	\$29,333	0.70
560 Vaginal Delivery	\$11,304	\$11,030	\$11,513	0.96	\$16,232	0.68	\$15,112	0.73
640 Normal Newborn, Birthweight 2500g+	\$3,815	\$3,671	\$3,672	1.00	\$5,514	0.67	\$5,404	0.68
720 Blood Infection/Septicemia	\$49,228	\$48,508	\$40,375	1.20	\$61,811	0.78	\$55,330	0.88
751 Psychoses	\$10,832	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

030 Sacred Heart Hospital 900 West Clairemont Avenue Eau Claire, WI 54701

715-839-4121

Hospital Type: GMS

County: Eau Claire

Analysis Area: 5A-West Central

Overall Hospital Utilization			Patient Discharge Statu	<u>s</u>
Total Discharges: 7,054	Average Length of Stay (days):	4.4	<u>Discharge Status</u>	% Discharges
Total Patient Days: 30,964	Average Charge per Discharge:	\$36,640	Home or Self-Care	74.5%
Total Fation Days. 00,004	Average charge per bisonarge.	Ψου,υ-το	Other GMS Hospital	1.1%
Obstetrical Utilization			Critical Access Hospital (CAH)	0.0%
Normal Childbirths: 597	Percent of All Childbirths:	75.3%	Skilled Nursing Facility	7.1%
Cesarean Childbirths: 177	Percent of All Childbirths:	22.3%	Intermediate Care Facility	1.5%
Other Childbirths: 19	Percent of All Childbirths:	2.4%	Inpatient Rehabilitation Facility	2.8%
Total Childbirths: 793			Hospice	1.8%
T. (IN)			Other Institution	0.2%
Total Newborns: 795			Home Health Service	5.5%
Psychiatric Utilization			Left Against Medical Advice	1.5%
			Expired	2.5%
Discharges: 825	Percent of All Discharges:	11.7%	Discharge/Tran to Court/Law Enforcmnt	0.6%
Patient Days: 4,589	Percent of All Patient Days:	14.8%	Other	0.9%
			Expected Pay Source Distrik	<u>oution</u>
AODA Utilization			Primary Payer	% Discharges
Discharges: 153	Percent of All Discharges:	2.2%	Medicare	41.4%
Patient Days: 642	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	22.5%
			Other Government	4.2%
			Commercial or Private Insurance	29.2%
			Self-Pay	2.7%
			Other or Unknown Insurance	0.1%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	11.3%	4.5%	Male	45.7%	49.6%	Amer.Ind/Alaskan Native	e 0.7%	1.0%	
Under 15	2.5%	2.5%	Female	54.3%	50.4%	Asian	1.0%	0.9%	
15 - 19	3.3%	3.7%				Black/African Amer.	1.2%	1.3%	
20 - 24	4.1%	3.0%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	12.4%	8.5%				White	93.8%	93.9%	
35 - 44	8.2%	6.8%				Multiracial	0.4%	0.2%	
45 - 54	7.5%	8.6%				Declined	1.7%	1.6%	
55 - 64	12.3%	15.2%				Unavailable	1.1%	1.1%	
65 - 74	17.2%	21.1%							
75 - 84	13.9%	17.7%							
85 & Over	7.4%	8.3%							

	This Facil	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	140	4.4	4.4	1.00	5.2	0.85	4.8	0.92
133 Respiratory failure	91	5.6	4.4	1.27	4.9	1.14	4.5	1.24
137 Respiratory Infections and Inflammations	104	5.7	5.2	1.10	5.7	1.00	5.2	1.10
139 Pneumonia	97	3.9	4.1	0.95	4.5	0.87	4.2	0.93
174 Percutaneous coronary intervention w AMI	99	2.3	2.7	0.85	3.0	0.77	2.9	0.79
175 Percutaneous coronary intervention w/o AMI	26	2.0	2.7	0.74	2.7	0.74	2.8	0.71
194 Heart Failure	235	4.5	4.8	0.94	5.3	0.85	4.9	0.92
201 Heart Abnormal Rhythm and Conduction Disorders	138	3.3	3.0	1.10	3.0	1.10	2.9	1.14
463 Kidney/Urinary Tract Infection	69	2.9	3.8	0.76	4.0	0.73	3.9	0.74
469 Acute kidney injury	75	5.0	4.4	1.14	5.7	0.88	5.1	0.98
540 Cesarean Delivery	177	2.8	2.9	0.97	3.7	0.76	3.4	0.82
560 Vaginal Delivery	597	2.0	2.0	1.00	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	765	1.7	1.8	0.94	2.0	0.85	1.9	0.89
720 Blood Infection/Septicemia	434	6.8	5.3	1.28	6.6	1.03	5.9	1.15
751 Psychoses	340	5.8	5.2	1.12	5.1	1.14	5.2	1.12

		This Fac	ility			Risk Adjusted	Group Averages			
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$38,767	\$40,544	\$34,936	1.16	\$52,261	0.78	\$48,817	0.83	
133	Respiratory failure	\$40,880	\$38,255	\$31,265	1.22	\$43,773	0.87	\$40,230	0.95	
137	Respiratory Infections and Inflammations	\$42,382	\$41,564	\$34,167	1.22	\$48,694	0.85	\$42,641	0.97	
139	Pneumonia	\$28,599	\$28,040	\$25,436	1.10	\$37,991	0.74	\$33,326	0.84	
174	Percutaneous coronary intervention w AMI	\$93,927	\$94,627	\$79,172	1.20	\$88,693	1.07	\$88,028	1.07	
175	Percutaneous coronary intervention w/o AMI	\$102,732	\$105,978	\$79,990	1.32	\$106,262	1.00	\$104,016	1.02	
194	Heart Failure	\$34,475	\$32,653	\$28,691	1.14	\$41,878	0.78	\$37,402	0.87	
201	Heart Abnormal Rhythm and Conduction Disorders	\$27,043	\$23,791	\$20,515	1.16	\$27,906	0.85	\$26,261	0.91	
463	Kidney/Urinary Tract Infection	\$24,942	\$24,482	\$19,582	1.25	\$31,651	0.77	\$28,895	0.85	
469	Acute kidney injury	\$30,783	\$29,675	\$26,200	1.13	\$42,194	0.70	\$38,198	0.78	
540	Cesarean Delivery	\$28,744	\$29,294	\$22,289	1.31	\$30,606	0.96	\$29,333	1.00	
560	Vaginal Delivery	\$14,512	\$14,990	\$11,513	1.30	\$16,232	0.92	\$15,112	0.99	
640	Normal Newborn, Birthweight 2500g+	\$3,308	\$3,474	\$3,672	0.95	\$5,514	0.63	\$5,404	0.64	
720	Blood Infection/Septicemia	\$59,343	\$52,916	\$40,375	1.31	\$61,811	0.86	\$55,330	0.96	
751	Psychoses	\$13,900	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

031 Edgerton Hospital and Health Services

11101 N. Sherman Rd

Edgerton, WI 53534

608-884-3441

Hospital Type: GMS
County: Rock
Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	125	Average Length of Stay (days):	3.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	418	Average Charge per Discharge:	\$21,526	Home or Self-Care	60.0%
Total Fatietit Days.	410	Average Charge per Discharge.	φ21,320	Other GMS Hospital	11.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.8%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	4.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0	r creent or, an ermagnate.	0.070	Hospice	4.0%
Total Offidalities.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.8%
Develois Ania HAIIIAian				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	0.8%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	17.6%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.8%	Medicare	75.2%
Patient Days:	1	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	4.0%
				Other Government	1.6%
				Commercial or Private Insurance	17.6%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	55.2%	55.0%	Amer.Ind/Alaskan Native	0.0%	0.0%		
Under 15	0.0%	0.0%	Female	44.8%	45.0%	Asian	0.0%	0.0%		
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%		
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	1.6%	0.7%				White	96.8%	94.7%		
35 - 44	4.0%	4.3%				Multiracial	0.0%	0.0%		
45 - 54	7.2%	7.4%				Declined	0.0%	0.0%		
55 - 64	13.6%	14.6%				Unavailable	3.2%	5.3%		
65 - 74	21.6%	22.7%								
75 - 84	25.6%	28.2%								
85 & Over	26.4%	22.0%								

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.2	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	6	4.2	5.3	0.79	3.7	1.14	5.2	0.81
139 Pneumonia	12	2.6	4.0	0.65	3.3	0.79	4.2	0.62
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*
194 Heart Failure	10	1.9	5.0	0.38	3.5	0.54	4.9	0.39
201 Heart Abnormal Rhythm and Conduction Disorders	9	3.2	3.0	1.07	2.6	1.23	2.9	1.10
249 Other gastroenteritis, nausea & vomiting	*	*	3.7	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	4.2	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	6	4.2	4.5	0.93	3.9	1.08	4.3	0.98
420 Diabetes	*	*	3.3	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.9	*	3.5	*	3.9	*
469 Acute kidney injury	*	*	5.0	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	28	3.5	6.2	0.56	3.5	1.00	5.9	0.59
861 Signs & Symptoms	0	N/A	4.4	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	9	6.6	4.3	1.53	12.2	0.54	8.2	0.80

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Average		All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$48,230	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$35,060	\$28,059	\$50,848	0.55	\$22,966	1.22	\$42,641	0.66
139 Pneumonia	\$15,059	\$16,014	\$38,234	0.42	\$20,677	0.77	\$33,326	0.48
140 Chronic Obstructive Pulmonary Disease	*	*	\$35,760	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$12,879	\$14,218	\$43,714	0.33	\$19,130	0.74	\$37,402	0.38
201 Heart Abnormal Rhythm and Conduction Disorders	\$26,551	\$26,242	\$31,461	0.83	\$18,284	1.44	\$26,261	1.00
249 Other gastroenteritis, nausea & vomiting	*	*	\$33,904	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$38,271	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	\$26,363	\$29,279	\$32,909	0.89	\$18,221	1.61	\$28,319	1.03
420 Diabetes	*	*	\$36,041	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	*	*	\$32,986	*	\$16,696	*	\$28,895	*
469 Acute kidney injury	*	*	\$45,552	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$26,438	\$33,752	\$69,381	0.49	\$25,105	1.34	\$55,330	0.61
861 Signs & Symptoms	N/A	N/A	\$32,782	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	\$7,617	\$9,744	\$18,129	0.54	\$19,869	0.49	\$32,059	0.30

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

032 Aurora Lakeland Medical Center

W3985 Cty Rd NN

Elkhorn, WI 53121

262-741-2000

85 & Over

10.9%

13.9%

Hospital Type: GMS

Inpatient Volume Group: 4

County: Walworth

Analysis Area: 2A-Southeastern

<u>Patient</u>	Discharge	<u>Status</u>

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	3,347	Average Length of Stay (days):	3.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	10,899	Average Charge per Discharge:	\$30,451	Home or Self-Care	61.2%
Total Fatient Bays.	10,000	Average charge per bisonarge.	ψου, το τ	Other GMS Hospital	5.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	425	Percent of All Childbirths:	69.2%	Skilled Nursing Facility	10.7%
Cesarean Childbirths:	160	Percent of All Childbirths:	26.1%	Intermediate Care Facility	1.6%
Other Childbirths:	29	Percent of All Childbirths:	4.7%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	614		1.170	Hospice	2.9%
Total Official Co.	014			Other Institution	0.0%
Total Newborns:	650			Home Health Service	14.9%
Dovobiotrio Utilization				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	0.9%
Discharges:	3	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	17	Percent of All Patient Days:	0.2%	Other	0.6%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	72	Percent of All Discharges:	2.2%	Medicare	42.5%
Patient Days:	255	Percent of All Patient Days:	2.3%	Medicaid/BadgerCare	19.7%
				Other Government	1.9%
				Commercial or Private Insurance	32.1%
				Self-Pay	3.7%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	19.4%	10.1%	Male	39.0%	43.1%	Amer.Ind/Alaskan Native	0.1%	0.1%	
Under 15	0.1%	0.0%	Female	61.0%	56.9%	Asian	0.6%	0.5%	
15 - 19	0.4%	0.2%				Black/African Amer.	1.0%	1.2%	
20 - 24	3.7%	2.5%				Native Hawaii/Pac.Isl.	0.2%	0.2%	
25 - 34	15.3%	10.6%				White	95.1%	96.2%	
35 - 44	6.7%	5.0%				Multiracial	0.7%	0.5%	
45 - 54	4.8%	5.7%				Declined	0.6%	0.4%	
55 - 64	8.8%	11.3%				Unavailable	1.7%	0.9%	
65 - 74	13.3%	18.5%							
75 - 84	16.6%	22.2%							

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	34	3.4	4.2	0.81	3.9	0.87	4.8	0.71	
133 Respiratory failure	81	3.5	4.5	0.78	3.8	0.92	4.5	0.78	
137 Respiratory Infections and Inflammations	57	4.7	5.0	0.94	4.9	0.96	5.2	0.90	
139 Pneumonia	43	3.9	4.4	0.89	4.0	0.98	4.2	0.93	
194 Heart Failure	139	4.4	4.8	0.92	4.2	1.05	4.9	0.90	
201 Heart Abnormal Rhythm and Conduction Disorders	43	2.9	2.8	1.04	2.8	1.04	2.9	1.00	
247 Intestinal Obstruction without Surgery	29	3.6	4.0	0.90	3.0	1.20	3.5	1.03	
383 Cellulitis & other skin infections	31	4.4	4.1	1.07	4.4	1.00	4.3	1.02	
463 Kidney/Urinary Tract Infection	50	4.2	3.7	1.14	3.9	1.08	3.9	1.08	
469 Acute kidney injury	40	4.9	5.2	0.94	4.4	1.11	5.1	0.96	
540 Cesarean Delivery	160	2.5	3.1	0.81	2.7	0.93	3.4	0.74	
560 Vaginal Delivery	425	1.8	2.0	0.90	1.9	0.95	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	601	1.7	1.9	0.89	1.7	1.00	1.9	0.89	
720 Blood Infection/Septicemia	353	4.4	5.5	0.80	4.9	0.90	5.9	0.75	
775 Alcohol Abuse/Dependence	54	3.6	4.1	0.88	3.6	1.00	3.9	0.92	

		This Fac	ility	Risk Adjusted Group Averages						
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$46,072	\$37,782	\$48,841	0.77	\$40,171	0.94	\$48,817	0.77	
133	Respiratory failure	\$33,358	\$35,811	\$40,487	0.88	\$36,698	0.98	\$40,230	0.89	
137	Respiratory Infections and Inflammations	\$44,064	\$39,126	\$43,191	0.91	\$36,939	1.06	\$42,641	0.92	
139	Pneumonia	\$33,165	\$29,678	\$37,172	0.80	\$30,699	0.97	\$33,326	0.89	
194	Heart Failure	\$36,418	\$34,893	\$37,913	0.92	\$31,713	1.10	\$37,402	0.93	
201	Heart Abnormal Rhythm and Conduction Disorders	\$34,619	\$33,856	\$28,341	1.19	\$24,868	1.36	\$26,261	1.29	
247	Intestinal Obstruction without Surgery	\$31,238	\$29,708	\$29,283	1.01	\$23,106	1.29	\$25,745	1.15	
383	Cellulitis & other skin infections	\$34,324	\$33,647	\$29,097	1.16	\$26,486	1.27	\$28,319	1.19	
463	Kidney/Urinary Tract Infection	\$33,698	\$33,013	\$29,800	1.11	\$26,652	1.24	\$28,895	1.14	
469	Acute kidney injury	\$40,844	\$35,626	\$39,143	0.91	\$33,034	1.08	\$38,198	0.93	
540	Cesarean Delivery	\$29,682	\$30,101	\$31,537	0.95	\$26,530	1.13	\$29,333	1.03	
560	Vaginal Delivery	\$15,209	\$15,483	\$17,466	0.89	\$12,146	1.27	\$15,112	1.02	
640	Normal Newborn, Birthweight 2500g+	\$4,453	\$4,891	\$6,387	0.77	\$4,923	0.99	\$5,404	0.91	
720	Blood Infection/Septicemia	\$44,348	\$43,505	\$53,476	0.81	\$44,231	0.98	\$55,330	0.79	
775	Alcohol Abuse/Dependence	\$30,232	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

d ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

034 SSM Health St Agnes Hospital 430 E Division, PO Box 385

Fond du Lac, WI 54935

920-929-2300

Hospital Type: GMS

County: Fond du Lac

Analysis Area: 3-Lake Winnebago

Inpatient Volume Group:	6	

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	7,532	Average Length of Stay (days):	4.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	29,969	Average Charge per Discharge:	\$36,294	Home or Self-Care	71.9%
Total Fatient Days.	29,909	Average Charge per Discharge.	φ30,29 4	Other GMS Hospital	1.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	552	Percent of All Childbirths:	72.3%	Skilled Nursing Facility	11.2%
Cesarean Childbirths:	184	Percent of All Childbirths:	24.1%	Intermediate Care Facility	0.7%
Other Childbirths:	27	Percent of All Childbirths:	3.5%	Inpatient Rehabilitation Facility	0.6%
Total Childbirths:	763	1 Croche of All Offidalities.	3.370	Hospice	2.6%
Total Childbirths.	703			Other Institution	0.1%
Total Newborns:	821			Home Health Service	6.3%
5				Left Against Medical Advice	1.4%
Psychiatric Utilization				Expired	2.2%
Discharges:	609	Percent of All Discharges:	8.1%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	2,505	Percent of All Patient Days:	8.4%	Other	0.8%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	327	Percent of All Discharges:	4.3%	Medicare	50.2%
Patient Days:	1,057	Percent of All Patient Days:	3.5%	Medicaid/BadgerCare	19.7%
				Other Government	2.6%
				Commercial or Private Insurance	26.2%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	10.9%	5.4%	Male	46.1%	50.3%	Amer.Ind/Alaskan Native	0.3%	0.3%
Under 15	0.1%	0.1%	Female	53.9%	49.7%	Asian	0.9%	0.8%
15 - 19	1.2%	0.8%				Black/African Amer.	3.4%	3.1%
20 - 24	3.3%	2.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.0%	9.4%				White	89.2%	92.1%
35 - 44	7.6%	6.1%				Multiracial	0.3%	0.2%
45 - 54	7.2%	8.0%				Declined	0.1%	0.1%
55 - 64	12.4%	14.9%				Unavailable	5.7%	3.5%
65 - 74	18.3%	22.1%						
75 - 84	16.9%	19.7%						
85 & Over	10.1%	11.1%						

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient V	olume Group	All GMS Hospitals			
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	117	4.4	4.1	1.07	5.2	0.85	4.8	0.92		
133 Respiratory failure	105	4.7	4.1	1.15	4.9	0.96	4.5	1.04		
137 Respiratory Infections and Inflammations	144	5.0	4.9	1.02	5.7	0.88	5.2	0.96		
139 Pneumonia	121	4.0	3.9	1.03	4.5	0.89	4.2	0.95		
174 Percutaneous coronary intervention w AMI	154	2.9	2.8	1.04	3.0	0.97	2.9	1.00		
175 Percutaneous coronary intervention w/o AMI	207	2.3	2.4	0.96	2.7	0.85	2.8	0.82		
194 Heart Failure	245	4.4	4.0	1.10	5.3	0.83	4.9	0.90		
201 Heart Abnormal Rhythm and Conduction Disorders	98	2.5	2.5	1.00	3.0	0.83	2.9	0.86		
463 Kidney/Urinary Tract Infection	111	3.6	3.6	1.00	4.0	0.90	3.9	0.92		
469 Acute kidney injury	138	3.8	4.3	0.88	5.7	0.67	5.1	0.75		
540 Cesarean Delivery	184	2.9	3.1	0.94	3.7	0.78	3.4	0.85		
560 Vaginal Delivery	552	1.9	1.9	1.00	2.2	0.86	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	768	1.9	1.9	1.00	2.0	0.95	1.9	1.00		
720 Blood Infection/Septicemia	491	5.8	5.5	1.05	6.6	0.88	5.9	0.98		
751 Psychoses	353	3.9	4.5	0.87	5.1	0.76	5.2	0.75		

	This Facility						Risk Adjusted Group Averages							
APR-DRG # and Description		erage harge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio					
045 Stroke and Precerebral Occlusion w	rith Infarct \$	39,075	\$39,618	\$34,041	1.16	\$52,261	0.76	\$48,817	0.81					
133 Respiratory failure	\$	39,701	\$36,087	\$29,682	1.22	\$43,773	0.82	\$40,230	0.90					
137 Respiratory Infections and Inflamma	itions \$	36,121	\$35,638	\$28,745	1.24	\$48,694	0.73	\$42,641	0.84					
139 Pneumonia	\$	32,547	\$31,064	\$24,374	1.27	\$37,991	0.82	\$33,326	0.93					
174 Percutaneous coronary intervention	w AMI \$	65,912	\$63,770	\$76,906	0.83	\$88,693	0.72	\$88,028	0.72					
175 Percutaneous coronary intervention	w/o AMI \$	94,639	\$94,753	\$90,494	1.05	\$106,262	0.89	\$104,016	0.91					
194 Heart Failure	\$	32,596	\$31,760	\$23,797	1.33	\$41,878	0.76	\$37,402	0.85					
201 Heart Abnormal Rhythm and Condu	ction Disorders \$	24,993	\$25,236	\$18,789	1.34	\$27,906	0.90	\$26,261	0.96					
463 Kidney/Urinary Tract Infection	\$	27,472	\$26,747	\$21,677	1.23	\$31,651	0.85	\$28,895	0.93					
469 Acute kidney injury	\$	28,599	\$27,237	\$25,999	1.05	\$42,194	0.65	\$38,198	0.71					
540 Cesarean Delivery	\$	23,475	\$24,704	\$19,835	1.25	\$30,606	0.81	\$29,333	0.84					
560 Vaginal Delivery		\$9,874	\$10,125	\$9,045	1.12	\$16,232	0.62	\$15,112	0.67					
640 Normal Newborn, Birthweight 2500g	j +	\$3,996	\$3,973	\$4,007	0.99	\$5,514	0.72	\$5,404	0.74					
720 Blood Infection/Septicemia	\$	46,224	\$45,141	\$38,128	1.18	\$61,811	0.73	\$55,330	0.82					
751 Psychoses	\$	12,060	#	#	#	#	#	#	#					

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

035 Fort HealthCare **611 East Sherman Avenue** Fort Atkinson, WI 53538

920-568-5000

Hospital Type: GMS

County: Jefferson Analysis Area: 1-Southern

0.0%

Inpatient Volume Group: 4

Discharge/Tran to Court/Law Enforcmnt

Overall Hospital Utilization				Patient Discharge Status	<u> </u>
Total Discharges:	1,647	Average Length of Stay (days):	2.9	Discharge Status	% Discharges
Total Patient Days:	4,756	Average Charge per Discharge:	\$24,626	Home or Self-Care Other GMS Hospital	69.3% 7.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	226 64 20	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	72.9% 20.6% 6.5%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice	10.1% 3.7% 0.9% 2.5%
Total Childbirths:	310			Other Institution	0.0%
Total Newborns:	333			Home Health Service Left Against Medical Advice	4.4% 0.3%
Psychiatric Utilization				Expired	0.6%

Discharges: 1 Percent of All Discharges: Patient Days: 5 Percent of All Patient Days: 0.1% 1.0% **Expected Pay Source Distribution**

0.1%

AODA Utilization

85 & Over

9.5%

11.2%

AODA Utilization				Primary Payer	% Discharges
Discharges:	13	Percent of All Discharges:	0.8%	Medicare	40.9%
Patient Days:	44	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	24.0%
				Other Government	2.4%
				Commercial or Private Insurance	30.5%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.7%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	20.2%	13.3%	Male	37.3%	39.4%	Amer.Ind/Alaskan Native	1.3%	1.0%
Under 15	1.1%	0.7%	Female	62.7%	60.6%	Asian	0.6%	0.6%
15 - 19	1.5%	1.3%				Black/African Amer.	2.1%	2.4%
20 - 24	4.7%	3.2%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	13.8%	10.5%				White	91.8%	92.5%
35 - 44	5.8%	4.7%				Multiracial	0.4%	0.2%
45 - 54	4.7%	5.7%				Declined	3.6%	3.2%
55 - 64	10.4%	13.0%				Unavailable	0 %	0 %
65 - 74	14.7%	18.4%						
75 - 84	13.6%	18.0%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient Volume Group		All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	23	3.4	4.8	0.71	3.9	0.87	4.8	0.71		
133 Respiratory failure	71	3.5	4.2	0.83	3.8	0.92	4.5	0.78		
137 Respiratory Infections and Inflammations	37	3.8	5.3	0.72	4.9	0.78	5.2	0.73		
139 Pneumonia	22	3.6	4.0	0.90	4.0	0.90	4.2	0.86		
194 Heart Failure	60	3.2	5.0	0.64	4.2	0.76	4.9	0.65		
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.8	3.0	0.93	2.8	1.00	2.9	0.97		
247 Intestinal Obstruction without Surgery	15	2.6	3.6	0.72	3.0	0.87	3.5	0.74		
383 Cellulitis & other skin infections	16	3.6	4.5	0.80	4.4	0.82	4.3	0.84		
463 Kidney/Urinary Tract Infection	13	2.2	3.9	0.56	3.9	0.56	3.9	0.56		
469 Acute kidney injury	23	3.1	5.0	0.62	4.4	0.70	5.1	0.61		
540 Cesarean Delivery	64	2.9	3.7	0.78	2.7	1.07	3.4	0.85		
560 Vaginal Delivery	226	1.9	2.1	0.90	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	313	1.9	2.0	0.95	1.7	1.12	1.9	1.00		
720 Blood Infection/Septicemia	144	3.7	6.2	0.60	4.9	0.76	5.9	0.63		
775 Alcohol Abuse/Dependence	10	3.9	3.9	1.00	3.6	1.08	3.9	1.00		

•	•	• •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$39,103	\$42,322	\$58,073	0.73	\$40,171	1.05	\$48,817	0.87
133 Respiratory failure	\$37,705	\$35,568	\$48,230	0.74	\$36,698	0.97	\$40,230	0.88
137 Respiratory Infections and Inflammations	\$34,859	\$30,566	\$50,848	0.60	\$36,939	0.83	\$42,641	0.72
139 Pneumonia	\$30,341	\$30,673	\$38,234	0.80	\$30,699	1.00	\$33,326	0.92
194 Heart Failure	\$28,296	\$30,073	\$43,714	0.69	\$31,713	0.95	\$37,402	0.80
201 Heart Abnormal Rhythm and Conduction Disorders	\$36,506	\$30,605	\$31,461	0.97	\$24,868	1.23	\$26,261	1.17
247 Intestinal Obstruction without Surgery	\$18,533	\$21,037	\$30,614	0.69	\$23,106	0.91	\$25,745	0.82
383 Cellulitis & other skin infections	\$21,906	\$21,877	\$32,909	0.66	\$26,486	0.83	\$28,319	0.77
463 Kidney/Urinary Tract Infection	\$20,962	\$18,077	\$32,986	0.55	\$26,652	0.68	\$28,895	0.63
469 Acute kidney injury	\$25,548	\$25,475	\$45,552	0.56	\$33,034	0.77	\$38,198	0.67
540 Cesarean Delivery	\$16,455	\$16,856	\$34,658	0.49	\$26,530	0.64	\$29,333	0.57
560 Vaginal Delivery	\$9,807	\$10,068	\$16,752	0.60	\$12,146	0.83	\$15,112	0.67
640 Normal Newborn, Birthweight 2500g+	\$9,902	\$10,895	\$5,371	2.03	\$4,923	2.21	\$5,404	2.02
720 Blood Infection/Septicemia	\$35,709	\$36,900	\$69,381	0.53	\$44,231	0.83	\$55,330	0.67
775 Alcohol Abuse/Dependence	\$34,408	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

311 Ascension SE Wisconsin Hospital - Franklin Campus

10101 S. 27th Street

85 & Over

18.1%

18.3%

Franklin, WI 53132 Analysis Area: 2B-Milwaukee County

Hospital Type: GMS

County: Milwaukee

414-325-4700 Inpatient Volume Group: 5

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	2,680	Average Length of Stay (days):	4.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	13,196	Average Charge per Discharge:	\$40,959	Home or Self-Care	53.7%
Total Fatient Days.	10,100	Average onlying per Discharge.	Ψ+0,909	Other GMS Hospital	3.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	13.3%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	3.5%
Total Childbirths:	0			Hospice	5.6%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	15.1%
Psychiatric Utilization				Left Against Medical Advice	0.7%
				Expired	2.9%
Discharges:	5	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	29	Percent of All Patient Days:	0.2%	Other	1.0%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	34	Percent of All Discharges:	1.3%	Medicare	71.6%
Patient Days:	137	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	8.6%
				Other Government	0.4%
				Commercial or Private Insurance	18.1%
				Self-Pay	1.2%
				Other or Unknown Insurance	0.1%

	Age Distribution	Ĺ		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	48.6%	48.1%	Amer.Ind/Alaskan Native	e 0.3%	0.3%
Under 15	0.0%	0.0%	Female	51.4%	51.9%	Asian	2.5%	2.6%
15 - 19	0.1%	0.1%				Black/African Amer.	4.0%	4.8%
20 - 24	0.3%	0.2%				Native Hawaii/Pac.Isl.	0.1%	0.2%
25 - 34	2.2%	1.8%				White	90.9%	89.7%
35 - 44	4.1%	3.0%				Multiracial	0.1%	0.1%
45 - 54	7.4%	6.6%				Declined	2.2%	2.4%
55 - 64	16.3%	16.7%				Unavailable	0 %	0 %
65 - 74	25.7%	26.7%						
75 - 84	25.7%	26.5%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient Volume Group		All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	47	2.6	6.2	0.42	4.3	0.60	4.8	0.54		
133 Respiratory failure	62	4.6	4.9	0.94	4.2	1.10	4.5	1.02		
137 Respiratory Infections and Inflammations	88	5.9	6.1	0.97	5.3	1.11	5.2	1.13		
139 Pneumonia	82	4.5	4.5	1.00	4.3	1.05	4.2	1.07		
174 Percutaneous coronary intervention w AMI	23	2.8	3.8	0.74	2.7	1.04	2.9	0.97		
194 Heart Failure	165	6.1	5.6	1.09	4.8	1.27	4.9	1.24		
201 Heart Abnormal Rhythm and Conduction Disorders	94	2.9	3.2	0.91	2.9	1.00	2.9	1.00		
463 Kidney/Urinary Tract Infection	72	5.0	4.1	1.22	4.0	1.25	3.9	1.28		
469 Acute kidney injury	78	5.2	6.5	0.80	5.0	1.04	5.1	1.02		
540 Cesarean Delivery	0	N/A	3.7	N/A	2.9	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.9	N/A	1.9	N/A		
720 Blood Infection/Septicemia	261	7.2	7.2	1.00	5.7	1.26	5.9	1.22		
751 Psychoses	0	N/A	5.1	N/A	4.9	N/A	5.2	N/A		
775 Alcohol Abuse/Dependence	12	2.8	3.7	0.76	3.9	0.72	3.9	0.72		

	·								
This Facility			Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Hospitals Average Charge Ratio	
045 Str	roke and Precerebral Occlusion with Infarct	\$32,814	\$36,914	\$64,144	0.58	\$47,748	0.77	\$48,817	0.76
133 Re	espiratory failure	\$33,731	\$35,122	\$46,194	0.76	\$37,099	0.95	\$40,230	0.87
137 Re	espiratory Infections and Inflammations	\$38,517	\$38,748	\$55,648	0.70	\$41,393	0.94	\$42,641	0.91
139 Pn	eumonia	\$30,831	\$31,579	\$42,480	0.74	\$34,303	0.92	\$33,326	0.95
174 Pe	rcutaneous coronary intervention w AMI	\$63,438	\$57,070	\$120,280	0.47	\$85,768	0.67	\$88,028	0.65
194 He	eart Failure	\$36,902	\$35,452	\$47,909	0.74	\$35,400	1.00	\$37,402	0.95
201 He	eart Abnormal Rhythm and Conduction Disorders	\$19,577	\$20,789	\$31,682	0.66	\$25,284	0.82	\$26,261	0.79
463 Kid	dney/Urinary Tract Infection	\$31,841	\$29,790	\$36,892	0.81	\$30,786	0.97	\$28,895	1.03
469 Ac	ute kidney injury	\$32,953	\$31,395	\$51,546	0.61	\$36,604	0.86	\$38,198	0.82
540 Ce	esarean Delivery	N/A	N/A	\$33,019	*	\$27,373	*	\$29,333	*
560 Va	ginal Delivery	N/A	N/A	\$18,150	*	\$14,481	*	\$15,112	*
640 No	ormal Newborn, Birthweight 2500g+	N/A	N/A	\$5,882	*	\$5,825	*	\$5,404	*
720 Blo	ood Infection/Septicemia	\$53,029	\$49,885	\$73,537	0.68	\$52,329	0.95	\$55,330	0.90
751 Ps	ychoses	N/A	#	#	*	#	*	#	*
775 Alc	cohol Abuse/Dependence	\$21,196	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

313 Midwest Orthopedic Specialty Hospital

10101 South 27th Street

Franklin, WI 53132

85 & Over

4.7%

6.4%

414-817-5800 Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>	
Total Discharges:	555	Average Length of Stay (days):	2.2	<u>Discharge Status</u>	% Discharges	
Total Dationt Dave:	1 201	Average Charge per Discharge:	\$68,522	Home or Self-Care	64.1%	
Total Patient Days:	1,201	Average Charge per Discharge:	Φ00,322	Other GMS Hospital	0.5%	
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%	
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	10.6%	
Cesarean Childbirths:	0	Percent of All Childbirths:	*****	Intermediate Care Facility	0.0%	
Other Childbirths:	•	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	2.5%	
	0	Percent of All Childbirths.	0.0%	Hospice	0.2%	
Total Childbirths:	0			Other Institution	0.0%	
Total Newborns:	0			Home Health Service	22.0%	
				Left Against Medical Advice	0.0%	
Psychiatric Utilization				Expired	0.0%	
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%	
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%	
				Expected Pay Source Distribution		
AODA Utilization				Primary Payer	% Discharges	
Discharges:	1	Percent of All Discharges:	0.2%	Medicare	62.3%	
Patient Days:	1	Percent of All Patient Days:	0.1%	Medicaid/BadgerCare	2.2%	
•		·		Other Government	0.2%	
				Commercial or Private Insurance	35.3%	
				Self-Pay	0.0%	
				Other or Unknown Insurance	0.0%	
				Other of Other own insulation	0.076	

Hospital Type: GMS

County: Milwaukee
Analysis Area: 2B-Milwaukee County

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	44.5%	42.4%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	55.5%	57.6%	Asian	1.3%	1.2%	
15 - 19	0.4%	0.6%				Black/African Amer.	4.3%	3.7%	
20 - 24	0.7%	0.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	0.7%	0.6%				White	90.5%	92.3%	
35 - 44	3.1%	2.8%				Multiracial	0.2%	0.2%	
45 - 54	9.2%	11.2%				Declined	3.8%	2.6%	
55 - 64	25.6%	23.0%				Unavailable	0 %	0 %	
65 - 74	33.2%	30.6%							
75 - 84	22.5%	23.9%							

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	0	N/A	4.9	N/A	3.4	N/A	4.5	N/A	
137 Respiratory Infections and Inflammations	0	N/A	6.1	N/A	3.8	N/A	5.2	N/A	
139 Pneumonia	0	N/A	4.5	N/A	3.6	N/A	4.2	N/A	
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.6	N/A	3.1	N/A	3.4	N/A	
194 Heart Failure	0	N/A	5.6	N/A	3.8	N/A	4.9	N/A	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.2	N/A	2.3	N/A	2.9	N/A	
326 Elective knee joint replacement	142	1.9	2.0	0.95	1.4	1.36	1.9	1.00	
383 Cellulitis & other skin infections	*	*	4.2	*	3.7	*	4.3	*	
463 Kidney/Urinary Tract Infection	0	N/A	4.1	N/A	3.4	N/A	3.9	N/A	
469 Acute kidney injury	0	N/A	6.5	N/A	3.4	N/A	5.1	N/A	
540 Cesarean Delivery	0	N/A	3.7	N/A	2.8	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	0	N/A	7.2	N/A	4.3	N/A	5.9	N/A	
775 Alcohol Abuse/Dependence	0	N/A	3.7	N/A	3.6	N/A	3.9	N/A	

This Facility			Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Hospitals Average Charge Ratio		
133 Respiratory failure	N/A	N/A	\$46,194	*	\$28,186	*	\$40,230	*	
137 Respiratory Infections and Inflammations	N/A	N/A	\$55,648	*	\$27,697	*	\$42,641	*	
139 Pneumonia	N/A	N/A	\$42,480	*	\$24,745	*	\$33,326	*	
140 Chronic Obstructive Pulmonary Disease	N/A	N/A	\$40,565	*	\$21,626	*	\$30,692	*	
194 Heart Failure	N/A	N/A	\$47,909	*	\$25,105	*	\$37,402	*	
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$31,682	*	\$18,832	*	\$26,261	*	
326 Elective knee joint replacement	\$49,796	\$50,402	\$70,577	0.71	\$51,872	0.97	\$61,836	0.82	
383 Cellulitis & other skin infections	*	*	\$35,055	*	\$21,471	*	\$28,319	*	
463 Kidney/Urinary Tract Infection	N/A	N/A	\$36,892	*	\$19,405	*	\$28,895	*	
469 Acute kidney injury	N/A	N/A	\$51,546	*	\$23,727	*	\$38,198	*	
540 Cesarean Delivery	N/A	N/A	\$33,019	*	\$24,636	*	\$29,333	*	
560 Vaginal Delivery	N/A	N/A	\$18,150	*	\$11,580	*	\$15,112	*	
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,882	*	\$4,369	*	\$5,404	*	
720 Blood Infection/Septicemia	N/A	N/A	\$73,537	*	\$35,041	*	\$55,330	*	
775 Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

037 Gundersen Moundview Hospital and Clinics

402 W Lake Street, PO Box 40

Overall Hospital Utilization

Friendship, WI 53934

Total Discharges:

Total Patient Days:

Obstetrical Utilization Normal Childbirths:

Cesarean Childbirths:

Psychiatric Utilization

Other Childbirths:

Total Childbirths:

Total Newborns:

85 & Over

30.0%

35.2%

608-339-3331

Hospital Type: GMS County: Adams

Analysis Area: 6-North Central

2.5%

0.8%

3.3%

	Patient Discharge St	<u>tatus</u>
3.3	<u>Discharge Status</u>	% Discharges
012 11E	Home or Self-Care	50.8%
\$13,445	Other GMS Hospital	11.7%
	Critical Access Hospital (CAH)	0.0%
0.00/	Skilled Nursing Facility	8.3%
0.0%	Intermediate Care Facility	0.8%
0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
0.070	Hospice	1.7%
	Other Institution	0.0%

Inpatient Volume Group: 1

Home Health Service

Left Against Medical Advice

Expired Discharge/Tran to Court/Law Enforcmnt 0.8% 0.0% Discharges: Percent of All Discharges: Patient Days: Percent of All Patient Days: 2.0% 20.0%

Expected Pay Source Distribution AODA Utilization Drimary Dayor

Average Length of Stay (days):

Average Charge per Discharge:

Percent of All Childbirths:

Percent of All Childbirths:

Percent of All Childbirths:

0

0

0

AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	2.5%	Medicare	72.5%
Patient Days:	7	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	10.8%
				Other Government	5.8%
				Commercial or Private Insurance	8.3%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	<u>Rac</u>	<u>e Distribution</u>	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	44.2%	43.9%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	55.8%	56.1%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.8%	0.8%				White	99.2%	99.2%
35 - 44	3.3%	1.3%				Multiracial	0.8%	0.8%
45 - 54	6.7%	6.9%				Declined	0.0%	0.0%
55 - 64	16.7%	15.8%				Unavailable	0 %	0 %
65 - 74	15.0%	12.8%						
75 - 84	27.5%	27.3%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	9	2.4	4.4	0.55	3.0	0.80	4.5	0.53	
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.7	*	5.2	*	
139 Pneumonia	6	3.0	4.2	0.71	3.3	0.91	4.2	0.71	
140 Chronic Obstructive Pulmonary Disease	6	1.8	3.5	0.51	3.1	0.58	3.4	0.53	
194 Heart Failure	9	3.7	4.8	0.77	3.5	1.06	4.9	0.76	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A	
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.3	N/A	2.6	N/A	3.5	N/A	
282 Disorders of Pancreas Except Malignancy	*	*	4.1	*	2.6	*	3.9	*	
383 Cellulitis & other skin infections	*	*	4.0	*	3.9	*	4.3	*	
420 Diabetes	*	*	3.7	*	2.1	*	3.3	*	
463 Kidney/Urinary Tract Infection	7	3.0	4.7	0.64	3.5	0.86	3.9	0.77	
469 Acute kidney injury	5	2.4	4.8	0.50	3.3	0.73	5.1	0.47	
720 Blood Infection/Septicemia	16	2.9	6.2	0.47	3.5	0.83	5.9	0.49	
861 Signs & Symptoms	*	*	5.9	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	*	*	7.6	*	12.2	*	8.2	*	

	This Fac	ility			Risk Adjusted	Group Averages	<u> </u>	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$13,552	\$17,527	\$36,797	0.48	\$20,930	0.84	\$40,230	0.44
137 Respiratory Infections and Inflammations	*	*	\$33,124	*	\$22,966	*	\$42,641	*
139 Pneumonia	\$8,639	\$9,891	\$27,942	0.35	\$20,677	0.48	\$33,326	0.30
140 Chronic Obstructive Pulmonary Disease	\$6,186	\$5,446	\$26,064	0.21	\$17,434	0.31	\$30,692	0.18
194 Heart Failure	\$14,204	\$16,017	\$31,718	0.50	\$19,130	0.84	\$37,402	0.43
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$22,917	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	N/A	N/A	\$25,441	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$28,824	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$24,844	*	\$18,221	*	\$28,319	*
420 Diabetes	*	*	\$27,273	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$9,245	\$9,754	\$26,040	0.37	\$16,696	0.58	\$28,895	0.34
469 Acute kidney injury	\$13,923	\$16,989	\$33,126	0.51	\$19,375	0.88	\$38,198	0.44
720 Blood Infection/Septicemia	\$12,052	\$14,188	\$46,585	0.30	\$25,105	0.57	\$55,330	0.26
861 Signs & Symptoms	*	*	\$35,344	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	*	*	\$32,199	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

195 Orthopaedic Hospital of Wisconsin

475 West River Woods Parkway

Glendale, WI 53212

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

414-961-6800				Inpatient Volume Group: 4	-
Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	892	Average Length of Stay (days):	1.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,525	Average Charge per Discharge:	\$70,580	Home or Self-Care Other GMS Hospital	87.1% 1.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	5.7% 0.0% 0.0%
Other Childbirths: Total Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice Other Institution	0.0% 0.0%
Total Newborns:	0			Home Health Service Left Against Medical Advice	5.8% 0.0%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	71.3%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	4.1%
				Other Government	0.0%
				Commercial or Private Insurance	24.1%
				Self-Pay	0.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	41.6%	38.5%	Amer.Ind/Alaskan Native	0.2%	0.2%
Under 15	0.0%	0.0%	Female	58.4%	61.5%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	11.9%	13.6%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.1%	0.3%				White	85.3%	83.4%
35 - 44	1.0%	0.9%				Multiracial	0.0%	0.0%
45 - 54	6.5%	6.8%				Declined	1.0%	0.9%
55 - 64	20.2%	20.7%				Unavailable	1.6%	1.9%
65 - 74	45.0%	42.6%						
75 - 84	24.6%	25.8%						
85 & Over	2.7%	3.0%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	0	N/A	6.2	N/A	3.9	N/A	4.8	N/A	
133 Respiratory failure	0	N/A	4.9	N/A	3.8	N/A	4.5	N/A	
137 Respiratory Infections and Inflammations	0	N/A	6.1	N/A	4.9	N/A	5.2	N/A	
139 Pneumonia	0	N/A	4.5	N/A	4.0	N/A	4.2	N/A	
194 Heart Failure	0	N/A	5.6	N/A	4.2	N/A	4.9	N/A	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.2	N/A	2.8	N/A	2.9	N/A	
247 Intestinal Obstruction without Surgery	0	N/A	4.0	N/A	3.0	N/A	3.5	N/A	
383 Cellulitis & other skin infections	0	N/A	4.2	N/A	4.4	N/A	4.3	N/A	
463 Kidney/Urinary Tract Infection	0	N/A	4.1	N/A	3.9	N/A	3.9	N/A	
469 Acute kidney injury	0	N/A	6.5	N/A	4.4	N/A	5.1	N/A	
540 Cesarean Delivery	0	N/A	3.7	N/A	2.7	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A	
720 Blood Infection/Septicemia	0	N/A	7.2	N/A	4.9	N/A	5.9	N/A	
775 Alcohol Abuse/Dependence	0	N/A	3.7	N/A	3.6	N/A	3.9	N/A	

		ility	Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 S	Stroke and Precerebral Occlusion with Infarct	N/A	N/A	\$64,144	*	\$40,171	*	\$48,817	*
133 F	Respiratory failure	N/A	N/A	\$46,194	*	\$36,698	*	\$40,230	*
137 F	Respiratory Infections and Inflammations	N/A	N/A	\$55,648	*	\$36,939	*	\$42,641	*
139 F	Pneumonia	N/A	N/A	\$42,480	*	\$30,699	*	\$33,326	*
194 H	leart Failure	N/A	N/A	\$47,909	*	\$31,713	*	\$37,402	*
201 F	leart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$31,682	*	\$24,868	*	\$26,261	*
247 Ir	ntestinal Obstruction without Surgery	N/A	N/A	\$32,191	*	\$23,106	*	\$25,745	*
383 C	Cellulitis & other skin infections	N/A	N/A	\$35,055	*	\$26,486	*	\$28,319	*
463 K	(idney/Urinary Tract Infection	N/A	N/A	\$36,892	*	\$26,652	*	\$28,895	*
469 A	Acute kidney injury	N/A	N/A	\$51,546	*	\$33,034	*	\$38,198	*
540 C	Cesarean Delivery	N/A	N/A	\$33,019	*	\$26,530	*	\$29,333	*
560 V	/aginal Delivery	N/A	N/A	\$18,150	*	\$12,146	*	\$15,112	*
640 N	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,882	*	\$4,923	*	\$5,404	*
720 B	Blood Infection/Septicemia	N/A	N/A	\$73,537	*	\$44,231	*	\$55,330	*
775 A	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

315 Aurora Medical Center - Grafton 975 Port Washington Road

Grafton, WI 53024

262-392-4321

Patient Days:

85 & Over

12.2%

14.2%

Hospital Type: GMS

Inpatient Volume Group: 6

Medicaid/BadgerCare

Commercial or Private Insurance

Other or Unknown Insurance

Other Government

Self-Pay

County: Ozaukee

Analysis Area: 2A-Southeastern

8.8%

1.1%

33.4%

1.9%

0.1%

				· · · · · · · · · · · · · · · · · · ·	
Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	8,100	Average Length of Stay (days):	4.2	<u>Discharge Status</u>	% Discharges
Total Patient Days:	33,855	Average Charge per Discharge:	\$53,819	Home or Self-Care Other GMS Hospital	61.4% 2.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	700 237 37	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	71.9% 24.3% 3.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.7% 2.1% 0.8%
Total Childbirths:	974			Hospice Other Institution	2.6% 0.0%
Total Newborns:	1,024			Home Health Service	19.9%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 1.5%
Discharges:	11	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	107	Percent of All Patient Days:	0.3%	Other	0.3%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	88	Percent of All Discharges:	1.1%	Medicare	54.7%

1.3%

430 Percent of All Patient Days:

Age Distribution				Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	12.6%	9.2%	Male	43.7%	46.8%	Amer.Ind/Alaskan Native	e 0.2%	0.2%		
Under 15	0.2%	0.3%	Female	56.3%	53.2%	Asian	2.1%	1.4%		
15 - 19	0.3%	0.2%				Black/African Amer.	7.3%	6.9%		
20 - 24	1.6%	1.0%				Native Hawaii/Pac.Isl.	0.1%	0.3%		
25 - 34	10.4%	6.8%				White	87.9%	89.4%		
35 - 44	6.1%	4.8%				Multiracial	0.8%	0.6%		
45 - 54	5.2%	4.8%				Declined	0.4%	0.5%		
55 - 64	11.7%	12.8%				Unavailable	1.1%	0.7%		
65 - 74	20.0%	22.0%								
75 - 84	19.7%	23.7%								

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	125	3.9	4.2	0.93	5.2	0.75	4.8	0.81
133 Respiratory failure	48	4.0	4.5	0.89	4.9	0.82	4.5	0.89
137 Respiratory Infections and Inflammations	145	4.8	5.0	0.96	5.7	0.84	5.2	0.92
139 Pneumonia	122	4.8	4.4	1.09	4.5	1.07	4.2	1.14
174 Percutaneous coronary intervention w AMI	162	2.8	2.7	1.04	3.0	0.93	2.9	0.97
175 Percutaneous coronary intervention w/o AMI	119	3.0	2.9	1.03	2.7	1.11	2.8	1.07
194 Heart Failure	347	5.7	4.8	1.19	5.3	1.08	4.9	1.16
201 Heart Abnormal Rhythm and Conduction Disorders	180	2.5	2.8	0.89	3.0	0.83	2.9	0.86
463 Kidney/Urinary Tract Infection	101	3.4	3.7	0.92	4.0	0.85	3.9	0.87
469 Acute kidney injury	113	4.7	5.2	0.90	5.7	0.82	5.1	0.92
540 Cesarean Delivery	237	3.5	3.1	1.13	3.7	0.95	3.4	1.03
560 Vaginal Delivery	700	2.3	2.0	1.15	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	930	2.2	1.9	1.16	2.0	1.10	1.9	1.16
720 Blood Infection/Septicemia	707	5.8	5.5	1.05	6.6	0.88	5.9	0.98
751 Psychoses	*	*	5.1	*	5.1	*	5.2	*

•	_	• •	•	•	-	•		
	This Facility				Risk Adjusted	Group Averages		
G # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
ke and Precerebral Occlusion with Infarct	\$51,980	\$53,948	\$48,841	1.10	\$52,261	1.03	\$48,817	1.11
piratory failure	\$43,924	\$43,023	\$40,487	1.06	\$43,773	0.98	\$40,230	1.07
piratory Infections and Inflammations	\$54,171	\$52,707	\$43,191	1.22	\$48,694	1.08	\$42,641	1.24
umonia	\$44,106	\$40,475	\$37,172	1.09	\$37,991	1.07	\$33,326	1.21
cutaneous coronary intervention w AMI	\$100,069	\$99,606	\$88,471	1.13	\$88,693	1.12	\$88,028	1.13
cutaneous coronary intervention w/o AMI	\$120,936	\$123,170	\$106,022	1.16	\$106,262	1.16	\$104,016	1.18
ırt Failure	\$48,156	\$45,733	\$37,913	1.21	\$41,878	1.09	\$37,402	1.22
rt Abnormal Rhythm and Conduction Disorders	\$28,156	\$30,020	\$28,341	1.06	\$27,906	1.08	\$26,261	1.14
ney/Urinary Tract Infection	\$37,133	\$35,203	\$29,800	1.18	\$31,651	1.11	\$28,895	1.22
te kidney injury	\$46,337	\$45,197	\$39,143	1.15	\$42,194	1.07	\$38,198	1.18
arean Delivery	\$35,016	\$34,882	\$31,537	1.11	\$30,606	1.14	\$29,333	1.19
inal Delivery	\$16,895	\$16,984	\$17,466	0.97	\$16,232	1.05	\$15,112	1.12
mal Newborn, Birthweight 2500g+	\$6,194	\$5,843	\$6,387	0.91	\$5,514	1.06	\$5,404	1.08
od Infection/Septicemia	\$60,150	\$59,164	\$53,476	1.11	\$61,811	0.96	\$55,330	1.07
choses	*	#	#	*	#	*	#	*
	ke and Precerebral Occlusion with Infarct piratory failure piratory Infections and Inflammations umonia cutaneous coronary intervention w AMI cutaneous coronary intervention w/o AMI rt Failure rt Abnormal Rhythm and Conduction Disorders ney/Urinary Tract Infection te kidney injury arean Delivery inal Delivery mal Newborn, Birthweight 2500g+ od Infection/Septicemia	Average Charge Re and Description Re and Precerebral Occlusion with Infarct piratory failure piratory Infections and Inflammations piratory Infections and Inflammations st4,171 sumonia sutaneous coronary intervention w AMI sutaneous coronary intervention w/o AMI stallure st48,156 rt Abnormal Rhythm and Conduction Disorders ste kidney injury arean Delivery stallurey s	Risk Adjusted Average Charge Re and Precerebral Occlusion with Infarct \$51,980 \$53,948 piratory failure \$43,924 \$43,023 piratory Infections and Inflammations \$54,171 \$52,707 umonia \$44,106 \$40,475 cutaneous coronary intervention w AMI \$100,069 \$99,606 cutaneous coronary intervention w/o AMI \$120,936 \$123,170 rt Failure \$48,156 \$45,733 rt Abnormal Rhythm and Conduction Disorders \$28,156 \$30,020 ney/Urinary Tract Infection \$37,133 \$35,203 te kidney injury \$46,337 \$45,197 arean Delivery \$35,016 \$34,882 inal Delivery \$16,895 \$16,984 st dl Infection/Septicemia \$60,150 \$59,164	Risk Adjusted Average Average Charge	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio ke and Precerebral Occlusion with Infarct \$51,980 \$53,948 \$48,841 1.10 piratory failure \$43,924 \$43,023 \$40,487 1.06 piratory Infections and Inflammations \$54,171 \$52,707 \$43,191 1.22 umonia \$44,106 \$40,475 \$37,172 1.09 cutaneous coronary intervention w AMI \$100,069 \$99,606 \$88,471 1.13 cutaneous coronary intervention w/o AMI \$120,936 \$123,170 \$106,022 1.16 rt Failure \$48,156 \$45,733 \$37,913 1.21 rt Abnormal Rhythm and Conduction Disorders \$28,156 \$30,020 \$28,341 1.06 eley/Urinary Tract Infection \$37,133 \$35,203 \$29,800 1.18 te kidney injury \$46,337 \$45,197 \$39,143 1.15 arean Delivery \$35,016 \$34,882 \$31,537 1.11 inal Delivery \$16,895 \$16,984 \$17,466 0.97 mal Newborn, Birthweight 2500g+ \$6,194 \$5,843 \$6,387 0.91 and Infection/Septicemia	Risk Adjusted Average Charge C	Risk Adjusted Average Charge Patio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charg	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charg

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

038 Burnett Medical Center 257 W St George Avenue Grantsburg, WI 54840

715-463-5353

Hospital Type: GMS County: Burnett

Analysis Area: 7-Western Lake Superior

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	158	Average Length of Stay (days):	3.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	588	Average Charge per Discharge:	\$16,641	Home or Self-Care	64.6%
·			Ψ.0,0	Other GMS Hospital	9.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.6%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	12.0%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice	1.9%
r sycmatric offization				Expired	4.4%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.6%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	6.3%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.6%	Medicare	72.8%
Patient Days:	4	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	8.9%
				Other Government	7.0%
				Commercial or Private Insurance	9.5%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	47.5%	42.3%	Amer.Ind/Alaskan Native	e 1.9%	1.0%	
Under 15	0.0%	0.0%	Female	52.5%	57.7%	Asian	0.0%	0.0%	
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%	
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	1.9%	2.0%				White	93.0%	94.2%	
35 - 44	1.9%	1.4%				Multiracial	0.0%	0.0%	
45 - 54	3.8%	3.7%				Declined	2.5%	2.6%	
55 - 64	19.0%	14.8%				Unavailable	2.5%	2.2%	
65 - 74	15.8%	16.7%							
75 - 84	32.3%	33.3%							
85 & Over	25.3%	28.1%							

	This Facility			Group Averages					
			Analys	sis Area	Inpatient Volume Group		All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	*	*	3.7	*	3.0	*	4.5	*	
137 Respiratory Infections and Inflammations	7	8.0	5.2	1.54	3.7	2.16	5.2	1.54	
139 Pneumonia	11	4.6	4.5	1.02	3.3	1.39	4.2	1.10	
140 Chronic Obstructive Pulmonary Disease	12	2.3	3.8	0.61	3.1	0.74	3.4	0.68	
194 Heart Failure	9	4.6	4.2	1.10	3.5	1.31	4.9	0.94	
201 Heart Abnormal Rhythm and Conduction Disorders	5	2.0	2.7	0.74	2.6	0.77	2.9	0.69	
249 Other gastroenteritis, nausea & vomiting	*	*	2.8	*	2.6	*	3.5	*	
282 Disorders of Pancreas Except Malignancy	*	*	3.6	*	2.6	*	3.9	*	
383 Cellulitis & other skin infections	5	5.8	5.1	1.14	3.9	1.49	4.3	1.35	
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*	
463 Kidney/Urinary Tract Infection	12	5.3	5.2	1.02	3.5	1.51	3.9	1.36	
469 Acute kidney injury	*	*	4.0	*	3.3	*	5.1	*	
720 Blood Infection/Septicemia	*	*	4.8	*	3.5	*	5.9	*	
861 Signs & Symptoms	*	*	4.5	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	0	N/A	9.1	N/A	12.2	N/A	8.2	N/A	

	This Facility				Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$20,493	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$30,257	\$34,088	\$25,603	1.33	\$22,966	1.48	\$42,641	0.80
139 Pneumonia	\$21,019	\$25,578	\$21,744	1.18	\$20,677	1.24	\$33,326	0.77
140 Chronic Obstructive Pulmonary Disease	\$9,225	\$11,164	\$17,105	0.65	\$17,434	0.64	\$30,692	0.36
194 Heart Failure	\$20,907	\$27,286	\$18,201	1.50	\$19,130	1.43	\$37,402	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	\$9,409	\$12,186	\$11,027	1.11	\$18,284	0.67	\$26,261	0.46
249 Other gastroenteritis, nausea & vomiting	*	*	\$15,080	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$22,729	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	\$26,495	\$23,504	\$18,104	1.30	\$18,221	1.29	\$28,319	0.83
420 Diabetes	*	*	\$18,935	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$18,063	\$20,435	\$18,415	1.11	\$16,696	1.22	\$28,895	0.71
469 Acute kidney injury	*	*	\$21,456	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	*	*	\$25,870	*	\$25,105	*	\$55,330	*
861 Signs & Symptoms	*	*	\$16,793	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$17,201	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

197 Aurora BayCare Medical Center

2845 Greenbrier Drive

Green Bay, WI 54311

920-288-8000

85 & Over

5.5%

6.7%

Hospital Type: GMS County: Brown

Inpatient Volume Group: 6

Analysis Area: 4-Northeastern

Patient	Discharge	Status
ratient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	9,772	Average Length of Stay (days):	4.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	42,515	Average Charge per Discharge:	\$53,792	Home or Self-Care Other GMS Hospital	68.7% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns:	916 326 73 1,315 1,374	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	69.7% 24.8% 5.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice	7.4% 0.9% 2.4% 2.4% 0.2% 12.1%
Psychiatric Utilization				Expired	2.4%
Discharges:	18	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	75	Percent of All Patient Days:	0.2%	Other	0.4%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	57	Percent of All Discharges:	0.6%	Medicare	39.9%
Patient Days:	306	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	16.5%
				Other Government	5.5%
				Commercial or Private Insurance	35.3%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.1%

Age Distribution			Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	14.1%	14.2%	Male	45.5%	48.1%	Amer.Ind/Alaskan Native	e 1.5%	2.0%
Under 15	0.7%	0.7%	Female	54.5%	51.9%	Asian	2.9%	3.1%
15 - 19	0.9%	0.5%				Black/African Amer.	2.7%	2.5%
20 - 24	3.0%	2.1%				Native Hawaii/Pac.Isl.	0.4%	0.3%
25 - 34	12.2%	8.8%				White	90.9%	90.2%
35 - 44	7.4%	5.7%				Multiracial	1.3%	1.6%
45 - 54	7.6%	7.8%				Declined	0.3%	0.2%
55 - 64	15.8%	17.0%				Unavailable	0 %	0 %
65 - 74	19.2%	21.6%						
75 - 84	13.5%	14.8%						

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	202	4.4	4.2	1.05	5.2	0.85	4.8	0.92
133 Respiratory failure	54	4.5	4.4	1.02	4.9	0.92	4.5	1.00
137 Respiratory Infections and Inflammations	68	4.8	4.9	0.98	5.7	0.84	5.2	0.92
139 Pneumonia	75	4.2	4.1	1.02	4.5	0.93	4.2	1.00
174 Percutaneous coronary intervention w AMI	143	2.5	2.4	1.04	3.0	0.83	2.9	0.86
175 Percutaneous coronary intervention w/o AMI	74	2.4	2.1	1.14	2.7	0.89	2.8	0.86
194 Heart Failure	196	5.0	4.3	1.16	5.3	0.94	4.9	1.02
201 Heart Abnormal Rhythm and Conduction Disorders	196	2.5	2.7	0.93	3.0	0.83	2.9	0.86
463 Kidney/Urinary Tract Infection	48	4.3	3.7	1.16	4.0	1.08	3.9	1.10
469 Acute kidney injury	60	5.2	4.6	1.13	5.7	0.91	5.1	1.02
540 Cesarean Delivery	326	3.8	3.5	1.09	3.7	1.03	3.4	1.12
560 Vaginal Delivery	916	2.1	2.0	1.05	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,193	1.8	1.8	1.00	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	870	5.8	5.6	1.04	6.6	0.88	5.9	0.98
751 Psychoses	*	*	5.3	*	5.1	*	5.2	*

-	_	• •	_	•	-	•		
	This Fac			Risk Adjusted	Group Averages	;		
otion	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
bral Occlusion with Infarct	\$55,291	\$52,539	\$42,136	1.25	\$52,261	1.01	\$48,817	1.08
	\$54,595	\$45,306	\$36,401	1.24	\$43,773	1.04	\$40,230	1.13
ns and Inflammations	\$43,689	\$42,947	\$38,011	1.13	\$48,694	0.88	\$42,641	1.01
	\$38,484	\$35,220	\$30,062	1.17	\$37,991	0.93	\$33,326	1.06
nary intervention w AMI	\$75,532	\$75,377	\$74,035	1.02	\$88,693	0.85	\$88,028	0.86
nary intervention w/o AMI	\$104,204	\$105,170	\$74,327	1.41	\$106,262	0.99	\$104,016	1.01
	\$45,328	\$41,744	\$31,359	1.33	\$41,878	1.00	\$37,402	1.12
ythm and Conduction Disorders	\$24,779	\$25,663	\$22,385	1.15	\$27,906	0.92	\$26,261	0.98
t Infection	\$37,760	\$34,967	\$25,251	1.38	\$31,651	1.10	\$28,895	1.21
	\$49,070	\$42,183	\$32,453	1.30	\$42,194	1.00	\$38,198	1.10
	\$27,848	\$27,885	\$23,516	1.19	\$30,606	0.91	\$29,333	0.95
	\$10,469	\$10,705	\$12,110	0.88	\$16,232	0.66	\$15,112	0.71
irthweight 2500g+	\$5,764	\$5,713	\$4,779	1.20	\$5,514	1.04	\$5,404	1.06
ticemia	\$64,156	\$58,636	\$49,755	1.18	\$61,811	0.95	\$55,330	1.06
	*	#	#	*	#	*	#	*
	bral Occlusion with Infarct ns and Inflammations nary intervention w AMI nary intervention w/o AMI ythm and Conduction Disorders t Infection irthweight 2500g+	Average Charge bral Occlusion with Infarct \$55,291 \$54,595 Ins and Inflammations \$43,689 Insert Infervention w AMI \$75,532 Insert Infervention w/o AMI \$104,204 \$45,328 Insert Infection \$37,760 \$49,070 \$27,848 \$10,469 Intrinsert Infervention with Infarct \$55,291 Insert Infection \$37,760 \$49,070 \$27,848 \$10,469 Intrinsert Infervention with Infarct \$5,764	Adjusted Average Charge Charge otion \$55,291 \$52,539 \$54,595 \$45,306 \$54,595 \$45,306 \$54,595 \$45,306 \$54,689 \$42,947 \$38,484 \$35,220 \$75,377 \$38,484 \$35,220 \$75,377 \$379 intervention w/o AMI \$104,204 \$105,170 \$45,328 \$41,744 \$74hm and Conduction Disorders \$24,779 \$25,663 \$75,070 \$49,070 \$42,183 \$27,848 \$27,885 \$10,469 \$10,705 \$10,469 \$10,705 \$10,469 \$57,713 \$10,469 \$55,764 \$55,713 \$10,469 \$55,764 \$55,713 \$10,469 \$10,705 \$10,7	Average Average Charge	Risk Adjusted Average Average Charge Ratio St4,595 \$45,306 \$36,401 1.24 Instant and Inflammations \$43,689 \$42,947 \$38,011 1.13 Instant system (State of State of	Risk Adjusted Average Average Charge	Risk Adjusted Average Charge Charge Charge Charge Ratio bral Occlusion with Infarct \$55,291 \$52,539 \$42,136 1.25 \$52,261 1.01 \$54,595 \$45,306 \$36,401 1.24 \$43,773 1.04 \$106,262 \$10.00 \$100 \$100 \$100 \$100 \$100 \$100 \$1	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Cha

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

039 Bellin Hospital 744 S Webster Ave Green Bay, WI 54301

920-433-3500

Hospital Type: GMS
County: Brown

Analysis Area: 4-Northeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	10,072	Average Length of Stay (days):	4.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	41,103	Average Charge per Discharge:	\$31,769	Home or Self-Care	79.6%
Total Fatient Days.	1 1,100	Average onlarge per bischarge.	Ψ31,703	Other GMS Hospital	1.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	1,031	Percent of All Childbirths:	71.8%	Skilled Nursing Facility	8.5%
Cesarean Childbirths:	316	Percent of All Childbirths:	22.0%	Intermediate Care Facility	0.7%
Other Childbirths:	88	Percent of All Childbirths:	6.1%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	1,435			Hospice	2.2%
				Other Institution	0.0%
Total Newborns:	1,580			Home Health Service	3.2%
Psychiatric Utilization				Left Against Medical Advice	0.8%
<u> </u>				Expired	1.7%
Discharges:	9	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	74	Percent of All Patient Days:	0.2%	Other	1.0%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	61	Percent of All Discharges:	0.6%	Medicare	43.1%
Patient Days:	280	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	17.2%
				Other Government	4.5%
				Commercial or Private Insurance	33.0%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.5%

Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	15.7%	10.6%	Male	47.0%	51.6%	Amer.Ind/Alaskan Native	2.1%	2.1%
Under 15	1.7%	0.9%	Female	52.9%	48.4%	Asian	1.2%	1.0%
15 - 19	0.8%	0.4%				Black/African Amer.	2.8%	2.5%
20 - 24	3.3%	2.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.3%	8.0%				White	89.9%	90.5%
35 - 44	5.4%	4.9%				Multiracial	0.0%	0.0%
45 - 54	5.9%	6.5%				Declined	0.3%	0.2%
55 - 64	12.8%	16.1%				Unavailable	3.7%	3.7%
65 - 74	18.7%	23.2%						
75 - 84	16.0%	18.9%						
85 & Over	7.4%	8.5%						

	This Facility			Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	119	3.7	4.2	0.88	5.2	0.71	4.8	0.77	
133 Respiratory failure	319	4.6	4.4	1.05	4.9	0.94	4.5	1.02	
137 Respiratory Infections and Inflammations	118	5.5	4.9	1.12	5.7	0.96	5.2	1.06	
139 Pneumonia	86	6.0	4.1	1.46	4.5	1.33	4.2	1.43	
174 Percutaneous coronary intervention w AMI	230	2.4	2.4	1.00	3.0	0.80	2.9	0.83	
175 Percutaneous coronary intervention w/o AMI	204	1.7	2.1	0.81	2.7	0.63	2.8	0.61	
194 Heart Failure	193	4.0	4.3	0.93	5.3	0.75	4.9	0.82	
201 Heart Abnormal Rhythm and Conduction Disorders	127	2.8	2.7	1.04	3.0	0.93	2.9	0.97	
463 Kidney/Urinary Tract Infection	89	4.2	3.7	1.14	4.0	1.05	3.9	1.08	
469 Acute kidney injury	158	4.7	4.6	1.02	5.7	0.82	5.1	0.92	
540 Cesarean Delivery	316	3.4	3.5	0.97	3.7	0.92	3.4	1.00	
560 Vaginal Delivery	1,031	2.0	2.0	1.00	2.2	0.91	2.1	0.95	
640 Normal Newborn, Birthweight 2500g+	1,403	2.0	1.8	1.11	2.0	1.00	1.9	1.05	
720 Blood Infection/Septicemia	465	6.6	5.6	1.18	6.6	1.00	5.9	1.12	
751 Psychoses	*	*	5.3	*	5.1	*	5.2	*	

	•	_	• •	•	•	-	•		
		This Facility				Risk Adjusted	Group Averages		
APR-DRG	G # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stro	ke and Precerebral Occlusion with Infarct	\$21,491	\$22,950	\$42,136	0.54	\$52,261	0.44	\$48,817	0.47
133 Res	piratory failure	\$28,427	\$27,508	\$36,401	0.76	\$43,773	0.63	\$40,230	0.68
137 Res	piratory Infections and Inflammations	\$26,931	\$25,684	\$38,011	0.68	\$48,694	0.53	\$42,641	0.60
139 Pne	umonia	\$20,891	\$21,326	\$30,062	0.71	\$37,991	0.56	\$33,326	0.64
174 Perd	cutaneous coronary intervention w AMI	\$69,576	\$74,491	\$74,035	1.01	\$88,693	0.84	\$88,028	0.85
175 Perc	cutaneous coronary intervention w/o AMI	\$61,489	\$63,715	\$74,327	0.86	\$106,262	0.60	\$104,016	0.61
194 Hea	rt Failure	\$18,777	\$19,182	\$31,359	0.61	\$41,878	0.46	\$37,402	0.51
201 Hea	rt Abnormal Rhythm and Conduction Disorders	\$16,010	\$15,428	\$22,385	0.69	\$27,906	0.55	\$26,261	0.59
463 Kidn	ney/Urinary Tract Infection	\$15,548	\$15,544	\$25,251	0.62	\$31,651	0.49	\$28,895	0.54
469 Acut	te kidney injury	\$22,933	\$24,105	\$32,453	0.74	\$42,194	0.57	\$38,198	0.63
540 Ces	arean Delivery	\$15,419	\$15,126	\$23,516	0.64	\$30,606	0.49	\$29,333	0.52
560 Vagi	inal Delivery	\$12,860	\$12,804	\$12,110	1.06	\$16,232	0.79	\$15,112	0.85
640 Norr	mal Newborn, Birthweight 2500g+	\$4,365	\$4,485	\$4,779	0.94	\$5,514	0.81	\$5,404	0.83
720 Bloo	od Infection/Septicemia	\$34,632	\$36,546	\$49,755	0.73	\$61,811	0.59	\$55,330	0.66
751 Psyc	choses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

041 St Mary's Hospital Medical Center

1726 Shawano Avenue

Green Bay, WI 54303

920-498-4200

85 & Over

13.1%

14.1%

Hospital Type: GMS County: Brown

Analysis Area: 4-Northeastern

Detient Discharge	Ctatua

Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,192	Average Length of Stay (days):	4.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	13.711	Average Charge per Discharge:	\$39,736	Home or Self-Care	64.8%
Total Fationt Days.	10,7 11	Average onlinge per bisonarge.	ψου, του	Other GMS Hospital	4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	9.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	0			Hospice Other Institution	3.4% 0.0%
Total Newborns:	0			Home Health Service	10.4%
Total Newborns.	U			Left Against Medical Advice	10.4%
Psychiatric Utilization				Expired	1.9%
Discharges:	8	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	41	Percent of All Patient Days:	0.3%	Other	1.7%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	50	Percent of All Discharges:	1.6%	Medicare	60.8%
Patient Days:	180	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	12.0%
				Other Government	6.6%
				Commercial or Private Insurance	18.9%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>n</u>	<u>Rac</u>	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	52.4%	52.5%	Amer.Ind/Alaskan Native	e 6.2%	5.3%
Under 15	0.1%	0.0%	Female	47.6%	47.5%	Asian	0.8%	0.9%
15 - 19	0.3%	0.2%				Black/African Amer.	2.7%	2.1%
20 - 24	1.2%	0.8%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	3.7%	2.9%				White	88.2%	90.1%
35 - 44	7.4%	6.9%				Multiracial	0.6%	0.5%
45 - 54	9.0%	8.4%				Declined	1.0%	0.8%
55 - 64	18.0%	17.8%				Unavailable	0.4%	0.2%
65 - 74	24.4%	23.8%						
75 - 84	22.8%	24.9%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	41	3.9	4.2	0.93	4.3	0.91	4.8	0.81	
133 Respiratory failure	81	5.4	4.4	1.23	4.2	1.29	4.5	1.20	
137 Respiratory Infections and Inflammations	63	5.7	4.9	1.16	5.3	1.08	5.2	1.10	
139 Pneumonia	55	5.0	4.1	1.22	4.3	1.16	4.2	1.19	
174 Percutaneous coronary intervention w AMI	156	2.4	2.4	1.00	2.7	0.89	2.9	0.83	
194 Heart Failure	132	4.8	4.3	1.12	4.8	1.00	4.9	0.98	
201 Heart Abnormal Rhythm and Conduction Disorders	95	2.4	2.7	0.89	2.9	0.83	2.9	0.83	
463 Kidney/Urinary Tract Infection	54	4.3	3.7	1.16	4.0	1.08	3.9	1.10	
469 Acute kidney injury	68	3.8	4.6	0.83	5.0	0.76	5.1	0.75	
540 Cesarean Delivery	0	N/A	3.5	N/A	2.9	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.9	N/A	1.9	N/A	
720 Blood Infection/Septicemia	334	5.4	5.6	0.96	5.7	0.95	5.9	0.92	
751 Psychoses	*	*	5.3	*	4.9	*	5.2	*	
775 Alcohol Abuse/Dependence	35	3.6	3.8	0.95	3.9	0.92	3.9	0.92	

	This Facility				Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
045 Stroke and Precerebral Occlusion with Infarct	\$31,911	\$33,425	\$42,136	0.79	\$47,748	0.70	\$48,817	0.68			
133 Respiratory failure	\$45,026	\$45,840	\$36,401	1.26	\$37,099	1.24	\$40,230	1.14			
137 Respiratory Infections and Inflammations	\$42,843	\$40,429	\$38,011	1.06	\$41,393	0.98	\$42,641	0.95			
139 Pneumonia	\$35,301	\$35,812	\$30,062	1.19	\$34,303	1.04	\$33,326	1.07			
174 Percutaneous coronary intervention w AMI	\$65,753	\$69,919	\$74,035	0.94	\$85,768	0.82	\$88,028	0.79			
194 Heart Failure	\$29,919	\$30,349	\$31,359	0.97	\$35,400	0.86	\$37,402	0.81			
201 Heart Abnormal Rhythm and Conduction Disorders	\$14,824	\$16,028	\$22,385	0.72	\$25,284	0.63	\$26,261	0.61			
463 Kidney/Urinary Tract Infection	\$26,998	\$26,532	\$25,251	1.05	\$30,786	0.86	\$28,895	0.92			
469 Acute kidney injury	\$24,430	\$28,393	\$32,453	0.87	\$36,604	0.78	\$38,198	0.74			
540 Cesarean Delivery	N/A	N/A	\$23,516	*	\$27,373	*	\$29,333	*			
560 Vaginal Delivery	N/A	N/A	\$12,110	*	\$14,481	*	\$15,112	*			
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,779	*	\$5,825	*	\$5,404	*			
720 Blood Infection/Septicemia	\$46,278	\$49,050	\$49,755	0.99	\$52,329	0.94	\$55,330	0.89			
751 Psychoses	*	#	#	*	#	*	#	*			
775 Alcohol Abuse/Dependence	\$24,502	#	#	#	#	#	#	#			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

042 St Vincent Hospital 835 S Van Buren St Green Bay, WI 54301 920-433-0111 Hospital Type: GMS
County: Brown

Analysis Area: 4-Northeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	10,966	Average Length of Stay (days):	5.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	55,429	Average Charge per Discharge:	\$51,046	Home or Self-Care	70.2%
Total Fatterit Days.	33,429	Average Charge per Discharge.	ψ51,0 4 0	Other GMS Hospital	1.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1.057	Percent of All Childbirths:	75.8%	Skilled Nursing Facility	8.8%
Cesarean Childbirths:	313	Percent of All Childbirths:	22.5%	Intermediate Care Facility	0.8%
Other Childbirths:	24	Percent of All Childbirths:	1.7%	Inpatient Rehabilitation Facility	2.3%
Total Childbirths:	1,394			Hospice	2.8%
	•			Other Institution	0.1%
Total Newborns:	1,411			Home Health Service	8.5%
Psychiatric Utilization				Left Against Medical Advice	1.1%
				Expired	2.6%
Discharges:	15	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	36	Percent of All Patient Days:	0.1%	Other	1.5%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	67	Percent of All Discharges:	0.6%	Medicare	40.9%
Patient Days:	266	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	19.4%
				Other Government	3.8%
				Commercial or Private Insurance	33.9%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.6%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	12.9%	10.4%	Male	46.0%	52.0%	Amer.Ind/Alaskan Native	5.6%	5.3%
Under 15	7.1%	7.3%	Female	54.0%	48.0%	Asian	1.7%	2.4%
15 - 19	2.1%	1.3%				Black/African Amer.	3.1%	3.1%
20 - 24	2.7%	2.1%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	11.3%	6.7%				White	86.7%	87.3%
35 - 44	6.6%	5.5%				Multiracial	1.0%	0.9%
45 - 54	6.2%	6.3%				Declined	1.1%	0.6%
55 - 64	11.9%	15.2%				Unavailable	0.7%	0.3%
65 - 74	16.3%	19.3%						
75 - 84	14.7%	16.9%						
85 & Over	8.2%	9.0%						

	This Facility			Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	241	4.7	4.2	1.12	5.2	0.90	4.8	0.98	
133 Respiratory failure	175	5.7	4.4	1.30	4.9	1.16	4.5	1.27	
137 Respiratory Infections and Inflammations	114	5.8	4.9	1.18	5.7	1.02	5.2	1.12	
139 Pneumonia	96	4.2	4.1	1.02	4.5	0.93	4.2	1.00	
174 Percutaneous coronary intervention w AMI	102	2.7	2.4	1.13	3.0	0.90	2.9	0.93	
175 Percutaneous coronary intervention w/o AMI	99	1.8	2.1	0.86	2.7	0.67	2.8	0.64	
194 Heart Failure	165	5.6	4.3	1.30	5.3	1.06	4.9	1.14	
201 Heart Abnormal Rhythm and Conduction Disorders	103	3.4	2.7	1.26	3.0	1.13	2.9	1.17	
463 Kidney/Urinary Tract Infection	75	3.5	3.7	0.95	4.0	0.88	3.9	0.90	
469 Acute kidney injury	143	5.7	4.6	1.24	5.7	1.00	5.1	1.12	
540 Cesarean Delivery	313	4.2	3.5	1.20	3.7	1.14	3.4	1.24	
560 Vaginal Delivery	1,057	2.1	2.0	1.05	2.2	0.95	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	1,245	1.9	1.8	1.06	2.0	0.95	1.9	1.00	
720 Blood Infection/Septicemia	642	7.4	5.6	1.32	6.6	1.12	5.9	1.25	
751 Psychoses	*	*	5.3	*	5.1	*	5.2	*	

•	_	• .	_	•	-	•		
	This Facility				Risk Adjusted	Group Averages	i	
cription	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
rebral Occlusion with Infarct	\$41,834	\$41,496	\$42,136	0.98	\$52,261	0.79	\$48,817	0.85
e	\$51,894	\$45,060	\$36,401	1.24	\$43,773	1.03	\$40,230	1.12
tions and Inflammations	\$51,345	\$50,771	\$38,011	1.34	\$48,694	1.04	\$42,641	1.19
	\$32,932	\$36,057	\$30,062	1.20	\$37,991	0.95	\$33,326	1.08
ronary intervention w AMI	\$71,712	\$71,263	\$74,035	0.96	\$88,693	0.80	\$88,028	0.81
ronary intervention w/o AMI	\$70,603	\$70,133	\$74,327	0.94	\$106,262	0.66	\$104,016	0.67
	\$36,779	\$34,321	\$31,359	1.09	\$41,878	0.82	\$37,402	0.92
Rhythm and Conduction Disorders	\$27,925	\$25,184	\$22,385	1.13	\$27,906	0.90	\$26,261	0.96
act Infection	\$25,983	\$29,025	\$25,251	1.15	\$31,651	0.92	\$28,895	1.00
ry	\$39,150	\$34,891	\$32,453	1.08	\$42,194	0.83	\$38,198	0.91
ту	\$22,697	\$22,070	\$23,516	0.94	\$30,606	0.72	\$29,333	0.75
	\$13,119	\$13,058	\$12,110	1.08	\$16,232	0.80	\$15,112	0.86
, Birthweight 2500g+	\$4,583	\$4,586	\$4,779	0.96	\$5,514	0.83	\$5,404	0.85
epticemia	\$69,679	\$63,561	\$49,755	1.28	\$61,811	1.03	\$55,330	1.15
	*	#	#	*	#	*	#	*
	rebral Occlusion with Infarct etions and Inflammations ronary intervention w AMI ronary intervention w/o AMI Rhythm and Conduction Disorders eact Infection ry y , Birthweight 2500g+	Average Charge cription Charge rebral Occlusion with Infarct \$41,834 e \$51,894 tions and Inflammations \$51,345 s32,932 ronary intervention w AMI \$71,712 ronary intervention w/o AMI \$70,603 \$36,779 Rhythm and Conduction Disorders \$27,925 ract Infection \$25,983 ry \$39,150 ry \$39,150 ry \$22,697 \$13,119 g Birthweight 2500g+ \$4,583	Risk Adjusted Average Charge S51,894 \$41,496 \$45,060 \$	Risk Adjusted Average Charge Sag.,936,057 \$38,011 \$32,932 \$36,057 \$30,062 \$71,712 \$71,263 \$74,035 \$74,035 \$70,133 \$74,327 \$36,779 \$34,321 \$31,359 \$34,321 \$31,359 \$32,453 \$32,792 \$25,251 \$25,251 \$25,251 \$25,251 \$25,251 \$25,251 \$25,251 \$25,251 \$22,070 \$23,516 \$31,319 \$13,058 \$12,110 \$31,319 \$13,058 \$4,779 \$44,583 \$4,586 \$4,779 \$49,755	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio rebral Occlusion with Infarct \$41,834 \$41,496 \$42,136 0.98 \$6 \$51,894 \$45,060 \$36,401 1.24 \$6 \$60,679 \$63,561 \$41,834 \$77,90.96 \$77,71 \$78,000 \$77,71 \$78	Risk Adjusted Average Average Charge Charge Charge Ratio Charge C	Risk Adjusted Average Charge Charge Charge Charge Ratio Trebral Occlusion with Infarct S\$11,894 S\$1,345 S\$0,771 S\$38,011 1.34 S\$48,694 1.04 S\$32,932 S\$36,057 S\$30,062 1.20 S\$37,991 0.95 Tonary intervention w AMI S\$71,712 S\$71,263 S\$74,035 0.96 S\$88,693 0.80 Tonary intervention w/o AMI S\$36,779 S\$34,321 S\$31,359 1.09 S\$41,878 0.82 S\$1,945 S\$25,184 S\$25,883 S\$29,025 S\$25,184 S\$22,385 1.13 S\$27,906 0.90 Tonary intervention S\$22,697 S\$20,005 S\$23,516 0.94 S\$30,606 0.72 S\$13,119 S\$13,058 S\$12,110 1.08 S\$16,232 0.80 R\$1,110 S\$16,232 0.80 R\$1,110 S\$16,250 S\$1,251 0.92 S\$13,119 S\$13,058 S\$12,110 1.08 S\$16,232 0.80 R\$1,110 S\$16,252 0.80 R\$1,110 S\$16,250 S\$1,110 S\$16,252 0.80 R\$1,110 S\$16,250 S\$1,28 S\$16,811 1.03	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charg

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

043 Aurora Medical Center - Washington County

1032 East Sumner Street

Hartford, WI 53027

262-673-2300

85 & Over

14.1%

14.8%

Hospital Type: GMS

County: Washington

Analysis Area: 2A-Southeastern

Inpatient Volume Group:	4
- · · · · ·	

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	1,172	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	4,079	Average Charge per Discharge:	\$41,018	Home or Self-Care	53.3%
Total Fatterit Days.	4,079	Average Charge per Discharge.	φ41,010	Other GMS Hospital	8.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	11.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.2%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:		r crocht of All Offidalitis.	0.070	Hospice	3.9%
iotai Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	16.8%
				Left Against Medical Advice	0.7%
Psychiatric Utilization				Expired	0.8%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.6%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	14	Percent of All Discharges:	1.2%	Medicare	71.5%
Patient Days:	53	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	7.3%
				Other Government	1.7%
				Commercial or Private Insurance	17.3%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.4%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	48.2%	48.3%	Amer.Ind/Alaskan Native	€ 0.0%	0.0%	
Under 15	0.0%	0.0%	Female	51.8%	51.7%	Asian	0.3%	0.2%	
15 - 19	0.0%	0.0%				Black/African Amer.	1.1%	0.8%	
20 - 24	0.6%	0.3%				Native Hawaii/Pac.Isl.	0.3%	0.2%	
25 - 34	3.5%	2.4%				White	97.6%	98.0%	
35 - 44	3.8%	2.8%				Multiracial	0.1%	0.0%	
45 - 54	7.7%	6.9%				Declined	0.6%	0.7%	
55 - 64	16.8%	17.0%				Unavailable	0 %	0 %	
65 - 74	25.9%	24.6%							
75 - 84	27.6%	31.2%							

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	*	*	4.2	*	3.9	*	4.8	*
133 Respiratory failure	32	3.7	4.5	0.82	3.8	0.97	4.5	0.82
137 Respiratory Infections and Inflammations	41	3.8	5.0	0.76	4.9	0.78	5.2	0.73
139 Pneumonia	32	3.7	4.4	0.84	4.0	0.93	4.2	0.88
194 Heart Failure	109	3.9	4.8	0.81	4.2	0.93	4.9	0.80
201 Heart Abnormal Rhythm and Conduction Disorders	27	2.7	2.8	0.96	2.8	0.96	2.9	0.93
247 Intestinal Obstruction without Surgery	27	3.6	4.0	0.90	3.0	1.20	3.5	1.03
383 Cellulitis & other skin infections	24	3.2	4.1	0.78	4.4	0.73	4.3	0.74
463 Kidney/Urinary Tract Infection	26	3.2	3.7	0.86	3.9	0.82	3.9	0.82
469 Acute kidney injury	22	3.1	5.2	0.60	4.4	0.70	5.1	0.61
540 Cesarean Delivery	0	N/A	3.1	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	191	3.9	5.5	0.71	4.9	0.80	5.9	0.66
775 Alcohol Abuse/Dependence	13	3.9	4.1	0.95	3.6	1.08	3.9	1.00

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient Vo</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	espitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	*	*	\$48,841	*	\$40,171	*	\$48,817	*
133	Respiratory failure	\$36,549	\$44,482	\$40,487	1.10	\$36,698	1.21	\$40,230	1.11
137	Respiratory Infections and Inflammations	\$42,900	\$44,807	\$43,191	1.04	\$36,939	1.21	\$42,641	1.05
139	Pneumonia	\$42,142	\$40,894	\$37,172	1.10	\$30,699	1.33	\$33,326	1.23
194	Heart Failure	\$34,653	\$34,816	\$37,913	0.92	\$31,713	1.10	\$37,402	0.93
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,170	\$27,071	\$28,341	0.96	\$24,868	1.09	\$26,261	1.03
247	Intestinal Obstruction without Surgery	\$31,171	\$34,516	\$29,283	1.18	\$23,106	1.49	\$25,745	1.34
383	Cellulitis & other skin infections	\$26,386	\$25,632	\$29,097	0.88	\$26,486	0.97	\$28,319	0.91
463	Kidney/Urinary Tract Infection	\$31,320	\$31,820	\$29,800	1.07	\$26,652	1.19	\$28,895	1.10
469	Acute kidney injury	\$31,111	\$37,084	\$39,143	0.95	\$33,034	1.12	\$38,198	0.97
540	Cesarean Delivery	N/A	N/A	\$31,537	*	\$26,530	*	\$29,333	*
560	Vaginal Delivery	N/A	N/A	\$17,466	*	\$12,146	*	\$15,112	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,387	*	\$4,923	*	\$5,404	*
720	Blood Infection/Septicemia	\$38,955	\$42,057	\$53,476	0.79	\$44,231	0.95	\$55,330	0.76
775	Alcohol Abuse/Dependence	\$32,715	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

044 Tamarack Health Hayward Medical Center

11040 N State Road 77

Hayward, WI 54843

715-934-4321

85 & Over

12.2%

16.2%

Hospital Type: GMS
County: Sawyer

Analysis Area: 7-Western Lake Superior

Patient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	945	Average Length of Stay (days):	3.3	Discharge Status	% Discharges
Total Patient Days:	3,102	Average Charge per Discharge:	\$13,441	Home or Self-Care	75.9%
Total Fatterit Days.	3,102	Average Charge per Discharge.	ψ10, 44 1	Other GMS Hospital	6.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths:	91	Percent of All Childbirths:	75.2%	Skilled Nursing Facility	5.8%
Cesarean Childbirths:	24	Percent of All Childbirths:	19.8%	Intermediate Care Facility	3.3%
Other Childbirths:	6	Percent of All Childbirths:	5.0%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	121	r Grooth Gran Grindshale.	3.070	Hospice	1.3%
iotai Ciliiddiitiis.	121			Other Institution	0.1%
Total Newborns:	130			Home Health Service	1.4%
5				Left Against Medical Advice	0.6%
Psychiatric Utilization				Expired	1.1%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	2.8%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	15	Percent of All Discharges:	1.6%	Medicare	52.0%
Patient Days:	57	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	21.5%
				Other Government	4.0%
				Commercial or Private Insurance	13.4%
				Self-Pay	9.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	13.8%	7.8%	Male	44.7%	48.2%	Amer.Ind/Alaskan Native	15.4%	14.7%		
Under 15	0.6%	0.3%	Female	55.3%	51.8%	Asian	0.3%	0.2%		
15 - 19	0.7%	0.5%				Black/African Amer.	0.1%	0.1%		
20 - 24	2.1%	1.0%				Native Hawaii/Pac.Isl.	0.4%	0.5%		
25 - 34	11.6%	8.8%				White	81.2%	82.6%		
35 - 44	5.9%	4.6%				Multiracial	0.6%	0.3%		
45 - 54	3.3%	2.1%				Declined	1.8%	1.6%		
55 - 64	8.5%	10.5%				Unavailable	0.1%	0.1%		
65 - 74	20.5%	22.3%								
75 - 84	20.7%	25.9%								

	This Facil	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	3.8	3.7	1.03	3.5	1.09	4.5	0.84
137 Respiratory Infections and Inflammations	36	3.7	5.2	0.71	4.0	0.93	5.2	0.71
139 Pneumonia	60	4.4	4.5	0.98	3.8	1.16	4.2	1.05
140 Chronic Obstructive Pulmonary Disease	39	3.6	3.8	0.95	3.1	1.16	3.4	1.06
194 Heart Failure	45	3.8	4.2	0.90	3.8	1.00	4.9	0.78
201 Heart Abnormal Rhythm and Conduction Disorders	15	1.9	2.7	0.70	2.5	0.76	2.9	0.66
247 Intestinal Obstruction without Surgery	20	3.5	2.8	1.25	3.0	1.17	3.5	1.00
383 Cellulitis & other skin infections	24	4.1	5.1	0.80	4.4	0.93	4.3	0.95
463 Kidney/Urinary Tract Infection	37	5.6	5.2	1.08	3.7	1.51	3.9	1.44
469 Acute kidney injury	8	2.4	4.0	0.60	3.1	0.77	5.1	0.47
540 Cesarean Delivery	24	2.9	2.8	1.04	2.8	1.04	3.4	0.85
560 Vaginal Delivery	91	1.9	1.8	1.06	1.8	1.06	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	116	1.7	1.8	0.94	1.7	1.00	1.9	0.89
720 Blood Infection/Septicemia	43	3.3	4.8	0.69	3.8	0.87	5.9	0.56
861 Signs & Symptoms	18	3.6	4.5	0.80	5.5	0.65	5.6	0.64

	•	_	• .	•	•	•	•			
		This Fac	ility	Risk Adjus			Adjusted Group Averages			
APR-DRG #	≠ and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio	
133 Respir	ratory failure	\$16,312	\$20,581	\$20,493	1.00	\$24,966	0.82	\$40,230	0.51	
137 Respir	atory Infections and Inflammations	\$16,450	\$21,008	\$25,603	0.82	\$23,829	0.88	\$42,641	0.49	
139 Pneun	nonia	\$15,045	\$20,041	\$21,744	0.92	\$21,847	0.92	\$33,326	0.60	
140 Chron	ic Obstructive Pulmonary Disease	\$14,457	\$17,433	\$17,105	1.02	\$18,738	0.93	\$30,692	0.57	
194 Heart	Failure	\$11,579	\$15,189	\$18,201	0.83	\$21,808	0.70	\$37,402	0.41	
201 Heart	Abnormal Rhythm and Conduction Disorders	\$6,053	\$6,745	\$11,027	0.61	\$15,774	0.43	\$26,261	0.26	
247 Intestii	nal Obstruction without Surgery	\$11,931	\$15,410	\$13,626	1.13	\$15,683	0.98	\$25,745	0.60	
383 Celluli	tis & other skin infections	\$16,258	\$19,219	\$18,104	1.06	\$19,917	0.96	\$28,319	0.68	
463 Kidney	//Urinary Tract Infection	\$16,645	\$19,411	\$18,415	1.05	\$17,130	1.13	\$28,895	0.67	
469 Acute	kidney injury	\$7,825	\$10,767	\$21,456	0.50	\$19,497	0.55	\$38,198	0.28	
540 Cesare	ean Delivery	\$24,292	\$26,418	\$25,435	1.04	\$25,945	1.02	\$29,333	0.90	
560 Vagina	al Delivery	\$8,202	\$8,310	\$7,651	1.09	\$9,423	0.88	\$15,112	0.55	
640 Norma	al Newborn, Birthweight 2500g+	\$4,694	\$5,106	\$4,469	1.14	\$4,311	1.18	\$5,404	0.94	
720 Blood	Infection/Septicemia	\$13,902	\$22,845	\$25,870	0.88	\$27,838	0.82	\$55,330	0.41	
861 Signs	& Symptoms	\$9,752	\$11,165	\$16,793	0.66	\$17,922	0.62	\$35,921	0.31	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

045 Gundersen St. Joseph's Hospital and Clinics

PO Box 527, 400 Water Avenue

Hillsboro, WI 54634

608-489-8000

85 & Over

20.2%

20.8%

Hospital Type: GMS County: Vernon

Inpatient Volume Group: 1

Analysis Area: 5B-Southwestern

	Patient Discharge Status	
tatus	<u> </u>	<u>% [</u>

Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	129	Average Length of Stay (days):	3.5	Discharge Status	% Discharges
Total Dationt Days	151	Average Charge per Discharge	¢15 550	Home or Self-Care	54.3%
Total Patient Days:	451	Average Charge per Discharge:	\$15,559	Other GMS Hospital	10.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.8%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	14.0%
Cesarean Childbirths:	0	Percent of All Childbirths:		Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
	0	Percent of All Childbirths.	0.0%	Hospice	0.8%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	3.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	14.7%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	1.6%	Medicare	83.7%
Patient Days:	6	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	5.4%
·		•		Other Government	3.1%
				Commercial or Private Insurance	7.8%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	45.7%	43.9%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	54.3%	56.1%	Asian	0.0%	0.0%	
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%	
20 - 24	0.8%	1.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	0.0%	0.0%				White	100.0%	100.0%	
35 - 44	3.1%	2.4%				Multiracial	0.0%	0.0%	
45 - 54	4.7%	2.9%				Declined	0.0%	0.0%	
55 - 64	14.0%	12.6%				Unavailable	0 %	0 %	
65 - 74	22.5%	24.2%							
75 - 84	34.9%	35.9%							

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	19	3.2	4.0	0.80	3.0	1.07	4.5	0.71
137 Respiratory Infections and Inflammations	5	3.0	4.8	0.63	3.7	0.81	5.2	0.58
139 Pneumonia	7	3.1	3.3	0.94	3.3	0.94	4.2	0.74
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*
194 Heart Failure	16	4.4	4.5	0.98	3.5	1.26	4.9	0.90
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.1	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	*	*	4.2	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	3.3	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	7	3.9	3.9	1.00	3.9	1.00	4.3	0.91
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.5	*	3.5	*	3.9	*
469 Acute kidney injury	6	4.3	4.9	0.88	3.3	1.30	5.1	0.84
720 Blood Infection/Septicemia	19	3.8	4.6	0.83	3.5	1.09	5.9	0.64
861 Signs & Symptoms	*	*	6.5	*	10.3	*	5.6	*
862 Other Factors Influencing Health Status	0	N/A	11.6	N/A	12.2	N/A	8.2	N/A

		This Fac	ility			Risk Adjusted	Group Averages	i	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	sted <u>Analysis Area</u> rage Average		-	<u>'olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respirat	ory failure	\$15,276	\$20,627	\$26,914	0.77	\$20,930	0.99	\$40,230	0.51
137 Respirat	ory Infections and Inflammations	\$15,083	\$16,269	\$29,196	0.56	\$22,966	0.71	\$42,641	0.38
139 Pneumo	nia	\$15,716	\$19,085	\$21,792	0.88	\$20,677	0.92	\$33,326	0.57
140 Chronic	Obstructive Pulmonary Disease	*	*	\$22,105	*	\$17,434	*	\$30,692	*
194 Heart Fa	illure	\$16,455	\$17,472	\$24,371	0.72	\$19,130	0.91	\$37,402	0.47
201 Heart Ab	normal Rhythm and Conduction Disorders	*	*	\$18,433	*	\$18,284	*	\$26,261	*
249 Other ga	stroenteritis, nausea & vomiting	*	*	\$15,837	*	\$15,617	*	\$30,474	*
282 Disorder	s of Pancreas Except Malignancy	*	*	\$20,661	*	\$18,647	*	\$34,273	*
383 Cellulitis	& other skin infections	\$17,486	\$14,058	\$19,481	0.72	\$18,221	0.77	\$28,319	0.50
420 Diabetes	3	*	*	\$18,205	*	\$15,182	*	\$29,270	*
463 Kidney/L	Jrinary Tract Infection	*	*	\$17,675	*	\$16,696	*	\$28,895	*
469 Acute kid	dney injury	\$16,072	\$28,087	\$24,071	1.17	\$19,375	1.45	\$38,198	0.74
720 Blood In	fection/Septicemia	\$17,933	\$24,969	\$30,818	0.81	\$25,105	0.99	\$55,330	0.45
861 Signs &	Symptoms	*	*	\$26,429	*	\$18,999	*	\$35,921	*
862 Other Fa	actors Influencing Health Status	N/A	N/A	\$37,912	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

046 Hudson Hospital & Clinics

405 Stageline Road

Hudson, WI 54016

715-531-6000

Hospital Type: GMS

County: Saint Croix

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	1,710	Average Length of Stay (days):	2.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	4,167	Average Charge per Discharge:	\$13,639	Home or Self-Care	81.0%
iolai Falleili Days.	4,107	Average Charge per Discharge.	φ13,039	Other GMS Hospital	5.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	391	Percent of All Childbirths:	80.3%	Skilled Nursing Facility	3.8%
Cesarean Childbirths:	92	Percent of All Childbirths:	18.9%	Intermediate Care Facility	1.2%
Other Childbirths:	4	Percent of All Childbirths:	0.8%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	487		0.070	Hospice	1.8%
Total Officialitis.	407			Other Institution	0.2%
Total Newborns:	419			Home Health Service	2.5%
Davabiatria Iltilization				Left Against Medical Advice	0.3%
Psychiatric Utilization				Expired	0.6%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	3.1%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	16	Percent of All Discharges:	0.9%	Medicare	33.4%
Patient Days:	41	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	12.0%
				Other Government	1.7%
				Commercial or Private Insurance	52.5%
				Self-Pay	0.2%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>n</u>	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	24.5%	17.9%	Male	35.2%	36.5%	Amer.Ind/Alaskan Native	0.3%	0.2%
Under 15	0.2%	0.1%	Female	64.8%	63.5%	Asian	0.5%	0.7%
15 - 19	0.9%	0.6%				Black/African Amer.	1.3%	1.1%
20 - 24	3.5%	3.1%				Native Hawaii/Pac.Isl.	0.2%	0.4%
25 - 34	21.6%	18.1%				White	91.6%	92.5%
35 - 44	8.4%	7.2%				Multiracial	0.0%	0.0%
45 - 54	2.7%	2.5%				Declined	3.0%	2.7%
55 - 64	5.9%	7.2%				Unavailable	3.0%	2.4%
65 - 74	10.2%	12.2%						
75 - 84	14.4%	19.1%						
85 & Over	7.8%	12.0%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	13	2.8	4.4	0.64	3.4	0.82	4.5	0.62
137 Respiratory Infections and Inflammations	45	2.5	5.2	0.48	3.8	0.66	5.2	0.48
139 Pneumonia	22	2.5	4.1	0.61	3.6	0.69	4.2	0.60
140 Chronic Obstructive Pulmonary Disease	25	2.4	3.5	0.69	3.1	0.77	3.4	0.71
194 Heart Failure	57	4.5	4.8	0.94	3.8	1.18	4.9	0.92
201 Heart Abnormal Rhythm and Conduction Disorders	15	1.8	3.0	0.60	2.3	0.78	2.9	0.62
326 Elective knee joint replacement	*	*	2.2	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	21	2.8	4.6	0.61	3.7	0.76	4.3	0.65
463 Kidney/Urinary Tract Infection	24	3.2	3.8	0.84	3.4	0.94	3.9	0.82
469 Acute kidney injury	26	3.8	4.4	0.86	3.4	1.12	5.1	0.75
540 Cesarean Delivery	92	2.9	2.9	1.00	2.8	1.04	3.4	0.85
560 Vaginal Delivery	391	1.8	2.0	0.90	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	376	1.8	1.8	1.00	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	111	3.6	5.3	0.68	4.3	0.84	5.9	0.61
775 Alcohol Abuse/Dependence	14	2.6	3.8	0.68	3.6	0.72	3.9	0.67

	This Fo	-!!!4	<u> </u>	Risk Adjusted Group Averages					
	This Fa	-			RISK Adjusted	Group Averages	i		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	Analys Average Charge	<u>is Area</u> Ratio	Inpatient V Average Charge	<u>'olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio	
133 Respiratory failure	\$17,593	\$21,173	\$31,265	0.68	\$28,186	0.75	\$40,230	0.53	
137 Respiratory Infections and Inflammatic	ons \$14,608	\$16,980	\$34,167	0.50	\$27,697	0.61	\$42,641	0.40	
139 Pneumonia	\$14,436	\$15,613	\$25,436	0.61	\$24,745	0.63	\$33,326	0.47	
140 Chronic Obstructive Pulmonary Diseas	se \$10,562	\$11,092	\$21,325	0.52	\$21,626	0.51	\$30,692	0.36	
194 Heart Failure	\$26,483	\$30,411	\$28,691	1.06	\$25,105	1.21	\$37,402	0.81	
201 Heart Abnormal Rhythm and Conducti	ion Disorders \$13,938	\$12,733	\$20,515	0.62	\$18,832	0.68	\$26,261	0.48	
326 Elective knee joint replacement	*	*	\$41,297	*	\$51,872	*	\$61,836	*	
383 Cellulitis & other skin infections	\$12,956	\$14,811	\$21,857	0.68	\$21,471	0.69	\$28,319	0.52	
463 Kidney/Urinary Tract Infection	\$13,249	\$13,965	\$19,582	0.71	\$19,405	0.72	\$28,895	0.48	
469 Acute kidney injury	\$19,634	\$28,206	\$26,200	1.08	\$23,727	1.19	\$38,198	0.74	
540 Cesarean Delivery	\$22,827	\$24,341	\$22,289	1.09	\$24,636	0.99	\$29,333	0.83	
560 Vaginal Delivery	\$13,105	\$13,743	\$11,513	1.19	\$11,580	1.19	\$15,112	0.91	
640 Normal Newborn, Birthweight 2500g+	\$3,840	\$4,242	\$3,672	1.16	\$4,369	0.97	\$5,404	0.78	
720 Blood Infection/Septicemia	\$21,364	\$26,868	\$40,375	0.67	\$35,041	0.77	\$55,330	0.49	
775 Alcohol Abuse/Dependence	\$16,448	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

048 Mercy Health Hospital and Trauma Center - Janesville

1000 Mineral Point Ave

Janesville, WI 53548

608-756-6000

Hospital Type: GMS
County: Rock
Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	6,332	Average Length of Stay (days):	4.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	29,183	Average Charge per Discharge:	\$62,935	Home or Self-Care Other GMS Hospital	72.8% 1.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	392 134 36 562 601	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	69.8% 23.8% 6.4%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired	8.7% 0.0% 1.3% 2.0% 0.0% 7.2% 1.3% 2.8%
Discharges: Patient Days:	302 1,276	Percent of All Discharges: Percent of All Patient Days:	4.8% 4.4%	Discharge/Tran to Court/Law Enforcmnt Other	0.3% 1.6%
AODA Utilization	1,270	r Groent Gryth Fationt Bays.		Expected Pay Source Distril	
Discharges:	137	Percent of All Discharges:	2.2%	Medicare	44.9%
Patient Days:	547	Percent of All Patient Days:	1.9%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	9.0% 1.2% 38.9% 5.9% 0.2%

	Age Distribution	Ĺ		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	9.5%	3.2%	Male	44.1%	47.8%	Amer.Ind/Alaskan Native	e 0.5%	0.3%
Under 15	0.6%	0.2%	Female	55.9%	52.2%	Asian	0.5%	0.5%
15 - 19	1.2%	0.7%				Black/African Amer.	4.3%	3.8%
20 - 24	3.4%	1.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.8%	6.5%				White	91.8%	93.5%
35 - 44	7.8%	6.9%				Multiracial	1.4%	0.9%
45 - 54	8.5%	8.1%				Declined	0.9%	0.6%
55 - 64	15.0%	17.7%				Unavailable	0.5%	0.5%
65 - 74	19.5%	25.7%						
75 - 84	16.0%	19.5%						
85 & Over	7.9%	9.7%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	87	6.0	4.8	1.25	5.2	1.15	4.8	1.25
133 Respiratory failure	187	4.9	4.2	1.17	4.9	1.00	4.5	1.09
137 Respiratory Infections and Inflammations	140	6.0	5.3	1.13	5.7	1.05	5.2	1.15
139 Pneumonia	123	5.3	4.0	1.33	4.5	1.18	4.2	1.26
174 Percutaneous coronary intervention w AMI	121	3.1	3.1	1.00	3.0	1.03	2.9	1.07
175 Percutaneous coronary intervention w/o AMI	140	2.3	2.8	0.82	2.7	0.85	2.8	0.82
194 Heart Failure	202	4.9	5.0	0.98	5.3	0.92	4.9	1.00
201 Heart Abnormal Rhythm and Conduction Disorders	103	3.3	3.0	1.10	3.0	1.10	2.9	1.14
463 Kidney/Urinary Tract Infection	95	6.4	3.9	1.64	4.0	1.60	3.9	1.64
469 Acute kidney injury	98	5.2	5.0	1.04	5.7	0.91	5.1	1.02
540 Cesarean Delivery	134	2.4	3.7	0.65	3.7	0.65	3.4	0.71
560 Vaginal Delivery	392	1.7	2.1	0.81	2.2	0.77	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	543	1.5	2.0	0.75	2.0	0.75	1.9	0.79
720 Blood Infection/Septicemia	308	7.4	6.2	1.19	6.6	1.12	5.9	1.25
751 Psychoses	126	3.9	6.0	0.65	5.1	0.76	5.2	0.75

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$78,802	\$76,772	\$58,073	1.32	\$52,261	1.47	\$48,817	1.57
133	Respiratory failure	\$50,264	\$50,006	\$48,230	1.04	\$43,773	1.14	\$40,230	1.24
137	Respiratory Infections and Inflammations	\$64,914	\$64,622	\$50,848	1.27	\$48,694	1.33	\$42,641	1.52
139	Pneumonia	\$55,456	\$56,770	\$38,234	1.48	\$37,991	1.49	\$33,326	1.70
174	Percutaneous coronary intervention w AMI	\$135,540	\$129,407	\$96,731	1.34	\$88,693	1.46	\$88,028	1.47
175	Percutaneous coronary intervention w/o AMI	\$130,384	\$135,649	\$111,538	1.22	\$106,262	1.28	\$104,016	1.30
194	Heart Failure	\$45,690	\$50,313	\$43,714	1.15	\$41,878	1.20	\$37,402	1.35
201	Heart Abnormal Rhythm and Conduction Disorders	\$39,537	\$41,055	\$31,461	1.30	\$27,906	1.47	\$26,261	1.56
463	Kidney/Urinary Tract Infection	\$50,961	\$51,415	\$32,986	1.56	\$31,651	1.62	\$28,895	1.78
469	Acute kidney injury	\$54,641	\$61,195	\$45,552	1.34	\$42,194	1.45	\$38,198	1.60
540	Cesarean Delivery	\$43,434	\$44,726	\$34,658	1.29	\$30,606	1.46	\$29,333	1.52
560	Vaginal Delivery	\$20,565	\$20,429	\$16,752	1.22	\$16,232	1.26	\$15,112	1.35
640	Normal Newborn, Birthweight 2500g+	\$4,924	\$4,830	\$5,371	0.90	\$5,514	0.88	\$5,404	0.89
720	Blood Infection/Septicemia	\$89,597	\$86,615	\$69,381	1.25	\$61,811	1.40	\$55,330	1.57
751	Psychoses	\$12,486	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

317 SSM Health St Mary's Janesville Hospital

2,854

9,239

309

97

12

418

440

3400 E. Racine Street

Overall Hospital Utilization

Janesville, WI 53546

Total Discharges:

Total Patient Days:

Obstetrical Utilization Normal Childbirths:

Cesarean Childbirths:

Psychiatric Utilization

Other Childbirths:

Total Childbirths:

Total Newborns:

608-373-8011

Hospital Type: GMS County: Rock

Inpatient Volume Group: 4

Analysis Area: 1-Southern

Patient Discharge Status									
<u>Discharge Status</u>	% Discharges								
Home or Self-Care	70.5%								
Other GMS Hospital	6.2%								
Critical Access Hospital (CAH)	0.0%								
Skilled Nursing Facility	8.7%								
Intermediate Care Facility	0.5%								
Inpatient Rehabilitation Facility	1.1%								
Hospice	2.4%								
Other Institution	0.0%								
Home Health Service	7.1%								
Left Against Medical Advice	1.2%								
Expired	1.0%								

Discharge/Tran to Court/Law Enforcmnt Percent of All Discharges: 0.0% 0.0% Discharges: Patient Days: Percent of All Patient Days: 0.0% 1.3% **Expected Pay Source Distribution**

3.2

73.9%

23.2%

2.9%

\$31,847

Average Length of Stay (days):

Average Charge per Discharge:

Percent of All Childbirths:

Percent of All Childbirths:

Percent of All Childbirths:

AODA Utilization

85 & Over

12.3%

15.4%

AODA Utilization				Primary Payer	% Discharges
Discharges:	32	Percent of All Discharges:	1.1%	Medicare	47.5%
Patient Days:	114	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	21.0%
				Other Government	3.0%
				Commercial or Private Insurance	26.3%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	15.4%	8.5%	Male	40.4%	43.4%	Amer.Ind/Alaskan Native	0.2%	0.2%
Under 15	1.0%	0.6%	Female	59.6%	56.6%	Asian	0.5%	0.6%
15 - 19	0.9%	0.6%				Black/African Amer.	2.5%	2.1%
20 - 24	4.3%	2.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.3%	8.3%				White	89.6%	92.3%
35 - 44	5.8%	5.2%				Multiracial	0.4%	0.4%
45 - 54	5.7%	6.1%				Declined	0.7%	0.5%
55 - 64	10.4%	11.9%				Unavailable	6.1%	3.9%
65 - 74	14.6%	18.2%						
75 - 84	17.2%	22.3%						

	This Facil	ity			Group /	Averages		
			Analysis Area		Inpatient V	olume Group	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	48	3.3	4.8	0.69	3.9	0.85	4.8	0.69
133 Respiratory failure	33	3.0	4.2	0.71	3.8	0.79	4.5	0.67
137 Respiratory Infections and Inflammations	88	4.4	5.3	0.83	4.9	0.90	5.2	0.85
139 Pneumonia	55	4.6	4.0	1.15	4.0	1.15	4.2	1.10
194 Heart Failure	149	4.2	5.0	0.84	4.2	1.00	4.9	0.86
201 Heart Abnormal Rhythm and Conduction Disorders	31	2.4	3.0	0.80	2.8	0.86	2.9	0.83
247 Intestinal Obstruction without Surgery	26	2.4	3.6	0.67	3.0	0.80	3.5	0.69
383 Cellulitis & other skin infections	24	5.3	4.5	1.18	4.4	1.20	4.3	1.23
463 Kidney/Urinary Tract Infection	48	3.4	3.9	0.87	3.9	0.87	3.9	0.87
469 Acute kidney injury	40	3.8	5.0	0.76	4.4	0.86	5.1	0.75
540 Cesarean Delivery	97	2.5	3.7	0.68	2.7	0.93	3.4	0.74
560 Vaginal Delivery	309	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	405	1.8	2.0	0.90	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	278	4.6	6.2	0.74	4.9	0.94	5.9	0.78
775 Alcohol Abuse/Dependence	26	3.8	3.9	0.97	3.6	1.06	3.9	0.97

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion	on with Infarct	\$49,353	\$53,766	\$58,073	0.93	\$40,171	1.34	\$48,817	1.10
133 Respiratory failure		\$34,551	\$38,486	\$48,230	0.80	\$36,698	1.05	\$40,230	0.96
137 Respiratory Infections and Inflar	nmations	\$44,117	\$46,792	\$50,848	0.92	\$36,939	1.27	\$42,641	1.10
139 Pneumonia		\$44,546	\$44,759	\$38,234	1.17	\$30,699	1.46	\$33,326	1.34
194 Heart Failure		\$41,155	\$44,233	\$43,714	1.01	\$31,713	1.39	\$37,402	1.18
201 Heart Abnormal Rhythm and Co	nduction Disorders	\$31,097	\$33,264	\$31,461	1.06	\$24,868	1.34	\$26,261	1.27
247 Intestinal Obstruction without Su	ırgery	\$23,747	\$23,046	\$30,614	0.75	\$23,106	1.00	\$25,745	0.90
383 Cellulitis & other skin infections		\$40,770	\$36,957	\$32,909	1.12	\$26,486	1.40	\$28,319	1.31
463 Kidney/Urinary Tract Infection		\$32,229	\$33,739	\$32,986	1.02	\$26,652	1.27	\$28,895	1.17
469 Acute kidney injury		\$33,647	\$33,882	\$45,552	0.74	\$33,034	1.03	\$38,198	0.89
540 Cesarean Delivery		\$26,157	\$27,910	\$34,658	0.81	\$26,530	1.05	\$29,333	0.95
560 Vaginal Delivery		\$14,305	\$14,861	\$16,752	0.89	\$12,146	1.22	\$15,112	0.98
640 Normal Newborn, Birthweight 25	500g+	\$4,416	\$4,639	\$5,371	0.86	\$4,923	0.94	\$5,404	0.86
720 Blood Infection/Septicemia		\$50,968	\$57,719	\$69,381	0.83	\$44,231	1.30	\$55,330	1.04
775 Alcohol Abuse/Dependence		\$37,156	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

189 Aurora Medical Center - Kenosha

10400 75th Avenue

Total Discharges:

Total Patient Days:

Obstetrical Utilization Normal Childbirths:

Cesarean Childbirths:

Psychiatric Utilization

Other Childbirths:

Total Childbirths:

Total Newborns:

Overall Hospital Utilization

Kenosha, WI 53142

7.0%

8.8%

6,067

23,295

818

284

25

1,127

1,188

262-948-5600

Hospital Type: GMS

Inpatient Volume Group: 5

County: Kenosha

Analysis Area: 2A-Southeastern

		Patient Discharge St	atus
Average Length of Stay (days):	3.8	<u>Discharge Status</u>	% Discharges
Average Charge per Discharge:	\$40,157	Home or Self-Care Other GMS Hospital	68.4% 2.6%
Percent of All Childbirths: Percent of All Childbirths:	Percent of All Childbirths: 72.6%	Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility	0.0% 8.8% 0.7%
Percent of All Childbirths:	25.2% 2.2%	Inpatient Rehabilitation Facility Hospice Other Institution	0.5% 3.0% 0.0%
		Home Health Service Left Against Medical Advice	13.6% 0.6%
		Expired	1.2%

Discharge/Tran to Court/Law Enforcmnt Discharges: Percent of All Discharges: 0.1% 0.2% Patient Days: 62 Percent of All Patient Days: 0.3% 0.4% **Expected Pay Source Distribution**

AODA Utilization

85 & Over

AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	40	Percent of All Discharges:	0.7%	Medicare	38.8%
Patient Days:	218	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	19.9%
				Other Government	2.9%
				Commercial or Private Insurance	33.7%
				Self-Pay	4.4%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	19.6%	13.5%	Male	38.3%	42.9%	Amer.Ind/Alaskan Native	e 0.1%	0.1%
Under 15	0.4%	0.4%	Female	61.6%	57.0%	Asian	1.5%	1.1%
15 - 19	1.1%	0.7%				Black/African Amer.	10.4%	10.3%
20 - 24	4.2%	2.6%				Native Hawaii/Pac.Isl.	0.5%	0.3%
25 - 34	15.7%	10.4%				White	85.3%	86.2%
35 - 44	6.8%	6.1%				Multiracial	1.6%	1.5%
45 - 54	6.3%	8.2%				Declined	0.5%	0.4%
55 - 64	10.7%	12.6%				Unavailable	0 %	0 %
65 - 74	16.2%	20.8%						
75 - 84	12.0%	16.0%						

	This Facili	ity			Group A	Averages		
			Analys	Analysis Area		Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	91	4.6	4.2	1.10	4.3	1.07	4.8	0.96
133 Respiratory failure	54	4.4	4.5	0.98	4.2	1.05	4.5	0.98
137 Respiratory Infections and Inflammations	101	4.5	5.0	0.90	5.3	0.85	5.2	0.87
139 Pneumonia	96	4.2	4.4	0.95	4.3	0.98	4.2	1.00
174 Percutaneous coronary intervention w AMI	22	3.4	2.7	1.26	2.7	1.26	2.9	1.17
194 Heart Failure	193	4.7	4.8	0.98	4.8	0.98	4.9	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	90	3.2	2.8	1.14	2.9	1.10	2.9	1.10
463 Kidney/Urinary Tract Infection	69	3.5	3.7	0.95	4.0	0.88	3.9	0.90
469 Acute kidney injury	116	5.7	5.2	1.10	5.0	1.14	5.1	1.12
540 Cesarean Delivery	284	3.1	3.1	1.00	2.9	1.07	3.4	0.91
560 Vaginal Delivery	818	2.1	2.0	1.05	1.9	1.11	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,082	2.0	1.9	1.05	1.9	1.05	1.9	1.05
720 Blood Infection/Septicemia	588	5.7	5.5	1.04	5.7	1.00	5.9	0.97
751 Psychoses	0	N/A	5.1	N/A	4.9	N/A	5.2	N/A
775 Alcohol Abuse/Dependence	35	5.7	4.1	1.39	3.9	1.46	3.9	1.46

•	•	• •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$54,251	\$53,088	\$48,841	1.09	\$47,748	1.11	\$48,817	1.09
133 Respiratory failure	\$47,363	\$45,675	\$40,487	1.13	\$37,099	1.23	\$40,230	1.14
137 Respiratory Infections and Inflammations	\$50,904	\$45,082	\$43,191	1.04	\$41,393	1.09	\$42,641	1.06
139 Pneumonia	\$41,986	\$38,550	\$37,172	1.04	\$34,303	1.12	\$33,326	1.16
174 Percutaneous coronary intervention w AMI	\$73,748	\$77,577	\$88,471	0.88	\$85,768	0.90	\$88,028	0.88
194 Heart Failure	\$42,989	\$40,309	\$37,913	1.06	\$35,400	1.14	\$37,402	1.08
201 Heart Abnormal Rhythm and Conduction Disorders	\$32,140	\$29,836	\$28,341	1.05	\$25,284	1.18	\$26,261	1.14
463 Kidney/Urinary Tract Infection	\$33,551	\$33,145	\$29,800	1.11	\$30,786	1.08	\$28,895	1.15
469 Acute kidney injury	\$47,305	\$45,592	\$39,143	1.16	\$36,604	1.25	\$38,198	1.19
540 Cesarean Delivery	\$31,563	\$30,895	\$31,537	0.98	\$27,373	1.13	\$29,333	1.05
560 Vaginal Delivery	\$15,392	\$14,985	\$17,466	0.86	\$14,481	1.03	\$15,112	0.99
640 Normal Newborn, Birthweight 2500g+	\$6,194	\$6,565	\$6,387	1.03	\$5,825	1.13	\$5,404	1.21
720 Blood Infection/Septicemia	\$62,719	\$59,606	\$53,476	1.11	\$52,329	1.14	\$55,330	1.08
751 Psychoses	N/A	#	#	*	#	*	#	*
775 Alcohol Abuse/Dependence	\$44,394	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

056 Gundersen Lutheran Medical Center

1900 South Avenue

La Crosse, WI 54601

Innatient Volume Group: 6 608 782 7300

608-782-7300				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	16,988	Average Length of Stay (days):	4.5	Discharge Status	% Discharges
Total Patient Days:	76,307	Average Charge per Discharge:	\$37,496	Home or Self-Care Other GMS Hospital	77.5% 0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	1,211 319 90 1,620 1,663	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	74.8% 19.7% 5.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	7.3% 1.2% 2.4% 1.8% 0.0% 2.4% 0.6% 2.8% 0.2%
Patient Days:	7,242	Percent of All Patient Days:	9.5%	Other	3.1%
AODA Utilization	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0.070	Expected Pay Source Distril Primary Payer	
Discharges:	177	Percent of All Discharges:	1.0%	Medicare	42.6%
Patient Days:	619	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	17.8% 5.4% 30.9% 2.5%

Hospital Type: GMS

Other or Unknown Insurance

County: La Crosse Analysis Area: 5B-Southwestern

0.8%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	9.8%	7.5%	Male	47.2%	51.6%	Amer.Ind/Alaskan Native	0.8%	0.9%
Under 15	3.2%	2.5%	Female	52.8%	48.4%	Asian	1.5%	1.2%
15 - 19	3.0%	2.3%				Black/African Amer.	1.7%	1.7%
20 - 24	3.4%	2.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.9%	7.9%				White	94.4%	95.0%
35 - 44	7.3%	6.4%				Multiracial	1.2%	0.9%
45 - 54	7.2%	8.0%				Declined	0.3%	0.2%
55 - 64	13.8%	15.2%				Unavailable	0.1%	0.1%
65 - 74	17.8%	20.9%						
75 - 84	15.1%	17.5%						
85 & Over	8.5%	9.0%						

	This Facil	ity			Group A	Averages		
			Analysis Area		Inpatient V	olume Group	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	236	4.4	4.4	1.00	5.2	0.85	4.8	0.92
133 Respiratory failure	360	4.0	4.0	1.00	4.9	0.82	4.5	0.89
137 Respiratory Infections and Inflammations	146	4.9	4.8	1.02	5.7	0.86	5.2	0.94
139 Pneumonia	111	3.4	3.3	1.03	4.5	0.76	4.2	0.81
174 Percutaneous coronary intervention w AMI	284	2.2	2.2	1.00	3.0	0.73	2.9	0.76
175 Percutaneous coronary intervention w/o AMI	145	2.2	2.4	0.92	2.7	0.81	2.8	0.79
194 Heart Failure	457	4.7	4.5	1.04	5.3	0.89	4.9	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	181	3.1	3.1	1.00	3.0	1.03	2.9	1.07
463 Kidney/Urinary Tract Infection	100	3.8	3.5	1.09	4.0	0.95	3.9	0.97
469 Acute kidney injury	275	5.5	4.9	1.12	5.7	0.96	5.1	1.08
540 Cesarean Delivery	319	3.6	3.3	1.09	3.7	0.97	3.4	1.06
560 Vaginal Delivery	1,211	2.3	2.1	1.10	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	1,386	1.8	1.8	1.00	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	1,119	4.7	4.6	1.02	6.6	0.71	5.9	0.80
751 Psychoses	638	5.2	5.2	1.00	5.1	1.02	5.2	1.00

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$28,718	\$28,745	\$31,446	0.91	\$52,261	0.55	\$48,817	0.59
133 Respiratory failure	\$28,211	\$26,605	\$26,914	0.99	\$43,773	0.61	\$40,230	0.66
137 Respiratory Infections and Inflammations	\$30,462	\$27,912	\$29,196	0.96	\$48,694	0.57	\$42,641	0.65
139 Pneumonia	\$21,335	\$20,278	\$21,792	0.93	\$37,991	0.53	\$33,326	0.61
174 Percutaneous coronary intervention w AMI	\$48,334	\$50,989	\$54,656	0.93	\$88,693	0.57	\$88,028	0.58
175 Percutaneous coronary intervention w/o AMI	\$66,056	\$64,447	\$65,512	0.98	\$106,262	0.61	\$104,016	0.62
194 Heart Failure	\$23,016	\$22,555	\$24,371	0.93	\$41,878	0.54	\$37,402	0.60
201 Heart Abnormal Rhythm and Conduction Diso	rders \$18,547	\$17,194	\$18,433	0.93	\$27,906	0.62	\$26,261	0.65
463 Kidney/Urinary Tract Infection	\$18,223	\$17,961	\$17,675	1.02	\$31,651	0.57	\$28,895	0.62
469 Acute kidney injury	\$23,987	\$22,777	\$24,071	0.95	\$42,194	0.54	\$38,198	0.60
540 Cesarean Delivery	\$34,556	\$33,882	\$28,961	1.17	\$30,606	1.11	\$29,333	1.16
560 Vaginal Delivery	\$20,012	\$19,481	\$16,404	1.19	\$16,232	1.20	\$15,112	1.29
640 Normal Newborn, Birthweight 2500g+	\$5,159	\$5,496	\$4,720	1.16	\$5,514	1.00	\$5,404	1.02
720 Blood Infection/Septicemia	\$28,461	\$27,963	\$30,818	0.91	\$61,811	0.45	\$55,330	0.51
751 Psychoses	\$14,999	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

057 Mayo Clinic Health System - La Crosse

700 West Avenue South

La Crosse, WI 54601

608-785-0940

Hospital Type: GMS

County: La Crosse

Analysis Area: 5B-Southwestern

Patient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	4,900	Average Length of Stay (days):	3.9	Discharge Status	% Discharges
Total Patient Days:	18,882	Average Charge per Discharge:	\$32,795	Home or Self-Care	77.1%
Total Fatient Days.	10,002	Average charge per bischarge.	Ψ02,730	Other GMS Hospital	2.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	368	Percent of All Childbirths:	68.5%	Skilled Nursing Facility	7.7%
Cesarean Childbirths:	127	Percent of All Childbirths:	23.6%	Intermediate Care Facility	0.1%
Other Childbirths:	42	Percent of All Childbirths:	7.8%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	537		1.070	Hospice	3.1%
Total Offidalitis.	337			Other Institution	0.0%
Total Newborns:	563			Home Health Service	2.5%
-				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	2.5%
Discharges:	8	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	90	Percent of All Patient Days:	0.5%	Other	3.6%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	60	Percent of All Discharges:	1.2%	Medicare	52.2%
Patient Days:	245	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	16.6%
				Other Government	4.6%
				Commercial or Private Insurance	24.8%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	11.5%	6.2%	Male	44.5%	48.4%	Amer.Ind/Alaskan Native	0.4%	0.3%
Under 15	0.6%	0.3%	Female	55.5%	51.5%	Asian	1.5%	1.0%
15 - 19	0.8%	0.5%				Black/African Amer.	2.2%	1.9%
20 - 24	2.9%	1.7%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	9.1%	5.5%				White	91.3%	93.7%
35 - 44	6.8%	5.8%				Multiracial	0.6%	0.5%
45 - 54	7.3%	7.0%				Declined	0.2%	0.1%
55 - 64	12.4%	14.3%				Unavailable	3.7%	2.2%
65 - 74	20.0%	23.1%						
75 - 84	18.5%	22.6%						
85 & Over	10.0%	13.0%						

	This Facil	ity			Group /	Averages		
			Analysis Area		Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	101	4.7	4.4	1.07	4.3	1.09	4.8	0.98
133 Respiratory failure	48	5.8	4.0	1.45	4.2	1.38	4.5	1.29
137 Respiratory Infections and Inflammations	116	5.9	4.8	1.23	5.3	1.11	5.2	1.13
139 Pneumonia	84	3.4	3.3	1.03	4.3	0.79	4.2	0.81
174 Percutaneous coronary intervention w AMI	73	2.3	2.2	1.05	2.7	0.85	2.9	0.79
194 Heart Failure	225	4.7	4.5	1.04	4.8	0.98	4.9	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	84	3.2	3.1	1.03	2.9	1.10	2.9	1.10
463 Kidney/Urinary Tract Infection	56	3.0	3.5	0.86	4.0	0.75	3.9	0.77
469 Acute kidney injury	134	4.7	4.9	0.96	5.0	0.94	5.1	0.92
540 Cesarean Delivery	127	2.8	3.3	0.85	2.9	0.97	3.4	0.82
560 Vaginal Delivery	368	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	518	1.8	1.8	1.00	1.9	0.95	1.9	0.95
720 Blood Infection/Septicemia	482	5.1	4.6	1.11	5.7	0.89	5.9	0.86
751 Psychoses	*	*	5.2	*	4.9	*	5.2	*
775 Alcohol Abuse/Dependence	55	4.3	3.5	1.23	3.9	1.10	3.9	1.10

	<u> </u>								
		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and De	scription	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Pre	cerebral Occlusion with Infarct	\$41,053	\$40,624	\$31,446	1.29	\$47,748	0.85	\$48,817	0.83
133 Respiratory fail	ure	\$45,674	\$40,917	\$26,914	1.52	\$37,099	1.10	\$40,230	1.02
137 Respiratory Infe	ections and Inflammations	\$38,255	\$36,698	\$29,196	1.26	\$41,393	0.89	\$42,641	0.86
139 Pneumonia		\$25,991	\$27,790	\$21,792	1.28	\$34,303	0.81	\$33,326	0.83
174 Percutaneous o	coronary intervention w AMI	\$66,158	\$68,702	\$54,656	1.26	\$85,768	0.80	\$88,028	0.78
194 Heart Failure		\$30,993	\$31,479	\$24,371	1.29	\$35,400	0.89	\$37,402	0.84
201 Heart Abnorma	Rhythm and Conduction Disorders	\$25,900	\$22,568	\$18,433	1.22	\$25,284	0.89	\$26,261	0.86
463 Kidney/Urinary	Tract Infection	\$23,177	\$22,658	\$17,675	1.28	\$30,786	0.74	\$28,895	0.78
469 Acute kidney in	jury	\$32,102	\$28,292	\$24,071	1.18	\$36,604	0.77	\$38,198	0.74
540 Cesarean Deliv	ery	\$21,566	\$20,602	\$28,961	0.71	\$27,373	0.75	\$29,333	0.70
560 Vaginal Deliver	У	\$13,347	\$13,042	\$16,404	0.80	\$14,481	0.90	\$15,112	0.86
640 Normal Newbor	n, Birthweight 2500g+	\$3,312	\$3,337	\$4,720	0.71	\$5,825	0.57	\$5,404	0.62
720 Blood Infection/	/Septicemia	\$40,375	\$39,485	\$30,818	1.28	\$52,329	0.75	\$55,330	0.71
751 Psychoses		*	#	#	*	#	*	#	*
775 Alcohol Abuse/I	Dependence	\$25,824	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

058 Marshfield Medical Center - Ladysmith

1200 Port Arthur Road

Ladysmith, WI 54848

Overall Hospital Utilization

715-532-5561

Total Discharges:

Total Patient Days:

Hospital Type: GMS County: Rusk

Inpatient Volume Group: 1

Left Against Medical Advice

Analysis Area: 5A-West Central

Expected Pay Source Distribution

Patient Discharge Status	
<u>Discharge Status</u>	% Discharges
Home or Self-Care	44.1%
Other GMS Hospital	13.2%
Critical Access Hospital (CAH)	0.0%

2.5%

, 3 - 3 1 3	, ,	Other GMS Hospital	13.2%
		Critical Access Hospital (CAH)	0.0%
Percent of All Childhirths:	0.0%	Skilled Nursing Facility	12.7%
		Intermediate Care Facility	4.4%
		Innatient Rehabilitation Facility	0.0%
0 Percent of All Childbirths:	0.0%		
		ноѕрісе	5.4%
O .		Other Institution	0.0%
0		Home Health Service	9.3%
	0 Percent of All Childbirths: 0 Percent of All Childbirths: 0 Percent of All Childbirths: 0 0	0 Percent of All Childbirths: 0.0%	Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution

5.7

\$14,715

204 Average Length of Stay (days):

1,159 Average Charge per Discharge:

Psychiatric Utilization

Psychiatric Utilization				Expired	2.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	5.4%

AODA Utilization

85 & Over

24.0%

25.6%

AODA Utilization			Primary Payer	% Discharges
Discharges:	2 Percent of All Discharges:	1.0%	Medicare	80.4%
Patient Days:	7 Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	5.4%
			Other Government	4.4%
			Commercial or Private Insurance	7.4%
			Self-Pay	2.5%
			Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	<u>Rac</u>	<u>e Distribution</u>	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	44.6%	47.8%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	55.4%	52.2%	Asian	0.5%	1.1%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.5%	2.2%				White	98.0%	98.1%
35 - 44	1.5%	2.6%				Multiracial	0.0%	0.0%
45 - 54	6.4%	4.3%				Declined	1.0%	0.5%
55 - 64	12.7%	9.6%				Unavailable	0.5%	0.3%
65 - 74	19.1%	23.1%						
75 - 84	33.8%	32.6%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	9	3.4	5.2	0.65	3.7	0.92	5.2	0.65
139 Pneumonia	11	3.1	4.1	0.76	3.3	0.94	4.2	0.74
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*
194 Heart Failure	19	6.2	4.8	1.29	3.5	1.77	4.9	1.27
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.0	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.5	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	5	3.2	3.5	0.91	2.6	1.23	3.9	0.82
383 Cellulitis & other skin infections	5	6.0	4.6	1.30	3.9	1.54	4.3	1.40
420 Diabetes	0	N/A	3.4	N/A	2.1	N/A	3.3	N/A
463 Kidney/Urinary Tract Infection	8	5.0	3.8	1.32	3.5	1.43	3.9	1.28
469 Acute kidney injury	*	*	4.4	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	36	4.2	5.3	0.79	3.5	1.20	5.9	0.71
861 Signs & Symptoms	*	*	5.5	*	10.3	*	5.6	*
862 Other Factors Influencing Health Status	10	9.4	9.1	1.03	12.2	0.77	8.2	1.15

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # a	nd Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respirato	ory failure	*	*	\$31,265	*	\$20,930	*	\$40,230	*
137 Respirato	ory Infections and Inflammations	\$10,111	\$11,864	\$34,167	0.35	\$22,966	0.52	\$42,641	0.28
139 Pneumor	nia	\$10,140	\$10,851	\$25,436	0.43	\$20,677	0.52	\$33,326	0.33
140 Chronic (Obstructive Pulmonary Disease	*	*	\$21,325	*	\$17,434	*	\$30,692	*
194 Heart Fa	ilure	\$13,910	\$12,677	\$28,691	0.44	\$19,130	0.66	\$37,402	0.34
201 Heart Ab	normal Rhythm and Conduction Disorders	*	*	\$20,515	*	\$18,284	*	\$26,261	*
249 Other ga	stroenteritis, nausea & vomiting	*	*	\$21,188	*	\$15,617	*	\$30,474	*
282 Disorders	s of Pancreas Except Malignancy	\$15,870	\$19,337	\$23,495	0.82	\$18,647	1.04	\$34,273	0.56
383 Cellulitis	& other skin infections	\$18,141	\$16,093	\$21,857	0.74	\$18,221	0.88	\$28,319	0.57
420 Diabetes		N/A	N/A	\$24,417	*	\$15,182	*	\$29,270	*
463 Kidney/U	Irinary Tract Infection	\$11,389	\$10,234	\$19,582	0.52	\$16,696	0.61	\$28,895	0.35
469 Acute kid	dney injury	*	*	\$26,200	*	\$19,375	*	\$38,198	*
720 Blood Inf	fection/Septicemia	\$12,467	\$18,431	\$40,375	0.46	\$25,105	0.73	\$55,330	0.33
861 Signs & S	Symptoms	*	*	\$20,134	*	\$18,999	*	\$35,921	*
862 Other Fa	ctors Influencing Health Status	\$15,885	\$17,449	\$19,643	0.89	\$19,869	0.88	\$32,059	0.54

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

309 Mercyhealth Hospital and Medical Center - Walworth

N 2950 State Road 67

Lake Geneva, WI 53147

Hospital Type: GMS

County: Walworth

Analysis Area: 2A-Southeastern

262-245-0535				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,221	Average Length of Stay (days):	2.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,235	Average Charge per Discharge:	\$35,066	Home or Self-Care Other GMS Hospital	65.3% 3.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	95 28 6 129 128	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	73.6% 21.7% 4.7%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	12.2% 0.1% 3.0% 2.0% 0.0% 10.2% 0.3% 2.0% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.2%
AODA Utilization Discharges: Patient Days:	10 41	Percent of All Discharges: Percent of All Patient Days:	0.8% 1.3%	Expected Pay Source Distril Primary Payer Medicare Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	% Discharges 49.5% 7.2% 1.5% 37.6% 4.3% 0.0%

Age Distribution				Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	10.5%	6.3%	Male	42.4%	41.9%	Amer.Ind/Alaskan Native	e 0.8%	0.6%		
Under 15	0.1%	0.0%	Female	57.6%	58.1%	Asian	0.2%	0.4%		
15 - 19	0.1%	0.1%				Black/African Amer.	1.1%	0.6%		
20 - 24	2.1%	1.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	8.6%	6.6%				White	97.1%	97.8%		
35 - 44	4.6%	4.0%				Multiracial	0.2%	0.1%		
45 - 54	5.7%	4.9%				Declined	0.6%	0.4%		
55 - 64	16.0%	13.7%				Unavailable	0.2%	0.1%		
65 - 74	18.8%	18.4%								
75 - 84	20.6%	26.2%								
85 & Over	13.1%	18.1%								

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	27	3.7	4.5	0.82	3.4	1.09	4.5	0.82
137 Respiratory Infections and Inflammations	31	3.5	5.0	0.70	3.8	0.92	5.2	0.67
139 Pneumonia	45	4.0	4.4	0.91	3.6	1.11	4.2	0.95
140 Chronic Obstructive Pulmonary Disease	31	3.1	3.3	0.94	3.1	1.00	3.4	0.91
194 Heart Failure	89	3.6	4.8	0.75	3.8	0.95	4.9	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	27	2.4	2.8	0.86	2.3	1.04	2.9	0.83
326 Elective knee joint replacement	98	1.2	1.9	0.63	1.4	0.86	1.9	0.63
383 Cellulitis & other skin infections	41	2.7	4.1	0.66	3.7	0.73	4.3	0.63
463 Kidney/Urinary Tract Infection	30	3.0	3.7	0.81	3.4	0.88	3.9	0.77
469 Acute kidney injury	25	3.4	5.2	0.65	3.4	1.00	5.1	0.67
540 Cesarean Delivery	28	2.8	3.1	0.90	2.8	1.00	3.4	0.82
560 Vaginal Delivery	95	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	124	1.6	1.9	0.84	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	45	4.2	5.5	0.76	4.3	0.98	5.9	0.71
775 Alcohol Abuse/Dependence	10	4.1	4.1	1.00	3.6	1.14	3.9	1.05

	This Fac	_		Risk Adjusted	Group Averages			
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$30,080	\$33,086	\$40,487	0.82	\$28,186	1.17	\$40,230	0.82
137 Respiratory Infections and Inflammations	\$27,762	\$30,475	\$43,191	0.71	\$27,697	1.10	\$42,641	0.71
139 Pneumonia	\$32,895	\$38,883	\$37,172	1.05	\$24,745	1.57	\$33,326	1.17
140 Chronic Obstructive Pulmonary Disease	\$24,174	\$26,449	\$30,371	0.87	\$21,626	1.22	\$30,692	0.86
194 Heart Failure	\$27,344	\$33,999	\$37,913	0.90	\$25,105	1.35	\$37,402	0.91
201 Heart Abnormal Rhythm and Conduction Disorders	\$21,728	\$22,887	\$28,341	0.81	\$18,832	1.22	\$26,261	0.87
326 Elective knee joint replacement	\$70,886	\$72,408	\$74,791	0.97	\$51,872	1.40	\$61,836	1.17
383 Cellulitis & other skin infections	\$21,415	\$22,551	\$29,097	0.78	\$21,471	1.05	\$28,319	0.80
463 Kidney/Urinary Tract Infection	\$20,302	\$19,522	\$29,800	0.66	\$19,405	1.01	\$28,895	0.68
469 Acute kidney injury	\$27,992	\$35,097	\$39,143	0.90	\$23,727	1.48	\$38,198	0.92
540 Cesarean Delivery	\$46,529	\$46,698	\$31,537	1.48	\$24,636	1.90	\$29,333	1.59
560 Vaginal Delivery	\$22,278	\$21,161	\$17,466	1.21	\$11,580	1.83	\$15,112	1.40
640 Normal Newborn, Birthweight 2500g+	\$5,239	\$5,427	\$6,387	0.85	\$4,369	1.24	\$5,404	1.00
720 Blood Infection/Septicemia	\$33,161	\$41,599	\$53,476	0.78	\$35,041	1.19	\$55,330	0.75
775 Alcohol Abuse/Dependence	\$25,792	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

059 Grant Regional Health Center

507 South Monroe Street

Lancaster, WI 53813

608-723-2143

Hospital Type: GMS County: Grant

Analysis Area: 1-Southern

Inpatient Volume Group:	2

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	640	Average Length of Stay (days):	3.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,492	Average Charge per Discharge:	\$14,531	Home or Self-Care	75.6%
Total Futiont Bayo.	2,102	7 Wordgo Orlango por Biochango.	Ψ11,001	Other GMS Hospital	1.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	1.6%
Normal Childbirths:	101	Percent of All Childbirths:	71.6%	Skilled Nursing Facility	8.6%
Cesarean Childbirths:	35	Percent of All Childbirths:	24.8%	Intermediate Care Facility	0.6%
Other Childbirths:	5	Percent of All Childbirths:	3.5%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	141	r crocht of All Offidalitis.	3.370	Hospice	0.9%
rotal Childbirths:	141			Other Institution	0.0%
Total Newborns:	145			Home Health Service	1.6%
				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	1.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	8.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	41.7%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	17.8%
				Other Government	1.9%
				Commercial or Private Insurance	30.6%
				Self-Pay	8.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	Race Distribution				
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	22.7%	9.8%	Male	34.4%	35.1%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	65.6%	64.9%	Asian	0.5%	0.8%	
15 - 19	0.5%	0.3%				Black/African Amer.	0.0%	0.0%	
20 - 24	5.2%	2.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	14.5%	7.7%				White	97.3%	97.7%	
35 - 44	5.2%	2.8%				Multiracial	0.8%	0.7%	
45 - 54	1.7%	1.8%				Declined	0.5%	0.4%	
55 - 64	6.3%	6.5%				Unavailable	0.9%	0.4%	
65 - 74	13.3%	19.1%							
75 - 84	16.7%	26.8%							
85 & Over	14.1%	22.6%							

	This Facil	ity	Group Averages					
			<u>Analysis Area</u>		Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	25	5.5	4.2	1.31	3.5	1.57	4.5	1.22
137 Respiratory Infections and Inflammations	13	3.2	5.3	0.60	4.0	0.80	5.2	0.62
139 Pneumonia	25	5.1	4.0	1.28	3.8	1.34	4.2	1.21
140 Chronic Obstructive Pulmonary Disease	16	4.7	3.4	1.38	3.1	1.52	3.4	1.38
194 Heart Failure	13	5.0	5.0	1.00	3.8	1.32	4.9	1.02
201 Heart Abnormal Rhythm and Conduction Disorders	6	2.8	3.0	0.93	2.5	1.12	2.9	0.97
247 Intestinal Obstruction without Surgery	10	3.4	3.6	0.94	3.0	1.13	3.5	0.97
383 Cellulitis & other skin infections	18	4.7	4.5	1.04	4.4	1.07	4.3	1.09
463 Kidney/Urinary Tract Infection	9	3.7	3.9	0.95	3.7	1.00	3.9	0.95
469 Acute kidney injury	6	4.2	5.0	0.84	3.1	1.35	5.1	0.82
540 Cesarean Delivery	35	2.3	3.7	0.62	2.8	0.82	3.4	0.68
560 Vaginal Delivery	101	1.8	2.1	0.86	1.8	1.00	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	138	1.7	2.0	0.85	1.7	1.00	1.9	0.89
720 Blood Infection/Septicemia	10	3.7	6.2	0.60	3.8	0.97	5.9	0.63
861 Signs & Symptoms	33	8.8	4.4	2.00	5.5	1.60	5.6	1.57

·	This Fac			Rick Adjusted	Group Averages			
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$26,729	\$37,583	\$48,230	0.78	\$24,966	1.51	\$40,230	0.93
137 Respiratory Infections and Inflammations	\$20,198	\$24,254	\$50,848	0.48	\$23,829	1.02	\$42,641	0.57
139 Pneumonia	\$21,103	\$27,271	\$38,234	0.71	\$21,847	1.25	\$33,326	0.82
140 Chronic Obstructive Pulmonary Disease	\$18,641	\$20,909	\$35,760	0.58	\$18,738	1.12	\$30,692	0.68
194 Heart Failure	\$18,587	\$24,735	\$43,714	0.57	\$21,808	1.13	\$37,402	0.66
201 Heart Abnormal Rhythm and Conduction Disorders	\$18,071	\$22,235	\$31,461	0.71	\$15,774	1.41	\$26,261	0.85
247 Intestinal Obstruction without Surgery	\$16,829	\$22,248	\$30,614	0.73	\$15,683	1.42	\$25,745	0.86
383 Cellulitis & other skin infections	\$23,103	\$24,977	\$32,909	0.76	\$19,917	1.25	\$28,319	0.88
463 Kidney/Urinary Tract Infection	\$15,267	\$16,463	\$32,986	0.50	\$17,130	0.96	\$28,895	0.57
469 Acute kidney injury	\$14,864	\$16,223	\$45,552	0.36	\$19,497	0.83	\$38,198	0.42
540 Cesarean Delivery	\$22,990	\$25,069	\$34,658	0.72	\$25,945	0.97	\$29,333	0.85
560 Vaginal Delivery	\$6,311	\$6,693	\$16,752	0.40	\$9,423	0.71	\$15,112	0.44
640 Normal Newborn, Birthweight 2500g+	\$2,802	\$3,265	\$5,371	0.61	\$4,311	0.76	\$5,404	0.60
720 Blood Infection/Septicemia	\$17,946	\$28,650	\$69,381	0.41	\$27,838	1.03	\$55,330	0.52
861 Signs & Symptoms	\$15,962	\$18,481	\$32,782	0.56	\$17,922	1.03	\$35,921	0.51

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

063 SSM Health St Mary's Hospital

700 South Park Street

Madison, WI 53715

608-251-6100

Hospital Type: GMS
County: Dane
Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	19,807	Average Length of Stay (days):	4.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	97,798	Average Charge per Discharge:	\$56,554	Home or Self-Care	72.8%
Iolai Fallelli Days.	91,190	Average Charge per Discharge.	φ30,33 4	Other GMS Hospital	0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1.189	Percent of All Childbirths:	67.9%	Skilled Nursing Facility	8.7%
Cesarean Childbirths:	455	Percent of All Childbirths:	26.0%	Intermediate Care Facility	0.3%
Other Childbirths:	106	Percent of All Childbirths:	6.1%	Inpatient Rehabilitation Facility	1.3%
Total Childbirths:	1,750		3.170	Hospice	3.0%
Total Offidalitis.	1,700			Other Institution	0.0%
Total Newborns:	1,881			Home Health Service	8.9%
Dovobiotrio Utilization				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	2.1%
Discharges:	951	Percent of All Discharges:	4.8%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	5,137	Percent of All Patient Days:	5.3%	Other	1.2%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	259	Percent of All Discharges:	1.3%	Medicare	48.8%
Patient Days:	1,116	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	15.3%
				Other Government	1.9%
				Commercial or Private Insurance	32.5%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	9.5%	8.4%	Male	44.4%	47.6%	Amer.Ind/Alaskan Native	e 0.5%	0.5%		
Under 15	1.6%	1.8%	Female	55.6%	52.4%	Asian	1.5%	1.4%		
15 - 19	1.1%	0.7%				Black/African Amer.	4.9%	4.6%		
20 - 24	2.6%	1.8%				Native Hawaii/Pac.Isl.	0.1%	0.1%		
25 - 34	10.4%	7.0%				White	81.1%	82.4%		
35 - 44	8.2%	6.6%				Multiracial	0.2%	0.2%		
45 - 54	7.5%	7.4%				Declined	1.2%	1.0%		
55 - 64	13.5%	15.9%				Unavailable	10.5%	9.7%		
65 - 74	17.6%	20.7%								
75 - 84	17.4%	18.4%								
85 & Over	10.5%	11.3%								

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	423	5.4	4.8	1.13	5.2	1.04	4.8	1.13
133 Respiratory failure	137	4.5	4.2	1.07	4.9	0.92	4.5	1.00
137 Respiratory Infections and Inflammations	313	5.5	5.3	1.04	5.7	0.96	5.2	1.06
139 Pneumonia	143	4.0	4.0	1.00	4.5	0.89	4.2	0.95
174 Percutaneous coronary intervention w AMI	343	2.9	3.1	0.94	3.0	0.97	2.9	1.00
175 Percutaneous coronary intervention w/o AMI	255	2.3	2.8	0.82	2.7	0.85	2.8	0.82
194 Heart Failure	566	5.4	5.0	1.08	5.3	1.02	4.9	1.10
201 Heart Abnormal Rhythm and Conduction Disorders	230	3.0	3.0	1.00	3.0	1.00	2.9	1.03
463 Kidney/Urinary Tract Infection	200	3.8	3.9	0.97	4.0	0.95	3.9	0.97
469 Acute kidney injury	191	5.1	5.0	1.02	5.7	0.89	5.1	1.00
540 Cesarean Delivery	455	4.5	3.7	1.22	3.7	1.22	3.4	1.32
560 Vaginal Delivery	1,189	2.3	2.1	1.10	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	1,630	2.2	2.0	1.10	2.0	1.10	1.9	1.16
720 Blood Infection/Septicemia	1,139	6.8	6.2	1.10	6.6	1.03	5.9	1.15
751 Psychoses	262	5.7	6.0	0.95	5.1	1.12	5.2	1.10

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral O	cclusion with Infarct	\$58,027	\$58,184	\$58,073	1.00	\$52,261	1.11	\$48,817	1.19
133 Respiratory failure		\$52,570	\$45,155	\$48,230	0.94	\$43,773	1.03	\$40,230	1.12
137 Respiratory Infections and	I Inflammations	\$48,577	\$51,502	\$50,848	1.01	\$48,694	1.06	\$42,641	1.21
139 Pneumonia		\$35,583	\$38,515	\$38,234	1.01	\$37,991	1.01	\$33,326	1.16
174 Percutaneous coronary in	tervention w AMI	\$78,024	\$79,429	\$96,731	0.82	\$88,693	0.90	\$88,028	0.90
175 Percutaneous coronary in	tervention w/o AMI	\$96,628	\$98,765	\$111,538	0.89	\$106,262	0.93	\$104,016	0.95
194 Heart Failure		\$44,304	\$45,813	\$43,714	1.05	\$41,878	1.09	\$37,402	1.22
201 Heart Abnormal Rhythm a	nd Conduction Disorders	\$33,804	\$34,725	\$31,461	1.10	\$27,906	1.24	\$26,261	1.32
463 Kidney/Urinary Tract Infect	tion	\$31,320	\$33,383	\$32,986	1.01	\$31,651	1.05	\$28,895	1.16
469 Acute kidney injury		\$41,881	\$44,046	\$45,552	0.97	\$42,194	1.04	\$38,198	1.15
540 Cesarean Delivery		\$40,218	\$39,219	\$34,658	1.13	\$30,606	1.28	\$29,333	1.34
560 Vaginal Delivery		\$20,300	\$19,545	\$16,752	1.17	\$16,232	1.20	\$15,112	1.29
640 Normal Newborn, Birthwe	ight 2500g+	\$6,604	\$6,372	\$5,371	1.19	\$5,514	1.16	\$5,404	1.18
720 Blood Infection/Septicemia	a .	\$66,693	\$66,824	\$69,381	0.96	\$61,811	1.08	\$55,330	1.21
751 Psychoses		\$21,200	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

061 UnityPoint Health - Meriter 202 South Park Street

Madison, WI 53715

608-417-6000

Hospital Type: GMS County: Dane

Analysis Area: 1-Southern

Inpatient	Volume	Group:	6
-----------	--------	--------	---

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	21,503	Average Length of Stay (days):	4.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	02 200	Average Charge per Discharge:	\$38,869	Home or Self-Care	82.4%
Total Patient Days:	92,209	Average Charge per Discharge:	Ф 30,009	Other GMS Hospital	1.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	3,035	Percent of All Childbirths:	64.7%	Skilled Nursing Facility	5.2%
Cesarean Childbirths:	1,272	Percent of All Childbirths:	27.1%	Intermediate Care Facility	0.0%
Other Childbirths:	384	Percent of All Childbirths:	8.2%	Inpatient Rehabilitation Facility	1.1%
Total Childbirths:		1 Crociti or 7 tii Orinabirtiis.	0.270	Hospice	0.9%
rotal Childbirths.	4,691			Other Institution	0.4%
Total Newborns:	4,989			Home Health Service	6.3%
				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	1.1%
Discharges:	1,354	Percent of All Discharges:	6.3%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	7,685	Percent of All Patient Days:	8.3%	Other	0.7%
				Expected Pay Source Distrik	oution
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	460	Percent of All Discharges:	2.1%	Medicare	28.4%
Patient Days:	1,878	Percent of All Patient Days:	2.0%	Medicaid/BadgerCare	22.4%
				Other Government	0.6%
				Commercial or Private Insurance	47.0%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.1%

	Age Distribution	1		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	23.2%	21.8%	Male	36.4%	41.4%	Amer.Ind/Alaskan Native	e 0.5%	0.6%
Under 15	2.4%	3.9%	Female	63.6%	58.6%	Asian	4.1%	3.2%
15 - 19	2.7%	3.0%				Black/African Amer.	9.3%	9.7%
20 - 24	3.6%	2.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	19.1%	13.7%				White	79.5%	80.2%
35 - 44	10.6%	8.4%				Multiracial	0.4%	0.4%
45 - 54	5.3%	6.1%				Declined	1.4%	1.4%
55 - 64	8.8%	10.5%				Unavailable	4.7%	4.4%
65 - 74	10.4%	12.8%						
75 - 84	8.5%	11.0%						
85 & Over	5.2%	6.4%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	173	5.1	4.8	1.06	5.2	0.98	4.8	1.06
133 Respiratory failure	299	5.2	4.2	1.24	4.9	1.06	4.5	1.16
137 Respiratory Infections and Inflammations	296	5.8	5.3	1.09	5.7	1.02	5.2	1.12
139 Pneumonia	148	4.3	4.0	1.08	4.5	0.96	4.2	1.02
174 Percutaneous coronary intervention w AMI	53	2.0	3.1	0.65	3.0	0.67	2.9	0.69
175 Percutaneous coronary intervention w/o AMI	32	4.0	2.8	1.43	2.7	1.48	2.8	1.43
194 Heart Failure	521	5.5	5.0	1.10	5.3	1.04	4.9	1.12
201 Heart Abnormal Rhythm and Conduction Disorders	270	3.1	3.0	1.03	3.0	1.03	2.9	1.07
463 Kidney/Urinary Tract Infection	183	3.7	3.9	0.95	4.0	0.93	3.9	0.95
469 Acute kidney injury	215	5.4	5.0	1.08	5.7	0.95	5.1	1.06
540 Cesarean Delivery	1,272	4.1	3.7	1.11	3.7	1.11	3.4	1.21
560 Vaginal Delivery	3,035	2.3	2.1	1.10	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	4,231	2.1	2.0	1.05	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	939	6.5	6.2	1.05	6.6	0.98	5.9	1.10
751 Psychoses	643	5.6	6.0	0.93	5.1	1.10	5.2	1.08

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$52,283	\$53,389	\$58,073	0.92	\$52,261	1.02	\$48,817	1.09
133	Respiratory failure	\$65,215	\$64,113	\$48,230	1.33	\$43,773	1.46	\$40,230	1.59
137	Respiratory Infections and Inflammations	\$60,408	\$58,613	\$50,848	1.15	\$48,694	1.20	\$42,641	1.37
139	Pneumonia	\$44,964	\$44,499	\$38,234	1.16	\$37,991	1.17	\$33,326	1.34
174	Percutaneous coronary intervention w AMI	\$85,137	\$92,642	\$96,731	0.96	\$88,693	1.04	\$88,028	1.05
175	Percutaneous coronary intervention w/o AMI	\$102,848	\$100,262	\$111,538	0.90	\$106,262	0.94	\$104,016	0.96
194	Heart Failure	\$50,634	\$52,680	\$43,714	1.21	\$41,878	1.26	\$37,402	1.41
201	Heart Abnormal Rhythm and Conduction Disorders	\$28,658	\$30,855	\$31,461	0.98	\$27,906	1.11	\$26,261	1.17
463	Kidney/Urinary Tract Infection	\$29,343	\$31,591	\$32,986	0.96	\$31,651	1.00	\$28,895	1.09
469	Acute kidney injury	\$43,601	\$46,423	\$45,552	1.02	\$42,194	1.10	\$38,198	1.22
540	Cesarean Delivery	\$35,927	\$35,504	\$34,658	1.02	\$30,606	1.16	\$29,333	1.21
560	Vaginal Delivery	\$17,912	\$17,988	\$16,752	1.07	\$16,232	1.11	\$15,112	1.19
640	Normal Newborn, Birthweight 2500g+	\$5,190	\$5,271	\$5,371	0.98	\$5,514	0.96	\$5,404	0.98
720	Blood Infection/Septicemia	\$77,914	\$77,396	\$69,381	1.12	\$61,811	1.25	\$55,330	1.40
751	Psychoses	\$26,930	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

064 UW Hospital and Clinics Authority

600 Highland Avenue

Madison, WI 53792

608-263-6400

Hospital Type: GMS
County: Dane
Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	29,650	Average Length of Stay (days):	6.4	Discharge Status	% Discharges
Total Patient Days:	189,084	Average Charge per Discharge:	\$108,522	Home or Self-Care	71.3%
Total Fatient Days.	103,004	Average offarge per bisoriarge.	Ψ100,322	Other GMS Hospital	0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	7.0%
Cesarean Childbirths:	6	Percent of All Childbirths:	100.0%	Intermediate Care Facility	1.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	2.9%
Total Childbirths:	6			Hospice	1.8%
				Other Institution	0.0%
Total Newborns:	4			Home Health Service	8.5%
Psychiatric Utilization				Left Against Medical Advice	0.7%
·				Expired	2.8%
Discharges:	1,110	Percent of All Discharges:	3.7%	Discharge/Tran to Court/Law Enforcmnt	0.7%
Patient Days:	5,728	Percent of All Patient Days:	3.0%	Other	2.0%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	365	Percent of All Discharges:	1.2%	Medicare	45.5%
Patient Days:	1,580	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	15.1%
				Other Government	3.2%
				Commercial or Private Insurance	34.2%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.2%	Male	52.0%	54.1%	Amer.Ind/Alaskan Native	e 0.7%	0.9%
Under 15	9.9%	11.1%	Female	47.9%	45.9%	Asian	2.0%	2.0%
15 - 19	3.0%	2.6%				Black/African Amer.	6.9%	8.0%
20 - 24	2.8%	2.1%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	6.6%	5.4%				White	87.9%	86.9%
35 - 44	8.7%	7.7%				Multiracial	1.0%	0.8%
45 - 54	10.8%	10.8%				Declined	1.0%	1.1%
55 - 64	17.6%	18.6%				Unavailable	0.4%	0.3%
65 - 74	21.1%	22.2%						
75 - 84	13.6%	13.4%						
85 & Over	5.9%	5.9%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	364	4.9	4.8	1.02	5.2	0.94	4.8	1.02
133 Respiratory failure	497	4.1	4.2	0.98	4.9	0.84	4.5	0.91
137 Respiratory Infections and Inflammations	541	6.2	5.3	1.17	5.7	1.09	5.2	1.19
139 Pneumonia	269	4.3	4.0	1.08	4.5	0.96	4.2	1.02
174 Percutaneous coronary intervention w AMI	336	3.2	3.1	1.03	3.0	1.07	2.9	1.10
175 Percutaneous coronary intervention w/o AMI	192	3.4	2.8	1.21	2.7	1.26	2.8	1.21
194 Heart Failure	630	6.6	5.0	1.32	5.3	1.25	4.9	1.35
201 Heart Abnormal Rhythm and Conduction Disorders	273	3.8	3.0	1.27	3.0	1.27	2.9	1.31
463 Kidney/Urinary Tract Infection	264	4.1	3.9	1.05	4.0	1.03	3.9	1.05
469 Acute kidney injury	389	6.2	5.0	1.24	5.7	1.09	5.1	1.22
540 Cesarean Delivery	6	3.3	3.7	0.89	3.7	0.89	3.4	0.97
560 Vaginal Delivery	0	N/A	2.1	N/A	2.2	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	45	2.0	2.0	1.00	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	1,394	7.9	6.2	1.27	6.6	1.20	5.9	1.34
751 Psychoses	228	5.3	6.0	0.88	5.1	1.04	5.2	1.02

	•	•	• .	•	•	-	•		
		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$70,727	\$66,556	\$58,073	1.15	\$52,261	1.27	\$48,817	1.36
133	Respiratory failure	\$49,416	\$50,269	\$48,230	1.04	\$43,773	1.15	\$40,230	1.25
137	Respiratory Infections and Inflammations	\$63,223	\$60,566	\$50,848	1.19	\$48,694	1.24	\$42,641	1.42
139	Pneumonia	\$48,793	\$45,347	\$38,234	1.19	\$37,991	1.19	\$33,326	1.36
174	Percutaneous coronary intervention w AMI	\$96,101	\$93,335	\$96,731	0.96	\$88,693	1.05	\$88,028	1.06
175	Percutaneous coronary intervention w/o AMI	\$113,172	\$110,279	\$111,538	0.99	\$106,262	1.04	\$104,016	1.06
194	Heart Failure	\$54,881	\$50,280	\$43,714	1.15	\$41,878	1.20	\$37,402	1.34
201	Heart Abnormal Rhythm and Conduction Disorders	\$40,021	\$36,544	\$31,461	1.16	\$27,906	1.31	\$26,261	1.39
463	Kidney/Urinary Tract Infection	\$36,997	\$35,977	\$32,986	1.09	\$31,651	1.14	\$28,895	1.25
469	Acute kidney injury	\$57,652	\$52,961	\$45,552	1.16	\$42,194	1.26	\$38,198	1.39
540	Cesarean Delivery	\$54,241	\$45,225	\$34,658	1.30	\$30,606	1.48	\$29,333	1.54
560	Vaginal Delivery	N/A	N/A	\$16,752	*	\$16,232	*	\$15,112	*
640	Normal Newborn, Birthweight 2500g+	\$18,954	\$11,857	\$5,371	2.21	\$5,514	2.15	\$5,404	2.19
720	Blood Infection/Septicemia	\$96,325	\$84,845	\$69,381	1.22	\$61,811	1.37	\$55,330	1.53
751	Psychoses	\$22,828	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

178 Froedtert Holy Family Memorial

2300 Western Ave

Manitowoc, WI 54220

920-320-2011

Hospital Type: GMS

County: Manitowoc

Analysis Area: 4-Northeastern

		_
Patient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,671	Average Length of Stay (days):	3.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	6,109	Average Charge per Discharge:	\$38,646	Home or Self-Care Other GMS Hospital	51.0% 4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	22 14 2 38 41	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	57.9% 36.8% 5.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	18.1% 1.5% 1.0% 5.2% 0.0% 14.7% 1.3% 1.1% 0.2%
Patient Days:	43	Percent of All Patient Days:	0.7%	Other	1.0%
AODA Utilization		·		Expected Pay Source Distril Primary Payer	bution % Discharges
Discharges:	46	Percent of All Discharges:	2.8%	Medicare	70.0%
Patient Days:	173	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	12.7% 1.1% 15.1% 1.0% 0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	2.5%	1.4%	Male	47.0%	43.6%	Amer.Ind/Alaskan Native	e 0.5%	0.5%		
Under 15	0.2%	0.1%	Female	53.0%	56.4%	Asian	1.9%	1.4%		
15 - 19	0.4%	0.2%				Black/African Amer.	1.4%	1.5%		
20 - 24	1.0%	1.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	3.8%	2.5%				White	95.5%	96.1%		
35 - 44	6.0%	4.5%				Multiracial	0.0%	0.0%		
45 - 54	7.2%	6.8%				Declined	0.5%	0.4%		
55 - 64	15.4%	15.7%				Unavailable	0.2%	0.1%		
65 - 74	21.8%	24.2%								
75 - 84	24.1%	23.7%								
85 & Over	17.6%	19.7%								

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	28	2.8	4.2	0.67	3.9	0.72	4.8	0.58
133 Respiratory failure	32	3.1	4.4	0.70	3.8	0.82	4.5	0.69
137 Respiratory Infections and Inflammations	60	4.4	4.9	0.90	4.9	0.90	5.2	0.85
139 Pneumonia	52	3.3	4.1	0.80	4.0	0.83	4.2	0.79
194 Heart Failure	126	4.1	4.3	0.95	4.2	0.98	4.9	0.84
201 Heart Abnormal Rhythm and Conduction Disorders	33	2.2	2.7	0.81	2.8	0.79	2.9	0.76
247 Intestinal Obstruction without Surgery	23	3.5	3.0	1.17	3.0	1.17	3.5	1.00
383 Cellulitis & other skin infections	33	2.9	4.1	0.71	4.4	0.66	4.3	0.67
463 Kidney/Urinary Tract Infection	54	3.7	3.7	1.00	3.9	0.95	3.9	0.95
469 Acute kidney injury	37	3.5	4.6	0.76	4.4	0.80	5.1	0.69
540 Cesarean Delivery	14	2.6	3.5	0.74	2.7	0.96	3.4	0.76
560 Vaginal Delivery	22	2.3	2.0	1.15	1.9	1.21	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	39	2.2	1.8	1.22	1.7	1.29	1.9	1.16
720 Blood Infection/Septicemia	120	4.7	5.6	0.84	4.9	0.96	5.9	0.80
775 Alcohol Abuse/Dependence	27	3.9	3.8	1.03	3.6	1.08	3.9	1.00

	This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$28,792	\$32,566	\$42,136	0.77	\$40,171	0.81	\$48,817	0.67
133 Respiratory failure	\$31,919	\$27,097	\$36,401	0.74	\$36,698	0.74	\$40,230	0.67
137 Respiratory Infections and Inflammations	\$34,109	\$34,378	\$38,011	0.90	\$36,939	0.93	\$42,641	0.81
139 Pneumonia	\$25,974	\$25,197	\$30,062	0.84	\$30,699	0.82	\$33,326	0.76
194 Heart Failure	\$29,182	\$30,229	\$31,359	0.96	\$31,713	0.95	\$37,402	0.81
201 Heart Abnormal Rhythm and Conduction Disorders	\$21,894	\$21,977	\$22,385	0.98	\$24,868	0.88	\$26,261	0.84
247 Intestinal Obstruction without Surgery	\$26,134	\$24,898	\$21,350	1.17	\$23,106	1.08	\$25,745	0.97
383 Cellulitis & other skin infections	\$20,256	\$21,015	\$24,996	0.84	\$26,486	0.79	\$28,319	0.74
463 Kidney/Urinary Tract Infection	\$21,289	\$22,280	\$25,251	0.88	\$26,652	0.84	\$28,895	0.77
469 Acute kidney injury	\$26,310	\$25,457	\$32,453	0.78	\$33,034	0.77	\$38,198	0.67
540 Cesarean Delivery	\$27,794	\$29,405	\$23,516	1.25	\$26,530	1.11	\$29,333	1.00
560 Vaginal Delivery	\$11,741	\$11,643	\$12,110	0.96	\$12,146	0.96	\$15,112	0.77
640 Normal Newborn, Birthweight 2500g+	\$3,989	\$4,228	\$4,779	0.88	\$4,923	0.86	\$5,404	0.78
720 Blood Infection/Septicemia	\$45,569	\$43,385	\$49,755	0.87	\$44,231	0.98	\$55,330	0.78
775 Alcohol Abuse/Dependence	\$37,496	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

067 Aurora Medical Center - Bay Area

3003 University Drive

Marinette, WI 54143

Hospital Type: GMS

County: Marinette Analysis Area: 4-Northeastern

715-735-6621 Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	2,358	Average Length of Stay (days):	3.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	8,577	Average Charge per Discharge:	\$37,295	Home or Self-Care Other GMS Hospital	62.3% 4.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths:	127 46 11 184	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	69.0% 25.0% 6.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution	14.2% 2.1% 0.0% 2.2% 0.0%
Total Newborns: Psychiatric Utilization	194			Home Health Service Left Against Medical Advice Expired	11.1% 1.4% 1.9%
Discharges:	5	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	20	Percent of All Patient Days:	0.2%	Other	0.3%
A G D A 114111 41				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	49	Percent of All Discharges:	2.1%	Medicare	62.3%
Patient Days:	155	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	12.7%
				Other Government	6.7%
				Commercial or Private Insurance	14.9%
				Self-Pay	3.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	8.2%	4.4%	Male	46.1%	51.0%	Amer.Ind/Alaskan Native	e 0.8%	0.8%		
Under 15	0.0%	0.0%	Female	53.9%	49.0%	Asian	0.0%	0.0%		
15 - 19	1.1%	0.6%				Black/African Amer.	0.9%	0.7%		
20 - 24	2.7%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%		
25 - 34	6.3%	3.6%				White	97.4%	98.0%		
35 - 44	4.7%	3.4%				Multiracial	0.4%	0.2%		
45 - 54	5.3%	8.0%				Declined	0.2%	0.1%		
55 - 64	12.3%	14.1%				Unavailable	0.2%	0.1%		
65 - 74	21.7%	26.4%								
75 - 84	21.0%	21.3%								
85 & Over	16.7%	16.4%								

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	63	5.6	4.2	1.33	3.9	1.44	4.8	1.17
133 Respiratory failure	63	5.0	4.4	1.14	3.8	1.32	4.5	1.11
137 Respiratory Infections and Inflammations	60	4.3	4.9	0.88	4.9	0.88	5.2	0.83
139 Pneumonia	76	3.5	4.1	0.85	4.0	0.88	4.2	0.83
194 Heart Failure	173	3.0	4.3	0.70	4.2	0.71	4.9	0.61
201 Heart Abnormal Rhythm and Conduction Disorders	60	2.6	2.7	0.96	2.8	0.93	2.9	0.90
247 Intestinal Obstruction without Surgery	24	3.0	3.0	1.00	3.0	1.00	3.5	0.86
383 Cellulitis & other skin infections	28	2.9	4.1	0.71	4.4	0.66	4.3	0.67
463 Kidney/Urinary Tract Infection	41	3.6	3.7	0.97	3.9	0.92	3.9	0.92
469 Acute kidney injury	59	3.7	4.6	0.80	4.4	0.84	5.1	0.73
540 Cesarean Delivery	46	2.7	3.5	0.77	2.7	1.00	3.4	0.79
560 Vaginal Delivery	127	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	177	1.8	1.8	1.00	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	396	4.4	5.6	0.79	4.9	0.90	5.9	0.75
775 Alcohol Abuse/Dependence	46	3.2	3.8	0.84	3.6	0.89	3.9	0.82

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion	n with Infarct	\$57,485	\$53,158	\$42,136	1.26	\$40,171	1.32	\$48,817	1.09
133 Respiratory failure		\$51,687	\$47,227	\$36,401	1.30	\$36,698	1.29	\$40,230	1.17
137 Respiratory Infections and Inflam	mations	\$44,539	\$42,776	\$38,011	1.13	\$36,939	1.16	\$42,641	1.00
139 Pneumonia		\$33,744	\$31,562	\$30,062	1.05	\$30,699	1.03	\$33,326	0.95
194 Heart Failure		\$34,443	\$33,912	\$31,359	1.08	\$31,713	1.07	\$37,402	0.91
201 Heart Abnormal Rhythm and Con	duction Disorders	\$29,554	\$27,444	\$22,385	1.23	\$24,868	1.10	\$26,261	1.05
247 Intestinal Obstruction without Sur	gery	\$28,535	\$24,769	\$21,350	1.16	\$23,106	1.07	\$25,745	0.96
383 Cellulitis & other skin infections		\$25,785	\$25,420	\$24,996	1.02	\$26,486	0.96	\$28,319	0.90
463 Kidney/Urinary Tract Infection		\$30,487	\$29,946	\$25,251	1.19	\$26,652	1.12	\$28,895	1.04
469 Acute kidney injury		\$42,559	\$40,758	\$32,453	1.26	\$33,034	1.23	\$38,198	1.07
540 Cesarean Delivery		\$33,800	\$35,388	\$23,516	1.50	\$26,530	1.33	\$29,333	1.21
560 Vaginal Delivery		\$11,686	\$11,805	\$12,110	0.97	\$12,146	0.97	\$15,112	0.78
640 Normal Newborn, Birthweight 250)0g+	\$4,593	\$4,764	\$4,779	1.00	\$4,923	0.97	\$5,404	0.88
720 Blood Infection/Septicemia		\$44,368	\$42,376	\$49,755	0.85	\$44,231	0.96	\$55,330	0.77
775 Alcohol Abuse/Dependence		\$33,543	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

069 Marshfield Medical Center

611 St Joseph Avenue

Marshfield, WI 54449

715-387-1713

Hospital Type: GMS
County: Wood

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	12,683	Average Length of Stay (days):	5.4	Discharge Status	% Discharges
Total Patient Days:	68,793	Average Charge per Discharge:	\$52,412	Home or Self-Care	72.3%
Total Fatient Days.	00,735	Average onlinge per bischarge.	Ψ02,+12	Other GMS Hospital	0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	567	Percent of All Childbirths:	64.4%	Skilled Nursing Facility	9.8%
Cesarean Childbirths:	250	Percent of All Childbirths:	28.4%	Intermediate Care Facility	1.4%
Other Childbirths:	63	Percent of All Childbirths:	7.2%	Inpatient Rehabilitation Facility	1.4%
Total Childbirths:	880		1.270	Hospice	1.3%
Total Official Co.	000			Other Institution	0.0%
Total Newborns:	971			Home Health Service	7.6%
Davida istria I Itilization				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	3.2%
Discharges:	43	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	237	Percent of All Patient Days:	0.3%	Other	0.9%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	118	Percent of All Discharges:	0.9%	Medicare	49.7%
Patient Days:	388	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	18.1%
				Other Government	3.6%
				Commercial or Private Insurance	25.3%
				Self-Pay	2.9%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	7.7%	7.6%	Male	49.1%	52.7%	Amer.Ind/Alaskan Native	e 1.8%	1.8%	
Under 15	8.1%	7.7%	Female	50.9%	47.3%	Asian	1.0%	0.9%	
15 - 19	2.2%	1.4%				Black/African Amer.	0.7%	1.1%	
20 - 24	2.2%	1.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%	
25 - 34	7.2%	5.5%				White	93.8%	93.8%	
35 - 44	5.4%	4.5%				Multiracial	0.0%	0.0%	
45 - 54	6.8%	6.7%				Declined	0.9%	0.7%	
55 - 64	12.8%	14.5%				Unavailable	1.7%	1.6%	
65 - 74	18.9%	20.4%							
75 - 84	18.0%	19.4%							
85 & Over	10.7%	10.6%							

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	256	4.8	5.1	0.94	5.2	0.92	4.8	1.00
133 Respiratory failure	247	4.6	4.4	1.05	4.9	0.94	4.5	1.02
137 Respiratory Infections and Inflammations	216	4.8	4.9	0.98	5.7	0.84	5.2	0.92
139 Pneumonia	199	4.3	4.2	1.02	4.5	0.96	4.2	1.02
174 Percutaneous coronary intervention w AMI	171	3.9	2.9	1.34	3.0	1.30	2.9	1.34
175 Percutaneous coronary intervention w/o AMI	182	3.4	2.6	1.31	2.7	1.26	2.8	1.21
194 Heart Failure	357	4.8	4.8	1.00	5.3	0.91	4.9	0.98
201 Heart Abnormal Rhythm and Conduction Disorders	230	2.8	2.8	1.00	3.0	0.93	2.9	0.97
463 Kidney/Urinary Tract Infection	144	4.1	4.7	0.87	4.0	1.03	3.9	1.05
469 Acute kidney injury	113	4.6	4.8	0.96	5.7	0.81	5.1	0.90
540 Cesarean Delivery	250	4.8	3.6	1.33	3.7	1.30	3.4	1.41
560 Vaginal Delivery	567	2.5	2.0	1.25	2.2	1.14	2.1	1.19
640 Normal Newborn, Birthweight 2500g+	802	2.4	2.0	1.20	2.0	1.20	1.9	1.26
720 Blood Infection/Septicemia	716	6.8	6.2	1.10	6.6	1.03	5.9	1.15
751 Psychoses	*	*	4.2	*	5.1	*	5.2	*

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion	with Infarct	\$38,779	\$38,354	\$39,818	0.96	\$52,261	0.73	\$48,817	0.79
133 Respiratory failure		\$31,477	\$34,524	\$36,797	0.94	\$43,773	0.79	\$40,230	0.86
137 Respiratory Infections and Inflamm	ations	\$33,674	\$32,771	\$33,124	0.99	\$48,694	0.67	\$42,641	0.77
139 Pneumonia		\$27,956	\$27,708	\$27,942	0.99	\$37,991	0.73	\$33,326	0.83
174 Percutaneous coronary intervention	n w AMI	\$80,223	\$75,955	\$72,517	1.05	\$88,693	0.86	\$88,028	0.86
175 Percutaneous coronary intervention	n w/o AMI	\$92,735	\$90,465	\$79,955	1.13	\$106,262	0.85	\$104,016	0.87
194 Heart Failure		\$29,765	\$29,824	\$31,718	0.94	\$41,878	0.71	\$37,402	0.80
201 Heart Abnormal Rhythm and Cond	uction Disorders	\$19,297	\$20,610	\$22,917	0.90	\$27,906	0.74	\$26,261	0.78
463 Kidney/Urinary Tract Infection		\$26,096	\$26,499	\$26,040	1.02	\$31,651	0.84	\$28,895	0.92
469 Acute kidney injury		\$30,093	\$33,696	\$33,126	1.02	\$42,194	0.80	\$38,198	0.88
540 Cesarean Delivery		\$29,294	\$27,746	\$25,753	1.08	\$30,606	0.91	\$29,333	0.95
560 Vaginal Delivery		\$14,418	\$14,310	\$11,317	1.26	\$16,232	0.88	\$15,112	0.95
640 Normal Newborn, Birthweight 2500)g+	\$9,135	\$8,986	\$6,943	1.29	\$5,514	1.63	\$5,404	1.66
720 Blood Infection/Septicemia		\$51,439	\$50,958	\$46,585	1.09	\$61,811	0.82	\$55,330	0.92
751 Psychoses		*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

070 Mile Bluff Medical Center 1050 Division Street

Mauston, WI 53948

608-847-6161

County: Juneau

Hospital Type: GMS

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	936	Average Length of Stay (days):	3.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,799	Average Charge per Discharge:	\$30,523	Home or Self-Care	77.8%
Total Lation Bays.	2,700	Average charge per bischarge.	ψ00,020	Other GMS Hospital	4.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	109	Percent of All Childbirths:	73.2%	Skilled Nursing Facility	8.8%
Cesarean Childbirths:	29	Percent of All Childbirths:	19.5%	Intermediate Care Facility	0.0%
Other Childbirths:	11	Percent of All Childbirths:	7.4%	Inpatient Rehabilitation Facility	2.0%
Total Childbirths:	149			Hospice	0.3%
				Other Institution	0.3%
Total Newborns:	156			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice	1.0%
				Expired	1.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	3.7%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.1%	Medicare	47.0%
Patient Days:	1	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	26.8%
				Other Government	3.4%
				Commercial or Private Insurance	21.0%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	16.7%	8.5%	Male	44.1%	46.5%	Amer.Ind/Alaskan Native	0.6%	0.4%	
Under 15	0.7%	0.4%	Female	55.9%	53.5%	Asian	0.4%	0.3%	
15 - 19	0.9%	0.5%				Black/African Amer.	1.3%	0.8%	
20 - 24	4.5%	2.4%				Native Hawaii/Pac.Isl.	0.1%	0.1%	
25 - 34	12.4%	6.9%				White	94.0%	95.6%	
35 - 44	4.2%	3.1%				Multiracial	0.0%	0.0%	
45 - 54	5.0%	5.5%				Declined	0.0%	0.0%	
55 - 64	12.7%	17.2%				Unavailable	3.5%	2.8%	
65 - 74	15.0%	18.0%							
75 - 84	14.6%	18.3%							
85 & Over	13.4%	19.2%							

	ity	Group Averages							
			Analys	is Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	8	4.1	4.4	0.93	3.4	1.21	4.5	0.91	
137 Respiratory Infections and Inflammations	53	3.5	4.9	0.71	3.8	0.92	5.2	0.67	
139 Pneumonia	30	3.1	4.2	0.74	3.6	0.86	4.2	0.74	
140 Chronic Obstructive Pulmonary Disease	11	3.9	3.5	1.11	3.1	1.26	3.4	1.15	
194 Heart Failure	32	3.9	4.8	0.81	3.8	1.03	4.9	0.80	
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.9	2.8	1.04	2.3	1.26	2.9	1.00	
326 Elective knee joint replacement	0	N/A	2.0	N/A	1.4	N/A	1.9	N/A	
383 Cellulitis & other skin infections	20	3.6	4.0	0.90	3.7	0.97	4.3	0.84	
463 Kidney/Urinary Tract Infection	8	3.0	4.7	0.64	3.4	0.88	3.9	0.77	
469 Acute kidney injury	8	3.9	4.8	0.81	3.4	1.15	5.1	0.76	
540 Cesarean Delivery	29	2.1	3.6	0.58	2.8	0.75	3.4	0.62	
560 Vaginal Delivery	109	1.6	2.0	0.80	1.9	0.84	2.1	0.76	
640 Normal Newborn, Birthweight 2500g+	139	1.5	2.0	0.75	1.8	0.83	1.9	0.79	
720 Blood Infection/Septicemia	92	4.1	6.2	0.66	4.3	0.95	5.9	0.69	
775 Alcohol Abuse/Dependence	*	*	4.3	*	3.6	*	3.9	*	

_	• .	•	•	-	•					
This Fac	ility	Risk Adjusted Group Averages								
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
\$46,455	\$63,252	\$36,797	1.72	\$28,186	2.24	\$40,230	1.57			
\$42,845	\$44,263	\$33,124	1.34	\$27,697	1.60	\$42,641	1.04			
\$34,328	\$36,015	\$27,942	1.29	\$24,745	1.46	\$33,326	1.08			
\$33,967	\$31,366	\$26,064	1.20	\$21,626	1.45	\$30,692	1.02			
\$40,693	\$40,372	\$31,718	1.27	\$25,105	1.61	\$37,402	1.08			
\$32,763	\$33,790	\$22,917	1.47	\$18,832	1.79	\$26,261	1.29			
N/A	N/A	\$50,208	*	\$51,872	*	\$61,836	*			
\$33,482	\$35,160	\$24,844	1.42	\$21,471	1.64	\$28,319	1.24			
\$29,962	\$31,360	\$26,040	1.20	\$19,405	1.62	\$28,895	1.09			
\$29,840	\$34,542	\$33,126	1.04	\$23,727	1.46	\$38,198	0.90			
\$22,047	\$22,820	\$25,753	0.89	\$24,636	0.93	\$29,333	0.78			
\$10,487	\$10,608	\$11,317	0.94	\$11,580	0.92	\$15,112	0.70			
\$3,322	\$3,348	\$6,943	0.48	\$4,369	0.77	\$5,404	0.62			
\$43,674	\$53,027	\$46,585	1.14	\$35,041	1.51	\$55,330	0.96			
*	#	#	*	#	*	#	*			
	Average Charge \$46,455 \$42,845 \$34,328 \$33,967 \$40,693 \$32,763 N/A \$33,482 \$29,962 \$29,840 \$22,047 \$10,487 \$3,322	Adjusted Average Charge Charge S46,455 \$63,252 \$42,845 \$44,263 \$34,328 \$36,015 \$33,967 \$31,366 \$40,693 \$40,372 \$32,763 \$33,790 N/A N/A \$33,482 \$35,160 \$29,962 \$31,360 \$29,840 \$34,542 \$22,047 \$22,820 \$10,487 \$10,608 \$3,322 \$3,348 \$43,674 \$53,027	Risk Adjusted Average Charge S46,455 \$42,845 \$44,263 \$33,124 \$34,328 \$36,015 \$27,942 \$33,967 \$31,366 \$26,064 \$40,693 \$40,372 \$31,718 \$32,763 \$33,790 \$22,917 N/A N/A \$50,208 \$33,482 \$35,160 \$24,844 \$29,962 \$31,360 \$26,040 \$29,840 \$34,542 \$33,126 \$22,047 \$22,820 \$25,753 \$10,487 \$10,608 \$11,317 \$3,322 \$3,348 \$6,943 \$43,674 \$53,027 \$46,585	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Charge Ratio \$46,455 \$63,252 \$36,797 1.72 \$42,845 \$44,263 \$33,124 1.34 \$34,328 \$36,015 \$27,942 1.29 \$33,967 \$31,366 \$26,064 1.20 \$40,693 \$40,372 \$31,718 1.27 \$32,763 \$33,790 \$22,917 1.47 N/A N/A N/A \$50,208 * \$33,482 \$35,160 \$24,844 1.42 \$29,962 \$31,360 \$26,040 1.20 \$29,840 \$34,542 \$33,126 1.04 \$22,047 \$22,820 \$25,753 0.89 \$10,487 \$10,608 \$11,317 0.94 \$3,322 \$3,348 \$6,943 0.48 \$43,674 \$53,027 \$46,585 1.14	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge States Sta	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio \$46,455 \$63,252 \$36,797 1.72 \$28,186 2.24 \$42,845 \$44,263 \$33,124 1.34 \$27,697 1.60 \$34,328 \$36,015 \$27,942 1.29 \$24,745 1.46 \$33,967 \$31,366 \$26,064 1.20 \$21,626 1.45 \$40,693 \$40,372 \$31,718 1.27 \$25,105 1.61 \$32,763 \$33,790 \$22,917 1.47 \$18,832 1.79 N/A N/A \$50,208 * \$51,872 * \$33,482 \$35,160 \$24,844 1.42 \$21,471 1.64 \$29,962 \$31,360 \$26,040 1.20 \$19,405 1.62 \$29,840 \$34,542 \$33,126 1.04 \$23,727 1.46 \$22,047 \$22,820 \$25,753 0.89 \$24,636 0.93 \$10,487 \$10,608 \$11,317 0.94 \$11,580 0.92 \$3,322 \$3,348 \$6,943 0.48 \$4,369 0.77 \$43,674 \$53,027 \$46,585 1.14 \$35,041 1.51	Risk Adjusted Average Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Charge			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

071 Aspirus Medford Hospital & Clinics, Inc

135 S Gibson Street

Medford, WI 54451

715-748-8100

85 & Over

11.9%

14.8%

Hospital Type: GMS County: Taylor

Analysis Area: 6-North Central

-			-		
	_	4.		•	

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	896	Average Length of Stay (days):	3.2	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,829	Average Charge per Discharge:	\$21,627	Home or Self-Care	64.3%
Total Fution Buyo.	2,020	7 Wordgo Chargo por Bloomargo.	ΨΖ1,0Ζ1	Other GMS Hospital	6.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	94	Percent of All Childbirths:	77.0%	Skilled Nursing Facility	8.6%
Cesarean Childbirths:	24	Percent of All Childbirths:	19.7%	Intermediate Care Facility	0.8%
Other Childbirths:	4	Percent of All Childbirths:	3.3%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	122			Hospice	3.3%
				Other Institution	0.0%
Total Newborns:	134			Home Health Service	10.8%
Psychiatric Utilization				Left Against Medical Advice	0.8%
				Expired	2.5%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	2.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	0.7%	Medicare	48.7%
Patient Days:	17	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	18.2%
				Other Government	2.9%
				Commercial or Private Insurance	30.1%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	15.0%	9.3%	Male	42.9%	45.6%	Amer.Ind/Alaskan Native	e 0.3%	0.2%
Under 15	0.1%	0.1%	Female	57.1%	54.4%	Asian	0.3%	0.2%
15 - 19	1.0%	0.8%				Black/African Amer.	0.3%	0.2%
20 - 24	3.8%	2.7%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	11.6%	9.3%				White	98.2%	98.7%
35 - 44	5.7%	5.0%				Multiracial	0.1%	0.1%
45 - 54	4.9%	3.7%				Declined	0.4%	0.3%
55 - 64	11.2%	13.1%				Unavailable	0 %	0 %
65 - 74	17.3%	20.2%						
75 - 84	17.5%	21.0%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	24	3.5	4.4	0.80	3.4	1.03	4.5	0.78	
137 Respiratory Infections and Inflammations	31	4.6	4.9	0.94	3.8	1.21	5.2	0.88	
139 Pneumonia	26	3.6	4.2	0.86	3.6	1.00	4.2	0.86	
140 Chronic Obstructive Pulmonary Disease	14	3.7	3.5	1.06	3.1	1.19	3.4	1.09	
194 Heart Failure	55	3.9	4.8	0.81	3.8	1.03	4.9	0.80	
201 Heart Abnormal Rhythm and Conduction Disorders	13	1.8	2.8	0.64	2.3	0.78	2.9	0.62	
326 Elective knee joint replacement	0	N/A	2.0	N/A	1.4	N/A	1.9	N/A	
383 Cellulitis & other skin infections	10	2.5	4.0	0.63	3.7	0.68	4.3	0.58	
463 Kidney/Urinary Tract Infection	13	3.8	4.7	0.81	3.4	1.12	3.9	0.97	
469 Acute kidney injury	15	2.7	4.8	0.56	3.4	0.79	5.1	0.53	
540 Cesarean Delivery	24	2.9	3.6	0.81	2.8	1.04	3.4	0.85	
560 Vaginal Delivery	94	2.1	2.0	1.05	1.9	1.11	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	121	2.0	2.0	1.00	1.8	1.11	1.9	1.05	
720 Blood Infection/Septicemia	64	4.2	6.2	0.68	4.3	0.98	5.9	0.71	
775 Alcohol Abuse/Dependence	6	2.8	4.3	0.65	3.6	0.78	3.9	0.72	

		This Facility				Risk Adjusted Group Averages							
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio				
133 Respiratory fail	ure	\$26,247	\$33,116	\$36,797	0.90	\$28,186	1.17	\$40,230	0.82				
137 Respiratory Infe	ections and Inflammations	\$31,048	\$32,392	\$33,124	0.98	\$27,697	1.17	\$42,641	0.76				
139 Pneumonia		\$25,344	\$24,309	\$27,942	0.87	\$24,745	0.98	\$33,326	0.73				
140 Chronic Obstru	ctive Pulmonary Disease	\$23,120	\$26,342	\$26,064	1.01	\$21,626	1.22	\$30,692	0.86				
194 Heart Failure		\$22,755	\$23,650	\$31,718	0.75	\$25,105	0.94	\$37,402	0.63				
201 Heart Abnorma	Rhythm and Conduction Disorders	\$12,588	\$13,285	\$22,917	0.58	\$18,832	0.71	\$26,261	0.51				
326 Elective knee jo	oint replacement	N/A	N/A	\$50,208	*	\$51,872	*	\$61,836	*				
383 Cellulitis & other	r skin infections	\$13,732	\$17,197	\$24,844	0.69	\$21,471	0.80	\$28,319	0.61				
463 Kidney/Urinary	Tract Infection	\$22,349	\$22,836	\$26,040	0.88	\$19,405	1.18	\$28,895	0.79				
469 Acute kidney in	jury	\$15,387	\$20,236	\$33,126	0.61	\$23,727	0.85	\$38,198	0.53				
540 Cesarean Deliv	ery	\$24,405	\$26,180	\$25,753	1.02	\$24,636	1.06	\$29,333	0.89				
560 Vaginal Deliver	y	\$11,843	\$12,204	\$11,317	1.08	\$11,580	1.05	\$15,112	0.81				
640 Normal Newbor	n, Birthweight 2500g+	\$6,420	\$6,577	\$6,943	0.95	\$4,369	1.51	\$5,404	1.22				
720 Blood Infection/	/Septicemia	\$28,789	\$37,503	\$46,585	0.81	\$35,041	1.07	\$55,330	0.68				
775 Alcohol Abuse/I	Dependence	\$12,149	#	#	#	#	#	#	#				

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

328 Ascension Wisconsin Hospital - Menomonee Falls

10.2%

11.8%

N88W14275 Main Street, Suite 100

Menomonee Falls, WI 53051

262-415-2001

85 & Over

Hospital Type: GMS

Inpatient Volume Group: 1

County: Waukesha

Analysis Area: 2A-Southeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	186	Average Length of Stay (days):	2.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	507	Average Charge per Discharge:	\$15,950	Home or Self-Care	69.4%
Total I attent Days.	307	Average onarge per Disonarge.	Ψ10,900	Other GMS Hospital	10.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	2.7%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	13.4%
Psychiatric Utilization				Left Against Medical Advice	2.7%
				Expired	0.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	1.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	3.2%	Medicare	1.1%
Patient Days:	14	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare	2.7%
				Other Government	0.5%
				Commercial or Private Insurance	91.4%
				Self-Pay	4.3%
				Other or Unknown Insurance	0.0%

	Age Distribution	,		Sex Distribution	<u>1</u>	Race	<u> Distribution</u>	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	47.3%	46.7%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	52.7%	53.3%	Asian	0.5%	0.4%
15 - 19	0.5%	0.2%				Black/African Amer.	54.3%	48.3%
20 - 24	4.3%	4.3%				Native Hawaii/Pac.Isl.	42.5%	46.0%
25 - 34	8.6%	6.9%				White	2.7%	5.3%
35 - 44	13.4%	14.0%				Multiracial	0.0%	0.0%
45 - 54	7.0%	6.1%				Declined	0.0%	0.0%
55 - 64	16.7%	14.8%				Unavailable	0 %	0 %
65 - 74	18.3%	19.3%						
75 - 84	21.0%	22.5%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	16	2.2	4.5	0.49	3.0	0.73	4.5	0.49	
137 Respiratory Infections and Inflammations	5	2.6	5.0	0.52	3.7	0.70	5.2	0.50	
139 Pneumonia	11	2.1	4.4	0.48	3.3	0.64	4.2	0.50	
140 Chronic Obstructive Pulmonary Disease	9	3.1	3.3	0.94	3.1	1.00	3.4	0.91	
194 Heart Failure	20	2.8	4.8	0.58	3.5	0.80	4.9	0.57	
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.6	*	2.9	*	
249 Other gastroenteritis, nausea & vomiting	5	3.2	3.2	1.00	2.6	1.23	3.5	0.91	
282 Disorders of Pancreas Except Malignancy	10	3.3	3.6	0.92	2.6	1.27	3.9	0.85	
383 Cellulitis & other skin infections	*	*	4.1	*	3.9	*	4.3	*	
420 Diabetes	22	2.2	3.5	0.63	2.1	1.05	3.3	0.67	
463 Kidney/Urinary Tract Infection	8	2.8	3.7	0.76	3.5	0.80	3.9	0.72	
469 Acute kidney injury	11	2.5	5.2	0.48	3.3	0.76	5.1	0.49	
720 Blood Infection/Septicemia	24	2.9	5.5	0.53	3.5	0.83	5.9	0.49	
861 Signs & Symptoms	*	*	3.9	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	0	N/A	6.7	N/A	12.2	N/A	8.2	N/A	

	This Fac	ility			Risk Adjusted	Group Averages	<u> </u>	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$11,025	\$17,835	\$40,487	0.44	\$20,930	0.85	\$40,230	0.44
137 Respiratory Infections and Inflammations	\$16,497	\$22,450	\$43,191	0.52	\$22,966	0.98	\$42,641	0.53
139 Pneumonia	\$12,854	\$24,547	\$37,172	0.66	\$20,677	1.19	\$33,326	0.74
140 Chronic Obstructive Pulmonary Disease	\$20,038	\$30,635	\$30,371	1.01	\$17,434	1.76	\$30,692	1.00
194 Heart Failure	\$19,208	\$35,366	\$37,913	0.93	\$19,130	1.85	\$37,402	0.95
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$28,341	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	\$20,361	\$33,945	\$31,247	1.09	\$15,617	2.17	\$30,474	1.11
282 Disorders of Pancreas Except Malignancy	\$19,164	\$31,068	\$37,312	0.83	\$18,647	1.67	\$34,273	0.91
383 Cellulitis & other skin infections	*	*	\$29,097	*	\$18,221	*	\$28,319	*
420 Diabetes	\$13,962	\$18,909	\$29,281	0.65	\$15,182	1.25	\$29,270	0.65
463 Kidney/Urinary Tract Infection	\$12,811	\$18,230	\$29,800	0.61	\$16,696	1.09	\$28,895	0.63
469 Acute kidney injury	\$12,299	\$28,438	\$39,143	0.73	\$19,375	1.47	\$38,198	0.74
720 Blood Infection/Septicemia	\$16,271	\$39,947	\$53,476	0.75	\$25,105	1.59	\$55,330	0.72
861 Signs & Symptoms	*	*	\$32,807	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$26,393	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

072 Froedtert Menomonee Falls Hospital

W180 N8085 Town Hall Road

Menomonee Falls, WI 53051

262-251-1000

85 & Over

14.5%

17.5%

Hospital Type: GMS

Inpatient Volume Group: 6

County: Waukesha

Analysis Area: 2A-Southeastern

|--|

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	8,224	Average Length of Stay (days):	4.0	Discharge Status	% Discharges
Total Patient Days:	33,226	Average Charge per Discharge:	\$45,401	Home or Self-Care Other GMS Hospital	61.8% 2.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	392 143 38 573 598	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	68.4% 25.0% 6.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	13.1% 1.7% 1.5% 3.6% 0.1% 13.0% 1.1% 0.1%
Patient Days:	1,098	Percent of All Patient Days:	3.3%	Other	0.6%
AODA Utilization				Expected Pay Source Distrib Primary Payer	oution <u>% Discharges</u>
Discharges:	259	Percent of All Discharges:	3.1%	Medicare	58.7%
Patient Days:	1,122	Percent of All Patient Days:	3.4%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	12.7% 0.8% 26.1% 1.7% 0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	7.3%	3.8%	Male	43.3%	45.4%	Amer.Ind/Alaskan Native	e 0.3%	0.2%
Under 15	0.0%	0.0%	Female	56.7%	54.6%	Asian	2.9%	2.8%
15 - 19	0.4%	0.3%				Black/African Amer.	15.3%	16.5%
20 - 24	2.0%	1.4%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	8.4%	5.8%				White	78.9%	78.3%
35 - 44	7.5%	6.6%				Multiracial	0.0%	0.0%
45 - 54	7.5%	6.6%				Declined	2.4%	2.1%
55 - 64	12.2%	13.1%				Unavailable	0.2%	0.1%
65 - 74	20.5%	22.0%						
75 - 84	19.6%	22.8%						

	This Facil	ity			Group /	Averages			
			Analys	sis Area	Inpatient V	Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	193	4.8	4.2	1.14	5.2	0.92	4.8	1.00	
133 Respiratory failure	146	4.4	4.5	0.98	4.9	0.90	4.5	0.98	
137 Respiratory Infections and Inflammations	192	4.9	5.0	0.98	5.7	0.86	5.2	0.94	
139 Pneumonia	145	4.4	4.4	1.00	4.5	0.98	4.2	1.05	
174 Percutaneous coronary intervention w AMI	76	2.8	2.7	1.04	3.0	0.93	2.9	0.97	
175 Percutaneous coronary intervention w/o AMI	49	3.4	2.9	1.17	2.7	1.26	2.8	1.21	
194 Heart Failure	435	4.7	4.8	0.98	5.3	0.89	4.9	0.96	
201 Heart Abnormal Rhythm and Conduction Disorders	200	2.8	2.8	1.00	3.0	0.93	2.9	0.97	
463 Kidney/Urinary Tract Infection	102	3.9	3.7	1.05	4.0	0.98	3.9	1.00	
469 Acute kidney injury	132	5.0	5.2	0.96	5.7	0.88	5.1	0.98	
540 Cesarean Delivery	143	3.1	3.1	1.00	3.7	0.84	3.4	0.91	
560 Vaginal Delivery	392	2.0	2.0	1.00	2.2	0.91	2.1	0.95	
640 Normal Newborn, Birthweight 2500g+	540	1.9	1.9	1.00	2.0	0.95	1.9	1.00	
720 Blood Infection/Septicemia	728	5.8	5.5	1.05	6.6	0.88	5.9	0.98	
751 Psychoses	129	4.9	5.1	0.96	5.1	0.96	5.2	0.94	

·								
	This Fac	-			Risk Adjusted	Group Averages	;	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$45,446	\$45,854	\$48,841	0.94	\$52,261	0.88	\$48,817	0.94
133 Respiratory failure	\$40,524	\$42,488	\$40,487	1.05	\$43,773	0.97	\$40,230	1.06
137 Respiratory Infections and Inflammations	\$43,407	\$42,919	\$43,191	0.99	\$48,694	0.88	\$42,641	1.01
139 Pneumonia	\$38,173	\$34,178	\$37,172	0.92	\$37,991	0.90	\$33,326	1.03
174 Percutaneous coronary intervention w AMI	\$86,523	\$91,092	\$88,471	1.03	\$88,693	1.03	\$88,028	1.03
175 Percutaneous coronary intervention w/o AMI	\$92,354	\$91,704	\$106,022	0.86	\$106,262	0.86	\$104,016	0.88
194 Heart Failure	\$37,593	\$35,655	\$37,913	0.94	\$41,878	0.85	\$37,402	0.95
201 Heart Abnormal Rhythm and Conduction Disorders	\$26,923	\$27,455	\$28,341	0.97	\$27,906	0.98	\$26,261	1.05
463 Kidney/Urinary Tract Infection	\$29,510	\$27,778	\$29,800	0.93	\$31,651	0.88	\$28,895	0.96
469 Acute kidney injury	\$38,411	\$35,500	\$39,143	0.91	\$42,194	0.84	\$38,198	0.93
540 Cesarean Delivery	\$29,910	\$30,159	\$31,537	0.96	\$30,606	0.99	\$29,333	1.03
560 Vaginal Delivery	\$19,689	\$19,601	\$17,466	1.12	\$16,232	1.21	\$15,112	1.30
640 Normal Newborn, Birthweight 2500g+	\$3,834	\$3,809	\$6,387	0.60	\$5,514	0.69	\$5,404	0.70
720 Blood Infection/Septicemia	\$53,909	\$50,380	\$53,476	0.94	\$61,811	0.82	\$55,330	0.91
751 Psychoses	\$13,901	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

073 Mayo Clinic Health System - Red Cedar in Menomonie

2321 Stout Road

Menomonie, WI 54751 Analysis Area: 5A-West Central

Hospital Type: GMS

County: Dunn

715-235-5531 Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	875	Average Length of Stay (days):	3.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,136	Average Charge per Discharge:	\$18,154	Home or Self-Care	55.2%
Total Lation Days.	3,130	Average charge per bischarge.	ψ10,10 1	Other GMS Hospital	7.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	9.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.6%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	0			Hospice	2.3%
	_			Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.9%
Psychiatric Utilization				Left Against Medical Advice	0.7%
Psychiatric Offization				Expired	2.6%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	4	Percent of All Patient Days:	0.1%	Other	12.2%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	9	Percent of All Discharges:	1.0%	Medicare	74.4%
Patient Days:	35	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	8.7%
				Other Government	3.5%
				Commercial or Private Insurance	12.5%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	47.9%	46.5%	Amer.Ind/Alaskan Native	€ 0.8%	0.6%
Under 15	0.0%	0.0%	Female	52.1%	53.5%	Asian	1.6%	1.6%
15 - 19	0.3%	0.3%				Black/African Amer.	0.5%	0.4%
20 - 24	1.1%	0.8%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	2.5%	1.9%				White	95.8%	96.0%
35 - 44	3.5%	2.7%				Multiracial	0.1%	0.1%
45 - 54	7.4%	6.3%				Declined	0.5%	0.5%
55 - 64	17.0%	17.3%				Unavailable	0.7%	0.8%
65 - 74	18.5%	18.8%						
75 - 84	28.7%	30.1%						
85 & Over	20.8%	21.9%						

	This F	acility			Group	Averages		
			Anal	ysis Area	<u>Inpatient</u>	Volume Group	All GMS F	lospitals
APR-DRG # and Description	Discharges	s ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	2	8 3.9	4.4	0.89	3.4	1.15	4.5	0.87
137 Respiratory Infections and Inflammatic	ons 6	3 4.2	5.2	0.81	3.8	1.11	5.2	0.81
139 Pneumonia	5	5 3.7	4.1	0.90	3.6	1.03	4.2	0.88
140 Chronic Obstructive Pulmonary Disea	se 3	4 3.4	3.5	0.97	3.1	1.10	3.4	1.00
194 Heart Failure	7	1 4.0	4.8	0.83	3.8	1.05	4.9	0.82
201 Heart Abnormal Rhythm and Conduct	ion Disorders 2	3 2.7	3.0	0.90	2.3	1.17	2.9	0.93
326 Elective knee joint replacement		* *	2.2	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	3	4 4.0	4.6	0.87	3.7	1.08	4.3	0.93
463 Kidney/Urinary Tract Infection	5	0 3.8	3.8	1.00	3.4	1.12	3.9	0.97
469 Acute kidney injury	3	6 2.8	4.4	0.64	3.4	0.82	5.1	0.55
540 Cesarean Delivery		0 N/A	2.9	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery		0 N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+		0 N/A	1.8	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	8	4 4.0	5.3	0.75	4.3	0.93	5.9	0.68
775 Alcohol Abuse/Dependence		7 4.3	3.8	1.13	3.6	1.19	3.9	1.10

		This Fac	ility	Risk Adjusted Group Averages			i		
APR-DRG # and Descrip	ion	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure		\$22,038	\$26,958	\$31,265	0.86	\$28,186	0.96	\$40,230	0.67
137 Respiratory Infection	s and Inflammations	\$25,195	\$27,936	\$34,167	0.82	\$27,697	1.01	\$42,641	0.66
139 Pneumonia		\$17,174	\$17,824	\$25,436	0.70	\$24,745	0.72	\$33,326	0.53
140 Chronic Obstructive	Pulmonary Disease	\$17,138	\$17,493	\$21,325	0.82	\$21,626	0.81	\$30,692	0.57
194 Heart Failure		\$19,688	\$20,621	\$28,691	0.72	\$25,105	0.82	\$37,402	0.55
201 Heart Abnormal Rhy	hm and Conduction Disorders	\$15,713	\$16,321	\$20,515	0.80	\$18,832	0.87	\$26,261	0.62
326 Elective knee joint re	placement	*	*	\$41,297	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skir	infections	\$16,059	\$17,409	\$21,857	0.80	\$21,471	0.81	\$28,319	0.61
463 Kidney/Urinary Tract	Infection	\$13,876	\$14,211	\$19,582	0.73	\$19,405	0.73	\$28,895	0.49
469 Acute kidney injury		\$12,119	\$12,479	\$26,200	0.48	\$23,727	0.53	\$38,198	0.33
540 Cesarean Delivery		N/A	N/A	\$22,289	*	\$24,636	*	\$29,333	*
560 Vaginal Delivery		N/A	N/A	\$11,513	*	\$11,580	*	\$15,112	*
640 Normal Newborn, Bir	thweight 2500g+	N/A	N/A	\$3,672	*	\$4,369	*	\$5,404	*
720 Blood Infection/Septi	cemia	\$21,570	\$24,633	\$40,375	0.61	\$35,041	0.70	\$55,330	0.45
775 Alcohol Abuse/Depe	ndence	\$26,785	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^{* 1} through 4 Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

110 Ascension Columbia St. Mary's Hospital Ozaukee

15.6%

19.2%

13111 N Port Washington Rd

Mequon, WI 53097

262-243-7300

85 & Over

Hospital Type: GMS

Inpatient Volume Group: 5

County: Ozaukee

Analysis Area: 2A-Southeastern

				•	
Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	4,241	Average Length of Stay (days):	5.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	21,199	Average Charge per Discharge:	\$39,996	Home or Self-Care Other GMS Hospital	69.5% 1.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	216	Percent of All Childbirths:	67.9%	Skilled Nursing Facility Intermediate Care Facility	9.7% 0.1%
Cesarean Childbirths: Other Childbirths:	86 16	Percent of All Childbirths: Percent of All Childbirths:	27.0% 5.0%	Inpatient Rehabilitation Facility	4.1%
Total Childbirths:	318			Hospice Other Institution	3.2% 0.0%
Total Newborns:	310			Home Health Service	8.5%
Psychiatric Utilization				Left Against Medical Advice Expired	1.1% 1.3%
Discharges:	486	Percent of All Discharges:	11.5%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	2,514	Percent of All Patient Days:	11.9%	Other	0.8%
				Expected Pay Source Distrik	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	291	Percent of All Discharges:	6.9%	Medicare	55.0%

				Primary Payer	% Discharges
Discharges:	291	Percent of All Discharges:	6.9%	Medicare	55.0%
Patient Days:	1,061	Percent of All Patient Days:	5.0%	Medicaid/BadgerCare	15.9%
				Other Government	1.3%
				Commercial or Private Insurance	26.8%
				Self-Pay	1.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	7.3%	3.1%	Male	41.4%	44.0%	Amer.Ind/Alaskan Native	e 0.2%	0.4%	
Under 15	0.0%	0.0%	Female	58.6%	56.0%	Asian	1.8%	1.8%	
15 - 19	0.7%	0.4%				Black/African Amer.	15.7%	14.9%	
20 - 24	2.8%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	10.7%	6.1%				White	78.4%	80.1%	
35 - 44	9.0%	6.1%				Multiracial	0.6%	0.3%	
45 - 54	7.9%	7.2%				Declined	3.2%	2.6%	
55 - 64	11.2%	11.9%				Unavailable	0 %	0 %	
65 - 74	16.0%	18.9%							
75 - 84	18.8%	25.3%							

	This Facil	ity			Group /	Averages		
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	72	7.1	4.2	1.69	4.3	1.65	4.8	1.48
133 Respiratory failure	45	5.2	4.5	1.16	4.2	1.24	4.5	1.16
137 Respiratory Infections and Inflammations	90	7.1	5.0	1.42	5.3	1.34	5.2	1.37
139 Pneumonia	92	7.1	4.4	1.61	4.3	1.65	4.2	1.69
174 Percutaneous coronary intervention w AMI	12	2.9	2.7	1.07	2.7	1.07	2.9	1.00
194 Heart Failure	162	6.4	4.8	1.33	4.8	1.33	4.9	1.31
201 Heart Abnormal Rhythm and Conduction Disorders	76	3.2	2.8	1.14	2.9	1.10	2.9	1.10
463 Kidney/Urinary Tract Infection	98	5.3	3.7	1.43	4.0	1.33	3.9	1.36
469 Acute kidney injury	80	7.2	5.2	1.38	5.0	1.44	5.1	1.41
540 Cesarean Delivery	86	2.9	3.1	0.94	2.9	1.00	3.4	0.85
560 Vaginal Delivery	216	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	284	1.9	1.9	1.00	1.9	1.00	1.9	1.00
720 Blood Infection/Septicemia	231	7.8	5.5	1.42	5.7	1.37	5.9	1.32
751 Psychoses	177	4.8	5.1	0.94	4.9	0.98	5.2	0.92
775 Alcohol Abuse/Dependence	53	4.0	4.1	0.98	3.9	1.03	3.9	1.03

	This Fa	acility			Risk Adjusted	Group Averages	s	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	Analys Average Charge	is Area Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with	Infarct \$64,532	\$59,728	\$48,841	1.22	\$47,748	1.25	\$48,817	1.22
133 Respiratory failure	\$50,714	\$50,798	\$40,487	1.25	\$37,099	1.37	\$40,230	1.26
137 Respiratory Infections and Inflammatio	ons \$44,533	3 \$44,571	\$43,191	1.03	\$41,393	1.08	\$42,641	1.05
139 Pneumonia	\$43,756	\$41,874	\$37,172	1.13	\$34,303	1.22	\$33,326	1.26
174 Percutaneous coronary intervention w	AMI \$111,310	\$125,839	\$88,471	1.42	\$85,768	1.47	\$88,028	1.43
194 Heart Failure	\$44,924	\$42,479	\$37,913	1.12	\$35,400	1.20	\$37,402	1.14
201 Heart Abnormal Rhythm and Conduction	on Disorders \$30,466	\$29,502	\$28,341	1.04	\$25,284	1.17	\$26,261	1.12
463 Kidney/Urinary Tract Infection	\$34,570	\$35,898	\$29,800	1.20	\$30,786	1.17	\$28,895	1.24
469 Acute kidney injury	\$41,104	\$40,227	\$39,143	1.03	\$36,604	1.10	\$38,198	1.05
540 Cesarean Delivery	\$27,510	\$28,858	\$31,537	0.92	\$27,373	1.05	\$29,333	0.98
560 Vaginal Delivery	\$10,817	7 \$11,074	\$17,466	0.63	\$14,481	0.76	\$15,112	0.73
640 Normal Newborn, Birthweight 2500g+	\$6,209	9 \$6,141	\$6,387	0.96	\$5,825	1.05	\$5,404	1.14
720 Blood Infection/Septicemia	\$62,30°	\$62,379	\$53,476	1.17	\$52,329	1.19	\$55,330	1.13
751 Psychoses	\$18,436	5 #	#	#	#	#	#	#
775 Alcohol Abuse/Dependence	\$20,382	2 #	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

333 Froedtert Community Hospital - Mequon

11421 N Port Washington Rd

Mequon, WI 53092

85 & Over

15.4%

23.2%

Hospital Type: GMS
County: Ozaukee

Analysis Area: 2A-Southeastern

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	91	Average Length of Stay (days):	2.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	246	Average Charge per Discharge:	\$15,936	Home or Self-Care	76.9%
Total Faticiti Days.	240	Average onlying per bischarge.	Ψ13,330	Other GMS Hospital	13.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	4.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
T	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	3.3%
Psychiatric Utilization				Left Against Medical Advice	1.1% 1.1%
	0	Percent of All Discharges:	0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	0.0%
Discharges: Patient Days:	0	Percent of All Discharges: Percent of All Patient Days:	0.0%	Other	0.0%
Fallent Days.	U	reicent of All Fatient Days.	0.076		
AODA Utilization				Expected Pay Source Distril	<u>oution</u>
				<u>Primary Payer</u>	% Discharges
Discharges:	1	Percent of All Discharges:	1.1%	Medicare	69.2%
Patient Days:	3	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	9.9%
				Other Government	0.0%
				Commercial or Private Insurance	16.5%
				Self-Pay	4.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	41.8%	38.2%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	58.2%	61.8%	Asian	0.0%	0.0%	
15 - 19	0.0%	0.0%				Black/African Amer.	26.4%	23.2%	
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	6.6%	5.3%				White	72.5%	76.4%	
35 - 44	11.0%	7.7%				Multiracial	0.0%	0.0%	
45 - 54	8.8%	6.9%				Declined	1.1%	0.4%	
55 - 64	9.9%	8.5%				Unavailable	0 %	0 %	
65 - 74	20.9%	20.7%							
75 - 84	27.5%	27.6%							

	This Facil	ity			Group A	Averages		
			<u>Analysis Area</u>		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.5	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	5	4.4	5.0	0.88	3.7	1.19	5.2	0.85
139 Pneumonia	14	2.1	4.4	0.48	3.3	0.64	4.2	0.50
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	3.1	*	3.4	*
194 Heart Failure	*	*	4.8	*	3.5	*	4.9	*
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A
249 Other gastroenteritis, nausea & vomiting	6	2.3	3.2	0.72	2.6	0.88	3.5	0.66
282 Disorders of Pancreas Except Malignancy	*	*	3.6	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	*	*	4.1	*	3.9	*	4.3	*
420 Diabetes	*	*	3.5	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	10	2.9	3.7	0.78	3.5	0.83	3.9	0.74
469 Acute kidney injury	5	3.0	5.2	0.58	3.3	0.91	5.1	0.59
720 Blood Infection/Septicemia	13	3.7	5.5	0.67	3.5	1.06	5.9	0.63
861 Signs & Symptoms	0	N/A	3.9	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	0	N/A	6.7	N/A	12.2	N/A	8.2	N/A

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$40,487	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$29,831	\$24,788	\$43,191	0.57	\$22,966	1.08	\$42,641	0.58
139 Pneumonia	\$11,918	\$15,720	\$37,172	0.42	\$20,677	0.76	\$33,326	0.47
140 Chronic Obstructive Pulmonary Disease	*	*	\$30,371	*	\$17,434	*	\$30,692	*
194 Heart Failure	*	*	\$37,913	*	\$19,130	*	\$37,402	*
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$28,341	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	\$12,710	\$13,541	\$31,247	0.43	\$15,617	0.87	\$30,474	0.44
282 Disorders of Pancreas Except Malignancy	*	*	\$37,312	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$29,097	*	\$18,221	*	\$28,319	*
420 Diabetes	*	*	\$29,281	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$14,038	\$13,827	\$29,800	0.46	\$16,696	0.83	\$28,895	0.48
469 Acute kidney injury	\$15,850	\$17,452	\$39,143	0.45	\$19,375	0.90	\$38,198	0.46
720 Blood Infection/Septicemia	\$20,416	\$29,940	\$53,476	0.56	\$25,105	1.19	\$55,330	0.54
861 Signs & Symptoms	N/A	N/A	\$32,807	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$26,393	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

074 Aspirus Merrill Hospital601 Center Avenue South

Merrill, WI 54452

715-536-5511

Hospital Type: GMS
County: Lincoln

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	410	Average Length of Stay (days):	4.2	Discharge Status	% Discharges
Total Patient Days:	1,719	Average Charge per Discharge:	\$24,530	Home or Self-Care	47.3%
Total Fationt Bays.	1,7 13	Average charge per bisonarge.	Ψ24,000	Other GMS Hospital	6.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	12.7%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	5.9%
Total Gilliagiliano.	· ·			Other Institution	0.0%
Total Newborns:	0			Home Health Service	18.0%
Psychiatric Utilization				Left Against Medical Advice	1.5%
Psychiatric Utilization				Expired	2.2%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	4.1%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	13	Percent of All Discharges:	3.2%	Medicare	75.1%
Patient Days:	48	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare	10.0%
				Other Government	3.9%
				Commercial or Private Insurance	10.7%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.2%

	Age Distribution	,		Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	46.8%	46.3%	Amer.Ind/Alaskan Native	e 1.0%	0.9%	
Under 15	0.0%	0.0%	Female	53.2%	53.7%	Asian	0.2%	0.1%	
15 - 19	0.5%	0.2%				Black/African Amer.	0.2%	0.3%	
20 - 24	1.2%	1.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	3.7%	1.7%				White	98.3%	98.5%	
35 - 44	2.0%	1.0%				Multiracial	0.0%	0.0%	
45 - 54	6.1%	5.4%				Declined	0.2%	0.3%	
55 - 64	20.0%	21.2%				Unavailable	0 %	0 %	
65 - 74	16.6%	11.7%							
75 - 84	23.4%	25.9%							
85 & Over	26.6%	31.7%							

	This Facil	ity			Group /	Averages		
			<u>Analysis Area</u>		Inpatient Volume Group		All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	10	3.5	4.4	0.80	3.5	1.00	4.5	0.78
137 Respiratory Infections and Inflammations	39	5.5	4.9	1.12	4.0	1.38	5.2	1.06
139 Pneumonia	23	4.5	4.2	1.07	3.8	1.18	4.2	1.07
140 Chronic Obstructive Pulmonary Disease	7	2.6	3.5	0.74	3.1	0.84	3.4	0.76
194 Heart Failure	49	4.9	4.8	1.02	3.8	1.29	4.9	1.00
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.5	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	3.4	*	3.0	*	3.5	*
383 Cellulitis & other skin infections	17	4.1	4.0	1.03	4.4	0.93	4.3	0.95
463 Kidney/Urinary Tract Infection	19	7.1	4.7	1.51	3.7	1.92	3.9	1.82
469 Acute kidney injury	8	3.5	4.8	0.73	3.1	1.13	5.1	0.69
540 Cesarean Delivery	0	N/A	3.6	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	67	4.5	6.2	0.73	3.8	1.18	5.9	0.76
861 Signs & Symptoms	0	N/A	5.9	N/A	5.5	N/A	5.6	N/A

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$24,196	\$36,402	\$36,797	0.99	\$24,966	1.46	\$40,230	0.90
137 Respiratory Infections and Inflammations	\$28,299	\$28,856	\$33,124	0.87	\$23,829	1.21	\$42,641	0.68
139 Pneumonia	\$28,588	\$30,069	\$27,942	1.08	\$21,847	1.38	\$33,326	0.90
140 Chronic Obstructive Pulmonary Disease	\$17,222	\$17,342	\$26,064	0.67	\$18,738	0.93	\$30,692	0.57
194 Heart Failure	\$24,503	\$24,222	\$31,718	0.76	\$21,808	1.11	\$37,402	0.65
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$22,917	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	*	*	\$22,137	*	\$15,683	*	\$25,745	*
383 Cellulitis & other skin infections	\$20,932	\$22,242	\$24,844	0.90	\$19,917	1.12	\$28,319	0.79
463 Kidney/Urinary Tract Infection	\$30,509	\$30,573	\$26,040	1.17	\$17,130	1.78	\$28,895	1.06
469 Acute kidney injury	\$22,426	\$28,670	\$33,126	0.87	\$19,497	1.47	\$38,198	0.75
540 Cesarean Delivery	N/A	N/A	\$25,753	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,317	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,943	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$27,494	\$29,587	\$46,585	0.64	\$27,838	1.06	\$55,330	0.53
861 Signs & Symptoms	N/A	N/A	\$35,344	*	\$17,922	*	\$35,921	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

316 Ascension Columbia St. Mary's Hospital Milwaukee

2301 N. Lake Drive

Milwaukee, WI 53211 Analysis Area: 2B-Milwaukee County

Hospital Type: GMS

County: Milwaukee

414-961-3300 Inpatient Volume Group: 6

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	10,819	Average Length of Stay (days):	5.5	Discharge Status	% Discharges
Total Patient Days:	59,946	Average Charge per Discharge:	\$63,130	Home or Self-Care	74.1%
Total Fatient Days.	55,5 1 0	Average onlarge per bischarge.	ψ00,100	Other GMS Hospital	1.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1,497	Percent of All Childbirths:	75.5%	Skilled Nursing Facility	6.2%
Cesarean Childbirths:	422	Percent of All Childbirths:	21.3%	Intermediate Care Facility	0.0%
Other Childbirths:	65	Percent of All Childbirths:	3.3%	Inpatient Rehabilitation Facility	3.0%
Total Childbirths:	1,984			Hospice	2.1%
				Other Institution	0.1%
Total Newborns:	1,937			Home Health Service	7.9%
Psychiatric Utilization				Left Against Medical Advice	1.8%
r sycillatific Othization				Expired	2.7%
Discharges:	14	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	55	Percent of All Patient Days:	0.1%	Other	0.6%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	91	Percent of All Discharges:	0.8%	Medicare	38.1%
Patient Days:	398	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	38.4%
				Other Government	0.3%
				Commercial or Private Insurance	21.2%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	17.9%	11.1%	Male	39.6%	46.4%	Amer.Ind/Alaskan Native	e 0.4%	0.3%	
Under 15	0.1%	0.0%	Female	60.4%	53.5%	Asian	1.5%	1.0%	
15 - 19	1.5%	0.7%				Black/African Amer.	38.1%	43.7%	
20 - 24	4.4%	2.4%				Native Hawaii/Pac.Isl.	0.0%	0.1%	
25 - 34	14.0%	7.9%				White	48.5%	46.6%	
35 - 44	9.1%	7.3%				Multiracial	1.0%	1.0%	
45 - 54	7.0%	8.5%				Declined	10.4%	7.3%	
55 - 64	13.2%	17.8%				Unavailable	0 %	0 %	
65 - 74	14.4%	20.1%							
75 - 84	11.5%	14.8%							
85 & Over	6.9%	9.4%							

^{**} In 2010, Columbia St Mary's Inc - Columbia Campus, Milwaukee (076) and Columbia St Mary's Inc - Milwaukee Campus, Milwaukee (089) merged to form Columbia St. Mary's Hospital Milwaukee, Milwaukee (316). 2010 data reported under all three facility numbers was combined into the (316) number for this report.

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	199	6.6	6.2	1.06	5.2	1.27	4.8	1.38	
133 Respiratory failure	149	7.3	4.9	1.49	4.9	1.49	4.5	1.62	
137 Respiratory Infections and Inflammations	111	8.3	6.1	1.36	5.7	1.46	5.2	1.60	
139 Pneumonia	117	6.4	4.5	1.42	4.5	1.42	4.2	1.52	
174 Percutaneous coronary intervention w AMI	115	3.3	3.8	0.87	3.0	1.10	2.9	1.14	
175 Percutaneous coronary intervention w/o AMI	132	3.5	3.2	1.09	2.7	1.30	2.8	1.25	
194 Heart Failure	301	6.6	5.6	1.18	5.3	1.25	4.9	1.35	
201 Heart Abnormal Rhythm and Conduction Disorders	129	3.4	3.2	1.06	3.0	1.13	2.9	1.17	
463 Kidney/Urinary Tract Infection	91	5.3	4.1	1.29	4.0	1.33	3.9	1.36	
469 Acute kidney injury	142	7.2	6.5	1.11	5.7	1.26	5.1	1.41	
540 Cesarean Delivery	422	3.7	3.7	1.00	3.7	1.00	3.4	1.09	
560 Vaginal Delivery	1,497	2.1	2.2	0.95	2.2	0.95	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	1,679	1.9	2.0	0.95	2.0	0.95	1.9	1.00	
720 Blood Infection/Septicemia	401	9.0	7.2	1.25	6.6	1.36	5.9	1.53	
751 Psychoses	*	*	5.1	*	5.1	*	5.2	*	

	This Facility				Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Group Average Charge Ratio		All GMS Ho Average Charge	ospitals Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$69,559	\$62,452	\$64,144	0.97	\$52,261	1.20	\$48,817	1.28		
133	Respiratory failure	\$59,839	\$53,769	\$46,194	1.16	\$43,773	1.23	\$40,230	1.34		
137	Respiratory Infections and Inflammations	\$61,986	\$59,461	\$55,648	1.07	\$48,694	1.22	\$42,641	1.39		
139	Pneumonia	\$59,899	\$53,720	\$42,480	1.26	\$37,991	1.41	\$33,326	1.61		
174	Percutaneous coronary intervention w AMI	\$121,227	\$114,646	\$120,280	0.95	\$88,693	1.29	\$88,028	1.30		
175	Percutaneous coronary intervention w/o AMI	\$122,900	\$117,269	\$137,861	0.85	\$106,262	1.10	\$104,016	1.13		
194	Heart Failure	\$52,062	\$48,766	\$47,909	1.02	\$41,878	1.16	\$37,402	1.30		
201	Heart Abnormal Rhythm and Conduction Disorders	\$37,036	\$35,788	\$31,682	1.13	\$27,906	1.28	\$26,261	1.36		
463	Kidney/Urinary Tract Infection	\$39,622	\$39,265	\$36,892	1.06	\$31,651	1.24	\$28,895	1.36		
469	Acute kidney injury	\$50,622	\$49,250	\$51,546	0.96	\$42,194	1.17	\$38,198	1.29		
540	Cesarean Delivery	\$31,695	\$30,962	\$33,019	0.94	\$30,606	1.01	\$29,333	1.06		
560	Vaginal Delivery	\$12,328	\$12,295	\$18,150	0.68	\$16,232	0.76	\$15,112	0.81		
640	Normal Newborn, Birthweight 2500g+	\$7,333	\$7,342	\$5,882	1.25	\$5,514	1.33	\$5,404	1.36		
720	Blood Infection/Septicemia	\$88,103	\$79,040	\$73,537	1.07	\$61,811	1.28	\$55,330	1.43		
751	Psychoses	*	#	#	*	#	*	#	*		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

086 Ascension SE Wisconsin Hospital - St. Joseph Campus

5000 West Chambers Street

Milwaukee, WI 53210 Analysis Area: 2B-Milwaukee County

Hospital Type: GMS

County: Milwaukee

414-447-2000 Inpatient Volume Group: 5

Overall Hospital Utilization				Patient Discharge Statu	s
Total Discharges:	5,677	Average Length of Stay (days):	4.1	Discharge Status	% Discharges
Total Patient Days:	23,133	Average Charge per Discharge:	\$29,962	Home or Self-Care	84.5%
Total Fationt Days.	20,100	Average charge per bisonarge.	Ψ25,502	Other GMS Hospital	1.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1.144	Percent of All Childbirths:	76.1%	Skilled Nursing Facility	2.1%
Cesarean Childbirths:	321	Percent of All Childbirths:	21.3%	Intermediate Care Facility	0.0%
Other Childbirths:	39	Percent of All Childbirths:	2.6%	Inpatient Rehabilitation Facility	0.8%
Total Childbirths:	1,504			Hospice	1.7%
Total Nicoda con co	4 400			Other Institution	0.1%
Total Newborns:	1,499			Home Health Service	3.6%
Psychiatric Utilization				Left Against Medical Advice	2.0% 2.5%
Discharges:	6	Percent of All Discharges:	0.1%	Expired Discharge/Tran to Court/Law Enforcmnt	2.5% 0.1%
Patient Days:	17	Percent of All Patient Days:	0.1%	Other	1.0%
r duoni Bayo.	17	r ordent or mir attent Baye.	0.170	Expected Pay Source Distril	
AODA Utilization				Primary Payer	% Discharges
Discharges:	61	Percent of All Discharges:	1.1%	Medicare	20.8%
Patient Days:	244	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	61.3%
•		•		Other Government	0.4%
				Commercial or Private Insurance	16.1%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	26.4%	27.9%	Male	36.4%	44.4%	Amer.Ind/Alaskan Native	e 0.4%	0.4%
Under 15	0.2%	0.3%	Female	63.5%	55.5%	Asian	3.9%	2.6%
15 - 19	2.8%	1.7%				Black/African Amer.	69.2%	73.0%
20 - 24	7.6%	4.9%				Native Hawaii/Pac.Isl.	0.0%	0.1%
25 - 34	18.6%	11.7%				White	23.2%	21.2%
35 - 44	10.8%	9.0%				Multiracial	1.1%	1.1%
45 - 54	7.5%	8.7%				Declined	2.2%	1.6%
55 - 64	11.6%	14.4%				Unavailable	0 %	0 %
65 - 74	8.6%	11.4%						
75 - 84	4.2%	7.6%						
85 & Over	1.7%	2.4%						

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	63	4.0	6.2	0.65	4.3	0.93	4.8	0.83	
133 Respiratory failure	133	3.6	4.9	0.73	4.2	0.86	4.5	0.80	
137 Respiratory Infections and Inflammations	39	5.5	6.1	0.90	5.3	1.04	5.2	1.06	
139 Pneumonia	39	4.3	4.5	0.96	4.3	1.00	4.2	1.02	
174 Percutaneous coronary intervention w AMI	66	3.0	3.8	0.79	2.7	1.11	2.9	1.03	
194 Heart Failure	167	4.2	5.6	0.75	4.8	0.88	4.9	0.86	
201 Heart Abnormal Rhythm and Conduction Disorders	42	2.6	3.2	0.81	2.9	0.90	2.9	0.90	
463 Kidney/Urinary Tract Infection	27	5.1	4.1	1.24	4.0	1.28	3.9	1.31	
469 Acute kidney injury	65	6.1	6.5	0.94	5.0	1.22	5.1	1.20	
540 Cesarean Delivery	321	3.5	3.7	0.95	2.9	1.21	3.4	1.03	
560 Vaginal Delivery	1,144	2.1	2.2	0.95	1.9	1.11	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	1,208	2.0	2.0	1.00	1.9	1.05	1.9	1.05	
720 Blood Infection/Septicemia	232	7.1	7.2	0.99	5.7	1.25	5.9	1.20	
751 Psychoses	0	N/A	5.1	N/A	4.9	N/A	5.2	N/A	
775 Alcohol Abuse/Dependence	31	4.9	3.7	1.32	3.9	1.26	3.9	1.26	

	<u>·</u>									
	This Fac	ility	Risk Adjusted Group Averages							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
045 Stroke and Precerebral Occlusion with In	farct \$40,955	\$43,613	\$64,144	0.68	\$47,748	0.91	\$48,817	0.89		
133 Respiratory failure	\$35,869	\$28,161	\$46,194	0.61	\$37,099	0.76	\$40,230	0.70		
137 Respiratory Infections and Inflammations	\$42,059	\$40,804	\$55,648	0.73	\$41,393	0.99	\$42,641	0.96		
139 Pneumonia	\$30,027	\$28,197	\$42,480	0.66	\$34,303	0.82	\$33,326	0.85		
174 Percutaneous coronary intervention w AM	ИI \$77,877	\$73,321	\$120,280	0.61	\$85,768	0.85	\$88,028	0.83		
194 Heart Failure	\$27,627	\$27,793	\$47,909	0.58	\$35,400	0.79	\$37,402	0.74		
201 Heart Abnormal Rhythm and Conduction	Disorders \$25,201	\$19,553	\$31,682	0.62	\$25,284	0.77	\$26,261	0.74		
463 Kidney/Urinary Tract Infection	\$27,368	\$25,927	\$36,892	0.70	\$30,786	0.84	\$28,895	0.90		
469 Acute kidney injury	\$32,083	\$31,682	\$51,546	0.61	\$36,604	0.87	\$38,198	0.83		
540 Cesarean Delivery	\$29,007	\$27,589	\$33,019	0.84	\$27,373	1.01	\$29,333	0.94		
560 Vaginal Delivery	\$15,042	\$14,642	\$18,150	0.81	\$14,481	1.01	\$15,112	0.97		
640 Normal Newborn, Birthweight 2500g+	\$6,874	\$6,522	\$5,882	1.11	\$5,825	1.12	\$5,404	1.21		
720 Blood Infection/Septicemia	\$59,865	\$48,952	\$73,537	0.67	\$52,329	0.94	\$55,330	0.88		
751 Psychoses	N/A	#	#	*	#	*	#	*		
775 Alcohol Abuse/Dependence	\$32,200	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

085 Ascension St. Francis Hospital

3237 South 16th Street

Milwaukee, WI 53215

414-647-5000

85 & Over

7.7%

8.5%

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

Patient	Discharge	Status

Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,429	Average Length of Stay (days):	5.2	Discharge Status	% Discharges
Total Patient Days:	12,751	Average Charge per Discharge:	\$36,026	Home or Self-Care	66.9%
Total Fatient Days.	12,751	Average onlinge per bisonarge.	Ψ00,020	Other GMS Hospital	3.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	8.6%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.4%
Total Childbirths:	0			Hospice	2.6%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	8.5%
Psychiatric Utilization				Left Against Medical Advice	4.6%
				Expired	2.6%
Discharges:	410	Percent of All Discharges:	16.9%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1,902	Percent of All Patient Days:	14.9%	Other	1.9%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	197	Percent of All Discharges:	8.1%	Medicare	47.7%
Patient Days:	722	Percent of All Patient Days:	5.7%	Medicaid/BadgerCare	33.6%
				Other Government	0.9%
				Commercial or Private Insurance	11.0%
				Self-Pay	6.7%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	48.9%	47.7%	Amer.Ind/Alaskan Native	e 0.9%	1.1%		
Under 15	0.0%	0.0%	Female	51.1%	52.3%	Asian	2.0%	1.8%		
15 - 19	1.4%	1.7%				Black/African Amer.	15.9%	15.3%		
20 - 24	2.6%	1.8%				Native Hawaii/Pac.Isl.	0.1%	0.2%		
25 - 34	10.0%	7.7%				White	66.6%	68.2%		
35 - 44	14.0%	11.8%				Multiracial	0.6%	1.1%		
45 - 54	14.5%	13.5%				Declined	13.8%	12.2%		
55 - 64	18.2%	18.4%				Unavailable	0 %	0 %		
65 - 74	18.7%	22.0%								
75 - 84	13.1%	14.6%								

	This Facil	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	27	3.3	6.2	0.53	3.9	0.85	4.8	0.69
133 Respiratory failure	61	4.7	4.9	0.96	3.8	1.24	4.5	1.04
137 Respiratory Infections and Inflammations	43	8.2	6.1	1.34	4.9	1.67	5.2	1.58
139 Pneumonia	56	5.3	4.5	1.18	4.0	1.33	4.2	1.26
194 Heart Failure	105	6.1	5.6	1.09	4.2	1.45	4.9	1.24
201 Heart Abnormal Rhythm and Conduction Disorders	25	8.0	3.2	2.50	2.8	2.86	2.9	2.76
247 Intestinal Obstruction without Surgery	29	4.0	4.0	1.00	3.0	1.33	3.5	1.14
383 Cellulitis & other skin infections	44	4.1	4.2	0.98	4.4	0.93	4.3	0.95
463 Kidney/Urinary Tract Infection	56	3.9	4.1	0.95	3.9	1.00	3.9	1.00
469 Acute kidney injury	48	5.8	6.5	0.89	4.4	1.32	5.1	1.14
540 Cesarean Delivery	0	N/A	3.7	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	197	7.1	7.2	0.99	4.9	1.45	5.9	1.20
775 Alcohol Abuse/Dependence	48	3.4	3.7	0.92	3.6	0.94	3.9	0.87

	• .	_	•	-	•				
This Faci	lity		Risk Adjusted			ed Group Averages			
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
\$39,085	\$39,321	\$64,144	0.61	\$40,171	0.98	\$48,817	0.81		
\$38,622	\$37,359	\$46,194	0.81	\$36,698	1.02	\$40,230	0.93		
\$44,799	\$43,678	\$55,648	0.78	\$36,939	1.18	\$42,641	1.02		
\$34,698	\$32,142	\$42,480	0.76	\$30,699	1.05	\$33,326	0.96		
\$36,608	\$35,211	\$47,909	0.73	\$31,713	1.11	\$37,402	0.94		
\$34,238	\$30,491	\$31,682	0.96	\$24,868	1.23	\$26,261	1.16		
\$21,814	\$21,529	\$32,191	0.67	\$23,106	0.93	\$25,745	0.84		
\$25,186	\$25,033	\$35,055	0.71	\$26,486	0.95	\$28,319	0.88		
\$25,410	\$26,841	\$36,892	0.73	\$26,652	1.01	\$28,895	0.93		
\$32,395	\$34,384	\$51,546	0.67	\$33,034	1.04	\$38,198	0.90		
N/A	N/A	\$33,019	*	\$26,530	*	\$29,333	*		
N/A	N/A	\$18,150	*	\$12,146	*	\$15,112	*		
N/A	N/A	\$5,882	*	\$4,923	*	\$5,404	*		
\$58,135	\$57,309	\$73,537	0.78	\$44,231	1.30	\$55,330	1.04		
\$20,206	#	#	#	#	#	#	#		
	Average Charge \$39,085 \$38,622 \$44,799 \$34,698 \$36,608 \$34,238 \$21,814 \$25,186 \$25,410 \$32,395 N/A N/A N/A \$7,40	Adjusted Average Charge Charge S39,085 \$39,321 \$38,622 \$37,359 \$44,799 \$43,678 \$34,698 \$32,142 \$36,608 \$35,211 \$34,238 \$30,491 \$21,814 \$21,529 \$25,186 \$25,033 \$25,410 \$26,841 \$32,395 \$34,384 N/A	Risk Adjusted Average Charge S39,085 \$39,321 \$64,144 \$38,622 \$37,359 \$46,194 \$47,799 \$43,678 \$55,648 \$34,698 \$32,142 \$42,480 \$36,608 \$35,211 \$47,909 \$34,238 \$30,491 \$31,682 \$21,814 \$21,529 \$32,191 \$25,186 \$25,033 \$35,055 \$25,410 \$26,841 \$36,892 \$32,395 \$34,384 \$51,546 N/A N/A N/A N/A N/A \$33,019 N/A N/A N/A N/A \$18,150 N/A N/A N/A \$5,882 \$58,135 \$57,309 \$73,537	Risk Adjusted Average Average Charge Charge Charge Charge Charge Charge Charge Charge Ratio \$39,085 \$39,321 \$64,144 0.61 \$38,622 \$37,359 \$46,194 0.81 \$44,799 \$43,678 \$55,648 0.78 \$34,698 \$32,142 \$42,480 0.76 \$36,608 \$35,211 \$47,909 0.73 \$34,238 \$30,491 \$31,682 0.96 \$21,814 \$21,529 \$32,191 0.67 \$25,186 \$25,033 \$35,055 0.71 \$25,410 \$26,841 \$36,892 0.73 \$32,395 \$34,384 \$51,546 0.67 N/A N/A N/A \$33,019 * N/A N/A N/A \$33,019 * N/A N/A N/A \$5,882 * \$58,135 \$57,309 \$73,537 0.78	Risk Adjusted Average Average Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio \$39,085 \$39,321 \$64,144 0.61 \$40,171 0.98 \$38,622 \$37,359 \$46,194 0.81 \$36,698 1.02 \$44,799 \$43,678 \$55,648 0.78 \$36,939 1.18 \$34,698 \$32,142 \$42,480 0.76 \$30,699 1.05 \$36,608 \$35,211 \$47,909 0.73 \$31,713 1.11 \$34,238 \$30,491 \$31,682 0.96 \$24,868 1.23 \$21,814 \$21,529 \$32,191 0.67 \$23,106 0.93 \$25,186 \$25,033 \$35,055 0.71 \$26,486 0.95 \$25,410 \$26,841 \$36,892 0.73 \$26,652 1.01 \$32,395 \$34,384 \$51,546 0.67 \$33,034 1.04 N/A N/A N/A \$33,019 * \$26,530 * N/A N/A N/A \$18,150 * \$12,146 * N/A N/A N/A \$5,882 * \$4,923 * \$58,135 \$57,309 \$73,537 0.78 \$44,231 1.30	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

329 Ascension Wisconsin Hospital - Greenfield

4935 S 76th Street, Suite 100

Milwaukee, WI 53220

414-567-3211

85 & Over

20.3%

21.0%

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	143	Average Length of Stay (days):	2.8	Discharge Status	% Discharges
Total Patient Days:	395	Average Charge per Discharge:	\$15,727	Home or Self-Care	58.7%
Total Fatient Days.	393	Average Charge per Discharge.	Ψ13,727	Other GMS Hospital	15.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.7%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	2.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		0.070	Hospice	2.8%
Total Offiliabilitis.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	18.2%
Danielistais HAIII-stian				Left Against Medical Advice	1.4%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	3.5%	Medicare	0.7%
Patient Days:	11	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare	3.5%
				Other Government	0.0%
				Commercial or Private Insurance	93.0%
				Self-Pay	2.8%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	42.7%	43.0%	Amer.Ind/Alaskan Native	0.7%	0.8%	
Under 15	0.0%	0.0%	Female	57.3%	57.0%	Asian	2.1%	1.3%	
15 - 19	1.4%	0.5%				Black/African Amer.	30.8%	28.4%	
20 - 24	2.8%	2.3%				Native Hawaii/Pac.Isl.	61.5%	66.1%	
25 - 34	10.5%	6.8%				White	4.9%	3.5%	
35 - 44	9.1%	10.4%				Multiracial	0.0%	0.0%	
45 - 54	9.8%	7.3%				Declined	0.0%	0.0%	
55 - 64	17.5%	17.0%				Unavailable	0 %	0 %	
65 - 74	16.1%	19.5%							
75 - 84	12.6%	15.2%							

APR-DRG Specific Data - Average Length of Stay (ALOS	APR-DRG S	pecific Data	- Average	Length of	Stay	(ALOS)
--	-----------	--------------	-----------	-----------	------	--------

This Facility					Group Averages				
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	8	2.5	4.9	0.51	3.0	0.83	4.5	0.56	
137 Respiratory Infections and Inflammations	9	3.1	6.1	0.51	3.7	0.84	5.2	0.60	
139 Pneumonia	16	3.3	4.5	0.73	3.3	1.00	4.2	0.79	
140 Chronic Obstructive Pulmonary Disease	*	*	3.6	*	3.1	*	3.4	*	
194 Heart Failure	8	2.6	5.6	0.46	3.5	0.74	4.9	0.53	
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.2	*	2.6	*	2.9	*	
249 Other gastroenteritis, nausea & vomiting	*	*	3.8	*	2.6	*	3.5	*	
282 Disorders of Pancreas Except Malignancy	8	2.5	4.3	0.58	2.6	0.96	3.9	0.64	
383 Cellulitis & other skin infections	5	3.4	4.2	0.81	3.9	0.87	4.3	0.79	
420 Diabetes	17	1.9	3.3	0.58	2.1	0.90	3.3	0.58	
463 Kidney/Urinary Tract Infection	*	*	4.1	*	3.5	*	3.9	*	
469 Acute kidney injury	5	2.4	6.5	0.37	3.3	0.73	5.1	0.47	
720 Blood Infection/Septicemia	26	2.7	7.2	0.38	3.5	0.77	5.9	0.46	
861 Signs & Symptoms	0	N/A	6.9	N/A	10.3	N/A	5.6	N/A	
862 Other Factors Influencing Health Status	0	N/A	8.2	N/A	12.2	N/A	8.2	N/A	

·	This Fac	ility			Risk Adjusted	Risk Adjusted Group Averages			
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio	
133 Respiratory failure	\$15,614	\$25,258	\$46,194	0.55	\$20,930	1.21	\$40,230	0.63	
137 Respiratory Infections and Inflammations	\$17,003	\$24,333	\$55,648	0.44	\$22,966	1.06	\$42,641	0.57	
139 Pneumonia	\$17,046	\$32,552	\$42,480	0.77	\$20,677	1.57	\$33,326	0.98	
140 Chronic Obstructive Pulmonary Disease	*	*	\$40,565	*	\$17,434	*	\$30,692	*	
194 Heart Failure	\$13,611	\$25,061	\$47,909	0.52	\$19,130	1.31	\$37,402	0.67	
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$31,682	*	\$18,284	*	\$26,261	*	
249 Other gastroenteritis, nausea & vomiting	*	*	\$36,030	*	\$15,617	*	\$30,474	*	
282 Disorders of Pancreas Except Malignancy	\$13,349	\$22,395	\$43,461	0.52	\$18,647	1.20	\$34,273	0.65	
383 Cellulitis & other skin infections	\$15,278	\$23,497	\$35,055	0.67	\$18,221	1.29	\$28,319	0.83	
420 Diabetes	\$11,008	\$14,910	\$32,239	0.46	\$15,182	0.98	\$29,270	0.51	
463 Kidney/Urinary Tract Infection	*	*	\$36,892	*	\$16,696	*	\$28,895	*	
469 Acute kidney injury	\$10,072	\$23,288	\$51,546	0.45	\$19,375	1.20	\$38,198	0.61	
720 Blood Infection/Septicemia	\$16,880	\$41,034	\$73,537	0.56	\$25,105	1.63	\$55,330	0.74	
861 Signs & Symptoms	N/A	N/A	\$52,332	*	\$18,999	*	\$35,921	*	
862 Other Factors Influencing Health Status	N/A	N/A	\$52,217	*	\$19,869	*	\$32,059	*	

N/A - Zero Discharges reported

^{* 1} through 4 Discharges reported

168 Aurora Sinai Medical Center 945 N 12th Street, PO Box 342 Milwaukee, WI 53233

414-219-2000

Hospital Type: GMS
County: Milwaukee

Analysis Area: 2B-Milwaukee County

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	8,296	Average Length of Stay (days):	4.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	41,055	Average Charge per Discharge:	\$50,141	Home or Self-Care	80.1%
Total Fatient Days.	+1,000	Average charge per bisonarge.	ψου, ι τ ι	Other GMS Hospital	0.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1,441	Percent of All Childbirths:	70.9%	Skilled Nursing Facility	2.3%
Cesarean Childbirths:	432	Percent of All Childbirths:	21.2%	Intermediate Care Facility	0.6%
Other Childbirths:	160	Percent of All Childbirths:	7.9%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	2,033			Hospice	0.9%
-	·			Other Institution	0.3%
Total Newborns:	2,171			Home Health Service	8.6%
Psychiatric Utilization				Left Against Medical Advice	4.2%
r sychiatric Othization				Expired	0.8%
Discharges:	94	Percent of All Discharges:	1.1%	Discharge/Tran to Court/Law Enforcmnt	0.7%
Patient Days:	1,066	Percent of All Patient Days:	2.6%	Other	0.5%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	136	Percent of All Discharges:	1.6%	Medicare	19.2%
Patient Days:	473	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	58.3%
				Other Government	1.7%
				Commercial or Private Insurance	16.6%
				Self-Pay	4.3%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	26.2%	25.8%	Male	34.5%	43.7%	Amer.Ind/Alaskan Native	0.5%	0.5%	
Under 15	0.3%	0.5%	Female	65.5%	56.3%	Asian	4.7%	3.4%	
15 - 19	2.7%	1.5%				Black/African Amer.	55.1%	59.5%	
20 - 24	7.2%	4.2%				Native Hawaii/Pac.Isl.	0.7%	0.7%	
25 - 34	19.3%	11.5%				White	27.6%	30.2%	
35 - 44	11.9%	8.6%				Multiracial	1.4%	1.0%	
45 - 54	7.8%	7.8%				Declined	0.5%	0.5%	
55 - 64	11.4%	20.1%				Unavailable	9.5%	4.2%	
65 - 74	7.5%	9.8%							
75 - 84	3.8%	6.5%							
85 & Over	2.1%	3.6%							

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	74	10.0	6.2	1.61	5.2	1.92	4.8	2.08	
133 Respiratory failure	92	5.5	4.9	1.12	4.9	1.12	4.5	1.22	
137 Respiratory Infections and Inflammations	49	6.2	6.1	1.02	5.7	1.09	5.2	1.19	
139 Pneumonia	34	4.0	4.5	0.89	4.5	0.89	4.2	0.95	
174 Percutaneous coronary intervention w AMI	27	5.5	3.8	1.45	3.0	1.83	2.9	1.90	
175 Percutaneous coronary intervention w/o AMI	6	8.5	3.2	2.66	2.7	3.15	2.8	3.04	
194 Heart Failure	307	5.6	5.6	1.00	5.3	1.06	4.9	1.14	
201 Heart Abnormal Rhythm and Conduction Disorders	40	3.4	3.2	1.06	3.0	1.13	2.9	1.17	
463 Kidney/Urinary Tract Infection	39	3.4	4.1	0.83	4.0	0.85	3.9	0.87	
469 Acute kidney injury	94	8.4	6.5	1.29	5.7	1.47	5.1	1.65	
540 Cesarean Delivery	432	4.4	3.7	1.19	3.7	1.19	3.4	1.29	
560 Vaginal Delivery	1,441	2.5	2.2	1.14	2.2	1.14	2.1	1.19	
640 Normal Newborn, Birthweight 2500g+	1,685	2.1	2.0	1.05	2.0	1.05	1.9	1.11	
720 Blood Infection/Septicemia	362	7.6	7.2	1.06	6.6	1.15	5.9	1.29	
751 Psychoses	17	3.2	5.1	0.63	5.1	0.63	5.2	0.62	

•	_	• • •	•	•	-	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$86,414	\$89,218	\$64,144	1.39	\$52,261	1.71	\$48,817	1.83
133 Respiratory failure	\$63,107	\$56,906	\$46,194	1.23	\$43,773	1.30	\$40,230	1.41
137 Respiratory Infections and Inflammations	\$66,673	\$63,235	\$55,648	1.14	\$48,694	1.30	\$42,641	1.48
139 Pneumonia	\$46,718	\$47,228	\$42,480	1.11	\$37,991	1.24	\$33,326	1.42
174 Percutaneous coronary intervention w AMI	\$167,043	\$155,752	\$120,280	1.29	\$88,693	1.76	\$88,028	1.77
175 Percutaneous coronary intervention w/o AMI	\$252,658	\$206,398	\$137,861	1.50	\$106,262	1.94	\$104,016	1.98
194 Heart Failure	\$52,031	\$53,197	\$47,909	1.11	\$41,878	1.27	\$37,402	1.42
201 Heart Abnormal Rhythm and Conduction Disorders	\$41,136	\$35,366	\$31,682	1.12	\$27,906	1.27	\$26,261	1.35
463 Kidney/Urinary Tract Infection	\$38,881	\$38,802	\$36,892	1.05	\$31,651	1.23	\$28,895	1.34
469 Acute kidney injury	\$64,077	\$62,722	\$51,546	1.22	\$42,194	1.49	\$38,198	1.64
540 Cesarean Delivery	\$42,267	\$37,653	\$33,019	1.14	\$30,606	1.23	\$29,333	1.28
560 Vaginal Delivery	\$23,249	\$21,694	\$18,150	1.20	\$16,232	1.34	\$15,112	1.44
640 Normal Newborn, Birthweight 2500g+	\$7,041	\$6,340	\$5,882	1.08	\$5,514	1.15	\$5,404	1.17
720 Blood Infection/Septicemia	\$74,665	\$78,673	\$73,537	1.07	\$61,811	1.27	\$55,330	1.42
751 Psychoses	\$25,400	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

087 Aurora St Luke's Medical Center 2900 W Oklahoma Avenue

9.6%

85 & Over

9.2%

Milwaukee, WI 53215

414-649-6000 Inpatient Volume Group: 6

Hospital Type: GMS
County: Milwaukee

Analysis Area: 2B-Milwaukee County

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	24,970	Average Length of Stay (days):	7.0	Discharge Status	% Discharges
Total Patient Days:	173,691	Average Charge per Discharge:	\$118,291	Home or Self-Care	55.0%
Total Fation Days.	170,001	Average Onlinge per Disorialige.	Ψ110,201	Other GMS Hospital	1.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	3	Percent of All Childbirths:	100.0%	Skilled Nursing Facility	9.5%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	3.5%
Total Childbirths:	3		0.075	Hospice	2.5%
rotal Crimabilatio.	ū			Other Institution	0.0%
Total Newborns:	1			Home Health Service	22.0%
Dovabletrie Utilization				Left Against Medical Advice	1.8%
Psychiatric Utilization				Expired	2.6%
Discharges:	117	Percent of All Discharges:	0.5%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	592	Percent of All Patient Days:	0.3%	Other	0.7%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	179	Percent of All Discharges:	0.7%	Medicare	63.3%
Patient Days:	714	Percent of All Patient Days:	0.4%	Medicaid/BadgerCare	14.0%
				Other Government	1.9%
				Commercial or Private Insurance	18.2%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	51.9%	53.7%	Amer.Ind/Alaskan Native	e 0.5%	0.4%		
Under 15	0.0%	0.0%	Female	48.1%	46.3%	Asian	2.0%	2.0%		
15 - 19	0.2%	0.1%				Black/African Amer.	14.3%	15.0%		
20 - 24	0.8%	0.6%				Native Hawaii/Pac.Isl.	0.3%	0.4%		
25 - 34	3.3%	2.6%				White	81.8%	81.0%		
35 - 44	6.5%	6.3%				Multiracial	0.5%	0.6%		
45 - 54	11.2%	10.4%				Declined	0.5%	0.5%		
55 - 64	21.9%	22.2%				Unavailable	0.1%	0 %		
65 - 74	26.9%	28.3%								
75 - 84	19.7%	20.3%								

	This Facil	ity	Group Averages					
			<u>Analysis Area</u>		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	432	7.7	6.2	1.24	5.2	1.48	4.8	1.60
133 Respiratory failure	265	6.1	4.9	1.24	4.9	1.24	4.5	1.36
137 Respiratory Infections and Inflammations	302	6.3	6.1	1.03	5.7	1.11	5.2	1.21
139 Pneumonia	207	4.5	4.5	1.00	4.5	1.00	4.2	1.07
174 Percutaneous coronary intervention w AMI	450	4.3	3.8	1.13	3.0	1.43	2.9	1.48
175 Percutaneous coronary intervention w/o AMI	640	3.3	3.2	1.03	2.7	1.22	2.8	1.18
194 Heart Failure	1,350	6.1	5.6	1.09	5.3	1.15	4.9	1.24
201 Heart Abnormal Rhythm and Conduction Disorders	574	2.8	3.2	0.88	3.0	0.93	2.9	0.97
463 Kidney/Urinary Tract Infection	278	4.1	4.1	1.00	4.0	1.03	3.9	1.05
469 Acute kidney injury	351	7.1	6.5	1.09	5.7	1.25	5.1	1.39
540 Cesarean Delivery	0	N/A	3.7	N/A	3.7	N/A	3.4	N/A
560 Vaginal Delivery	*	*	2.2	*	2.2	*	2.1	*
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	2.0	N/A	1.9	N/A
720 Blood Infection/Septicemia	1,454	7.6	7.2	1.06	6.6	1.15	5.9	1.29
751 Psychoses	14	5.2	5.1	1.02	5.1	1.02	5.2	1.00

-	_	• .	•	•	-	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
recerebral Occlusion with Infarct	\$89,321	\$80,884	\$64,144	1.26	\$52,261	1.55	\$48,817	1.66
ailure	\$69,183	\$57,672	\$46,194	1.25	\$43,773	1.32	\$40,230	1.43
nfections and Inflammations	\$72,626	\$68,409	\$55,648	1.23	\$48,694	1.40	\$42,641	1.60
	\$52,798	\$48,255	\$42,480	1.14	\$37,991	1.27	\$33,326	1.45
s coronary intervention w AMI	\$142,086	\$134,711	\$120,280	1.12	\$88,693	1.52	\$88,028	1.53
s coronary intervention w/o AMI	\$151,850	\$152,505	\$137,861	1.11	\$106,262	1.44	\$104,016	1.47
•	\$59,261	\$57,195	\$47,909	1.19	\$41,878	1.37	\$37,402	1.53
mal Rhythm and Conduction Disorders	\$33,904	\$34,594	\$31,682	1.09	\$27,906	1.24	\$26,261	1.32
ry Tract Infection	\$49,867	\$46,855	\$36,892	1.27	\$31,651	1.48	\$28,895	1.62
injury	\$73,706	\$65,593	\$51,546	1.27	\$42,194	1.55	\$38,198	1.72
elivery	N/A	N/A	\$33,019	*	\$30,606	*	\$29,333	*
very	*	*	\$18,150	*	\$16,232	*	\$15,112	*
born, Birthweight 2500g+	N/A	N/A	\$5,882	*	\$5,514	*	\$5,404	*
on/Septicemia	\$92,843	\$87,649	\$73,537	1.19	\$61,811	1.42	\$55,330	1.58
	\$35,338	#	#	#	#	#	#	#
	recerebral Occlusion with Infarct aillure infections and Inflammations is coronary intervention w AMI is coronary intervention w/o AMI inal Rhythm and Conduction Disorders ry Tract Infection injury elivery ery porn, Birthweight 2500g+	Average Charge Description Charge recerebral Occlusion with Infarct \$89,321 aillure \$69,183 infections and Inflammations \$72,626 \$52,798 s coronary intervention w AMI \$142,086 s coronary intervention w/o AMI \$151,850 inal Rhythm and Conduction Disorders \$33,904 ry Tract Infection \$49,867 injury \$73,706 inj	Adjusted Average Charge Charge Charge Charge Charge Charge Charge Charge recerebral Occlusion with Infarct \$89,321 \$80,884 ailure \$69,183 \$57,672 infections and Inflammations \$72,626 \$68,409 \$52,798 \$48,255 in secondary intervention w AMI \$142,086 \$134,711 in secondary intervention w/o AMI \$151,850 \$152,505 in all Rhythm and Conduction Disorders \$33,904 \$34,594 in jury \$73,706 \$65,593 in	Risk Adjusted Average Average Charge	Risk Adjusted Average Average Charge Ratio Received Properties of the properties	Risk Adjusted Average Charge C	Risk Adjusted Average Charge Charge Charge Charge Ratio Description Risk Adjusted Average Charge Charge Charge Charge Ratio Description Risk Adjusted Average Charge Ratio Charge Ratio Risk Adjusted Average Charge Ratio Description Risk Adjusted Average Charge Ratio Description Risk Adjusted Average Charge Ratio Charge Ratio Risk Adjusted Average Charge Ratio Province Ratio Risk Adjusted Average Charge Ratio Province Ratio Risk Adjusted Average Charge Ratio Ratio Risk Adjusted Average Charge Ratio Risk Ratio Risk Ratio Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Ratio Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Risk Ratio Ratio Risk Ratio Risk Ratio Ratio Ratio Risk Ratio R	Risk Adjusted Average Charge Average Charge Ratio Average Charge Ratio Average Charge Ratio Average Charge Charge Ratio Charge Ch

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

075 Children's Wisconsin-Milwaukee Hospital

9000 W Wisconsin Ave

85 & Over

0.0%

0.0%

Milwaukee, WI 53226 Analysis Area: 2B-Milwaukee County

Hospital Type: GMS

County: Milwaukee

414-266-2000 Inpatient Volume Group: 6

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	9,827	Average Length of Stay (days):	7.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	69,415	Average Charge per Discharge:	\$84,583	Home or Self-Care Other GMS Hospital	91.2% 0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	0 0 0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	0.0% 0.0% 0.1% 0.3% 0.4% 4.3% 0.1% 0.9%
Patient Days:	1,487	Percent of All Patient Days:	2.1%	Other	1.8%
AODA Utilization				Expected Pay Source Distrib Primary Payer	oution % Discharges
Discharges:	15	Percent of All Discharges:	0.2%	Medicare	0.1%
Patient Days:	57	Percent of All Patient Days:	0.1%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	54.4% 1.2% 42.8% 1.0% 0.5%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	53.5%	54.8%	Amer.Ind/Alaskan Native	e 0.7%	1.1%	
Under 15	81.7%	85.8%	Female	46.5%	45.2%	Asian	4.1%	4.1%	
15 - 19	16.7%	13.0%				Black/African Amer.	26.6%	25.5%	
20 - 24	1.4%	1.0%				Native Hawaii/Pac.Isl.	0.3%	0.1%	
25 - 34	0.2%	0.2%				White	61.3%	54.9%	
35 - 44	0.1%	0.0%				Multiracial	0.0%	0.0%	
45 - 54	0.0%	0.0%				Declined	2.3%	3.3%	
55 - 64	0.0%	0.0%				Unavailable	4.8%	11.0%	
65 - 74	0.0%	0.0%							
75 - 84	0.0%	0.0%							

	This Facili	ity	Group Averages					
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	*	*	6.2	*	5.2	*	4.8	*
133 Respiratory failure	362	3.5	4.9	0.71	4.9	0.71	4.5	0.78
137 Respiratory Infections and Inflammations	114	3.2	6.1	0.52	5.7	0.56	5.2	0.62
139 Pneumonia	190	3.7	4.5	0.82	4.5	0.82	4.2	0.88
174 Percutaneous coronary intervention w AMI	0	N/A	3.8	N/A	3.0	N/A	2.9	N/A
175 Percutaneous coronary intervention w/o AMI	11	9.4	3.2	2.94	2.7	3.48	2.8	3.36
194 Heart Failure	12	8.7	5.6	1.55	5.3	1.64	4.9	1.78
201 Heart Abnormal Rhythm and Conduction Disorders	28	3.0	3.2	0.94	3.0	1.00	2.9	1.03
463 Kidney/Urinary Tract Infection	82	3.0	4.1	0.73	4.0	0.75	3.9	0.77
469 Acute kidney injury	28	7.1	6.5	1.09	5.7	1.25	5.1	1.39
540 Cesarean Delivery	0	N/A	3.7	N/A	3.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	2.2	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	161	2.2	2.0	1.10	2.0	1.10	1.9	1.16
720 Blood Infection/Septicemia	257	7.6	7.2	1.06	6.6	1.15	5.9	1.29
751 Psychoses	7	6.9	5.1	1.35	J 5.1	1.35	5.2	1.33

•	_	• .	•	•	-	•		
	This Fac	ility			Risk Adjusted	Group Averages		
-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
Stroke and Precerebral Occlusion with Infarct	*	*	\$64,144	*	\$52,261	*	\$48,817	*
Respiratory failure	\$36,696	\$44,666	\$46,194	0.97	\$43,773	1.02	\$40,230	1.11
Respiratory Infections and Inflammations	\$28,606	\$32,186	\$55,648	0.58	\$48,694	0.66	\$42,641	0.75
Pneumonia	\$30,913	\$35,754	\$42,480	0.84	\$37,991	0.94	\$33,326	1.07
Percutaneous coronary intervention w AMI	N/A	N/A	\$120,280	*	\$88,693	*	\$88,028	*
Percutaneous coronary intervention w/o AMI	\$152,927	\$134,953	\$137,861	0.98	\$106,262	1.27	\$104,016	1.30
Heart Failure	\$83,847	\$72,782	\$47,909	1.52	\$41,878	1.74	\$37,402	1.95
Heart Abnormal Rhythm and Conduction Disorders	\$29,506	\$28,872	\$31,682	0.91	\$27,906	1.03	\$26,261	1.10
Kidney/Urinary Tract Infection	\$23,514	\$27,526	\$36,892	0.75	\$31,651	0.87	\$28,895	0.95
Acute kidney injury	\$79,509	\$75,235	\$51,546	1.46	\$42,194	1.78	\$38,198	1.97
Cesarean Delivery	N/A	N/A	\$33,019	*	\$30,606	*	\$29,333	*
Vaginal Delivery	N/A	N/A	\$18,150	*	\$16,232	*	\$15,112	*
Normal Newborn, Birthweight 2500g+	\$17,656	\$13,759	\$5,882	2.34	\$5,514	2.50	\$5,404	2.55
Blood Infection/Septicemia	\$96,035	\$93,990	\$73,537	1.28	\$61,811	1.52	\$55,330	1.70
Psychoses	\$48,128	#	#	#	#	#	#	#
	Respiratory failure Respiratory Infections and Inflammations Pneumonia Percutaneous coronary intervention w AMI Percutaneous coronary intervention w/o AMI Heart Failure Heart Abnormal Rhythm and Conduction Disorders Kidney/Urinary Tract Infection Acute kidney injury Cesarean Delivery Vaginal Delivery Normal Newborn, Birthweight 2500g+	Average -DRG # and Description Stroke and Precerebral Occlusion with Infarct Respiratory failure Respiratory Infections and Inflammations Pneumonia Percutaneous coronary intervention w AMI Percutaneous coronary intervention w/o AMI S152,927 Heart Failure \$83,847 Heart Abnormal Rhythm and Conduction Disorders \$29,506 Kidney/Urinary Tract Infection Acute kidney injury Cesarean Delivery N/A Vaginal Delivery N/A Normal Newborn, Birthweight 2500g+ Blood Infection/Septicemia \$96,035	Adjusted Average Charge Charge Stroke and Precerebral Occlusion with Infarct Respiratory failure \$36,696 \$44,666 Respiratory Infections and Inflammations \$28,606 \$32,186 Pneumonia \$30,913 \$35,754 Percutaneous coronary intervention w AMI N/A N/A Percutaneous coronary intervention w/o AMI \$152,927 \$134,953 Heart Failure \$83,847 \$72,782 Heart Abnormal Rhythm and Conduction Disorders \$29,506 \$28,872 Kidney/Urinary Tract Infection \$23,514 \$27,526 Acute kidney injury \$79,509 \$75,235 Cesarean Delivery N/A N/A Vaginal Delivery N/A N/A Normal Newborn, Birthweight 2500g+ \$17,656 \$13,759 Blood Infection/Septicemia \$96,035 \$93,990	Risk Adjusted Average Average Charge Average Charge Average Charge Average Charge	Risk Adjusted Average Average Charge Charg	Risk Adjusted Average Average Charge Charg	Risk Adjusted Average Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ch	Risk Adjusted Average

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

079 Froedtert Hospital

9200 W Wisconsin Ave, PO Box 26099

Milwaukee, WI 53226

414-805-3000

85 & Over

5.8%

5.8%

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

	Patient Discharge Statu	<u>IS</u>
5.5	<u>Discharge Status</u>	% Discharges
\$82.470	Home or Self-Care	67.7%
ψ02, 4 70	Other GMS Hospital	0.3%
	Critical Access Hospital (CAH)	0.0%
68 4%	Skilled Nursing Facility	8.3%
	•	0.9%
	Inpatient Rehabilitation Facility	2.2%
0.070	Hospice	2.1%
	Other Institution	1.3%
	Home Health Service	11.9%
	Left Against Medical Advice	1.5%
	Expired	2.4%
0.4%	Discharge/Tran to Court/Law Enforcmnt	0.4%
0.7%	Other	0.9%
	Expected Pay Source Distril	<u>oution</u>
	Primary Payer	% Discharges
1.1%	Medicare	44.7%
0.7%	Medicaid/BadgerCare	20.6%
	Other Government	1.4%
	Commercial or Private Insurance	30.1%
	Self-Pay	3.2%
	Other or Unknown Insurance	0.0%
	\$82,470 68.4% 26.0% 5.6% 0.4% 0.7%	5.5 Discharge Status Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt O.7% Other Expected Pay Source Distril Primary Payer 1.1% Medicare Other Government Commercial or Private Insurance Self-Pay

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	9.4%	3.0%	Male	45.5%	49.9%	Amer.Ind/Alaskan Native	e 0.5%	0.6%		
Under 15	0.2%	0.1%	Female	54.5%	50.1%	Asian	1.9%	1.7%		
15 - 19	1.0%	1.0%				Black/African Amer.	25.3%	26.9%		
20 - 24	3.5%	2.7%				Native Hawaii/Pac.Isl.	0.0%	0.1%		
25 - 34	12.0%	8.5%				White	60.2%	62.7%		
35 - 44	10.6%	9.3%				Multiracial	0.0%	0.0%		
45 - 54	9.9%	11.2%				Declined	5.7%	5.9%		
55 - 64	16.4%	20.4%				Unavailable	6.4%	2.1%		
65 - 74	19.4%	23.9%								
75 - 84	11.8%	14.1%								

	This Facili	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	530	5.6	6.2	0.90	5.2	1.08	4.8	1.17	
133 Respiratory failure	468	5.4	4.9	1.10	4.9	1.10	4.5	1.20	
137 Respiratory Infections and Inflammations	537	6.4	6.1	1.05	5.7	1.12	5.2	1.23	
139 Pneumonia	416	4.7	4.5	1.04	4.5	1.04	4.2	1.12	
174 Percutaneous coronary intervention w AMI	196	3.6	3.8	0.95	3.0	1.20	2.9	1.24	
175 Percutaneous coronary intervention w/o AMI	250	2.5	3.2	0.78	2.7	0.93	2.8	0.89	
194 Heart Failure	1,089	5.4	5.6	0.96	5.3	1.02	4.9	1.10	
201 Heart Abnormal Rhythm and Conduction Disorders	410	3.2	3.2	1.00	3.0	1.07	2.9	1.10	
463 Kidney/Urinary Tract Infection	372	4.3	4.1	1.05	4.0	1.08	3.9	1.10	
469 Acute kidney injury	435	6.6	6.5	1.02	5.7	1.16	5.1	1.29	
540 Cesarean Delivery	916	3.7	3.7	1.00	3.7	1.00	3.4	1.09	
560 Vaginal Delivery	2,412	2.1	2.2	0.95	2.2	0.95	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	2,984	1.8	2.0	0.90	2.0	0.90	1.9	0.95	
720 Blood Infection/Septicemia	1,577	7.6	7.2	1.06	6.6	1.15	5.9	1.29	
751 Psychoses	26	12.2	5.1	2.39	5.1	2.39	5.2	2.35	

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$60,802	\$53,850	\$64,144	0.84	\$52,261	1.03	\$48,817	1.10
133	Respiratory failure	\$53,056	\$44,050	\$46,194	0.95	\$43,773	1.01	\$40,230	1.09
137	Respiratory Infections and Inflammations	\$61,171	\$57,223	\$55,648	1.03	\$48,694	1.18	\$42,641	1.34
139	Pneumonia	\$49,379	\$44,839	\$42,480	1.06	\$37,991	1.18	\$33,326	1.35
174	Percutaneous coronary intervention w AMI	\$115,483	\$109,360	\$120,280	0.91	\$88,693	1.23	\$88,028	1.24
175	Percutaneous coronary intervention w/o AMI	\$123,904	\$123,221	\$137,861	0.89	\$106,262	1.16	\$104,016	1.18
194	Heart Failure	\$43,947	\$42,350	\$47,909	0.88	\$41,878	1.01	\$37,402	1.13
201	Heart Abnormal Rhythm and Conduction Disorders	\$30,540	\$28,977	\$31,682	0.91	\$27,906	1.04	\$26,261	1.10
463	Kidney/Urinary Tract Infection	\$36,486	\$33,326	\$36,892	0.90	\$31,651	1.05	\$28,895	1.15
469	Acute kidney injury	\$53,568	\$47,446	\$51,546	0.92	\$42,194	1.12	\$38,198	1.24
540	Cesarean Delivery	\$36,781	\$36,283	\$33,019	1.10	\$30,606	1.19	\$29,333	1.24
560	Vaginal Delivery	\$19,830	\$19,555	\$18,150	1.08	\$16,232	1.20	\$15,112	1.29
640	Normal Newborn, Birthweight 2500g+	\$4,078	\$3,995	\$5,882	0.68	\$5,514	0.72	\$5,404	0.74
720	Blood Infection/Septicemia	\$84,134	\$71,965	\$73,537	0.98	\$61,811	1.16	\$55,330	1.30
751	Psychoses	\$42,333	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

323 Marshfield Medical Center - Minocqua

9576 Highway 70

Minocqua, WI 54548

Hospital Type: GMS County: Oneida

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,183	Average Length of Stay (days):	3.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,923	Average Charge per Discharge:	\$19,078	Home or Self-Care	78.9%
Total Lation Bays.	0,020	Average charge per bisonarge.	Ψ13,070	Other GMS Hospital	3.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	148	Percent of All Childbirths:	71.2%	Skilled Nursing Facility	4.8%
Cesarean Childbirths:	53	Percent of All Childbirths:	25.5%	Intermediate Care Facility	1.1%
Other Childbirths:	7	Percent of All Childbirths:	3.4%	Inpatient Rehabilitation Facility	1.2%
Total Childbirths:	208			Hospice	2.5%
Takal Niasaka susas	044			Other Institution	0.0%
Total Newborns:	211			Home Health Service	5.7%
Psychiatric Utilization				Left Against Medical Advice Expired	0.3% 1.1%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1	Percent of All Patient Days:	0.1%	Other	0.6%
i alient Days.	!	reitent of Air atient Days.	0.076		
AODA Utilization				Expected Pay Source Distril	
				<u>Primary Payer</u>	% Discharges
Discharges:	15	Percent of All Discharges:	1.3%	Medicare	43.8%
Patient Days:	48	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	22.0%
				Other Government	4.3%
				Commercial or Private Insurance	27.9%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	17.8%	9.2%	Male	43.8%	47.0%	Amer.Ind/Alaskan Native	9.0%	7.6%	
Under 15	0.9%	0.4%	Female	56.2%	53.0%	Asian	0.8%	0.5%	
15 - 19	0.5%	0.6%				Black/African Amer.	0.7%	0.3%	
20 - 24	2.8%	1.8%				Native Hawaii/Pac.Isl.	1.3%	0.8%	
25 - 34	15.4%	9.9%				White	86.6%	89.1%	
35 - 44	5.5%	4.2%				Multiracial	0.0%	0.0%	
45 - 54	4.3%	4.7%				Declined	0.9%	0.7%	
55 - 64	7.9%	8.8%				Unavailable	0.8%	1.0%	
65 - 74	14.9%	18.3%							
75 - 84	18.4%	26.1%							
85 & Over	11.5%	15.9%							

		This Facil	ity	Group Averages						
				Analysis Area		Inpatient V	olume Group	All GMS H	ospitals	
APR	-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133	Respiratory failure	20	3.3	4.4	0.75	3.4	0.97	4.5	0.73	
137	Respiratory Infections and Inflammations	30	4.8	4.9	0.98	3.8	1.26	5.2	0.92	
139	Pneumonia	18	4.7	4.2	1.12	3.6	1.31	4.2	1.12	
140	Chronic Obstructive Pulmonary Disease	5	5.0	3.5	1.43	3.1	1.61	3.4	1.47	
194	Heart Failure	67	3.9	4.8	0.81	3.8	1.03	4.9	0.80	
201	Heart Abnormal Rhythm and Conduction Disorders	16	1.4	2.8	0.50	2.3	0.61	2.9	0.48	
326	Elective knee joint replacement	0	N/A	2.0	N/A	1.4	N/A	1.9	N/A	
383	Cellulitis & other skin infections	11	3.0	4.0	0.75	3.7	0.81	4.3	0.70	
463	Kidney/Urinary Tract Infection	17	3.1	4.7	0.66	3.4	0.91	3.9	0.79	
469	Acute kidney injury	26	4.7	4.8	0.98	3.4	1.38	5.1	0.92	
540	Cesarean Delivery	53	2.7	3.6	0.75	2.8	0.96	3.4	0.79	
560	Vaginal Delivery	148	1.9	2.0	0.95	1.9	1.00	2.1	0.90	
640	Normal Newborn, Birthweight 2500g+	190	1.7	2.0	0.85	1.8	0.94	1.9	0.89	
720	Blood Infection/Septicemia	109	5.1	6.2	0.82	4.3	1.19	5.9	0.86	
775	Alcohol Abuse/Dependence	14	3.2	4.3	0.74	J 3.6	0.89	3.9	0.82	

•	•	• • •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$17,452	\$20,545	\$36,797	0.56	\$28,186	0.73	\$40,230	0.51
137 Respiratory Infections and Inflammations	\$26,684	\$27,004	\$33,124	0.82	\$27,697	0.97	\$42,641	0.63
139 Pneumonia	\$24,254	\$22,914	\$27,942	0.82	\$24,745	0.93	\$33,326	0.69
140 Chronic Obstructive Pulmonary Disease	\$25,718	\$28,854	\$26,064	1.11	\$21,626	1.33	\$30,692	0.94
194 Heart Failure	\$18,134	\$18,527	\$31,718	0.58	\$25,105	0.74	\$37,402	0.50
201 Heart Abnormal Rhythm and Conduction Disorders	\$9,740	\$12,136	\$22,917	0.53	\$18,832	0.64	\$26,261	0.46
326 Elective knee joint replacement	N/A	N/A	\$50,208	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$14,222	\$15,065	\$24,844	0.61	\$21,471	0.70	\$28,319	0.53
463 Kidney/Urinary Tract Infection	\$16,964	\$18,595	\$26,040	0.71	\$19,405	0.96	\$28,895	0.64
469 Acute kidney injury	\$20,853	\$24,139	\$33,126	0.73	\$23,727	1.02	\$38,198	0.63
540 Cesarean Delivery	\$18,160	\$18,959	\$25,753	0.74	\$24,636	0.77	\$29,333	0.65
560 Vaginal Delivery	\$9,850	\$10,048	\$11,317	0.89	\$11,580	0.87	\$15,112	0.66
640 Normal Newborn, Birthweight 2500g+	\$4,466	\$4,466	\$6,943	0.64	\$4,369	1.02	\$5,404	0.83
720 Blood Infection/Septicemia	\$31,093	\$33,776	\$46,585	0.73	\$35,041	0.96	\$55,330	0.61
775 Alcohol Abuse/Dependence	\$16,249	#	#	#	#	#	#	#

N/A - Zero Discharges reported

eported ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

091 SSM Health Monroe Hospital

515 22nd Ave

Monroe, WI 53566

608-324-1000

Hospital Type: GMS County: Green

Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>.s</u>
Total Discharges:	3,188	Average Length of Stay (days):	3.5	Discharge Status	% Discharges
Total Patient Days:	11,054	Average Charge per Discharge:	\$35,200	Home or Self-Care	75.2%
Total Faticiti Days.	11,004	Average onlinge per bischarge.	Ψ30,200	Other GMS Hospital	3.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	275	Percent of All Childbirths:	64.3%	Skilled Nursing Facility	9.8%
Cesarean Childbirths:	134	Percent of All Childbirths:	31.3%	Intermediate Care Facility	0.7%
Other Childbirths:	19	Percent of All Childbirths:	4.4%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	428		1.170	Hospice	2.8%
Total Officialitis.	720			Other Institution	0.2%
Total Newborns:	462			Home Health Service	3.8%
Davabiatula Utilization				Left Against Medical Advice	1.2%
Psychiatric Utilization				Expired	1.9%
Discharges:	3	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	13	Percent of All Patient Days:	0.1%	Other	0.8%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	36	Percent of All Discharges:	1.1%	Medicare	50.8%
Patient Days:	90	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	16.2%
				Other Government	1.4%
				Commercial or Private Insurance	28.8%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	14.5%	6.7%	Male	42.9%	46.7%	Amer.Ind/Alaskan Native	e 0.1%	0.1%		
Under 15	0.5%	0.3%	Female	57.1%	53.3%	Asian	0.2%	0.2%		
15 - 19	0.7%	0.5%				Black/African Amer.	1.8%	1.5%		
20 - 24	3.0%	2.0%				Native Hawaii/Pac.Isl.	0.1%	0.0%		
25 - 34	11.3%	7.5%				White	90.8%	94.2%		
35 - 44	5.8%	4.6%				Multiracial	0.1%	0.1%		
45 - 54	6.0%	6.0%				Declined	1.0%	0.7%		
55 - 64	10.7%	12.8%				Unavailable	5.9%	3.3%		
65 - 74	17.3%	19.6%								
75 - 84	17.4%	23.1%								
85 & Over	12.8%	17.0%								

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	50	3.6	4.8	0.75	3.9	0.92	4.8	0.75	
133 Respiratory failure	51	4.1	4.2	0.98	3.8	1.08	4.5	0.91	
137 Respiratory Infections and Inflammations	100	4.3	5.3	0.81	4.9	0.88	5.2	0.83	
139 Pneumonia	76	4.3	4.0	1.08	4.0	1.08	4.2	1.02	
194 Heart Failure	142	4.3	5.0	0.86	4.2	1.02	4.9	0.88	
201 Heart Abnormal Rhythm and Conduction Disorders	46	2.2	3.0	0.73	2.8	0.79	2.9	0.76	
247 Intestinal Obstruction without Surgery	64	3.5	3.6	0.97	3.0	1.17	3.5	1.00	
383 Cellulitis & other skin infections	74	3.9	4.5	0.87	4.4	0.89	4.3	0.91	
463 Kidney/Urinary Tract Infection	59	2.6	3.9	0.67	3.9	0.67	3.9	0.67	
469 Acute kidney injury	46	3.8	5.0	0.76	4.4	0.86	5.1	0.75	
540 Cesarean Delivery	134	2.8	3.7	0.76	2.7	1.04	3.4	0.82	
560 Vaginal Delivery	275	1.8	2.1	0.86	1.9	0.95	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	429	1.6	2.0	0.80	1.7	0.94	1.9	0.84	
720 Blood Infection/Septicemia	291	4.9	6.2	0.79	4.9	1.00	5.9	0.83	
775 Alcohol Abuse/Dependence	26	2.8	3.9	0.72	3.6	0.78	3.9	0.72	

•	_	• .	•	•	-	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$39,962	\$40,004	\$58,073	0.69	\$40,171	1.00	\$48,817	0.82
133 Respiratory failure	\$48,736	\$53,167	\$48,230	1.10	\$36,698	1.45	\$40,230	1.32
137 Respiratory Infections and Inflammations	\$41,987	\$41,658	\$50,848	0.82	\$36,939	1.13	\$42,641	0.98
139 Pneumonia	\$43,728	\$43,000	\$38,234	1.12	\$30,699	1.40	\$33,326	1.29
194 Heart Failure	\$36,693	\$37,074	\$43,714	0.85	\$31,713	1.17	\$37,402	0.99
201 Heart Abnormal Rhythm and Conduction Disorders	\$27,141	\$26,592	\$31,461	0.85	\$24,868	1.07	\$26,261	1.01
247 Intestinal Obstruction without Surgery	\$29,102	\$34,289	\$30,614	1.12	\$23,106	1.48	\$25,745	1.33
383 Cellulitis & other skin infections	\$29,789	\$31,828	\$32,909	0.97	\$26,486	1.20	\$28,319	1.12
463 Kidney/Urinary Tract Infection	\$31,373	\$34,061	\$32,986	1.03	\$26,652	1.28	\$28,895	1.18
469 Acute kidney injury	\$32,309	\$37,622	\$45,552	0.83	\$33,034	1.14	\$38,198	0.98
540 Cesarean Delivery	\$36,379	\$39,893	\$34,658	1.15	\$26,530	1.50	\$29,333	1.36
560 Vaginal Delivery	\$15,629	\$16,701	\$16,752	1.00	\$12,146	1.38	\$15,112	1.11
640 Normal Newborn, Birthweight 2500g+	\$3,314	\$3,511	\$5,371	0.65	\$4,923	0.71	\$5,404	0.65
720 Blood Infection/Septicemia	\$52,757	\$56,140	\$69,381	0.81	\$44,231	1.27	\$55,330	1.01
775 Alcohol Abuse/Dependence	\$28,024	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

331 Aurora Medical Center - Mount Pleasant

13250 Washington Avenue

Mount Pleasant, WI 53177

Hospital Type: GMS
County: Racine

Analysis Area: 2A-Southeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	2,462	Average Length of Stay (days):	4.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	10,627	Average Charge per Discharge:	\$52,574	Home or Self-Care	43.6%
Total Fatient Days.	10,021	Average Charge per Discharge.	Ψ32,374	Other GMS Hospital	5.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1	Percent of All Childbirths:	100.0%	Skilled Nursing Facility	12.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.6%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.6%
Total Childbirths:	1			Hospice	3.8%
T (IN)	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	23.5%
Psychiatric Utilization				Left Against Medical Advice	2.0%
	0	Develope of All Disabelence	0.00/	Expired Discharge/Tran to Court/Law Enforcement	1.9%
Discharges:	6	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	2.2%
Patient Days:	16	Percent of All Patient Days:	0.2%	Other	1.4%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	44	Percent of All Discharges:	1.8%	Medicare	65.6%
Patient Days:	118	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	9.6%
				Other Government	5.0%
				Commercial or Private Insurance	17.3%
				Self-Pay	2.2%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	48.3%	48.6%	Amer.Ind/Alaskan Native	e 0.3%	0.4%		
Under 15	0.0%	0.0%	Female	51.7%	51.4%	Asian	0.9%	1.1%		
15 - 19	0.5%	0.2%				Black/African Amer.	13.6%	13.5%		
20 - 24	1.5%	1.1%				Native Hawaii/Pac.Isl.	0.2%	0.4%		
25 - 34	5.0%	4.3%				White	83.5%	82.8%		
35 - 44	7.1%	6.5%				Multiracial	0.4%	0.5%		
45 - 54	9.6%	8.1%				Declined	0.8%	1.1%		
55 - 64	17.2%	19.1%				Unavailable	0.2%	0.2%		
65 - 74	24.1%	23.6%								
75 - 84	21.6%	22.6%								
85 & Over	13.5%	14.5%								

	This Facil	ity			Group /	Averages		
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	41	4.1	4.2	0.98	4.3	0.95	4.8	0.85
133 Respiratory failure	56	3.9	4.5	0.87	4.2	0.93	4.5	0.87
137 Respiratory Infections and Inflammations	64	4.5	5.0	0.90	5.3	0.85	5.2	0.87
139 Pneumonia	70	4.0	4.4	0.91	4.3	0.93	4.2	0.95
174 Percutaneous coronary intervention w AMI	8	2.8	2.7	1.04	2.7	1.04	2.9	0.97
194 Heart Failure	138	4.5	4.8	0.94	4.8	0.94	4.9	0.92
201 Heart Abnormal Rhythm and Conduction Disorders	48	3.7	2.8	1.32	2.9	1.28	2.9	1.28
463 Kidney/Urinary Tract Infection	44	3.1	3.7	0.84	4.0	0.78	3.9	0.79
469 Acute kidney injury	64	5.3	5.2	1.02	5.0	1.06	5.1	1.04
540 Cesarean Delivery	0	N/A	3.1	N/A	2.9	N/A	3.4	N/A
560 Vaginal Delivery	*	*	2.0	*	1.9	*	2.1	*
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.9	N/A	1.9	N/A
720 Blood Infection/Septicemia	403	5.3	5.5	0.96	5.7	0.93	5.9	0.90
751 Psychoses	*	*	5.1	*	4.9	*	5.2	*
775 Alcohol Abuse/Dependence	34	2.9	4.1	0.71	3.9	0.74	3.9	0.74

	<u> </u>								
		This Fac	-			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$51,903	\$52,419	\$48,841	1.07	\$47,748	1.10	\$48,817	1.07
133	Respiratory failure	\$37,831	\$38,254	\$40,487	0.94	\$37,099	1.03	\$40,230	0.95
137	Respiratory Infections and Inflammations	\$45,447	\$46,425	\$43,191	1.07	\$41,393	1.12	\$42,641	1.09
139	Pneumonia	\$39,484	\$35,836	\$37,172	0.96	\$34,303	1.04	\$33,326	1.08
174	Percutaneous coronary intervention w AMI	\$72,308	\$80,644	\$88,471	0.91	\$85,768	0.94	\$88,028	0.92
194	Heart Failure	\$39,217	\$36,511	\$37,913	0.96	\$35,400	1.03	\$37,402	0.98
201	Heart Abnormal Rhythm and Conduction Disorders	\$34,791	\$27,523	\$28,341	0.97	\$25,284	1.09	\$26,261	1.05
463	Kidney/Urinary Tract Infection	\$33,234	\$31,111	\$29,800	1.04	\$30,786	1.01	\$28,895	1.08
469	Acute kidney injury	\$46,016	\$41,629	\$39,143	1.06	\$36,604	1.14	\$38,198	1.09
540	Cesarean Delivery	N/A	N/A	\$31,537	*	\$27,373	*	\$29,333	*
560	Vaginal Delivery	*	*	\$17,466	*	\$14,481	*	\$15,112	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,387	*	\$5,825	*	\$5,404	*
720	Blood Infection/Septicemia	\$53,590	\$54,149	\$53,476	1.01	\$52,329	1.03	\$55,330	0.98
751	Psychoses	*	#	#	*	#	*	#	*
775	Alcohol Abuse/Dependence	\$27,690	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

334 ProHealth Care Waukesha Memorial Hospital - Mukwonago

240 Maple Avenue

Mukwonago, WI 53149

262-363-1901

85 & Over

19.1%

20.1%

Hospital Type: GMS

Inpatient Volume Group: 2

County: Waukesha

Analysis Area: 2A-Southeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	487	Average Length of Stay (days):	2.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,269	Average Charge per Discharge:	\$29,153	Home or Self-Care Other GMS Hospital	70.6% 0.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	7.0% 0.8%
Cesarean Childbirths: Other Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	3.1%
Total Childbirths:	0	r crount of All Offiniabilities.	0.076	Hospice Other Institution	1.8% 0.0%
Total Newborns:	0			Home Health Service	14.6%
Psychiatric Utilization				Left Against Medical Advice Expired	1.0% 0.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.4%
				Expected Pay Source Distrik	oution
AODA Utilization				Primary Payer	% Discharges

AODA Otilization				Primary Payer	<u>% Discharges</u>
Discharges:	10	Percent of All Discharges:	2.1%	Medicare	70.6%
Patient Days:	17	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	4.7%
				Other Government	0.8%
				Commercial or Private Insurance	22.4%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	45.0%	50.6%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	55.0%	49.4%	Asian	0.2%	0.1%
15 - 19	0.2%	0.2%				Black/African Amer.	0.2%	0.6%
20 - 24	0.6%	0.4%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	2.9%	2.4%				White	97.1%	97.2%
35 - 44	4.3%	3.6%				Multiracial	0.0%	0.0%
45 - 54	9.4%	6.2%				Declined	0.4%	0.2%
55 - 64	13.1%	10.6%				Unavailable	1.8%	1.7%
65 - 74	25.1%	20.7%						
75 - 84	25.3%	35.8%						

	This Facil	ity			Group A	Averages		
			Analysis Area		Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	4.5	N/A	3.5	N/A	4.5	N/A
137 Respiratory Infections and Inflammations	20	2.5	5.0	0.50	4.0	0.63	5.2	0.48
139 Pneumonia	31	2.3	4.4	0.52	3.8	0.61	4.2	0.55
140 Chronic Obstructive Pulmonary Disease	24	2.3	3.3	0.70	3.1	0.74	3.4	0.68
194 Heart Failure	45	3.7	4.8	0.77	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.5	*	2.9	*
247 Intestinal Obstruction without Surgery	16	2.1	4.0	0.53	3.0	0.70	3.5	0.60
383 Cellulitis & other skin infections	22	2.3	4.1	0.56	4.4	0.52	4.3	0.53
463 Kidney/Urinary Tract Infection	26	2.3	3.7	0.62	3.7	0.62	3.9	0.59
469 Acute kidney injury	13	3.0	5.2	0.58	3.1	0.97	5.1	0.59
540 Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	58	2.6	5.5	0.47	3.8	0.68	5.9	0.44
861 Signs & Symptoms	8	1.8	3.9	0.46	5.5	0.33	5.6	0.32

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	N/A	N/A	\$40,487	*	\$24,966	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$25,119	\$32,588	\$43,191	0.75	\$23,829	1.37	\$42,641	0.76
139 Pneumonia	\$23,476	\$29,841	\$37,172	0.80	\$21,847	1.37	\$33,326	0.90
140 Chronic Obstructive Pulmonary Disease	\$26,134	\$29,759	\$30,371	0.98	\$18,738	1.59	\$30,692	0.97
194 Heart Failure	\$27,875	\$33,143	\$37,913	0.87	\$21,808	1.52	\$37,402	0.89
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$28,341	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	\$23,363	\$24,903	\$29,283	0.85	\$15,683	1.59	\$25,745	0.97
383 Cellulitis & other skin infections	\$19,648	\$23,027	\$29,097	0.79	\$19,917	1.16	\$28,319	0.81
463 Kidney/Urinary Tract Infection	\$24,585	\$26,772	\$29,800	0.90	\$17,130	1.56	\$28,895	0.93
469 Acute kidney injury	\$25,954	\$34,040	\$39,143	0.87	\$19,497	1.75	\$38,198	0.89
540 Cesarean Delivery	N/A	N/A	\$31,537	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$17,466	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,387	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$26,062	\$41,462	\$53,476	0.78	\$27,838	1.49	\$55,330	0.75
861 Signs & Symptoms	\$25,886	\$24,691	\$32,807	0.75	\$17,922	1.38	\$35,921	0.69

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

194 Children's Wisconsin-Fox Valley Hospital

130 Second Street, PO Box 476

Neenah, WI 54956

920-969-7900

85 & Over

0.0%

0.0%

Hospital Type: GMS

Inpatient Volume Group: 3

County: Winnebago

Analysis Area: 3-Lake Winnebago

Patient	Dischard	e Status

			Patient Discharge Statu	IS
591	Average Length of Stay (days):	8.7	Discharge Status	<u>% Discharges</u>
5 158	Average Charge per Discharge:	\$43 894	Home or Self-Care	85.3%
0,100	, wordge enarge per Bischarge.	Ψ10,001	•	10.7%
			. , ,	0.2%
0	Percent of All Childbirths:	0.0%	<u> </u>	0.3%
0	Percent of All Childbirths:			0.0%
0	Percent of All Childbirths:			0.0%
			•	0.0%
·				1.0%
1				0.3%
			_	0.0%
			•	0.2%
0	Percent of All Discharges:	0.0%	-	0.0%
0	Percent of All Patient Days:	0.0%	Other	2.0%
			Expected Pay Source Distrik	<u>oution</u>
			Primary Payer	% Discharges
0	Percent of All Discharges:	0.0%	Medicare	0.0%
0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	37.2%
			Other Government	0.7%
			Commercial or Private Insurance	60.4%
			Self-Pay	1.7%
			Other or Unknown Insurance	0.0%
	5,158 0 0 0 0 1	5,158 Average Charge per Discharge: O Percent of All Childbirths: O Percent of All Childbirths: O Percent of All Childbirths: O Percent of All Discharges: O Percent of All Discharges: O Percent of All Discharges:	5,158 Average Charge per Discharge: \$43,894 O Percent of All Childbirths: 0.0% O Percent of All Childbirths: 0.0% O Percent of All Childbirths: 0.0% O Percent of All Discharges: 0.0% O Percent of All Discharges: 0.0% O Percent of All Discharges: 0.0% O Percent of All Discharges: 0.0%	591 Average Length of Stay (days): 5,158 Average Charge per Discharge: \$43,894 Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH) O Percent of All Childbirths: O Percent of All Discharges: O Percent of All Discharges: O Percent of All Patient Days: O Percent of All Discharges: O Percent of All Patient Days: O Percent of All

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.2%	0.1%	Male	58.5%	58.4%	Amer.Ind/Alaskan Native	0.7%	0.4%
Under 15	97.1%	97.6%	Female	41.5%	41.6%	Asian	4.7%	4.9%
15 - 19	2.7%	2.3%				Black/African Amer.	1.2%	0.5%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.5%	0.5%
25 - 34	0.0%	0.0%				White	71.7%	64.2%
35 - 44	0.0%	0.0%				Multiracial	0.0%	0.0%
45 - 54	0.0%	0.0%				Declined	0.2%	0.0%
55 - 64	0.0%	0.0%				Unavailable	21.0%	29.5%
65 - 74	0.0%	0.0%						
75 - 84	0.0%	0.0%						

	This Facil	This Facility Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	25	2.3	4.1	0.56	3.4	0.68	4.5	0.51
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.8	*	5.2	*
139 Pneumonia	16	2.9	3.9	0.74	3.6	0.81	4.2	0.69
140 Chronic Obstructive Pulmonary Disease	0	N/A	2.9	N/A	3.1	N/A	3.4	N/A
194 Heart Failure	0	N/A	4.0	N/A	3.8	N/A	4.9	N/A
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.5	N/A	2.3	N/A	2.9	N/A
326 Elective knee joint replacement	0	N/A	1.6	N/A	1.4	N/A	1.9	N/A
383 Cellulitis & other skin infections	*	*	4.0	*	3.7	*	4.3	*
463 Kidney/Urinary Tract Infection	7	3.6	3.6	1.00	3.4	1.06	3.9	0.92
469 Acute kidney injury	*	*	4.3	*	3.4	*	5.1	*
540 Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	1.9	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	95	3.5	1.9	1.84	1.8	1.94	1.9	1.84
720 Blood Infection/Septicemia	*	*	5.5	*	4.3	*	5.9	*
775 Alcohol Abuse/Dependence	0	N/A	3.4	N/A	3.6	N/A	3.9	N/A

			-	-	-							
This Facility					Risk Adjusted Group Averages							
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio					
\$10,451	\$15,978	\$29,682	0.54	\$28,186	0.57	\$40,230	0.40					
*	*	\$28,745	*	\$27,697	*	\$42,641	*					
\$9,529	\$13,802	\$24,374	0.57	\$24,745	0.56	\$33,326	0.41					
N/A	N/A	\$21,435	*	\$21,626	*	\$30,692	*					
N/A	N/A	\$23,797	*	\$25,105	*	\$37,402	*					
N/A	N/A	\$18,789	*	\$18,832	*	\$26,261	*					
N/A	N/A	\$44,298	*	\$51,872	*	\$61,836	*					
*	*	\$20,438	*	\$21,471	*	\$28,319	*					
\$11,158	\$12,363	\$21,677	0.57	\$19,405	0.64	\$28,895	0.43					
*	*	\$25,999	*	\$23,727	*	\$38,198	*					
N/A	N/A	\$19,835	*	\$24,636	*	\$29,333	*					
N/A	N/A	\$9,045	*	\$11,580	*	\$15,112	*					
\$16,270	\$9,613	\$4,007	2.40	\$4,369	2.20	\$5,404	1.78					
*	*	\$38,128	*	\$35,041	*	\$55,330	*					
N/A	#	#	*	#	*	#	*					
	Average Charge \$10,451 * \$9,529 N/A N/A N/A * \$11,158 * N/A N/A N/A \$16,270	Risk Adjusted Average Charge S10,451 \$15,978 * * * * * * * * * * * * * * * * * * *	Risk Adjusted Average Charge S10,451 \$15,978 \$29,682 * * \$28,745 \$24,374 \$13,802 \$24,374 \$14,435 \$14,43	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio \$10,451 \$15,978 \$29,682 0.54 \$28,745 * \$9,529 \$13,802 \$24,374 0.57 N/A N/A N/A \$21,435 * N/A N/A N/A \$18,789 * N/A N/A N/A \$18,789 * N/A N/A \$44,298 * * \$20,438 * \$11,158 \$12,363 \$21,677 0.57 \$25,999 * N/A N/A N/A \$19,835 * N/A N/A N/A \$9,045 * \$16,270 \$9,613 \$4,007 2.40 \$38,128 *	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Charge Ratio Charge Charge S10,451 \$15,978 \$29,682 0.54 \$28,186 *	Risk Adjusted Average Charge Charge Charge Ratio \$10,451 \$15,978 \$29,682 0.54 \$28,186 0.57 \$28,745 \$28,745 \$27,697 \$39,529 \$13,802 \$24,374 0.57 \$24,745 0.56 N/A N/A N/A \$21,435 \$23,797 \$25,105 \$10,44 N/A \$18,789 \$18,832 \$10,44 N/A \$18,789 \$18,832 \$10,44 N/A \$11,158 \$12,363 \$21,677 0.57 \$19,405 0.64 \$16,270 \$9,613 \$4,007 2.40 \$4,369 2.20 \$13,802 \$24,007 2.40 \$4,369 2.20 \$10,000 \$	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charg					

N/A - Zero Discharges reported

 $^{^{\}wedge}\, Risk\text{-}Adjusted\,\, Charges\,\, calculated\,\, using\,\, 3M_{\text{TM}}\,\, APR\,\, DRG\,\, Software\,\, licensed\,\, through\,\, 3M\,\, Health\,\, Infomation\,\, Systems.$

^{* 1} through 4 Discharges reported

092 ThedaCare Regional Medical Center - Neenah

130 Second Street, PO Box 2021

Neenah, WI 54956

920-729-3100

Hospital Type: GMS

Inpatient Volume Group: 6

County: Winnebago

Analysis Area: 3-Lake Winnebago

· attent = to ottate	<u>Patient</u>	Discharge	<u>Status</u>
----------------------	----------------	------------------	---------------

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	9,889	Average Length of Stay (days):	3.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	36,749	Average Charge per Discharge:	\$30,073	Home or Self-Care	67.9%
Obstetrical Utilization	007		00 704	Other GMS Hospital Critical Access Hospital (CAH) Skilled Nursing Facility	3.9% 0.0% 9.6%
Normal Childbirths:	937	Percent of All Childbirths:	63.7%	Intermediate Care Facility	1.0%
Cesarean Childbirths:	454	Percent of All Childbirths:	30.9%	Inpatient Rehabilitation Facility	1.1%
Other Childbirths:	79	Percent of All Childbirths:	5.4%	Hospice	2.4%
Total Childbirths:	1,470			Other Institution	0.0%
Total Newborns:	1,637			Home Health Service	9.3%
B. 1114 1 168 16.				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	1.6%
Discharges:	454	Percent of All Discharges:	4.6%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	2,434	Percent of All Patient Days:	6.6%	Other	2.0%
				Expected Pay Source Distrik	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	227	Percent of All Discharges:	2.3%	Medicare	37.5%
Patient Days:	683	Percent of All Patient Days:	1.9%	Medicaid/BadgerCare	16.3%
				Other Government	2.2%
				Commercial or Private Insurance	41.1%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	16.6%	8.0%	Male	42.6%	47.9%	Amer.Ind/Alaskan Native	2.0%	2.4%
Under 15	0.4%	0.2%	Female	57.3%	52.0%	Asian	1.8%	1.7%
15 - 19	1.2%	1.0%				Black/African Amer.	1.9%	2.1%
20 - 24	4.0%	3.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	15.5%	12.2%				White	89.3%	89.8%
35 - 44	9.9%	9.7%				Multiracial	0.3%	0.3%
45 - 54	7.4%	8.8%				Declined	0.1%	0.1%
55 - 64	12.2%	15.9%				Unavailable	4.5%	3.6%
65 - 74	14.8%	18.7%						
75 - 84	11.6%	14.6%						
85 & Over	6.5%	7.5%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	216	4.7	4.1	1.15	5.2	0.90	4.8	0.98
133 Respiratory failure	61	4.7	4.1	1.15	4.9	0.96	4.5	1.04
137 Respiratory Infections and Inflammations	100	5.3	4.9	1.08	5.7	0.93	5.2	1.02
139 Pneumonia	51	3.3	3.9	0.85	4.5	0.73	4.2	0.79
174 Percutaneous coronary intervention w AMI	9	1.8	2.8	0.64	3.0	0.60	2.9	0.62
175 Percutaneous coronary intervention w/o AMI	5	2.6	2.4	1.08	2.7	0.96	2.8	0.93
194 Heart Failure	156	4.2	4.0	1.05	5.3	0.79	4.9	0.86
201 Heart Abnormal Rhythm and Conduction Disorders	56	2.8	2.5	1.12	3.0	0.93	2.9	0.97
463 Kidney/Urinary Tract Infection	70	3.5	3.6	0.97	4.0	0.88	3.9	0.90
469 Acute kidney injury	94	4.3	4.3	1.00	5.7	0.75	5.1	0.84
540 Cesarean Delivery	454	3.3	3.1	1.06	3.7	0.89	3.4	0.97
560 Vaginal Delivery	937	2.0	1.9	1.05	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,317	1.9	1.9	1.00	2.0	0.95	1.9	1.00
720 Blood Infection/Septicemia	502	5.5	5.5	1.00	6.6	0.83	5.9	0.93
751 Psychoses	194	5.8	4.5	1.29	5.1	1.14	5.2	1.12

	This Faci	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$35,609	\$33,847	\$34,041	0.99	\$52,261	0.65	\$48,817	0.69
133 Respiratory failure	\$31,770	\$27,375	\$29,682	0.92	\$43,773	0.63	\$40,230	0.68
137 Respiratory Infections and Inflammations	\$27,476	\$27,375	\$28,745	0.95	\$48,694	0.56	\$42,641	0.64
139 Pneumonia	\$20,481	\$21,714	\$24,374	0.89	\$37,991	0.57	\$33,326	0.65
174 Percutaneous coronary intervention w AMI	\$68,475	\$66,927	\$76,906	0.87	\$88,693	0.75	\$88,028	0.76
175 Percutaneous coronary intervention w/o AMI	\$69,281	\$70,685	\$90,494	0.78	\$106,262	0.67	\$104,016	0.68
194 Heart Failure	\$23,754	\$22,365	\$23,797	0.94	\$41,878	0.53	\$37,402	0.60
201 Heart Abnormal Rhythm and Conduction Disorder	s \$19,500	\$18,529	\$18,789	0.99	\$27,906	0.66	\$26,261	0.71
463 Kidney/Urinary Tract Infection	\$22,594	\$21,555	\$21,677	0.99	\$31,651	0.68	\$28,895	0.75
469 Acute kidney injury	\$25,731	\$25,582	\$25,999	0.98	\$42,194	0.61	\$38,198	0.67
540 Cesarean Delivery	\$20,746	\$20,835	\$19,835	1.05	\$30,606	0.68	\$29,333	0.71
560 Vaginal Delivery	\$9,739	\$9,770	\$9,045	1.08	\$16,232	0.60	\$15,112	0.65
640 Normal Newborn, Birthweight 2500g+	\$3,500	\$3,011	\$4,007	0.75	\$5,514	0.55	\$5,404	0.56
720 Blood Infection/Septicemia	\$35,115	\$36,130	\$38,128	0.95	\$61,811	0.58	\$55,330	0.65
751 Psychoses	\$15,755	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^{* 1} through 4 Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

093 Marshfield Medical Center - Neillsville

N3708 River Avenue

Total Discharges:

Total Patient Days:

Normal Childbirths:

Other Childbirths:

Total Childbirths:

Total Newborns:

Obstetrical Utilization

Cesarean Childbirths:

Neillsville, WI 54456

Overall Hospital Utilization

715-743-3101

Hospital Type: GMS County: Clark

Inpatient Volume Group: 1

Analysis Area: 5A-West Central

Patient Discharge Status

Expected Pay Source Distribution

r atient Discharge Status	
<u>Discharge Status</u>	% Discharges
Home or Self-Care	65.2%
Other GMS Hospital	8.2%
Critical Access Hospital (CAH)	0.5%
Skilled Nursing Facility	7.7%
Intermediate Care Facility	7.7%
Inpatient Rehabilitation Facility	0.0%

1.9%

0.0%

3.4% 1.4%

Psychiatric Utilization

Psychiatric Utilization			Expired	2.4%
Discharges:	0 Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.5%
Patient Days:	0 Percent of All Patient Days:	0.0%	Other	1.0%

5.4

0.0%

0.0%

0.0%

Hospice

Other Institution

Home Health Service

Left Against Medical Advice

\$15,362

Average Length of Stay (days):

Average Charge per Discharge:

Percent of All Childbirths:

Percent of All Childbirths:

Percent of All Childbirths:

1,121

0

0

0

0

0

AODA Utilization

85 & Over

34.3%

34.4%

AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	84.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	6.3%
				Other Government	3.9%
				Commercial or Private Insurance	5.8%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	39.6%	37.8%	Amer.Ind/Alaskan Native	0.5%	0.2%
Under 15	0.0%	0.0%	Female	60.4%	62.2%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.0%	0.4%				White	99.0%	99.7%
35 - 44	2.4%	1.4%				Multiracial	0.0%	0.0%
45 - 54	6.8%	2.9%				Declined	0.0%	0.0%
55 - 64	8.2%	7.4%				Unavailable	0.5%	0.1%
65 - 74	21.7%	25.9%						
75 - 84	25.6%	27.6%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	4.9	4.4	1.11	3.0	1.63	4.5	1.09
137 Respiratory Infections and Inflammations	10	2.6	5.2	0.50	3.7	0.70	5.2	0.50
139 Pneumonia	16	3.2	4.1	0.78	3.3	0.97	4.2	0.76
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*
194 Heart Failure	14	2.1	4.8	0.44	3.5	0.60	4.9	0.43
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.0	*	2.6	*	2.9	*
249 Other gastroenteritis, nausea & vomiting	5	3.0	3.5	0.86	2.6	1.15	3.5	0.86
282 Disorders of Pancreas Except Malignancy	6	2.7	3.5	0.77	2.6	1.04	3.9	0.69
383 Cellulitis & other skin infections	11	3.5	4.6	0.76	3.9	0.90	4.3	0.81
420 Diabetes	*	*	3.4	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	11	2.7	3.8	0.71	3.5	0.77	3.9	0.69
469 Acute kidney injury	11	2.0	4.4	0.45	3.3	0.61	5.1	0.39
720 Blood Infection/Septicemia	21	3.6	5.3	0.68	3.5	1.03	5.9	0.61
861 Signs & Symptoms	18	10.7	5.5	1.95	10.3	1.04	5.6	1.91
862 Other Factors Influencing Health Status	14	18.4	9.1	2.02	12.2	1.51	8.2	2.24

	This Fac	ility	_		Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$19,933	\$27,140	\$31,265	0.87	\$20,930	1.30	\$40,230	0.67
137 Respiratory Infections and Inflammations	\$9,186	\$9,908	\$34,167	0.29	\$22,966	0.43	\$42,641	0.23
139 Pneumonia	\$13,542	\$11,736	\$25,436	0.46	\$20,677	0.57	\$33,326	0.35
140 Chronic Obstructive Pulmonary Disease	*	*	\$21,325	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$7,316	\$8,712	\$28,691	0.30	\$19,130	0.46	\$37,402	0.23
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$20,515	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	\$12,710	\$14,376	\$21,188	0.68	\$15,617	0.92	\$30,474	0.47
282 Disorders of Pancreas Except Malignancy	\$16,777	\$16,462	\$23,495	0.70	\$18,647	0.88	\$34,273	0.48
383 Cellulitis & other skin infections	\$12,162	\$12,882	\$21,857	0.59	\$18,221	0.71	\$28,319	0.45
420 Diabetes	*	*	\$24,417	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$7,675	\$8,959	\$19,582	0.46	\$16,696	0.54	\$28,895	0.31
469 Acute kidney injury	\$12,569	\$14,531	\$26,200	0.55	\$19,375	0.75	\$38,198	0.38
720 Blood Infection/Septicemia	\$16,409	\$25,892	\$40,375	0.64	\$25,105	1.03	\$55,330	0.47
861 Signs & Symptoms	\$22,463	\$21,487	\$20,134	1.07	\$18,999	1.13	\$35,921	0.60
862 Other Factors Influencing Health Status	\$31,053	\$27,990	\$19,643	1.42	\$19,869	1.41	\$32,059	0.87

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

325 Froedtert Community Hospital - New Berlin

4805 S Moorland

New Berlin, WI 53151

85 & Over

15.6%

18.5%

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

262-796-0001				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	147	Average Length of Stay (days):	2.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	351	Average Charge per Discharge:	\$16,744	Home or Self-Care Other GMS Hospital	86.4% 7.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: Patient Days:	0 0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	0.0% 0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	0.7% 3.4% 0.0% 0.7% 0.0% 0.7% 0.07% 0.0% 0.0%
,		,		Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	1.4%	Medicare	61.9%
Patient Days:	2	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	6.8%
				Other Government	0.7%
				Commercial or Private Insurance	27.9%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.0%

	Age Distribution	•		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	41.5%	40.7%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	58.5%	59.3%	Asian	1.4%	2.0%
15 - 19	0.0%	0.0%				Black/African Amer.	6.8%	7.4%
20 - 24	1.4%	0.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	8.8%	8.3%				White	87.1%	84.6%
35 - 44	6.8%	5.4%				Multiracial	0.0%	0.0%
45 - 54	15.0%	15.4%				Declined	4.8%	6.0%
55 - 64	10.2%	10.0%				Unavailable	0 %	0 %
65 - 74	22.4%	23.9%						
75 - 84	19.7%	17.9%						

	This Facil	Group Averages						
			<u>Analysis Area</u>		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	5	1.6	4.5	0.36	3.0	0.53	4.5	0.36
137 Respiratory Infections and Inflammations	11	2.0	5.0	0.40	3.7	0.54	5.2	0.38
139 Pneumonia	13	2.2	4.4	0.50	3.3	0.67	4.2	0.52
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	3.1	*	3.4	*
194 Heart Failure	*	*	4.8	*	3.5	*	4.9	*
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A
249 Other gastroenteritis, nausea & vomiting	8	1.5	3.2	0.47	2.6	0.58	3.5	0.43
282 Disorders of Pancreas Except Malignancy	15	2.7	3.6	0.75	2.6	1.04	3.9	0.69
383 Cellulitis & other skin infections	11	2.3	4.1	0.56	3.9	0.59	4.3	0.53
420 Diabetes	*	*	3.5	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	10	3.3	3.7	0.89	3.5	0.94	3.9	0.85
469 Acute kidney injury	7	2.6	5.2	0.50	3.3	0.79	5.1	0.51
720 Blood Infection/Septicemia	31	2.8	5.5	0.51	3.5	0.80	5.9	0.47
861 Signs & Symptoms	0	N/A	3.9	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	0	N/A	6.7	N/A	12.2	N/A	8.2	N/A

	This Facility						Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	<u>'olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio					
133 Respiratory failure	\$12,643	\$20,452	\$40,487	0.51	\$20,930	0.98	\$40,230	0.51					
137 Respiratory Infections and Inflammations	\$22,191	\$19,216	\$43,191	0.44	\$22,966	0.84	\$42,641	0.45					
139 Pneumonia	\$12,991	\$13,433	\$37,172	0.36	\$20,677	0.65	\$33,326	0.40					
140 Chronic Obstructive Pulmonary Disease	*	*	\$30,371	*	\$17,434	*	\$30,692	*					
194 Heart Failure	*	*	\$37,913	*	\$19,130	*	\$37,402	*					
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$28,341	*	\$18,284	*	\$26,261	*					
249 Other gastroenteritis, nausea & vomiting	\$12,885	\$16,050	\$31,247	0.51	\$15,617	1.03	\$30,474	0.53					
282 Disorders of Pancreas Except Malignancy	\$19,204	\$22,635	\$37,312	0.61	\$18,647	1.21	\$34,273	0.66					
383 Cellulitis & other skin infections	\$13,436	\$17,116	\$29,097	0.59	\$18,221	0.94	\$28,319	0.60					
420 Diabetes	*	*	\$29,281	*	\$15,182	*	\$29,270	*					
463 Kidney/Urinary Tract Infection	\$20,740	\$22,171	\$29,800	0.74	\$16,696	1.33	\$28,895	0.77					
469 Acute kidney injury	\$13,822	\$18,707	\$39,143	0.48	\$19,375	0.97	\$38,198	0.49					
720 Blood Infection/Septicemia	\$18,181	\$26,883	\$53,476	0.50	\$25,105	1.07	\$55,330	0.49					
861 Signs & Symptoms	N/A	N/A	\$32,807	*	\$18,999	*	\$35,921	*					
862 Other Factors Influencing Health Status	N/A	N/A	\$26,393	*	\$19,869	*	\$32,059	*					

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

094 ThedaCare Medical Center - New London 1405 Mill Street, PO Box 307

New London, WI 54961

920-982-5330

85 & Over

21.5%

23.8%

Hospital Type: GMS

County: Outagamie

Analysis Area: 3-Lake Winnebago

Inpatient Volume Group:	2

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	536	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,482	Average Charge per Discharge:	\$16,975	Home or Self-Care	48.5%
Total Fatient Days.	1,402	Average Charge per Discharge.	φ10,973	Other GMS Hospital	9.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	16.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	0	r crocite of 7 th Offinabilities.	0.070	Hospice	5.0%
Total Childbirths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	11.8%
				Left Against Medical Advice	0.7%
Psychiatric Utilization				Expired	0.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	3.7%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.2%	Medicare	75.0%
Patient Days:	1	Percent of All Patient Days:	0.1%	Medicaid/BadgerCare	9.7%
•		•		Other Government	4.5%
				Commercial or Private Insurance	10.1%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	44.8%	41.4%	Amer.Ind/Alaskan Native	e 3.2%	3.7%
Under 15	0.0%	0.0%	Female	55.2%	58.6%	Asian	0.4%	0.2%
15 - 19	0.2%	0.1%				Black/African Amer.	0.2%	0.3%
20 - 24	0.2%	0.1%				Native Hawaii/Pac.Isl.	0.4%	0.3%
25 - 34	2.6%	2.0%				White	95.7%	95.1%
35 - 44	5.4%	4.4%				Multiracial	0.2%	0.3%
45 - 54	5.4%	4.7%				Declined	0.0%	0.0%
55 - 64	12.5%	11.3%				Unavailable	0 %	0 %
65 - 74	24.3%	26.3%						
75 - 84	28.0%	27.3%						

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	6	2.5	4.1	0.61	3.5	0.71	4.5	0.56	
137 Respiratory Infections and Inflammations	26	2.6	4.9	0.53	4.0	0.65	5.2	0.50	
139 Pneumonia	26	3.5	3.9	0.90	3.8	0.92	4.2	0.83	
140 Chronic Obstructive Pulmonary Disease	9	2.1	2.9	0.72	3.1	0.68	3.4	0.62	
194 Heart Failure	35	3.0	4.0	0.75	3.8	0.79	4.9	0.61	
201 Heart Abnormal Rhythm and Conduction Disorders	19	2.3	2.5	0.92	2.5	0.92	2.9	0.79	
247 Intestinal Obstruction without Surgery	23	2.8	3.2	0.88	3.0	0.93	3.5	0.80	
383 Cellulitis & other skin infections	16	2.6	4.0	0.65	4.4	0.59	4.3	0.60	
463 Kidney/Urinary Tract Infection	25	3.0	3.6	0.83	3.7	0.81	3.9	0.77	
469 Acute kidney injury	24	2.3	4.3	0.53	3.1	0.74	5.1	0.45	
540 Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.7	N/A	1.9	N/A	
720 Blood Infection/Septicemia	70	2.9	5.5	0.53	3.8	0.76	5.9	0.49	
861 Signs & Symptoms	5	2.8	5.5	0.51	5.5	0.51	5.6	0.50	

_	• •	_	•	-	•		
This Fac	ility			Risk Adjusted	Group Averages	i	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
\$13,962	\$20,069	\$29,682	0.68	\$24,966	0.80	\$40,230	0.50
\$14,948	\$18,074	\$28,745	0.63	\$23,829	0.76	\$42,641	0.42
\$18,459	\$21,468	\$24,374	0.88	\$21,847	0.98	\$33,326	0.64
\$13,154	\$12,295	\$21,435	0.57	\$18,738	0.66	\$30,692	0.40
\$15,534	\$18,970	\$23,797	0.80	\$21,808	0.87	\$37,402	0.51
\$15,437	\$17,077	\$18,789	0.91	\$15,774	1.08	\$26,261	0.65
\$14,908	\$12,665	\$18,270	0.69	\$15,683	0.81	\$25,745	0.49
\$14,488	\$15,295	\$20,438	0.75	\$19,917	0.77	\$28,319	0.54
\$14,981	\$16,071	\$21,677	0.74	\$17,130	0.94	\$28,895	0.56
\$12,430	\$15,032	\$25,999	0.58	\$19,497	0.77	\$38,198	0.39
N/A	N/A	\$19,835	*	\$25,945	*	\$29,333	*
N/A	N/A	\$9,045	*	\$9,423	*	\$15,112	*
N/A	N/A	\$4,007	*	\$4,311	*	\$5,404	*
\$17,666	\$23,131	\$38,128	0.61	\$27,838	0.83	\$55,330	0.42
\$14,266	\$17,638	\$22,203	0.79	\$17,922	0.98	\$35,921	0.49
	Average Charge \$13,962 \$14,948 \$18,459 \$13,154 \$15,534 \$15,437 \$14,908 \$14,488 \$14,981 \$12,430 N/A N/A N/A \$17,666	Adjusted Average Charge Charge S13,962 \$20,069 \$14,948 \$18,074 \$18,459 \$21,468 \$13,154 \$12,295 \$15,534 \$18,970 \$15,437 \$17,077 \$14,908 \$12,665 \$14,488 \$15,295 \$14,981 \$16,071 \$12,430 \$15,032 N/A	Risk Adjusted Average Average Charge	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio \$13,962 \$20,069 \$29,682 0.68 \$14,948 \$18,074 \$28,745 0.63 \$18,459 \$21,468 \$24,374 0.88 \$13,154 \$12,295 \$21,435 0.57 \$15,534 \$18,970 \$23,797 0.80 \$15,437 \$17,077 \$18,789 0.91 \$14,908 \$12,665 \$18,270 0.69 \$14,488 \$15,295 \$20,438 0.75 \$14,981 \$16,071 \$21,677 0.74 \$12,430 \$15,032 \$25,999 0.58 N/A N/A N/A \$19,835 * N/A N/A N/A \$19,835 * N/A N/A N/A \$4,007 * \$17,666 \$23,131 \$38,128 0.61	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Charge States State	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio \$13,962 \$20,069 \$29,682 0.68 \$24,966 0.80 \$14,948 \$18,074 \$28,745 0.63 \$23,829 0.76 \$18,459 \$21,468 \$24,374 0.88 \$21,847 0.98 \$13,154 \$12,295 \$21,435 0.57 \$18,738 0.66 \$15,534 \$18,970 \$23,797 0.80 \$21,808 0.87 \$15,437 \$17,077 \$18,789 0.91 \$15,774 1.08 \$14,908 \$12,665 \$18,270 0.69 \$15,683 0.81 \$14,488 \$15,295 \$20,438 0.75 \$19,917 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$12,430 \$15,032 \$25,999 0.58 \$19,497 0.77 \$14,981 \$16,071 \$21,677 0.74 \$17,130 0.94 \$17	Risk Adjusted Average Charge Average Charge Average Charge Average Charge Ratio Inpatient Volume Group Average Average Charge All GMS Howard Average Charge Average Charge Average Charge Ratio All GMS Howard Average Charge Ratio All GMS Howard Average Charge Ratio All GMS Howard Average Charge Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Charge Ratio Average Charge Ratio All GMS Howard Average Charge Ratio All GMS Howard Charge

N/A - Zero Discharges reported

arges reported A Risk-Adjusted Charges calculated using 3MTM APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

095 Westfields Hospital & Clinic

535 Hospital Road

New Richmond, WI 54017

715-243-2600

Hospital Type: GMS

County: Saint Croix

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	977	Average Length of Stay (days):	3.2	Discharge Status	% Discharges
Total Patient Days:	3,151	Average Charge per Discharge:	\$15,523	Home or Self-Care	64.0%
Total Fatient Days.	3,131	Average Charge per Discharge.	Ψ10,020	Other GMS Hospital	7.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	51	Percent of All Childbirths:	56.7%	Skilled Nursing Facility	5.0%
Cesarean Childbirths:	36	Percent of All Childbirths:	40.0%	Intermediate Care Facility	7.8%
Other Childbirths:	3	Percent of All Childbirths:	3.3%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	90		0.070	Hospice	3.0%
Total Officialitis.	30			Other Institution	0.2%
Total Newborns:	74			Home Health Service	6.4%
Davahiatria Htilizatian				Left Against Medical Advice	0.4%
Psychiatric Utilization				Expired	2.5%
Discharges:	2	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	3.6%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	20	Percent of All Discharges:	2.0%	Medicare	57.5%
Patient Days:	51	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	8.7%
				Other Government	3.7%
				Commercial or Private Insurance	29.4%
				Self-Pay	0.6%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	7.6%	4.7%	Male	42.0%	43.3%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	58.0%	56.7%	Asian	0.4%	0.3%
15 - 19	0.6%	0.5%				Black/African Amer.	1.3%	1.5%
20 - 24	2.4%	1.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	9.4%	6.3%				White	94.9%	95.1%
35 - 44	5.4%	4.0%				Multiracial	0.0%	0.0%
45 - 54	5.7%	5.2%				Declined	1.7%	1.5%
55 - 64	12.6%	12.4%				Unavailable	1.6%	1.7%
65 - 74	19.4%	22.4%						
75 - 84	20.5%	24.7%						
85 & Over	16.4%	18.2%						

	This Facil	Group Averages						
			Analys	Analysis Area		Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	14	3.1	4.4	0.70	3.4	0.91	4.5	0.69
137 Respiratory Infections and Inflammations	40	3.5	5.2	0.67	3.8	0.92	5.2	0.67
139 Pneumonia	36	2.5	4.1	0.61	3.6	0.69	4.2	0.60
140 Chronic Obstructive Pulmonary Disease	26	3.3	3.5	0.94	3.1	1.06	3.4	0.97
194 Heart Failure	44	3.7	4.8	0.77	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	10	2.7	3.0	0.90	2.3	1.17	2.9	0.93
326 Elective knee joint replacement	5	1.6	2.2	0.73	1.4	1.14	1.9	0.84
383 Cellulitis & other skin infections	11	3.4	4.6	0.74	3.7	0.92	4.3	0.79
463 Kidney/Urinary Tract Infection	14	4.4	3.8	1.16	3.4	1.29	3.9	1.13
469 Acute kidney injury	23	2.8	4.4	0.64	3.4	0.82	5.1	0.55
540 Cesarean Delivery	36	2.8	2.9	0.97	2.8	1.00	3.4	0.82
560 Vaginal Delivery	51	1.8	2.0	0.90	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	68	2.0	1.8	1.11	1.8	1.11	1.9	1.05
720 Blood Infection/Septicemia	93	3.9	5.3	0.74	4.3	0.91	5.9	0.66
775 Alcohol Abuse/Dependence	19	2.6	3.8	0.68	3.6	0.72	3.9	0.67

•	•	• • •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
nd Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
ory failure	\$14,662	\$19,522	\$31,265	0.62	\$28,186	0.69	\$40,230	0.49
ory Infections and Inflammations	\$13,915	\$16,077	\$34,167	0.47	\$27,697	0.58	\$42,641	0.38
nia	\$10,804	\$11,393	\$25,436	0.45	\$24,745	0.46	\$33,326	0.34
Obstructive Pulmonary Disease	\$14,189	\$13,641	\$21,325	0.64	\$21,626	0.63	\$30,692	0.44
lure	\$15,140	\$16,406	\$28,691	0.57	\$25,105	0.65	\$37,402	0.44
normal Rhythm and Conduction Disorders	\$12,266	\$15,201	\$20,515	0.74	\$18,832	0.81	\$26,261	0.58
rnee joint replacement	\$37,365	\$36,211	\$41,297	0.88	\$51,872	0.70	\$61,836	0.59
& other skin infections	\$15,009	\$16,966	\$21,857	0.78	\$21,471	0.79	\$28,319	0.60
rinary Tract Infection	\$17,570	\$17,716	\$19,582	0.90	\$19,405	0.91	\$28,895	0.61
ney injury	\$10,022	\$14,297	\$26,200	0.55	\$23,727	0.60	\$38,198	0.37
n Delivery	\$22,486	\$23,289	\$22,289	1.04	\$24,636	0.95	\$29,333	0.79
Delivery	\$11,193	\$10,953	\$11,513	0.95	\$11,580	0.95	\$15,112	0.72
lewborn, Birthweight 2500g+	\$3,164	\$2,942	\$3,672	0.80	\$4,369	0.67	\$5,404	0.54
ection/Septicemia	\$18,331	\$26,673	\$40,375	0.66	\$35,041	0.76	\$55,330	0.48
buse/Dependence	\$12,959	#	#	#	#	#	#	#
֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	ory failure ory Infections and Inflammations nia Distructive Pulmonary Disease lure normal Rhythm and Conduction Disorders tinee joint replacement & other skin infections rinary Tract Infection ney injury n Delivery lewborn, Birthweight 2500g+ lection/Septicemia	Average Charge ory failure \$14,662 ory Infections and Inflammations \$13,915 nia \$10,804 Obstructive Pulmonary Disease \$14,189 Iure \$15,140 normal Rhythm and Conduction Disorders \$12,266 one joint replacement \$37,365 other skin infections \$15,009 rinary Tract Infection \$17,570 ney injury \$10,022 n Delivery \$22,486 pelivery \$22,486 pelivery \$11,193 pelivery \$3,164 pection/Septicemia \$18,331	Adjusted Average Charge ory failure \$14,662 \$19,522 ory Infections and Inflammations \$13,915 \$16,077 or ia \$10,804 \$11,393 \$10,804 \$11,393 \$10,804 \$11,393 \$10,804 \$11,393 \$10,804 \$11,393 \$10,411 \$10,406 \$15,140 \$16,406 \$15,140 \$16,406 \$15,201 \$10,002 \$12,266 \$15,201 \$10,002 \$15,009 \$16,966 \$10,000 \$17,570 \$17,716 \$10,000 \$11,7570 \$17,716 \$10,000 \$10,000 \$11,00	Risk Adjusted Average Average Charge Station Station Station Station Stationary Indicate Charge Char	Risk Adjusted Average Charge Charge Charge Charge Charge Ratio To pry failure S14,662 S19,522 S31,265 0.62 Pry Infections and Inflammations S13,915 S16,077 S34,167 0.47 S16 S16,077 S14,167 0.47 S16 S16,077 S14,167 0.45 S16,078 S10,804 S11,393 S25,436 0.45 S16,078 S16,408 S13,641 S21,325 0.64 S16,408 S18,641 S18,408 S18,641 S18,341 S18,345 0.95 S18,3672 0.80 S18,3672 0.80 S16,066 S18,3672 0.80 S16,066 S18,3672 0.80 S16,066 S18,3672 0.80 S18,331 S26,673 S40,375 0.66	Risk Adjusted Average Charge C	Risk Adjusted Average Charge Average Charge Ratio Average Charge Ratio Ratio Average Charge Ratio Ra	Risk Adjusted Average Charge Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Cha

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

332 Froedtert Community Hospital - Oak Creek

7901 S 6th Street

85 & Over

18.5%

21.8%

Oak Creek, WI 53154

Hospital Type: GMS

County: Milwaukee

Analysis Area: 2B-Milwaukee County

Overall Hospital Utilization				Patient Discharge Status	<u> </u>
Total Discharges:	92	Average Length of Stay (days):	2.3	Discharge Status	% Discharges
Total Patient Days:	Patient Days: 216 Average Charge per Discharge:		\$15,812	Home or Self-Care	73.9%
Total Fatient Days.	210	Average charge per Discharge.	\$13,012	Other GMS Hospital	10.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	2.2%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.2%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.6%
Psychiatric Utilization				Left Against Medical Advice	2.2%
1 Sycinative Othization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.1%
				Expected Pay Source Distrib	<u>ution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	3.3%	Medicare	48.9%
Patient Days:	7	Percent of All Patient Days:	3.2%	Medicaid/BadgerCare	20.7%
				Other Government	0.0%
				Commercial or Private Insurance	27.2%
				Self-Pay	3.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	43.5%	38.4%	Amer.Ind/Alaskan Native	0.0%	0.0%	
Under 15	0.0%	0.0%	Female	56.5%	61.6%	Asian	1.1%	0.5%	
15 - 19	2.2%	2.3%				Black/African Amer.	5.4%	9.3%	
20 - 24	5.4%	3.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	10.9%	16.2%				White	81.5%	78.7%	
35 - 44	16.3%	11.1%				Multiracial	0.0%	0.0%	
45 - 54	4.3%	3.7%				Declined	12.0%	11.6%	
55 - 64	12.0%	12.0%				Unavailable	0 %	0 %	
65 - 74	18.5%	16.2%							
75 - 84	12.0%	13.4%							

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	5	1.6	4.9	0.33	3.0	0.53	4.5	0.36
137 Respiratory Infections and Inflammations	11	2.2	6.1	0.36	3.7	0.59	5.2	0.42
139 Pneumonia	11	3.0	4.5	0.67	3.3	0.91	4.2	0.71
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.6	N/A	3.1	N/A	3.4	N/A
194 Heart Failure	6	3.2	5.6	0.57	3.5	0.91	4.9	0.65
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.2	N/A	2.6	N/A	2.9	N/A
249 Other gastroenteritis, nausea & vomiting	*	*	3.8	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	*	*	4.3	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	*	*	4.2	*	3.9	*	4.3	*
420 Diabetes	*	*	3.3	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	4.1	*	3.5	*	3.9	*
469 Acute kidney injury	*	*	6.5	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	18	2.1	7.2	0.29	3.5	0.60	5.9	0.36
861 Signs & Symptoms	0	N/A	6.9	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	0	N/A	8.2	N/A	12.2	N/A	8.2	N/A

	This Facility			Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
133 Respiratory failure	\$10,326	\$11,509	\$46,194	0.25	\$20,930	0.55	\$40,230	0.29		
137 Respiratory Infections and Inflammations	\$19,728	\$23,465	\$55,648	0.42	\$22,966	1.02	\$42,641	0.55		
139 Pneumonia	\$16,347	\$15,635	\$42,480	0.37	\$20,677	0.76	\$33,326	0.47		
140 Chronic Obstructive Pulmonary Disease	N/A	N/A	\$40,565	*	\$17,434	*	\$30,692	*		
194 Heart Failure	\$16,775	\$16,127	\$47,909	0.34	\$19,130	0.84	\$37,402	0.43		
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$31,682	*	\$18,284	*	\$26,261	*		
249 Other gastroenteritis, nausea & vomiting	*	*	\$36,030	*	\$15,617	*	\$30,474	*		
282 Disorders of Pancreas Except Malignancy	*	*	\$43,461	*	\$18,647	*	\$34,273	*		
383 Cellulitis & other skin infections	*	*	\$35,055	*	\$18,221	*	\$28,319	*		
420 Diabetes	*	*	\$32,239	*	\$15,182	*	\$29,270	*		
463 Kidney/Urinary Tract Infection	*	*	\$36,892	*	\$16,696	*	\$28,895	*		
469 Acute kidney injury	*	*	\$51,546	*	\$19,375	*	\$38,198	*		
720 Blood Infection/Septicemia	\$15,619	\$23,591	\$73,537	0.32	\$25,105	0.94	\$55,330	0.43		
861 Signs & Symptoms	N/A	N/A	\$52,332	*	\$18,999	*	\$35,921	*		
862 Other Factors Influencing Health Status	N/A	N/A	\$52,217	*	\$19,869	*	\$32,059	*		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

098 ProHealth Oconomowoc Memorial Hospital

791 Summit Avenue

Oconomowoc, WI 53066

Hospital Type: GMS

Other or Unknown Insurance

County: Waukesha

Analysis Area: 2A-Southeastern

0.0%

262-569-9400				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	3,212	Average Length of Stay (days):	3.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	9,792	Average Charge per Discharge:	\$38,730	Home or Self-Care Other GMS Hospital	65.0% 1.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	301 93 24	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	72.0% 22.2% 5.7%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.8% 1.2% 4.4%
Total Childbirths:	418			Hospice Other Institution	3.6% 0.1%
Total Newborns:	431			Home Health Service	12.8%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 0.6%
Discharges: Patient Days:	4	Percent of All Discharges: Percent of All Patient Days:	0.1% 0.1%	Discharge/Tran to Court/Law Enforcmnt Other	0.0% 1.1%
r dient bays.	O	1 Grown Grant adent Bays.	0.170	Expected Pay Source Distril	
AODA Utilization				Primary Payer	% Discharges
Discharges:	61	Percent of All Discharges:	1.9%	Medicare	53.4%
Patient Days:	169	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare	7.9%
				Other Government Commercial or Private Insurance Self-Pay	0.6% 34.5% 3.6%

Age Distribution				Sex Distribution	<u>1</u>	Rac	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	13.4%	8.5%	Male	43.5%	44.5%	Amer.Ind/Alaskan Native	e 0.1%	0.0%	
Under 15	0.1%	0.1%	Female	56.5%	55.5%	Asian	0.3%	0.3%	
15 - 19	0.4%	0.3%				Black/African Amer.	0.4%	0.4%	
20 - 24	1.6%	1.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	12.3%	8.8%				White	96.6%	97.0%	
35 - 44	6.1%	5.4%				Multiracial	0.5%	0.4%	
45 - 54	5.4%	5.1%				Declined	0.3%	0.3%	
55 - 64	10.1%	11.6%				Unavailable	1.8%	1.4%	
65 - 74	17.2%	18.7%							
75 - 84	19.6%	22.9%							
85 & Over	13.8%	17.5%							

	This Facil	ity	Group Averages					
			Analysis Area		Inpatient Volume Group		All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	53	2.9	4.2	0.69	4.3	0.67	4.8	0.60
133 Respiratory failure	12	5.6	4.5	1.24	4.2	1.33	4.5	1.24
137 Respiratory Infections and Inflammations	74	3.9	5.0	0.78	5.3	0.74	5.2	0.75
139 Pneumonia	83	3.7	4.4	0.84	4.3	0.86	4.2	0.88
174 Percutaneous coronary intervention w AMI	19	2.1	2.7	0.78	2.7	0.78	2.9	0.72
194 Heart Failure	153	4.1	4.8	0.85	4.8	0.85	4.9	0.84
201 Heart Abnormal Rhythm and Conduction Disorders	76	2.5	2.8	0.89	2.9	0.86	2.9	0.86
463 Kidney/Urinary Tract Infection	82	3.0	3.7	0.81	4.0	0.75	3.9	0.77
469 Acute kidney injury	32	4.5	5.2	0.87	5.0	0.90	5.1	0.88
540 Cesarean Delivery	93	2.8	3.1	0.90	2.9	0.97	3.4	0.82
560 Vaginal Delivery	301	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	399	1.8	1.9	0.95	1.9	0.95	1.9	0.95
720 Blood Infection/Septicemia	229	4.7	5.5	0.85	5.7	0.82	5.9	0.80
751 Psychoses	*	*	5.1	*	4.9	*	5.2	*
775 Alcohol Abuse/Dependence	42	2.9	4.1	0.71	3.9	0.74	3.9	0.74

•	•	• •	•	•	•	•				
This Facility				Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
045 Stroke and Precerebral Occlusion with Infarct	\$43,321	\$47,571	\$48,841	0.97	\$47,748	1.00	\$48,817	0.97		
133 Respiratory failure	\$55,095	\$47,635	\$40,487	1.18	\$37,099	1.28	\$40,230	1.18		
137 Respiratory Infections and Inflammations	\$34,695	\$40,753	\$43,191	0.94	\$41,393	0.98	\$42,641	0.96		
139 Pneumonia	\$37,930	\$40,635	\$37,172	1.09	\$34,303	1.18	\$33,326	1.22		
174 Percutaneous coronary intervention w AMI	\$77,702	\$81,888	\$88,471	0.93	\$85,768	0.95	\$88,028	0.93		
194 Heart Failure	\$35,503	\$37,874	\$37,913	1.00	\$35,400	1.07	\$37,402	1.01		
201 Heart Abnormal Rhythm and Conduction Disorders	\$27,159	\$28,500	\$28,341	1.01	\$25,284	1.13	\$26,261	1.09		
463 Kidney/Urinary Tract Infection	\$28,288	\$28,420	\$29,800	0.95	\$30,786	0.92	\$28,895	0.98		
469 Acute kidney injury	\$38,483	\$41,129	\$39,143	1.05	\$36,604	1.12	\$38,198	1.08		
540 Cesarean Delivery	\$34,291	\$35,563	\$31,537	1.13	\$27,373	1.30	\$29,333	1.21		
560 Vaginal Delivery	\$21,087	\$21,497	\$17,466	1.23	\$14,481	1.48	\$15,112	1.42		
640 Normal Newborn, Birthweight 2500g+	\$8,173	\$8,783	\$6,387	1.38	\$5,825	1.51	\$5,404	1.63		
720 Blood Infection/Septicemia	\$49,189	\$57,484	\$53,476	1.07	\$52,329	1.10	\$55,330	1.04		
751 Psychoses	*	#	#	*	#	*	#	*		
775 Alcohol Abuse/Dependence	\$30,369	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

306 Bellin Health Oconto Hospital

820 Arbutus Avenue

Oconto, WI 54153

85 & Over

19.2%

12.0%

920-835-1100 Inpatient Volume Group: 1

Hospital Type: GMS
County: Oconto

Analysis Area: 4-Northeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	146	Average Length of Stay (days):	12.2	Discharge Status	% Discharges
Total Patient Days:	1.785	Average Charge per Discharge:	\$27,794	Home or Self-Care	76.7%
Total Fations Bayo.	1,700	7 Wordge Ondrige per Blochdige.	Ψ21,101	Other GMS Hospital	5.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	7.5%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	2.1%
T 1 1 N 1	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	2.1%
Psychiatric Utilization				Left Against Medical Advice	0.0%
-	0	Dancart of All Dischauses	0.00/	Expired Discharge/Tran to Court/Law Enforcmnt	1.4%
Discharges:	0	Percent of All Discharges:	0.0%	Other	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%		4.1%
AODA Helli a Ca				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	83.6%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	5.5%
				Other Government	0.7%
				Commercial or Private Insurance	9.6%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	47.9%	45.1%	Amer.Ind/Alaskan Native	2.1%	0.8%
Under 15	0.0%	0.0%	Female	52.1%	54.9%	Asian	0.0%	0.0%
15 - 19	0.7%	0.2%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.7%	0.1%				White	95.9%	96.0%
35 - 44	1.4%	0.8%				Multiracial	0.0%	0.0%
45 - 54	5.5%	6.3%				Declined	0.0%	0.0%
55 - 64	16.4%	17.1%				Unavailable	2.1%	3.1%
65 - 74	29.5%	30.8%						
75 - 84	26.7%	32.6%						

	This Facil	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.7	*	5.2	*
139 Pneumonia	9	4.2	4.1	1.02	3.3	1.27	4.2	1.00
140 Chronic Obstructive Pulmonary Disease	7	2.9	3.0	0.97	3.1	0.94	3.4	0.85
194 Heart Failure	*	*	4.3	*	3.5	*	4.9	*
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.7	N/A	2.6	N/A	2.9	N/A
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.3	N/A	2.6	N/A	3.5	N/A
282 Disorders of Pancreas Except Malignancy	*	*	3.4	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	6	8.5	4.1	2.07	3.9	2.18	4.3	1.98
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	9	3.9	3.7	1.05	3.5	1.11	3.9	1.00
469 Acute kidney injury	*	*	4.6	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	5	10.0	5.6	1.79	3.5	2.86	5.9	1.69
861 Signs & Symptoms	20	14.2	6.2	2.29	10.3	1.38	5.6	2.54
862 Other Factors Influencing Health Status	20	20.7	11.9	1.74	12.2	1.70	8.2	2.52

_	• .	•	•	-	•		
This Fac	ility			Risk Adjusted	Group Averages		
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
*	*	\$36,401	*	\$20,930	*	\$40,230	*
*	*	\$38,011	*	\$22,966	*	\$42,641	*
\$20,818	\$25,924	\$30,062	0.86	\$20,677	1.25	\$33,326	0.78
\$16,186	\$18,869	\$28,051	0.67	\$17,434	1.08	\$30,692	0.61
*	*	\$31,359	*	\$19,130	*	\$37,402	*
N/A	N/A	\$22,385	*	\$18,284	*	\$26,261	*
N/A	N/A	\$28,066	*	\$15,617	*	\$30,474	*
*	*	\$30,218	*	\$18,647	*	\$34,273	*
\$19,804	\$20,331	\$24,996	0.81	\$18,221	1.12	\$28,319	0.72
*	*	\$24,574	*	\$15,182	*	\$29,270	*
\$8,747	\$9,818	\$25,251	0.39	\$16,696	0.59	\$28,895	0.34
*	*	\$32,453	*	\$19,375	*	\$38,198	*
\$18,141	\$28,962	\$49,755	0.58	\$25,105	1.15	\$55,330	0.52
\$27,722	\$27,453	\$29,099	0.94	\$18,999	1.44	\$35,921	0.76
\$31,860	\$31,552	\$33,772	0.93	\$19,869	1.59	\$32,059	0.98
	Average Charge * \$20,818 \$16,186 * N/A N/A * \$19,804 * \$8,747 * \$18,141 \$27,722	Adjusted Average Charge Charge Charge *	Risk Adjusted Average Charge S36,401 \$38,011 \$20,818 \$25,924 \$30,062 \$16,186 \$18,869 \$28,051 \$31,359 N/A N/A N/A \$22,385 N/A N/A \$22,385 N/A N/A \$22,385 N/A \$30,218 \$19,804 \$20,331 \$24,996 \$30,218 \$19,804 \$20,331 \$24,996 \$24,574 \$8,747 \$9,818 \$25,251 \$24,574 \$8,747 \$9,818 \$25,251 \$24,574 \$32,453 \$18,141 \$28,962 \$49,755 \$27,722 \$27,453 \$29,099	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Charge Ratio * * * * \$36,401 * \$38,011 * \$38,011 * \$38,011 * \$38,011 * \$38,011 * \$38,011 * \$31,359 * \$31	Risk Adjusted Average Average Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Service Charge Ratio Charge Ratio Charge Service Charg	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio * * * \$36,401 * \$20,930 * \$38,011 * \$22,966 * \$30,062 0.86 \$20,677 1.25 \$16,186 \$18,869 \$28,051 0.67 \$17,434 1.08 * \$31,359 * \$19,130 * N/A N/A \$22,385 * \$18,284 * N/A N/A \$22,385 * \$18,284 * \$30,018 * \$30,018 * \$19,804 \$20,331 \$24,996 0.81 \$18,647 * \$19,804 \$20,331 \$24,996 0.81 \$18,221 1.12 * * * \$24,574 * \$15,182 * \$8,747 \$9,818 \$25,251 0.39 \$16,696 0.59 * \$18,141 \$28,962 \$49,755 0.58 \$25,105 1.15 \$27,722 \$27,453 \$29,099 0.94 \$18,999 1.44	Risk Adjusted Average Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charg

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

101 St Clare Memorial Hospital

855 South Main Street

Oconto Falls, WI 54154

920-846-3444

85 & Over

18.0%

17.1%

Hospital Type: GMS
County: Oconto

Analysis Area: 4-Northeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	161	Average Length of Stay (days):	4.9	Discharge Status	% Discharges
Total Patient Days:	788	Average Charge per Discharge:	¢25 521	Home or Self-Care	45.3%
Total Patient Days:	700	Average Charge per Discharge:	\$25,531	Other GMS Hospital	11.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	15.5%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
		r creent of All Officialities.	0.070	Hospice	3.1%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	8.7%
				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	0.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	13.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	72.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	10.6%
•		•		Other Government	3.7%
				Commercial or Private Insurance	11.8%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	52.2%	47.7%	Amer.Ind/Alaskan Native	e 1.2%	0.4%
Under 15	0.0%	0.0%	Female	47.8%	52.3%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.6%	1.8%
20 - 24	0.6%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.9%	2.0%				White	98.1%	97.8%
35 - 44	8.1%	19.5%				Multiracial	0.0%	0.0%
45 - 54	8.7%	5.2%				Declined	0.0%	0.0%
55 - 64	12.4%	12.7%				Unavailable	0 %	0 %
65 - 74	25.5%	23.9%						
75 - 84	24.8%	19.3%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	18	3.7	4.4	0.84	3.0	1.23	4.5	0.82		
137 Respiratory Infections and Inflammations	8	3.9	4.9	0.80	3.7	1.05	5.2	0.75		
139 Pneumonia	6	3.3	4.1	0.80	3.3	1.00	4.2	0.79		
140 Chronic Obstructive Pulmonary Disease	*	*	3.0	*	3.1	*	3.4	*		
194 Heart Failure	7	5.4	4.3	1.26	3.5	1.54	4.9	1.10		
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.7	*	2.6	*	2.9	*		
249 Other gastroenteritis, nausea & vomiting	*	*	3.3	*	2.6	*	3.5	*		
282 Disorders of Pancreas Except Malignancy	8	2.9	3.4	0.85	2.6	1.12	3.9	0.74		
383 Cellulitis & other skin infections	11	3.3	4.1	0.80	3.9	0.85	4.3	0.77		
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*		
463 Kidney/Urinary Tract Infection	5	3.2	3.7	0.86	3.5	0.91	3.9	0.82		
469 Acute kidney injury	7	5.6	4.6	1.22	3.3	1.70	5.1	1.10		
720 Blood Infection/Septicemia	28	4.5	5.6	0.80	3.5	1.29	5.9	0.76		
861 Signs & Symptoms	*	*	6.2	*	10.3	*	5.6	*		
862 Other Factors Influencing Health Status	*	*	11.9	*	12.2	*	8.2	*		

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$22,060	\$23,156	\$36,401	0.64	\$20,930	1.11	\$40,230	0.58
137 Respiratory Infections and Inflammations	\$29,823	\$28,457	\$38,011	0.75	\$22,966	1.24	\$42,641	0.67
139 Pneumonia	\$20,715	\$19,506	\$30,062	0.65	\$20,677	0.94	\$33,326	0.59
140 Chronic Obstructive Pulmonary Disease	*	*	\$28,051	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$32,165	\$28,813	\$31,359	0.92	\$19,130	1.51	\$37,402	0.77
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$22,385	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$28,066	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	\$13,632	\$19,187	\$30,218	0.63	\$18,647	1.03	\$34,273	0.56
383 Cellulitis & other skin infections	\$16,851	\$16,419	\$24,996	0.66	\$18,221	0.90	\$28,319	0.58
420 Diabetes	*	*	\$24,574	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$14,367	\$13,738	\$25,251	0.54	\$16,696	0.82	\$28,895	0.48
469 Acute kidney injury	\$16,641	\$24,635	\$32,453	0.76	\$19,375	1.27	\$38,198	0.64
720 Blood Infection/Septicemia	\$21,982	\$24,584	\$49,755	0.49	\$25,105	0.98	\$55,330	0.44
861 Signs & Symptoms	*	*	\$29,099	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	*	*	\$33,772	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

102 Osceola Medical Center 2600 65th Avenue, PO Box 218 Osceola, WI 54020

715-294-2111

85 & Over

15.8%

26.5%

Hospital Type: GMS County: Polk

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	476	Average Length of Stay (days):	3.9	Discharge Status	% Discharges
Total Patient Days:	1,877	Average Charge per Discharge:	\$14,778	Home or Self-Care	58.6%
Total Fatient Days.	1,077	Average Charge per Discharge.	φ14,770	Other GMS Hospital	4.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	67	Percent of All Childbirths:	78.8%	Skilled Nursing Facility	2.9%
Cesarean Childbirths:	16	Percent of All Childbirths:	18.8%	Intermediate Care Facility	0.6%
Other Childbirths:	2	Percent of All Childbirths:	2.4%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	<u>=</u> 85		2.170	Hospice	1.5%
Total Offidalitio.	00			Other Institution	0.0%
Total Newborns:	88			Home Health Service	13.7%
Psychiatric Utilization				Left Against Medical Advice	0.0%
PSychiatric Offization				Expired	1.5%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	4	Percent of All Patient Days:	0.2%	Other	17.2%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	48.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	15.1%
				Other Government	1.1%
				Commercial or Private Insurance	31.7%
				Self-Pay	2.9%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	18.5%	7.4%	Male	37.6%	39.7%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	4.0%	1.9%	Female	62.4%	60.3%	Asian	0.2%	0.1%
15 - 19	0.6%	0.4%				Black/African Amer.	0.0%	0.0%
20 - 24	3.8%	1.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	14.3%	7.7%				White	98.7%	99.5%
35 - 44	3.6%	1.8%				Multiracial	0.0%	0.0%
45 - 54	1.9%	1.9%				Declined	1.1%	0.4%
55 - 64	5.5%	8.7%				Unavailable	0 %	0 %
65 - 74	16.2%	18.7%						
75 - 84	16.0%	23.4%						

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	9	6.8	4.4	1.55	3.5	1.94	4.5	1.51		
137 Respiratory Infections and Inflammations	7	4.9	5.2	0.94	4.0	1.23	5.2	0.94		
139 Pneumonia	17	2.5	4.1	0.61	3.8	0.66	4.2	0.60		
140 Chronic Obstructive Pulmonary Disease	6	2.7	3.5	0.77	3.1	0.87	3.4	0.79		
194 Heart Failure	13	6.5	4.8	1.35	3.8	1.71	4.9	1.33		
201 Heart Abnormal Rhythm and Conduction Disorders	5	5.0	3.0	1.67	2.5	2.00	2.9	1.72		
247 Intestinal Obstruction without Surgery	*	*	3.0	*	3.0	*	3.5	*		
383 Cellulitis & other skin infections	11	5.5	4.6	1.20	4.4	1.25	4.3	1.28		
463 Kidney/Urinary Tract Infection	10	3.4	3.8	0.89	3.7	0.92	3.9	0.87		
469 Acute kidney injury	*	*	4.4	*	3.1	*	5.1	*		
540 Cesarean Delivery	16	2.6	2.9	0.90	2.8	0.93	3.4	0.76		
560 Vaginal Delivery	67	1.8	2.0	0.90	1.8	1.00	2.1	0.86		
640 Normal Newborn, Birthweight 2500g+	94	1.6	1.8	0.89	1.7	0.94	1.9	0.84		
720 Blood Infection/Septicemia	*	*	5.3	*	3.8	*	5.9	*		
861 Signs & Symptoms	43	7.1	5.5	1.29	5.5	1.29	5.6	1.27		

	• .	_	•	-	•		
This Fac	ility			Risk Adjusted	Group Averages	;	
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
\$30,386	\$29,535	\$31,265	0.94	\$24,966	1.18	\$40,230	0.73
\$21,675	\$28,731	\$34,167	0.84	\$23,829	1.21	\$42,641	0.67
\$10,263	\$13,823	\$25,436	0.54	\$21,847	0.63	\$33,326	0.41
\$10,432	\$11,433	\$21,325	0.54	\$18,738	0.61	\$30,692	0.37
\$24,383	\$30,933	\$28,691	1.08	\$21,808	1.42	\$37,402	0.83
\$15,042	\$15,669	\$20,515	0.76	\$15,774	0.99	\$26,261	0.60
*	*	\$16,040	*	\$15,683	*	\$25,745	*
\$22,236	\$23,595	\$21,857	1.08	\$19,917	1.18	\$28,319	0.83
\$11,646	\$13,092	\$19,582	0.67	\$17,130	0.76	\$28,895	0.45
*	*	\$26,200	*	\$19,497	*	\$38,198	*
\$25,736	\$22,842	\$22,289	1.02	\$25,945	0.88	\$29,333	0.78
\$9,279	\$9,065	\$11,513	0.79	\$9,423	0.96	\$15,112	0.60
\$3,861	\$3,393	\$3,672	0.92	\$4,311	0.79	\$5,404	0.63
*	*	\$40,375	*	\$27,838	*	\$55,330	*
\$17,115	\$20,983	\$20,134	1.04	\$17,922	1.17	\$35,921	0.58
	Average Charge \$30,386 \$21,675 \$10,263 \$10,432 \$24,383 \$15,042 * \$22,236 \$11,646 * \$25,736 \$9,279 \$3,861	Adjusted Average Charge \$30,386 \$29,535 \$21,675 \$28,731 \$10,263 \$13,823 \$10,432 \$11,433 \$24,383 \$30,933 \$15,042 \$15,669 \$	Risk Adjusted Average Charge C	Risk Adjusted Average Charge Ratio \$30,386 \$29,535 \$31,265 0.94 \$21,675 \$28,731 \$34,167 0.84 \$10,263 \$13,823 \$25,436 0.54 \$10,432 \$11,433 \$21,325 0.54 \$24,383 \$30,933 \$28,691 1.08 \$15,042 \$15,669 \$20,515 0.76 * * * * \$16,040 * * \$22,236 \$23,595 \$21,857 1.08 \$11,646 \$13,092 \$19,582 0.67 * \$26,200 * \$25,736 \$22,842 \$22,289 1.02 \$9,279 \$9,065 \$11,513 0.79 \$3,861 \$3,393 \$3,672 0.92 \$40,375 *	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio Charge Ratio Charge Cha	Risk Adjusted Average Charge Charge Charge Ratio \$30,386 \$29,535 \$31,265 0.94 \$24,966 1.18 \$21,675 \$28,731 \$34,167 0.84 \$23,829 1.21 \$10,263 \$13,823 \$25,436 0.54 \$21,847 0.63 \$10,432 \$11,433 \$21,325 0.54 \$18,738 0.61 \$24,383 \$30,933 \$28,691 1.08 \$21,808 1.42 \$15,042 \$15,669 \$20,515 0.76 \$15,774 0.99 \$22,236 \$23,595 \$21,857 1.08 \$19,917 1.18 \$11,646 \$13,092 \$19,582 0.67 \$17,130 0.76 \$25,736 \$22,842 \$22,289 1.02 \$25,945 0.88 \$9,279 \$9,065 \$11,513 0.79 \$9,423 0.96 \$3,861 \$3,393 \$3,672 0.92 \$4,311 0.79 \$27,838 *	Risk Adjusted Average Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge

N/A - Zero Discharges reported

s reported A Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

103 Ascension NE Wisconsin - Mercy Campus

500 S Oakwood Rd

85 & Over

10.2%

10.5%

Oshkosh, WI 54904 Analysis Area: 3-Lake Winnebago

Hospital Type: GMS

County: Winnebago

920-223-0501 Inpatient Volume Group: 5

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	2,880	Average Length of Stay (days):	4.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	13,386	Average Charge per Discharge:	\$23,395	Home or Self-Care	55.0%
Total Fatient Bays.	10,000	Average onarge per bisonarge.	Ψ20,000	Other GMS Hospital	2.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	78	Percent of All Childbirths:	75.0%	Skilled Nursing Facility	10.9%
Cesarean Childbirths:	23	Percent of All Childbirths:	22.1%	Intermediate Care Facility	0.1%
Other Childbirths:	3	Percent of All Childbirths:	2.9%	Inpatient Rehabilitation Facility	1.1%
Total Childbirths:	104			Hospice	2.6%
-				Other Institution	0.0%
Total Newborns:	99			Home Health Service	16.1%
Psychiatric Utilization				Left Against Medical Advice	5.4%
PSychiatric Othization				Expired	2.8%
Discharges:	431	Percent of All Discharges:	15.0%	Discharge/Tran to Court/Law Enforcmnt	1.5%
Patient Days:	1,823	Percent of All Patient Days:	13.6%	Other	1.6%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	213	Percent of All Discharges:	7.4%	Medicare	50.5%
Patient Days:	612	Percent of All Patient Days:	4.6%	Medicaid/BadgerCare	19.5%
				Other Government	6.4%
				Commercial or Private Insurance	21.8%
				Self-Pay	1.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	3.4%	1.5%	Male	49.8%	53.1%	Amer.Ind/Alaskan Native	0.8%	1.0%
Under 15	0.1%	0.0%	Female	50.2%	46.9%	Asian	0.9%	0.6%
15 - 19	1.4%	1.0%				Black/African Amer.	3.4%	3.1%
20 - 24	4.0%	2.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	9.2%	6.7%				White	93.1%	93.6%
35 - 44	10.2%	8.9%				Multiracial	0.5%	0.5%
45 - 54	9.5%	9.1%				Declined	1.3%	1.2%
55 - 64	15.1%	18.3%				Unavailable	0 %	0 %
65 - 74	19.7%	22.4%						
75 - 84	17.2%	19.0%						

		This Facil	ity	Group Averages							
				Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR	-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045	Stroke and Precerebral Occlusion with Infarct	42	4.3	4.1	1.05	4.3	1.00	4.8	0.90		
133	Respiratory failure	38	4.3	4.1	1.05	4.2	1.02	4.5	0.96		
137	Respiratory Infections and Inflammations	68	6.5	4.9	1.33	5.3	1.23	5.2	1.25		
139	Pneumonia	64	3.7	3.9	0.95	4.3	0.86	4.2	0.88		
174	Percutaneous coronary intervention w AMI	48	2.8	2.8	1.00	2.7	1.04	2.9	0.97		
194	Heart Failure	143	4.0	4.0	1.00	4.8	0.83	4.9	0.82		
201	Heart Abnormal Rhythm and Conduction Disorders	30	2.7	2.5	1.08	2.9	0.93	2.9	0.93		
463	Kidney/Urinary Tract Infection	46	3.8	3.6	1.06	4.0	0.95	3.9	0.97		
469	Acute kidney injury	48	3.8	4.3	0.88	5.0	0.76	5.1	0.75		
540	Cesarean Delivery	23	2.4	3.1	0.77	2.9	0.83	3.4	0.71		
560	Vaginal Delivery	78	1.9	1.9	1.00	1.9	1.00	2.1	0.90		
640	Normal Newborn, Birthweight 2500g+	90	1.9	1.9	1.00	1.9	1.00	1.9	1.00		
720	Blood Infection/Septicemia	193	6.3	5.5	1.15	5.7	1.11	5.9	1.07		
751	Psychoses	150	3.6	4.5	0.80	4.9	0.73	5.2	0.69		
775		61	2.9	3.4	0.85	3.9	0.74	3.9	0.74		

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Descri	ption	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precere	bral Occlusion with Infarct	\$23,826	\$25,579	\$34,041	0.75	\$47,748	0.54	\$48,817	0.52
133 Respiratory failure		\$25,502	\$24,799	\$29,682	0.84	\$37,099	0.67	\$40,230	0.62
137 Respiratory Infection	ns and Inflammations	\$24,078	\$24,035	\$28,745	0.84	\$41,393	0.58	\$42,641	0.56
139 Pneumonia		\$16,402	\$17,425	\$24,374	0.71	\$34,303	0.51	\$33,326	0.52
174 Percutaneous coro	nary intervention w AMI	\$90,092	\$91,604	\$76,906	1.19	\$85,768	1.07	\$88,028	1.04
194 Heart Failure		\$17,608	\$17,885	\$23,797	0.75	\$35,400	0.51	\$37,402	0.48
201 Heart Abnormal Rh	ythm and Conduction Disorders	\$13,166	\$14,710	\$18,789	0.78	\$25,284	0.58	\$26,261	0.56
463 Kidney/Urinary Trac	ct Infection	\$14,582	\$14,928	\$21,677	0.69	\$30,786	0.48	\$28,895	0.52
469 Acute kidney injury		\$16,512	\$18,818	\$25,999	0.72	\$36,604	0.51	\$38,198	0.49
540 Cesarean Delivery		\$9,413	\$9,945	\$19,835	0.50	\$27,373	0.36	\$29,333	0.34
560 Vaginal Delivery		\$5,565	\$5,819	\$9,045	0.64	\$14,481	0.40	\$15,112	0.39
640 Normal Newborn, E	Birthweight 2500g+	\$3,968	\$4,230	\$4,007	1.06	\$5,825	0.73	\$5,404	0.78
720 Blood Infection/Sep	oticemia	\$30,008	\$29,932	\$38,128	0.79	\$52,329	0.57	\$55,330	0.54
751 Psychoses		\$7,313	#	#	#	#	#	#	#
775 Alcohol Abuse/Dep	endence	\$9,311	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

303 Aurora Medical Center - Oshkosh

855 N Westhaven Drive

Oshkosh, WI 54904

920-456-6000 Inpatient Volume Group: 5

Hospital Type: GMS

County: Winnebago

Analysis Area: 3-Lake Winnebago

% Discharges 67.6% 3.0% 0.0% 10.6% 1.1% 0.5%
67.6% 3.0% 0.0% 10.6% 1.1%
0.0% 10.6% 1.1%
0.0% 10.6% 1.1%
0.5%
1.3%
0.0%
12.0%
1.1%
1.9%
0.4%
0.3%
<u>tion</u>
% Discharges
42.2%
17.4%
3.9%
33.3%
3.2%
0.1%

	Age Distribution			Sex Distribution	<u>n</u>	<u>Rac</u>	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	17.6%	13.1%	Male	40.3%	45.1%	Amer.Ind/Alaskan Native	e 0.7%	1.0%
Under 15	0.2%	0.4%	Female	59.7%	54.9%	Asian	3.0%	1.8%
15 - 19	0.7%	0.5%				Black/African Amer.	4.5%	3.6%
20 - 24	3.9%	2.3%				Native Hawaii/Pac.Isl.	0.4%	0.3%
25 - 34	14.2%	9.3%				White	89.7%	91.9%
35 - 44	6.6%	5.5%				Multiracial	1.2%	0.8%
45 - 54	6.0%	5.7%				Declined	0.3%	0.3%
55 - 64	12.4%	16.1%				Unavailable	0.2%	0.3%
65 - 74	17.5%	21.0%						
75 - 84	12.9%	16.5%						
85 & Over	8.0%	9.6%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	59	3.2	4.1	0.78	4.3	0.74	4.8	0.67		
133 Respiratory failure	55	3.4	4.1	0.83	4.2	0.81	4.5	0.76		
137 Respiratory Infections and Inflammations	59	4.4	4.9	0.90	5.3	0.83	5.2	0.85		
139 Pneumonia	57	3.9	3.9	1.00	4.3	0.91	4.2	0.93		
174 Percutaneous coronary intervention w AMI	56	2.3	2.8	0.82	2.7	0.85	2.9	0.79		
194 Heart Failure	113	4.0	4.0	1.00	4.8	0.83	4.9	0.82		
201 Heart Abnormal Rhythm and Conduction Disorders	113	2.2	2.5	0.88	2.9	0.76	2.9	0.76		
463 Kidney/Urinary Tract Infection	31	6.1	3.6	1.69	4.0	1.53	3.9	1.56		
469 Acute kidney injury	66	4.3	4.3	1.00	5.0	0.86	5.1	0.84		
540 Cesarean Delivery	191	2.7	3.1	0.87	2.9	0.93	3.4	0.79		
560 Vaginal Delivery	489	1.9	1.9	1.00	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	681	1.8	1.9	0.95	1.9	0.95	1.9	0.95		
720 Blood Infection/Septicemia	352	4.7	5.5	0.85	5.7	0.82	5.9	0.80		
751 Psychoses	*	*	4.5	*	4.9	*	5.2	*		
775 Alcohol Abuse/Dependence	30	4.9	3.4	1.44	3.9	1.26	3.9	1.26		

					•				
		This Fac	ility			Risk Adjusted	Group Averages		
APR-[DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	espitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$45,690	\$48,874	\$34,041	1.44	\$47,748	1.02	\$48,817	1.00
133 I	Respiratory failure	\$36,487	\$33,811	\$29,682	1.14	\$37,099	0.91	\$40,230	0.84
137 I	Respiratory Infections and Inflammations	\$38,942	\$35,451	\$28,745	1.23	\$41,393	0.86	\$42,641	0.83
139 I	Pneumonia	\$32,113	\$29,638	\$24,374	1.22	\$34,303	0.86	\$33,326	0.89
174 I	Percutaneous coronary intervention w AMI	\$68,631	\$71,187	\$76,906	0.93	\$85,768	0.83	\$88,028	0.81
194 I	Heart Failure	\$35,639	\$33,439	\$23,797	1.41	\$35,400	0.94	\$37,402	0.89
201 I	Heart Abnormal Rhythm and Conduction Disorders	\$18,627	\$19,469	\$18,789	1.04	\$25,284	0.77	\$26,261	0.74
463 I	Kidney/Urinary Tract Infection	\$37,837	\$33,001	\$21,677	1.52	\$30,786	1.07	\$28,895	1.14
469	Acute kidney injury	\$38,928	\$38,566	\$25,999	1.48	\$36,604	1.05	\$38,198	1.01
540	Cesarean Delivery	\$19,670	\$19,444	\$19,835	0.98	\$27,373	0.71	\$29,333	0.66
560 \	Vaginal Delivery	\$9,841	\$9,842	\$9,045	1.09	\$14,481	0.68	\$15,112	0.65
640 I	Normal Newborn, Birthweight 2500g+	\$5,112	\$5,239	\$4,007	1.31	\$5,825	0.90	\$5,404	0.97
720 I	Blood Infection/Septicemia	\$45,735	\$46,047	\$38,128	1.21	\$52,329	0.88	\$55,330	0.83
751 I	Psychoses	*	#	#	*	#	*	#	*
775	Alcohol Abuse/Dependence	\$33,693	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

104 Mayo Clinic Health System - Oakridge in Osseo

13025 Eighth Street, PO Box 70

Osseo, WI 54758

⊣ospital	Type:	GMS
----------	-------	-----

Other or Unknown Insurance

County: Trempealeau Analysis Area: 5B-Southwestern

0.0%

715-597-3121				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	230	Average Length of Stay (days):	3.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	697	Average Charge per Discharge:	\$13,638	Home or Self-Care Other GMS Hospital	53.9% 7.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	7.0% 2.2% 0.4%
Total Childbirths:	0			Hospice Other Institution	2.2% 0.0%
Total Newborns:	0			Home Health Service Left Against Medical Advice	3.0% 0.9%
Psychiatric Utilization				Expired Expired	0.9%
Discharges:	1	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.4%	Other	21.7%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	81.7%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	7.8%
				Other Government	2.6%
				Commercial or Private Insurance	6.5%
				Self-Pay	1.3%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	44.3%	43.0%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	55.7%	57.0%	Asian	0.4%	0.3%
15 - 19	0.9%	0.7%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.2%	1.7%				White	97.8%	98.7%
35 - 44	1.3%	0.4%				Multiracial	0.4%	0.4%
45 - 54	5.2%	4.6%				Declined	0.0%	0.0%
55 - 64	13.0%	12.2%				Unavailable	1.3%	0.6%
65 - 74	20.0%	18.8%						
75 - 84	29.6%	30.0%						
85 & Over	27.8%	31.6%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	*	*	4.0	*	3.0	*	4.5	*		
137 Respiratory Infections and Inflammations	9	3.8	4.8	0.79	3.7	1.03	5.2	0.73		
139 Pneumonia	21	2.6	3.3	0.79	3.3	0.79	4.2	0.62		
140 Chronic Obstructive Pulmonary Disease	13	3.1	3.4	0.91	3.1	1.00	3.4	0.91		
194 Heart Failure	29	3.3	4.5	0.73	3.5	0.94	4.9	0.67		
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	3.1	*	2.6	*	2.9	*		
249 Other gastroenteritis, nausea & vomiting	7	2.6	4.2	0.62	2.6	1.00	3.5	0.74		
282 Disorders of Pancreas Except Malignancy	7	2.7	3.3	0.82	2.6	1.04	3.9	0.69		
383 Cellulitis & other skin infections	14	3.3	3.9	0.85	3.9	0.85	4.3	0.77		
420 Diabetes	5	2.6	2.7	0.96	2.1	1.24	3.3	0.79		
463 Kidney/Urinary Tract Infection	13	3.0	3.5	0.86	3.5	0.86	3.9	0.77		
469 Acute kidney injury	14	2.9	4.9	0.59	3.3	0.88	5.1	0.57		
720 Blood Infection/Septicemia	10	3.0	4.6	0.65	3.5	0.86	5.9	0.51		
861 Signs & Symptoms	*	*	6.5	*	10.3	*	5.6	*		
862 Other Factors Influencing Health Status	0	N/A	11.6	N/A	12.2	N/A	8.2	N/A		

		This Fac			Risk Adjusted	Group Averages			
APR-	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient Vo Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133	Respiratory failure	*	*	\$26,914	*	\$20,930	*	\$40,230	*
137	Respiratory Infections and Inflammations	\$21,306	\$24,999	\$29,196	0.86	\$22,966	1.09	\$42,641	0.59
139	Pneumonia	\$13,252	\$15,894	\$21,792	0.73	\$20,677	0.77	\$33,326	0.48
140	Chronic Obstructive Pulmonary Disease	\$14,935	\$17,467	\$22,105	0.79	\$17,434	1.00	\$30,692	0.57
194	Heart Failure	\$14,806	\$18,028	\$24,371	0.74	\$19,130	0.94	\$37,402	0.48
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$18,433	*	\$18,284	*	\$26,261	*
249	Other gastroenteritis, nausea & vomiting	\$10,786	\$11,034	\$15,837	0.70	\$15,617	0.71	\$30,474	0.36
282	Disorders of Pancreas Except Malignancy	\$12,752	\$17,128	\$20,661	0.83	\$18,647	0.92	\$34,273	0.50
383	Cellulitis & other skin infections	\$11,813	\$13,200	\$19,481	0.68	\$18,221	0.72	\$28,319	0.47
420	Diabetes	\$11,679	\$10,418	\$18,205	0.57	\$15,182	0.69	\$29,270	0.36
463	Kidney/Urinary Tract Infection	\$10,498	\$12,078	\$17,675	0.68	\$16,696	0.72	\$28,895	0.42
469	Acute kidney injury	\$11,833	\$14,480	\$24,071	0.60	\$19,375	0.75	\$38,198	0.38
720	Blood Infection/Septicemia	\$15,381	\$23,585	\$30,818	0.77	\$25,105	0.94	\$55,330	0.43
861	Signs & Symptoms	*	*	\$26,429	*	\$18,999	*	\$35,921	*
862	Other Factors Influencing Health Status	N/A	N/A	\$37,912	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

106 Marshfield Medical Center - Park Falls

98 Sherry Avenue, PO Box 310

Park Falls, WI 54552

715-762-7505

Hospital Type: GMS
County: Price

Analysis Area: 7-Western Lake Superior

Detient Discharge State

Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	342	Average Length of Stay (days):	4.7	Discharge Status	% Discharges
Total Patient Days:	1,621	Average Charge per Discharge:	\$17,034	Home or Self-Care	45.6%
iotal Fatierit Days.	1,021	Average Charge per Discharge.	φ17,034	Other GMS Hospital	6.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.6%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	23.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0	1 Groom Gram Grandbattalo.	0.070	Hospice	2.9%
Total Childbirths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	12.9%
B. H. W. Heller				Left Against Medical Advice	0.9%
Psychiatric Utilization				Expired	2.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.8%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	0.6%	Medicare	81.6%
Patient Days:	9	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	4.4%
				Other Government	7.0%
				Commercial or Private Insurance	5.6%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	50.0%	54.8%	Amer.Ind/Alaskan Native	2.0%	2.6%	
Under 15	0.0%	0.0%	Female	50.0%	45.2%	Asian	0.0%	0.0%	
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%	
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	1.2%	1.0%	
25 - 34	1.5%	0.9%				White	95.6%	95.7%	
35 - 44	1.8%	1.1%				Multiracial	0.0%	0.0%	
45 - 54	3.2%	2.2%				Declined	0.3%	0.2%	
55 - 64	9.9%	11.7%				Unavailable	0.9%	0.4%	
65 - 74	25.7%	25.4%							
75 - 84	28.4%	30.7%							
85 & Over	29.5%	28.1%							

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	13	4.0	3.7	1.08	3.5	1.14	4.5	0.89		
137 Respiratory Infections and Inflammations	28	4.9	5.2	0.94	4.0	1.23	5.2	0.94		
139 Pneumonia	43	4.3	4.5	0.96	3.8	1.13	4.2	1.02		
140 Chronic Obstructive Pulmonary Disease	20	4.0	3.8	1.05	3.1	1.29	3.4	1.18		
194 Heart Failure	19	3.2	4.2	0.76	3.8	0.84	4.9	0.65		
201 Heart Abnormal Rhythm and Conduction Disorders	9	3.3	2.7	1.22	2.5	1.32	2.9	1.14		
247 Intestinal Obstruction without Surgery	5	2.8	2.8	1.00	3.0	0.93	3.5	0.80		
383 Cellulitis & other skin infections	22	4.8	5.1	0.94	4.4	1.09	4.3	1.12		
463 Kidney/Urinary Tract Infection	11	2.9	5.2	0.56	3.7	0.78	3.9	0.74		
469 Acute kidney injury	5	4.6	4.0	1.15	3.1	1.48	5.1	0.90		
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A		
720 Blood Infection/Septicemia	56	5.1	4.8	1.06	3.8	1.34	5.9	0.86		
861 Signs & Symptoms	*	*	4.5	*	5.5	*	5.6	*		

_	• •	_	•	-	•					
This Facility			Risk Adjusted Group Averages							
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio			
\$14,362	\$20,823	\$20,493	1.02	\$24,966	0.83	\$40,230	0.52			
\$21,873	\$25,036	\$25,603	0.98	\$23,829	1.05	\$42,641	0.59			
\$17,598	\$18,955	\$21,744	0.87	\$21,847	0.87	\$33,326	0.57			
\$14,838	\$16,736	\$17,105	0.98	\$18,738	0.89	\$30,692	0.55			
\$13,253	\$12,892	\$18,201	0.71	\$21,808	0.59	\$37,402	0.34			
\$11,657	\$10,740	\$11,027	0.97	\$15,774	0.68	\$26,261	0.41			
\$10,271	\$11,769	\$13,626	0.86	\$15,683	0.75	\$25,745	0.46			
\$15,401	\$14,335	\$18,104	0.79	\$19,917	0.72	\$28,319	0.51			
\$9,399	\$10,280	\$18,415	0.56	\$17,130	0.60	\$28,895	0.36			
\$16,679	\$20,352	\$21,456	0.95	\$19,497	1.04	\$38,198	0.53			
N/A	N/A	\$25,435	*	\$25,945	*	\$29,333	*			
N/A	N/A	\$7,651	*	\$9,423	*	\$15,112	*			
N/A	N/A	\$4,469	*	\$4,311	*	\$5,404	*			
\$19,989	\$26,775	\$25,870	1.03	\$27,838	0.96	\$55,330	0.48			
*	*	\$16,793	*	\$17,922	*	\$35,921	*			
	Average Charge \$14,362 \$21,873 \$17,598 \$14,838 \$13,253 \$11,657 \$10,271 \$15,401 \$9,399 \$16,679 N/A N/A	Risk Adjusted Average Charge Charge Charge Charge Charge Charge \$14,362 \$20,823 \$21,873 \$25,036 \$17,598 \$18,955 \$14,838 \$16,736 \$13,253 \$12,892 \$11,657 \$10,740 \$10,271 \$11,769 \$15,401 \$14,335 \$9,399 \$10,280 \$16,679 \$20,352 N/A N/A N/A N/A N/A N/A N/A N/A \$19,989 \$26,775	Risk Adjusted Average Charge Statement Charge Charge Charge Charge Charge Charge Charge Charge Charge Statement Charge Charge Charge Statement Charge Charge Statement Charge Charge Charge Statement Charge Charge Charge Statement Charge Charge Charge Statement Charge Charge Charge Charge Statement Charge Charge Charge Statement Charge Charge Statement Charge Charge Charge Statement Charge Charge Statement Charge Charge Charge Statement Charge Charge Statement Charge Charge Charge Charge Statement Charge Charge Statement Charge	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Ratio \$14,362 \$20,823 \$20,493 1.02 \$21,873 \$25,036 \$25,603 0.98 \$17,598 \$18,955 \$21,744 0.87 \$14,838 \$16,736 \$17,105 0.98 \$13,253 \$12,892 \$18,201 0.71 \$11,657 \$10,740 \$11,027 0.97 \$10,271 \$11,769 \$13,626 0.86 \$15,401 \$14,335 \$18,104 0.79 \$9,399 \$10,280 \$18,415 0.56 \$16,679 \$20,352 \$21,456 0.95 N/A N/A N/A \$25,435 *N/A N/A N/A \$7,651 *N/A N/A N/A \$7,651 *N/A N/A N/A \$4,469 *19,989 \$26,775 \$25,870 1.03	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio Charge S21,873 \$25,036 \$25,603 0.98 \$23,829 \$17,598 \$18,955 \$21,744 0.87 \$21,847 \$14,838 \$16,736 \$17,105 0.98 \$18,738 \$13,253 \$12,892 \$18,201 0.71 \$21,808 \$11,657 \$10,740 \$11,027 0.97 \$15,774 \$10,271 \$11,769 \$13,626 0.86 \$15,683 \$15,401 \$14,335 \$18,104 0.79 \$19,917 \$9,399 \$10,280 \$18,415 0.56 \$17,130 \$16,679 \$20,352 \$21,456 0.95 \$19,497 N/A N/A N/A \$25,435 * \$25,945 N/A N/A N/A \$7,651 * \$9,423 N/A N/A N/A \$4,469 * \$4,311 \$19,989 \$26,775 \$25,870 1.03 \$27,838	Risk Adjusted Charge Analysis Area Average Charge Inpatient Volume Group Average Charge \$14,362 \$20,823 \$20,493 \$1.02 \$24,966 0.83 \$21,873 \$25,036 \$25,603 0.98 \$23,829 1.05 \$17,598 \$18,955 \$21,744 0.87 \$21,847 0.87 \$14,838 \$16,736 \$17,105 0.98 \$18,738 0.89 \$13,253 \$12,892 \$18,201 0.71 \$21,808 0.59 \$11,657 \$10,740 \$11,027 0.97 \$15,774 0.68 \$10,271 \$11,769 \$13,626 0.86 \$15,683 0.75 \$15,401 \$14,335 \$18,104 0.79 \$19,917 0.72 \$9,399 \$10,280 \$18,415 0.56 \$17,130 0.60 \$16,679 \$20,352 \$21,456 0.95 \$19,497 1.04 N/A N/A \$7,651 * \$9,423 * N/A N/A \$4,469 * \$4,	Risk Adjusted Average Charge Average Charge Average Charge Average Charge Ratio Inpatient Volume Group Average Average Charge All GMS Howard Average Charge Average Charge Ratio All GMS Howard Average Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Ratio Average Charge Ratio All GMS Howard Average Charge Ratio Average Charge Charge Ratio Average Charge Ratio Average Charge Charge Ratio All GMS Howard Average Charge Ratio Average Charge			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

326 Froedtert Community Hospital - Pewaukee

209 Pewaukee Road

Pewaukee, WI 53072

85 & Over

8.2%

10.7%

262-956-6150 Inpatient Volume Group: 1

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

202 000 0100				inpationt volume Group.	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	73	Average Length of Stay (days):	2.3	Discharge Status	% Discharges
Total Patient Days:	169	Average Charge per Discharge:	\$13,147	Home or Self-Care Other GMS Hospital	79.5% 15.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	1.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.4%
Total Childbirths:	0			Hospice	0.0%
-	·			Other Institution	0.0%
Total Newborns:	0			Home Health Service	2.7%
Dovobiatria Utilization				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	0.0%
Discharges:	1	Percent of All Discharges:	1.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	1.8%	Other	0.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	4.1%	Medicare	64.4%
Patient Days:	6	Percent of All Patient Days:	3.6%	Medicaid/BadgerCare	5.5%
				Other Government	0.0%
				Commercial or Private Insurance	27.4%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	37.0%	32.0%	Amer.Ind/Alaskan Native	e 1.4%	0.6%	
Under 15	0.0%	0.0%	Female	63.0%	68.0%	Asian	2.7%	1.8%	
15 - 19	0.0%	0.0%				Black/African Amer.	4.1%	3.6%	
20 - 24	4.1%	2.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	5.5%	3.6%				White	91.8%	94.1%	
35 - 44	9.6%	5.3%				Multiracial	0.0%	0.0%	
45 - 54	6.8%	4.7%				Declined	0.0%	0.0%	
55 - 64	13.7%	14.2%				Unavailable	0 %	0 %	
65 - 74	19.2%	18.9%							
75 - 84	32.9%	40.2%							

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS Hospitals			
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	6	1.8	4.5	0.40	3.0	0.60	4.5	0.40		
137 Respiratory Infections and Inflammations	*	*	5.0	*	3.7	*	5.2	*		
139 Pneumonia	6	3.0	4.4	0.68	3.3	0.91	4.2	0.71		
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.3	N/A	3.1	N/A	3.4	N/A		
194 Heart Failure	*	*	4.8	*	3.5	*	4.9	*		
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A		
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.2	N/A	2.6	N/A	3.5	N/A		
282 Disorders of Pancreas Except Malignancy	*	*	3.6	*	2.6	*	3.9	*		
383 Cellulitis & other skin infections	*	*	4.1	*	3.9	*	4.3	*		
420 Diabetes	0	N/A	3.5	N/A	2.1	N/A	3.3	N/A		
463 Kidney/Urinary Tract Infection	5	3.0	3.7	0.81	3.5	0.86	3.9	0.77		
469 Acute kidney injury	*	*	5.2	*	3.3	*	5.1	*		
720 Blood Infection/Septicemia	17	1.9	5.5	0.35	3.5	0.54	5.9	0.32		
861 Signs & Symptoms	*	*	3.9	*	10.3	*	5.6	*		
862 Other Factors Influencing Health Status	0	N/A	6.7	N/A	12.2	N/A	8.2	N/A		

			Risk Adjusted	Group Averages		-		
APR-DRG # and Description	This Fac Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$9,410	\$13,526	\$40,487	0.33	\$20,930	0.65	\$40,230	0.34
137 Respiratory Infections and Inflammations	*	*	\$43,191	*	\$22,966	*	\$42,641	*
139 Pneumonia	\$15,053	\$16,487	\$37,172	0.44	\$20,677	0.80	\$33,326	0.49
140 Chronic Obstructive Pulmonary Disease	N/A	N/A	\$30,371	*	\$17,434	*	\$30,692	*
194 Heart Failure	*	*	\$37,913	*	\$19,130	*	\$37,402	*
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$28,341	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	N/A	N/A	\$31,247	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$37,312	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$29,097	*	\$18,221	*	\$28,319	*
420 Diabetes	N/A	N/A	\$29,281	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$14,915	\$16,787	\$29,800	0.56	\$16,696	1.01	\$28,895	0.58
469 Acute kidney injury	*	*	\$39,143	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$13,737	\$21,719	\$53,476	0.41	\$25,105	0.87	\$55,330	0.39
861 Signs & Symptoms	*	*	\$32,807	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$26,393	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

108 Southwest Health 1400 Eastside Road Platteville, WI 53818

608-348-2331

Hospital Type: GMS County: Grant

Analysis Area: 1-Southern

				pattoni rotaino orotapi	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,294	Average Length of Stay (days):	2.9	Discharge Status	% Discharges
Total Patient Days:	3,727	Average Charge per Discharge:	\$23,985	Home or Self-Care	84.4%
Total Fations Bayo.	0,727	Avolago Chargo por Biochargo.	Ψ20,000	Other GMS Hospital	4.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.5%
Normal Childbirths:	173	Percent of All Childbirths:	75.9%	Skilled Nursing Facility	4.7%
Cesarean Childbirths:	52	Percent of All Childbirths:	22.8%	Intermediate Care Facility	0.2%
Other Childbirths:	3	Percent of All Childbirths:	1.3%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	228	r Grooth Gran Grindbirtho.	1.570	Hospice	0.2%
Total Childbirths.	220			Other Institution	0.1%
Total Newborns:	235			Home Health Service	0.6%
-				Left Against Medical Advice	0.1%
Psychiatric Utilization				Expired	1.5%
Discharges:	69	Percent of All Discharges:	5.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	890	Percent of All Patient Days:	23.9%	Other	3.6%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	8	Percent of All Discharges:	0.6%	Medicare	44.6%
Patient Days:	42	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	12.1%
•		·		Other Government	1.0%
				Commercial or Private Insurance	35.1%
				Self-Pay	7.2%
				Other or Unknown Insurance	0.0%
				Care of Charletti modication	0.070

	Age Distribution	<u>.</u>		Sex Distribution	<u>1</u>	Race Distribution				
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	18.2%	10.5%	Male	37.6%	33.7%	Amer.Ind/Alaskan Native	e 0.0%	0.0%		
Under 15	0.2%	0.1%	Female	62.4%	66.3%	Asian	0.2%	0.1%		
15 - 19	1.2%	1.0%				Black/African Amer.	1.9%	1.4%		
20 - 24	4.9%	3.9%				Native Hawaii/Pac.Isl.	0.1%	0.0%		
25 - 34	12.4%	8.6%				White	92.2%	94.8%		
35 - 44	3.9%	2.7%				Multiracial	0.4%	0.2%		
45 - 54	4.4%	4.1%				Declined	0.0%	0.0%		
55 - 64	11.8%	13.3%				Unavailable	5.3%	3.4%		
65 - 74	21.6%	25.7%								
75 - 84	15.1%	18.9%								
85 & Over	6.5%	11.2%								

	This Facility Group Averages							
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	9	2.8	4.2	0.67	3.4	0.82	4.5	0.62
137 Respiratory Infections and Inflammations	22	3.4	5.3	0.64	3.8	0.89	5.2	0.65
139 Pneumonia	20	3.0	4.0	0.75	3.6	0.83	4.2	0.71
140 Chronic Obstructive Pulmonary Disease	20	2.7	3.4	0.79	3.1	0.87	3.4	0.79
194 Heart Failure	16	3.4	5.0	0.68	3.8	0.89	4.9	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	10	2.4	3.0	0.80	2.3	1.04	2.9	0.83
326 Elective knee joint replacement	202	1.0	1.7	0.59	1.4	0.71	1.9	0.53
383 Cellulitis & other skin infections	*	*	4.5	*	3.7	*	4.3	*
463 Kidney/Urinary Tract Infection	6	2.7	3.9	0.69	3.4	0.79	3.9	0.69
469 Acute kidney injury	*	*	5.0	*	3.4	*	5.1	*
540 Cesarean Delivery	52	2.4	3.7	0.65	2.8	0.86	3.4	0.71
560 Vaginal Delivery	173	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	215	1.7	2.0	0.85	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	10	3.1	6.2	0.50	4.3	0.72	5.9	0.53
775 Alcohol Abuse/Dependence	8	5.3	3.9	1.36	3.6	1.47	3.9	1.36

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133	Respiratory failure	\$15,840	\$23,647	\$48,230	0.49	\$28,186	0.84	\$40,230	0.59
137	Respiratory Infections and Inflammations	\$17,909	\$21,441	\$50,848	0.42	\$27,697	0.77	\$42,641	0.50
139	Pneumonia	\$15,968	\$22,469	\$38,234	0.59	\$24,745	0.91	\$33,326	0.67
140	Chronic Obstructive Pulmonary Disease	\$15,177	\$16,917	\$35,760	0.47	\$21,626	0.78	\$30,692	0.55
194	Heart Failure	\$15,690	\$19,831	\$43,714	0.45	\$25,105	0.79	\$37,402	0.53
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,016	\$13,449	\$31,461	0.43	\$18,832	0.71	\$26,261	0.51
326	Elective knee joint replacement	\$44,752	\$48,464	\$55,883	0.87	\$51,872	0.93	\$61,836	0.78
383	Cellulitis & other skin infections	*	*	\$32,909	*	\$21,471	*	\$28,319	*
463	Kidney/Urinary Tract Infection	\$15,714	\$17,796	\$32,986	0.54	\$19,405	0.92	\$28,895	0.62
469	Acute kidney injury	*	*	\$45,552	*	\$23,727	*	\$38,198	*
540	Cesarean Delivery	\$25,485	\$27,477	\$34,658	0.79	\$24,636	1.12	\$29,333	0.94
560	Vaginal Delivery	\$10,382	\$10,826	\$16,752	0.65	\$11,580	0.93	\$15,112	0.72
640	Normal Newborn, Birthweight 2500g+	\$3,224	\$3,387	\$5,371	0.63	\$4,369	0.78	\$5,404	0.63
720	Blood Infection/Septicemia	\$20,114	\$30,598	\$69,381	0.44	\$35,041	0.87	\$55,330	0.55
775	Alcohol Abuse/Dependence	\$18,304	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

305 Froedtert South - Froedtert Pleasant Prairie

9555 76th Street

Pleasant Prairie, WI 53158

262-656-3011

Hospital Type: GMS County: Kenosha

Inpatient Volume Group: 5

Analysis Area: 2A-Southeastern

Patient Discharge Status

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	5,548	Average Length of Stay (days):	4.5	<u>Discharge Status</u>	% Discharges
Total Dationt Dava:	24,969	Average Charge per Discharge:	\$53,134	Home or Self-Care	63.8%
Total Patient Days:	24,909	Average Charge per Discharge:	φυυ, 10 4	Other GMS Hospital	1.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	352	Percent of All Childbirths:	66.8%	Skilled Nursing Facility	12.9%
Cesarean Childbirths:	157	Percent of All Childbirths:	29.8%	Intermediate Care Facility	0.0%
Other Childbirths:	18	Percent of All Childbirths:	3.4%	Inpatient Rehabilitation Facility	3.5%
Total Childbirths:	527	r crocite of All Offiliabilities.	3.4 /0	Hospice	3.2%
Total Childbirths.	521			Other Institution	0.1%
Total Newborns:	557			Home Health Service	9.9%
B I to d. to . I letter dt				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	2.5%
Discharges:	5	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	25	Percent of All Patient Days:	0.1%	Other	1.0%
				Expected Pay Source Distrib	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	64	Percent of All Discharges:	1.2%	Medicare	49.8%
Patient Days:	310	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	20.0%
•		·		Other Government	2.5%
				Commercial or Private Insurance	26.3%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	10.0%	4.1%	Male	44.7%	47.4%	Amer.Ind/Alaskan Native	e 0.1%	0.3%	
Under 15	0.2%	0.1%	Female	55.3%	52.6%	Asian	0.9%	0.8%	
15 - 19	0.7%	0.3%				Black/African Amer.	9.1%	10.6%	
20 - 24	2.5%	1.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	9.4%	5.2%				White	82.7%	82.7%	
35 - 44	7.1%	6.1%				Multiracial	0.0%	0.0%	
45 - 54	8.8%	10.6%				Declined	6.2%	5.3%	
55 - 64	15.3%	19.0%				Unavailable	1.0%	0.3%	
65 - 74	18.9%	22.7%							
75 - 84	17.7%	20.4%							
85 & Over	9.5%	10.2%							

	This Facil	ity			Averages			
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	134	4.2	4.2	1.00	4.3	0.98	4.8	0.88
133 Respiratory failure	84	4.6	4.5	1.02	4.2	1.10	4.5	1.02
137 Respiratory Infections and Inflammations	125	5.5	5.0	1.10	5.3	1.04	5.2	1.06
139 Pneumonia	147	4.6	4.4	1.05	4.3	1.07	4.2	1.10
174 Percutaneous coronary intervention w AMI	94	2.3	2.7	0.85	2.7	0.85	2.9	0.79
194 Heart Failure	219	4.4	4.8	0.92	4.8	0.92	4.9	0.90
201 Heart Abnormal Rhythm and Conduction Disorders	97	4.0	2.8	1.43	2.9	1.38	2.9	1.38
463 Kidney/Urinary Tract Infection	116	4.8	3.7	1.30	4.0	1.20	3.9	1.23
469 Acute kidney injury	64	5.8	5.2	1.12	5.0	1.16	5.1	1.14
540 Cesarean Delivery	157	2.4	3.1	0.77	2.9	0.83	3.4	0.71
560 Vaginal Delivery	352	1.6	2.0	0.80	1.9	0.84	2.1	0.76
640 Normal Newborn, Birthweight 2500g+	512	1.6	1.9	0.84	1.9	0.84	1.9	0.84
720 Blood Infection/Septicemia	294	6.4	5.5	1.16	5.7	1.12	5.9	1.08
751 Psychoses	0	N/A	5.1	N/A	4.9	N/A	5.2	N/A
775 Alcohol Abuse/Dependence	51	5.0	4.1	1.22	3.9	1.28	3.9	1.28

	•	•	• •	•	•	•	•		
		This Fac	ility			Risk Adjusted	Group Averages	i	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Hospitals Average Charge Ratio	
045 Stroke and Precerebral Occlu	sion with Infarct	\$45,026	\$48,871	\$48,841	1.00	\$47,748	1.02	\$48,817	1.00
133 Respiratory failure		\$42,464	\$35,752	\$40,487	0.88	\$37,099	0.96	\$40,230	0.89
137 Respiratory Infections and Infl	ammations	\$47,379	\$47,555	\$43,191	1.10	\$41,393	1.15	\$42,641	1.12
139 Pneumonia		\$38,477	\$40,845	\$37,172	1.10	\$34,303	1.19	\$33,326	1.23
174 Percutaneous coronary interv	ention w AMI	\$112,209	\$116,508	\$88,471	1.32	\$85,768	1.36	\$88,028	1.32
194 Heart Failure		\$36,455	\$38,110	\$37,913	1.01	\$35,400	1.08	\$37,402	1.02
201 Heart Abnormal Rhythm and 0	Conduction Disorders	\$36,378	\$31,206	\$28,341	1.10	\$25,284	1.23	\$26,261	1.19
463 Kidney/Urinary Tract Infection		\$36,349	\$35,039	\$29,800	1.18	\$30,786	1.14	\$28,895	1.21
469 Acute kidney injury		\$50,154	\$47,275	\$39,143	1.21	\$36,604	1.29	\$38,198	1.24
540 Cesarean Delivery		\$29,821	\$32,296	\$31,537	1.02	\$27,373	1.18	\$29,333	1.10
560 Vaginal Delivery		\$15,090	\$15,890	\$17,466	0.91	\$14,481	1.10	\$15,112	1.05
640 Normal Newborn, Birthweight	2500g+	\$4,961	\$5,403	\$6,387	0.85	\$5,825	0.93	\$5,404	1.00
720 Blood Infection/Septicemia		\$65,378	\$64,253	\$53,476	1.20	\$52,329	1.23	\$55,330	1.16
751 Psychoses		N/A	#	#	*	#	*	#	*
775 Alcohol Abuse/Dependence		\$39,536	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

111 Aspirus Divine Savior Hospital & Clinics

2817 New Pinery Road

Portage, WI 53901

608-742-4131

85 & Over

16.7%

19.8%

Hospital Type: GMS

County: Columbia

Analysis Area: 1-Southern Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	1,199	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	4,162	Average Charge per Discharge:	\$26,446	Home or Self-Care Other GMS Hospital	56.5% 7.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	50 17 2 69 66	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	72.5% 24.6% 2.9%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	11.5% 3.5% 0.2% 2.4% 0.0% 11.9% 1.3% 3.9%
Patient Days:	21	Percent of All Patient Days:	0.5%	• • • • • • • • • • • • • • • • • • • •	0.5%
AODA Utilization Discharges: Patient Days:	38 126	Percent of All Discharges: Percent of All Patient Days:	3.2% 3.0%	Expected Pay Source Distrib Primary Payer Medicare Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	% Discharges 63.2% 12.3% 3.5% 20.9% 0.0% 0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	5.5%	2.5%	Male	44.7%	47.8%	Amer.Ind/Alaskan Native	0.3%	0.8%	
Under 15	0.3%	0.1%	Female	55.3%	52.2%	Asian	0.3%	0.2%	
15 - 19	0.6%	0.3%				Black/African Amer.	1.3%	1.5%	
20 - 24	2.2%	1.2%				Native Hawaii/Pac.Isl.	0.1%	0.1%	
25 - 34	5.9%	4.3%				White	97.8%	96.8%	
35 - 44	4.8%	3.4%				Multiracial	0.0%	0.0%	
45 - 54	6.8%	5.9%				Declined	0.3%	0.6%	
55 - 64	16.0%	17.9%				Unavailable	0 %	0 %	
65 - 74	20.1%	19.1%							
75 - 84	21.1%	25.6%							

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	26	2.6	4.8	0.54	3.9	0.67	4.8	0.54
133 Respiratory failure	49	3.2	4.2	0.76	3.8	0.84	4.5	0.71
137 Respiratory Infections and Inflammations	32	4.7	5.3	0.89	4.9	0.96	5.2	0.90
139 Pneumonia	37	2.9	4.0	0.73	4.0	0.73	4.2	0.69
194 Heart Failure	84	3.3	5.0	0.66	4.2	0.79	4.9	0.67
201 Heart Abnormal Rhythm and Conduction Disorders	41	2.2	3.0	0.73	2.8	0.79	2.9	0.76
247 Intestinal Obstruction without Surgery	19	2.4	3.6	0.67	3.0	0.80	3.5	0.69
383 Cellulitis & other skin infections	14	3.3	4.5	0.73	4.4	0.75	4.3	0.77
463 Kidney/Urinary Tract Infection	25	3.5	3.9	0.90	3.9	0.90	3.9	0.90
469 Acute kidney injury	34	4.5	5.0	0.90	4.4	1.02	5.1	0.88
540 Cesarean Delivery	17	2.5	3.7	0.68	2.7	0.93	3.4	0.74
560 Vaginal Delivery	50	1.7	2.1	0.81	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	69	1.6	2.0	0.80	1.7	0.94	1.9	0.84
720 Blood Infection/Septicemia	122	4.9	6.2	0.79	4.9	1.00	5.9	0.83
775 Alcohol Abuse/Dependence	28	3.2	3.9	0.82	3.6	0.89	3.9	0.82

	This Fac	ility			Risk Adjusted	Group Averages	;		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	Analysis Area Average Charge Ratio		Inpatient Volume Group Average Charge Ratio		All GMS Hospitals Average Charge Ratio		
045 Stroke and Precerebral Occlusion with Infarct	\$29,991	\$31,077	\$58,073	0.54	\$40,171	0.77	\$48,817	0.64	
133 Respiratory failure	\$25,754	\$34,290	\$48,230	0.71	\$36,698	0.93	\$40,230	0.85	
137 Respiratory Infections and Inflammations	\$27,928	\$27,209	\$50,848	0.54	\$36,939	0.74	\$42,641	0.64	
139 Pneumonia	\$22,342	\$21,033	\$38,234	0.55	\$30,699	0.69	\$33,326	0.63	
194 Heart Failure	\$20,996	\$21,942	\$43,714	0.50	\$31,713	0.69	\$37,402	0.59	
201 Heart Abnormal Rhythm and Conduction Disorders	\$18,319	\$19,537	\$31,461	0.62	\$24,868	0.79	\$26,261	0.74	
247 Intestinal Obstruction without Surgery	\$17,240	\$18,238	\$30,614	0.60	\$23,106	0.79	\$25,745	0.71	
383 Cellulitis & other skin infections	\$18,446	\$19,909	\$32,909	0.60	\$26,486	0.75	\$28,319	0.70	
463 Kidney/Urinary Tract Infection	\$19,230	\$20,619	\$32,986	0.63	\$26,652	0.77	\$28,895	0.71	
469 Acute kidney injury	\$27,605	\$29,323	\$45,552	0.64	\$33,034	0.89	\$38,198	0.77	
540 Cesarean Delivery	\$23,945	\$25,289	\$34,658	0.73	\$26,530	0.95	\$29,333	0.86	
560 Vaginal Delivery	\$12,626	\$13,247	\$16,752	0.79	\$12,146	1.09	\$15,112	0.88	
640 Normal Newborn, Birthweight 2500g+	\$5,159	\$5,915	\$5,371	1.10	\$4,923	1.20	\$5,404	1.09	
720 Blood Infection/Septicemia	\$34,534	\$33,335	\$69,381	0.48	\$44,231	0.75	\$55,330	0.60	
775 Alcohol Abuse/Dependence	\$26,608	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

112 Crossing Rivers Health 37868 US Highway 18 Prairie du Chien, WI 53821

608-357-2000

85 & Over

16.0%

19.5%

Hospital Type: GMS
County: Crawford

Analysis Area: 5B-Southwestern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	486	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,344	Average Charge per Discharge:	\$17,363	Home or Self-Care Other GMS Hospital	78.0% 4.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	95 26 4 125 23	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	76.0% 20.8% 3.2%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice	6.8% 0.0% 0.0% 1.4% 0.0% 0.4%
Discharges:	0	Percent of All Discharges:	0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	1.6% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	7.2%
AODA Utilization				Expected Pay Source Distril	
Discharges: Patient Days:	0	Percent of All Discharges: Percent of All Patient Days:	0.0% 0.0%	Primary Payer Medicare Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	% Discharges 56.4% 10.5% 3.5% 26.1% 3.5% 0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	4.7%	3.5%	Male	34.4%	38.6%	Amer.Ind/Alaskan Native	0.4%	0.4%		
Under 15	0.0%	0.0%	Female	65.6%	61.4%	Asian	0.0%	0.0%		
15 - 19	0.2%	0.1%				Black/African Amer.	0.0%	0.0%		
20 - 24	5.3%	4.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	20.2%	15.3%				White	99.4%	99.5%		
35 - 44	3.1%	3.0%				Multiracial	0.2%	0.1%		
45 - 54	3.1%	4.0%				Declined	0.0%	0.0%		
55 - 64	5.1%	6.5%				Unavailable	0 %	0 %		
65 - 74	20.0%	18.8%								
75 - 84	22.2%	25.1%								

	This Facil	ity			Group /	Averages			
			Analysis Area Inpatient Volume Group				All GMS H	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	13	3.3	4.0	0.83	3.5	0.94	4.5	0.73	
137 Respiratory Infections and Inflammations	14	3.4	4.8	0.71	4.0	0.85	5.2	0.65	
139 Pneumonia	31	2.7	3.3	0.82	3.8	0.71	4.2	0.64	
140 Chronic Obstructive Pulmonary Disease	8	2.6	3.4	0.76	3.1	0.84	3.4	0.76	
194 Heart Failure	25	3.0	4.5	0.67	3.8	0.79	4.9	0.61	
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.5	3.1	0.81	2.5	1.00	2.9	0.86	
247 Intestinal Obstruction without Surgery	5	1.8	2.9	0.62	3.0	0.60	3.5	0.51	
383 Cellulitis & other skin infections	9	3.8	3.9	0.97	4.4	0.86	4.3	0.88	
463 Kidney/Urinary Tract Infection	7	4.1	3.5	1.17	3.7	1.11	3.9	1.05	
469 Acute kidney injury	9	3.9	4.9	0.80	3.1	1.26	5.1	0.76	
540 Cesarean Delivery	26	2.8	3.3	0.85	2.8	1.00	3.4	0.82	
560 Vaginal Delivery	95	1.9	2.1	0.90	1.8	1.06	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	23	2.0	1.8	1.11	1.7	1.18	1.9	1.05	
720 Blood Infection/Septicemia	54	3.5	4.6	0.76	3.8	0.92	5.9	0.59	
861 Signs & Symptoms	5	1.6	6.5	0.25	5.5	0.29	5.6	0.29	

_	-	This Fac	ility	Risk Adjusted Group Averages				<u> </u>	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Respiratory failure		\$19,264	\$22,227	\$26,914	0.83	\$24,966	0.89	\$40,230	0.55
137 Respiratory Infections ar	d Inflammations	\$21,629	\$23,517	\$29,196	0.81	\$23,829	0.99	\$42,641	0.55
139 Pneumonia		\$14,892	\$16,320	\$21,792	0.75	\$21,847	0.75	\$33,326	0.49
140 Chronic Obstructive Pulr	nonary Disease	\$19,372	\$19,517	\$22,105	0.88	\$18,738	1.04	\$30,692	0.64
194 Heart Failure		\$18,429	\$20,793	\$24,371	0.85	\$21,808	0.95	\$37,402	0.56
201 Heart Abnormal Rhythm	and Conduction Disorders	\$15,285	\$15,947	\$18,433	0.87	\$15,774	1.01	\$26,261	0.61
247 Intestinal Obstruction wit	hout Surgery	\$10,386	\$12,571	\$16,141	0.78	\$15,683	0.80	\$25,745	0.49
383 Cellulitis & other skin infe	ections	\$19,034	\$17,185	\$19,481	0.88	\$19,917	0.86	\$28,319	0.61
463 Kidney/Urinary Tract Infe	ction	\$19,258	\$21,906	\$17,675	1.24	\$17,130	1.28	\$28,895	0.76
469 Acute kidney injury		\$19,865	\$26,723	\$24,071	1.11	\$19,497	1.37	\$38,198	0.70
540 Cesarean Delivery		\$23,355	\$24,055	\$28,961	0.83	\$25,945	0.93	\$29,333	0.82
560 Vaginal Delivery		\$10,407	\$10,845	\$16,404	0.66	\$9,423	1.15	\$15,112	0.72
640 Normal Newborn, Birthw	eight 2500g+	\$5,646	\$6,543	\$4,720	1.39	\$4,311	1.52	\$5,404	1.21
720 Blood Infection/Septicem	ia	\$20,436	\$29,586	\$30,818	0.96	\$27,838	1.06	\$55,330	0.53
861 Signs & Symptoms		\$8,126	\$8,553	\$26,429	0.32	\$17,922	0.48	\$35,921	0.24

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

113 Sauk Prairie Healthcare

260 26th Street

Prairie du Sac, WI 53578

608-643-3311

Hospital Type: GMS County: Sauk

Analysis Area: 1-Southern

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	1,650	Average Length of Stay (days):	2.5	Discharge Status	% Discharges
Total Patient Days:	4,098	Average Charge per Discharge:	\$21,023	Home or Self-Care	78.8%
rotar rationt bays.	4,000	Average Onlarge per Disonarge.	Ψ21,020	Other GMS Hospital	4.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	294	Percent of All Childbirths:	73.3%	Skilled Nursing Facility	8.4%
Cesarean Childbirths:	101	Percent of All Childbirths:	25.2%	Intermediate Care Facility	0.6%
Other Childbirths:	6	Percent of All Childbirths:	1.5%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	401			Hospice	0.7%
				Other Institution	0.2%
Total Newborns:	426			Home Health Service	4.6%
Psychiatric Utilization				Left Against Medical Advice	0.3%
r sycillatific Offization				Expired	1.3%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	0.7%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	16	Percent of All Discharges:	1.0%	Medicare	33.5%
Patient Days:	46	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	13.4%
				Other Government	0.8%
				Commercial or Private Insurance	50.9%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution	Ĺ		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	25.8%	19.0%	Male	36.5%	37.1%	Amer.Ind/Alaskan Native	0.2%	0.3%
Under 15	0.2%	0.1%	Female	63.5%	62.9%	Asian	0.5%	0.6%
15 - 19	0.2%	0.1%				Black/African Amer.	0.8%	0.7%
20 - 24	2.5%	2.3%				Native Hawaii/Pac.Isl.	0.3%	0.3%
25 - 34	19.8%	16.8%				White	97.0%	97.3%
35 - 44	6.9%	5.9%				Multiracial	0.0%	0.0%
45 - 54	4.0%	4.0%				Declined	0.3%	0.1%
55 - 64	8.0%	10.2%				Unavailable	0.8%	0.7%
65 - 74	10.1%	12.0%						
75 - 84	13.5%	16.0%						
85 & Over	8.9%	13.6%						

	This Facil	ity			Group A	Averages			
			Analysis Area Inpatient Volume Group A				All GMS H	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	23	3.5	4.2	0.83	3.4	1.03	4.5	0.78	
137 Respiratory Infections and Inflammations	16	4.1	5.3	0.77	3.8	1.08	5.2	0.79	
139 Pneumonia	20	3.6	4.0	0.90	3.6	1.00	4.2	0.86	
140 Chronic Obstructive Pulmonary Disease	11	2.4	3.4	0.71	3.1	0.77	3.4	0.71	
194 Heart Failure	51	3.2	5.0	0.64	3.8	0.84	4.9	0.65	
201 Heart Abnormal Rhythm and Conduction Disorders	24	2.0	3.0	0.67	2.3	0.87	2.9	0.69	
326 Elective knee joint replacement	14	1.7	1.7	1.00	1.4	1.21	1.9	0.89	
383 Cellulitis & other skin infections	12	3.8	4.5	0.84	3.7	1.03	4.3	0.88	
463 Kidney/Urinary Tract Infection	12	5.7	3.9	1.46	3.4	1.68	3.9	1.46	
469 Acute kidney injury	19	2.3	5.0	0.46	3.4	0.68	5.1	0.45	
540 Cesarean Delivery	101	2.7	3.7	0.73	2.8	0.96	3.4	0.79	
560 Vaginal Delivery	294	1.8	2.1	0.86	1.9	0.95	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	408	1.8	2.0	0.90	1.8	1.00	1.9	0.95	
720 Blood Infection/Septicemia	127	3.5	6.2	0.56	4.3	0.81	5.9	0.59	
775 Alcohol Abuse/Dependence	14	2.7	3.9	0.69	3.6	0.75	3.9	0.69	

•	•	• • •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$34,078	\$41,539	\$48,230	0.86	\$28,186	1.47	\$40,230	1.03
137 Respiratory Infections and Inflammations	\$39,466	\$39,276	\$50,848	0.77	\$27,697	1.42	\$42,641	0.92
139 Pneumonia	\$39,616	\$38,706	\$38,234	1.01	\$24,745	1.56	\$33,326	1.16
140 Chronic Obstructive Pulmonary Disease	\$27,510	\$27,596	\$35,760	0.77	\$21,626	1.28	\$30,692	0.90
194 Heart Failure	\$29,667	\$32,021	\$43,714	0.73	\$25,105	1.28	\$37,402	0.86
201 Heart Abnormal Rhythm and Conduction Disorders	\$22,078	\$23,737	\$31,461	0.75	\$18,832	1.26	\$26,261	0.90
326 Elective knee joint replacement	\$39,650	\$40,144	\$55,883	0.72	\$51,872	0.77	\$61,836	0.65
383 Cellulitis & other skin infections	\$28,368	\$25,733	\$32,909	0.78	\$21,471	1.20	\$28,319	0.91
463 Kidney/Urinary Tract Infection	\$38,759	\$40,318	\$32,986	1.22	\$19,405	2.08	\$28,895	1.40
469 Acute kidney injury	\$25,428	\$31,786	\$45,552	0.70	\$23,727	1.34	\$38,198	0.83
540 Cesarean Delivery	\$21,847	\$23,923	\$34,658	0.69	\$24,636	0.97	\$29,333	0.82
560 Vaginal Delivery	\$11,143	\$11,564	\$16,752	0.69	\$11,580	1.00	\$15,112	0.77
640 Normal Newborn, Birthweight 2500g+	\$4,111	\$4,441	\$5,371	0.83	\$4,369	1.02	\$5,404	0.82
720 Blood Infection/Septicemia	\$34,976	\$43,141	\$69,381	0.62	\$35,041	1.23	\$55,330	0.78
775 Alcohol Abuse/Dependence	\$25,617	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

302 Ascension All Saints Hospital

3801 Spring Street

Racine, WI 53405 Analysis Area: 2A-Southeastern

262-687-4011 Inpatient Volume Group: 6

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	8,933	Average Length of Stay (days):	4.9	Discharge Status	% Discharges
Total Patient Days:	44,158	Average Charge per Discharge:	\$32,976	Home or Self-Care	67.8%
·	44,100	Average onarge per bisonarge.	ψ02,570	Other GMS Hospital	2.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	737	Percent of All Childbirths:	66.0%	Skilled Nursing Facility	8.8%
Cesarean Childbirths:	362	Percent of All Childbirths:	32.4%	Intermediate Care Facility	0.1%
Other Childbirths:	17	Percent of All Childbirths:	1.5%	Inpatient Rehabilitation Facility	2.5%
Total Childbirths:	1,116			Hospice	2.8%
Total Navyhama	4.074			Other Institution	0.0%
Total Newborns:	1,071			Home Health Service	10.5% 1.9%
Psychiatric Utilization				Left Against Medical Advice Expired	1.9% 2.4%
Discharges:	740	Percent of All Discharges:	8.3%	Discharge/Tran to Court/Law Enforcmnt	0.4%
Patient Days:	4,094	Percent of All Patient Days:	9.3%	Other	0.5%
r dione Bayo.	4,004	1 Groom of All 1 allone Bayo.	3.070		
AODA Utilization				Expected Pay Source Distrib	
<u> </u>				Primary Payer	<u>% Discharges</u>
Discharges:	295	Percent of All Discharges:	3.3%	Medicare	45.3%
Patient Days:	1,177	Percent of All Patient Days:	2.7%	Medicaid/BadgerCare	32.8%
				Other Government	1.3%
				Commercial or Private Insurance	18.8%
				Self-Pay	1.8%
				Other or Unknown Insurance	0.0%

Hospital Type: GMS

County: Racine

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	12.0%	8.7%	Male	42.2%	46.1%	Amer.Ind/Alaskan Native	e 0.3%	0.3%
Under 15	1.3%	1.9%	Female	57.8%	53.9%	Asian	0.6%	0.4%
15 - 19	3.1%	3.1%				Black/African Amer.	22.9%	22.9%
20 - 24	4.3%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	11.7%	7.7%				White	71.9%	72.4%
35 - 44	8.5%	7.5%				Multiracial	1.5%	1.1%
45 - 54	7.5%	7.6%				Declined	2.6%	2.7%
55 - 64	13.0%	15.7%				Unavailable	0 %	0 %
65 - 74	16.1%	19.7%						
75 - 84	13.2%	15.6%						
85 & Over	9.2%	9.8%						

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	132	5.1	4.2	1.21	5.2	0.98	4.8	1.06
133 Respiratory failure	165	5.6	4.5	1.24	4.9	1.14	4.5	1.24
137 Respiratory Infections and Inflammations	161	5.8	5.0	1.16	5.7	1.02	5.2	1.12
139 Pneumonia	183	4.6	4.4	1.05	4.5	1.02	4.2	1.10
174 Percutaneous coronary intervention w AMI	94	2.7	2.7	1.00	3.0	0.90	2.9	0.93
175 Percutaneous coronary intervention w/o AMI	35	4.7	2.9	1.62	2.7	1.74	2.8	1.68
194 Heart Failure	288	5.4	4.8	1.13	5.3	1.02	4.9	1.10
201 Heart Abnormal Rhythm and Conduction Disorders	122	3.0	2.8	1.07	3.0	1.00	2.9	1.03
463 Kidney/Urinary Tract Infection	144	4.2	3.7	1.14	4.0	1.05	3.9	1.08
469 Acute kidney injury	168	6.7	5.2	1.29	5.7	1.18	5.1	1.31
540 Cesarean Delivery	362	3.2	3.1	1.03	3.7	0.86	3.4	0.94
560 Vaginal Delivery	737	2.2	2.0	1.10	2.2	1.00	2.1	1.05
640 Normal Newborn, Birthweight 2500g+	926	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	489	6.5	5.5	1.18	6.6	0.98	5.9	1.10
751 Psychoses	321	5.8	5.1	1.14	5.1	1.14	5.2	1.12

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$49,912	\$53,220	\$48,841	1.09	\$52,261	1.02	\$48,817	1.09
133 Respiratory failure	\$41,954	\$38,429	\$40,487	0.95	\$43,773	0.88	\$40,230	0.96
137 Respiratory Infections and Inflammations	\$36,908	\$36,510	\$43,191	0.85	\$48,694	0.75	\$42,641	0.86
139 Pneumonia	\$29,506	\$31,197	\$37,172	0.84	\$37,991	0.82	\$33,326	0.94
174 Percutaneous coronary intervention w AMI	\$65,419	\$64,149	\$88,471	0.73	\$88,693	0.72	\$88,028	0.73
175 Percutaneous coronary intervention w/o AMI	\$84,656	\$78,250	\$106,022	0.74	\$106,262	0.74	\$104,016	0.75
194 Heart Failure	\$30,928	\$31,265	\$37,913	0.82	\$41,878	0.75	\$37,402	0.84
201 Heart Abnormal Rhythm and Conduction Disorders	\$21,268	\$20,501	\$28,341	0.72	\$27,906	0.73	\$26,261	0.78
463 Kidney/Urinary Tract Infection	\$25,250	\$25,278	\$29,800	0.85	\$31,651	0.80	\$28,895	0.87
469 Acute kidney injury	\$35,731	\$35,951	\$39,143	0.92	\$42,194	0.85	\$38,198	0.94
540 Cesarean Delivery	\$24,819	\$24,557	\$31,537	0.78	\$30,606	0.80	\$29,333	0.84
560 Vaginal Delivery	\$13,711	\$13,749	\$17,466	0.79	\$16,232	0.85	\$15,112	0.91
640 Normal Newborn, Birthweight 2500g+	\$6,967	\$7,201	\$6,387	1.13	\$5,514	1.31	\$5,404	1.33
720 Blood Infection/Septicemia	\$47,439	\$44,232	\$53,476	0.83	\$61,811	0.72	\$55,330	0.80
751 Psychoses	\$10,612	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

117 Reedsburg Area Medical Center

2000 North Dewey Street

Reedsburg, WI 53959

608-524-6487

Hospital Type: GMS County: Sauk

Analysis Area: 1-Southern

		Patient Discharge Statu	<u>IS</u>
47 Average Length of Stay (days):	3.1	Discharge Status	% Discharges
48 Average Charge per Discharge:	\$15 923	Home or Self-Care	74.1%
Twerage onarge per bisonarge.	ψ10,020	<u>-</u>	2.4%
		Critical Access Hospital (CAH)	0.7%
35 Percent of All Childhirths:	73.4%	•	9.1%
• • • • • • • • • • • • • • • • • • • •		Intermediate Care Facility	1.9%
		Inpatient Rehabilitation Facility	0.2%
<u> </u>	2.1 /0	Hospice	2.2%
04		Other Institution	0.0%
96		Home Health Service	3.1%
		Left Against Medical Advice	0.8%
		Expired	2.8%
3 Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.2%
5 Percent of All Patient Days:	0.1%	Other	2.5%
		Expected Pay Source Distril	<u>bution</u>
		Primary Payer	% Discharges
11 Percent of All Discharges:	1.0%	Medicare	42.0%
-	0.9%	Medicaid/BadgerCare	20.1%
•		Other Government	1.6%
		Commercial or Private Insurance	34.4%
		Self-Pay	1.9%
		Other or Unknown Insurance	0.0%
1 1	Average Charge per Discharge: Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	Average Charge per Discharge: \$15,923 Percent of All Childbirths: 73.4% Percent of All Childbirths: 23.9% Percent of All Childbirths: 2.7% Percent of All Childbirths: 2.7% Percent of All Discharges: 0.3% Percent of All Patient Days: 0.1% Percent of All Discharges: 1.0%	Average Charge per Discharge: \$15,923 Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Percent of All Patient Days: 11 Percent of All Discharges: 3 Percent of All Discharges: 4 Percent of All Discharges: 5 Percent of All Patient Days: 4 Percent of All Discharges: 5 Percent of All Discharges: 6 Percent of All Discharges: 73.4% Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Other Other Expected Pay Source Distril Primary Payer Medicare Other Government Commercial or Private Insurance Self-Pay

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	17.1%	10.1%	Male	37.9%	42.1%	Amer.Ind/Alaskan Native	1.3%	1.2%
Under 15	0.3%	0.3%	Female	62.1%	57.9%	Asian	0.3%	0.3%
15 - 19	0.6%	0.5%				Black/African Amer.	1.1%	0.8%
20 - 24	4.7%	3.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.1%	7.9%				White	95.5%	96.5%
35 - 44	6.0%	4.7%				Multiracial	0.7%	0.5%
45 - 54	6.2%	6.7%				Declined	0.2%	0.1%
55 - 64	10.0%	12.0%				Unavailable	0.9%	0.5%
65 - 74	15.3%	17.0%						
75 - 84	16.0%	20.7%						
85 & Over	11.6%	16.7%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	44	3.1	4.2	0.74	3.4	0.91	4.5	0.69
137 Respiratory Infections and Inflammations	38	3.3	5.3	0.62	3.8	0.87	5.2	0.63
139 Pneumonia	49	3.7	4.0	0.93	3.6	1.03	4.2	0.88
140 Chronic Obstructive Pulmonary Disease	26	2.7	3.4	0.79	3.1	0.87	3.4	0.79
194 Heart Failure	53	4.1	5.0	0.82	3.8	1.08	4.9	0.84
201 Heart Abnormal Rhythm and Conduction Disorders	18	2.3	3.0	0.77	2.3	1.00	2.9	0.79
326 Elective knee joint replacement	6	1.8	1.7	1.06	1.4	1.29	1.9	0.95
383 Cellulitis & other skin infections	21	3.7	4.5	0.82	3.7	1.00	4.3	0.86
463 Kidney/Urinary Tract Infection	14	3.3	3.9	0.85	3.4	0.97	3.9	0.85
469 Acute kidney injury	13	3.8	5.0	0.76	3.4	1.12	5.1	0.75
540 Cesarean Delivery	44	2.8	3.7	0.76	2.8	1.00	3.4	0.82
560 Vaginal Delivery	135	1.8	2.1	0.86	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	188	1.8	2.0	0.90	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	41	5.0	6.2	0.81	4.3	1.16	5.9	0.85
775 Alcohol Abuse/Dependence	10	3.1	3.9	0.79	3.6	0.86	3.9	0.79

·	This Fac	ility			Pick Adjusted	Group Averages		_
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
<u>'</u>		_			1		1	
133 Respiratory failure	\$18,364	\$23,643	\$48,230	0.49	\$28,186	0.84	\$40,230	0.59
137 Respiratory Infections and Inflammations	\$19,261	\$21,488	\$50,848	0.42	\$27,697	0.78	\$42,641	0.50
139 Pneumonia	\$19,143	\$19,108	\$38,234	0.50	\$24,745	0.77	\$33,326	0.57
140 Chronic Obstructive Pulmonary Disease	\$16,275	\$16,579	\$35,760	0.46	\$21,626	0.77	\$30,692	0.54
194 Heart Failure	\$18,713	\$20,692	\$43,714	0.47	\$25,105	0.82	\$37,402	0.55
201 Heart Abnormal Rhythm and Conduction Disorders	\$10,847	\$10,066	\$31,461	0.32	\$18,832	0.53	\$26,261	0.38
326 Elective knee joint replacement	\$45,728	\$45,248	\$55,883	0.81	\$51,872	0.87	\$61,836	0.73
383 Cellulitis & other skin infections	\$15,740	\$17,375	\$32,909	0.53	\$21,471	0.81	\$28,319	0.61
463 Kidney/Urinary Tract Infection	\$12,404	\$12,510	\$32,986	0.38	\$19,405	0.64	\$28,895	0.43
469 Acute kidney injury	\$15,622	\$21,992	\$45,552	0.48	\$23,727	0.93	\$38,198	0.58
540 Cesarean Delivery	\$20,943	\$21,665	\$34,658	0.63	\$24,636	0.88	\$29,333	0.74
560 Vaginal Delivery	\$10,317	\$10,354	\$16,752	0.62	\$11,580	0.89	\$15,112	0.69
640 Normal Newborn, Birthweight 2500g+	\$3,177	\$3,490	\$5,371	0.65	\$4,369	0.80	\$5,404	0.65
720 Blood Infection/Septicemia	\$23,810	\$33,279	\$69,381	0.48	\$35,041	0.95	\$55,330	0.60
775 Alcohol Abuse/Dependence	\$16,334	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

118 Aspirus Rhinelander Hospital

2251 North Shore Dr

Rhinelander, WI 54501

715-361-2000

Hospital Type: GMS
County: Oneida

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	2,707	Average Length of Stay (days):	4.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	11,807	Average Charge per Discharge:	\$30,918	Home or Self-Care	64.6%
iolai Falletti Days.	11,007	Average Charge per Discharge.	φ30,910	Other GMS Hospital	4.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	153	Percent of All Childbirths:	72.9%	Skilled Nursing Facility	10.0%
Cesarean Childbirths:	52	Percent of All Childbirths:	24.8%	Intermediate Care Facility	0.8%
Other Childbirths:	5	Percent of All Childbirths:	2.4%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	210	-		Hospice	3.0%
Total Official Co.				Other Institution	0.0%
Total Newborns:	217			Home Health Service	10.1%
Dovobiotrio Utilization				Left Against Medical Advice	1.7%
Psychiatric Utilization				Expired	2.4%
Discharges:	373	Percent of All Discharges:	13.8%	Discharge/Tran to Court/Law Enforcmnt	0.5%
Patient Days:	2,092	Percent of All Patient Days:	17.7%	Other	2.4%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	91	Percent of All Discharges:	3.4%	Medicare	47.9%
Patient Days:	367	Percent of All Patient Days:	3.1%	Medicaid/BadgerCare	20.8%
				Other Government	5.1%
				Commercial or Private Insurance	25.9%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.2%
				,	

	Age Distribution	_		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	8.0%	3.4%	Male	45.0%	47.3%	Amer.Ind/Alaskan Native	e 4.7%	4.5%
Under 15	0.3%	0.1%	Female	55.0%	52.7%	Asian	0.2%	0.1%
15 - 19	1.4%	1.3%				Black/African Amer.	0.8%	0.7%
20 - 24	4.5%	3.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	11.3%	9.0%				White	92.7%	93.3%
35 - 44	8.2%	6.9%				Multiracial	0.7%	0.7%
45 - 54	8.3%	8.1%				Declined	0.8%	0.6%
55 - 64	13.0%	14.4%				Unavailable	0 %	0 %
65 - 74	18.4%	19.5%						
75 - 84	16.9%	20.9%						
85 & Over	9.5%	12.8%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	38	4.9	5.1	0.96	3.9	1.26	4.8	1.02
133 Respiratory failure	68	4.4	4.4	1.00	3.8	1.16	4.5	0.98
137 Respiratory Infections and Inflammations	53	5.3	4.9	1.08	4.9	1.08	5.2	1.02
139 Pneumonia	60	4.4	4.2	1.05	4.0	1.10	4.2	1.05
194 Heart Failure	118	4.7	4.8	0.98	4.2	1.12	4.9	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	45	2.9	2.8	1.04	2.8	1.04	2.9	1.00
247 Intestinal Obstruction without Surgery	32	2.8	3.4	0.82	3.0	0.93	3.5	0.80
383 Cellulitis & other skin infections	29	4.7	4.0	1.18	4.4	1.07	4.3	1.09
463 Kidney/Urinary Tract Infection	31	3.5	4.7	0.74	3.9	0.90	3.9	0.90
469 Acute kidney injury	29	3.9	4.8	0.81	4.4	0.89	5.1	0.76
540 Cesarean Delivery	52	2.6	3.6	0.72	2.7	0.96	3.4	0.76
560 Vaginal Delivery	153	1.8	2.0	0.90	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	210	1.8	2.0	0.90	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	168	6.0	6.2	0.97	4.9	1.22	5.9	1.02
775 Alcohol Abuse/Dependence	62	3.8	4.3	0.88	3.6	1.06	3.9	0.97

	This Fac	ility			Pick Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$39,773	\$42,350	\$39,818	1.06	\$40,171	1.05	\$48,817	0.87
133 Respiratory failure	\$38,726	\$44,897	\$36,797	1.22	\$36,698	1.22	\$40,230	1.12
137 Respiratory Infections and Inflammations	\$45,342	\$42,330	\$33,124	1.28	\$36,939	1.15	\$42,641	0.99
139 Pneumonia	\$34,657	\$36,476	\$27,942	1.31	\$30,699	1.19	\$33,326	1.09
194 Heart Failure	\$35,105	\$33,788	\$31,718	1.07	\$31,713	1.07	\$37,402	0.90
201 Heart Abnormal Rhythm and Conduction Disorders	\$26,080	\$27,712	\$22,917	1.21	\$24,868	1.11	\$26,261	1.06
247 Intestinal Obstruction without Surgery	\$14,963	\$16,856	\$22,137	0.76	\$23,106	0.73	\$25,745	0.65
383 Cellulitis & other skin infections	\$26,603	\$26,750	\$24,844	1.08	\$26,486	1.01	\$28,319	0.94
463 Kidney/Urinary Tract Infection	\$23,893	\$25,053	\$26,040	0.96	\$26,652	0.94	\$28,895	0.87
469 Acute kidney injury	\$28,490	\$38,822	\$33,126	1.17	\$33,034	1.18	\$38,198	1.02
540 Cesarean Delivery	\$24,341	\$25,223	\$25,753	0.98	\$26,530	0.95	\$29,333	0.86
560 Vaginal Delivery	\$10,478	\$10,651	\$11,317	0.94	\$12,146	0.88	\$15,112	0.70
640 Normal Newborn, Birthweight 2500g+	\$5,372	\$5,968	\$6,943	0.86	\$4,923	1.21	\$5,404	1.10
720 Blood Infection/Septicemia	\$48,009	\$51,581	\$46,585	1.11	\$44,231	1.17	\$55,330	0.93
775 Alcohol Abuse/Dependence	\$25,488	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

119 Marshfield Medical Center - Rice Lake

1700 West Stout Street

Rice Lake, WI 54868 Analysis Area: 5A-West Central

715-234-1515 Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,887	Average Length of Stay (days):	3.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	5,923	Average Charge per Discharge:	\$16,775	Home or Self-Care	73.5%
Total Fattern Days.	0,020	Average charge per bisonarge.	Ψ10,770	Other GMS Hospital	5.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	225	Percent of All Childbirths:	69.0%	Skilled Nursing Facility	7.6%
Cesarean Childbirths:	79	Percent of All Childbirths:	24.2%	Intermediate Care Facility	2.8%
Other Childbirths:	22	Percent of All Childbirths:	6.7%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	326			Hospice Other Institution	3.0% 0.0%
Total Newborns:	345			Home Health Service	4.7%
rotal Newborns.	343			Left Against Medical Advice	4.7% 0.3%
Psychiatric Utilization				Expired	1.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.4%
				Expected Pay Source Distrib	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	18	Percent of All Discharges:	1.0%	Medicare	42.9%
Patient Days:	90	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare	24.5%
				Other Government	4.2%
				Commercial or Private Insurance	26.0%
				Self-Pay	2.4%
				Other or Unknown Insurance	0.1%

Hospital Type: GMS

County: Barron

	Age Distribution	Ĺ		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	18.3%	10.6%	Male	40.5%	44.2%	Amer.Ind/Alaskan Native	e 2.1%	2.4%
Under 15	0.5%	0.3%	Female	59.5%	55.8%	Asian	0.8%	0.6%
15 - 19	1.1%	0.9%				Black/African Amer.	1.6%	1.4%
20 - 24	4.0%	2.7%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	12.7%	8.5%				White	93.5%	94.0%
35 - 44	5.5%	4.7%				Multiracial	0.0%	0.0%
45 - 54	5.4%	6.2%				Declined	0.7%	0.7%
55 - 64	9.5%	11.9%				Unavailable	1.1%	0.8%
65 - 74	15.2%	18.6%						
75 - 84	16.5%	20.6%						
85 & Over	11.2%	15.1%						

	This Facil	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	27	2.7	4.4	0.61	3.9	0.69	4.8	0.56
133 Respiratory failure	32	3.5	4.4	0.80	3.8	0.92	4.5	0.78
137 Respiratory Infections and Inflammations	49	5.3	5.2	1.02	4.9	1.08	5.2	1.02
139 Pneumonia	48	3.9	4.1	0.95	4.0	0.98	4.2	0.93
194 Heart Failure	111	3.9	4.8	0.81	4.2	0.93	4.9	0.80
201 Heart Abnormal Rhythm and Conduction Disorders	90	2.7	3.0	0.90	2.8	0.96	2.9	0.93
247 Intestinal Obstruction without Surgery	38	2.7	3.0	0.90	3.0	0.90	3.5	0.77
383 Cellulitis & other skin infections	20	4.8	4.6	1.04	4.4	1.09	4.3	1.12
463 Kidney/Urinary Tract Infection	15	4.3	3.8	1.13	3.9	1.10	3.9	1.10
469 Acute kidney injury	22	3.1	4.4	0.70	4.4	0.70	5.1	0.61
540 Cesarean Delivery	79	2.6	2.9	0.90	2.7	0.96	3.4	0.76
560 Vaginal Delivery	225	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	300	1.8	1.8	1.00	1.7	1.06	1.9	0.95
720 Blood Infection/Septicemia	232	4.0	5.3	0.75	4.9	0.82	5.9	0.68
775 Alcohol Abuse/Dependence	18	5.0	3.8	1.32	3.6	1.39	3.9	1.28

•	•	• • •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$21,475	\$24,102	\$34,936	0.69	\$40,171	0.60	\$48,817	0.49
133 Respiratory failure	\$23,663	\$26,944	\$31,265	0.86	\$36,698	0.73	\$40,230	0.67
137 Respiratory Infections and Inflammations	\$30,166	\$29,067	\$34,167	0.85	\$36,939	0.79	\$42,641	0.68
139 Pneumonia	\$25,734	\$23,399	\$25,436	0.92	\$30,699	0.76	\$33,326	0.70
194 Heart Failure	\$19,643	\$20,375	\$28,691	0.71	\$31,713	0.64	\$37,402	0.54
201 Heart Abnormal Rhythm and Conduction Disorders	\$15,934	\$15,955	\$20,515	0.78	\$24,868	0.64	\$26,261	0.61
247 Intestinal Obstruction without Surgery	\$11,390	\$12,765	\$16,040	0.80	\$23,106	0.55	\$25,745	0.50
383 Cellulitis & other skin infections	\$19,246	\$19,350	\$21,857	0.89	\$26,486	0.73	\$28,319	0.68
463 Kidney/Urinary Tract Infection	\$21,248	\$17,206	\$19,582	0.88	\$26,652	0.65	\$28,895	0.60
469 Acute kidney injury	\$15,044	\$18,374	\$26,200	0.70	\$33,034	0.56	\$38,198	0.48
540 Cesarean Delivery	\$17,208	\$17,755	\$22,289	0.80	\$26,530	0.67	\$29,333	0.61
560 Vaginal Delivery	\$8,328	\$8,566	\$11,513	0.74	\$12,146	0.71	\$15,112	0.57
640 Normal Newborn, Birthweight 2500g+	\$3,890	\$3,794	\$3,672	1.03	\$4,923	0.77	\$5,404	0.70
720 Blood Infection/Septicemia	\$22,477	\$25,885	\$40,375	0.64	\$44,231	0.59	\$55,330	0.47
775 Alcohol Abuse/Dependence	\$23,888	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

120 The Richland Hospital Inc 333 East Second Street Richland Center, WI 53581

85 & Over

14.2%

15.9%

Hospital Type: GMS County: Richland Analysis Area: 1-Southern

608-647-6321 In	npatient V	olume G	iroup:	3
------------------------	------------	---------	--------	---

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	994	Average Length of Stay (days):	3.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,409	Average Charge per Discharge:	\$23,687	Home or Self-Care	0.0%
Total Patient Days:	3,409	Average Charge per Discharge:	φ23,00 <i>1</i>	Other GMS Hospital	0.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	94	Percent of All Childbirths:	75.2%	Skilled Nursing Facility	0.0%
Cesarean Childbirths:	27	Percent of All Childbirths:	21.6%	Intermediate Care Facility	0.0%
Other Childbirths:	4	Percent of All Childbirths:	3.2%	Inpatient Rehabilitation Facility	0.0%
		reicent of All Childbilths.	3.270	Hospice	0.0%
Total Childbirths:	125			Other Institution	0.0%
Total Newborns:	118			Home Health Service	0.0%
				Left Against Medical Advice	0.9%
Psychiatric Utilization				Expired	1.8%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	97.3%
				Expected Pay Source Distrik	oution_
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	16	Percent of All Discharges:	1.6%	Medicare	55.3%
Patient Days:	52	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare	18.9%
•		•		Other Government	0.8%
				Commercial or Private Insurance	20.6%
				Self-Pay	4.3%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	11.9%	5.6%	Male	43.3%	49.0%	Amer.Ind/Alaskan Native	0.1%	0.0%	
Under 15	1.7%	0.9%	Female	56.7%	51.0%	Asian	0.4%	0.2%	
15 - 19	1.0%	0.6%				Black/African Amer.	0.6%	0.4%	
20 - 24	4.3%	2.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	7.5%	4.4%				White	98.8%	99.3%	
35 - 44	5.4%	6.7%				Multiracial	0.0%	0.0%	
45 - 54	4.3%	3.7%				Declined	0.1%	0.0%	
55 - 64	10.6%	14.1%				Unavailable	0 %	0 %	
65 - 74	20.2%	22.0%							
75 - 84	18.8%	23.7%							

	This Facil	This Facility		Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals			
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	17	2.6	4.2	0.62	3.4	0.76	4.5	0.58		
137 Respiratory Infections and Inflammations	19	5.2	5.3	0.98	3.8	1.37	5.2	1.00		
139 Pneumonia	27	4.0	4.0	1.00	3.6	1.11	4.2	0.95		
140 Chronic Obstructive Pulmonary Disease	35	3.3	3.4	0.97	3.1	1.06	3.4	0.97		
194 Heart Failure	43	3.3	5.0	0.66	3.8	0.87	4.9	0.67		
201 Heart Abnormal Rhythm and Conduction Disorders	30	2.6	3.0	0.87	2.3	1.13	2.9	0.90		
326 Elective knee joint replacement	*	*	1.7	*	1.4	*	1.9	*		
383 Cellulitis & other skin infections	10	3.2	4.5	0.71	3.7	0.86	4.3	0.74		
463 Kidney/Urinary Tract Infection	12	3.7	3.9	0.95	3.4	1.09	3.9	0.95		
469 Acute kidney injury	22	3.5	5.0	0.70	3.4	1.03	5.1	0.69		
540 Cesarean Delivery	27	2.4	3.7	0.65	2.8	0.86	3.4	0.71		
560 Vaginal Delivery	94	1.6	2.1	0.76	1.9	0.84	2.1	0.76		
640 Normal Newborn, Birthweight 2500g+	121	1.6	2.0	0.80	1.8	0.89	1.9	0.84		
720 Blood Infection/Septicemia	64	4.6	6.2	0.74	4.3	1.07	5.9	0.78		
775 Alcohol Abuse/Dependence	14	3.3	3.9	0.85	3.6	0.92	3.9	0.85		

<u> </u>					T Private de la						
	This Facility		Risk Adjusted Group Averages								
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Hospitals Average Charge Ratio				
133 Respiratory failure	\$23,263	\$28,731	\$48,230	0.60	\$28,186	1.02	\$40,230	0.71			
137 Respiratory Infections and Inflammations	\$30,986	\$37,546	\$50,848	0.74	\$27,697	1.36	\$42,641	0.88			
139 Pneumonia	\$27,152	\$34,724	\$38,234	0.91	\$24,745	1.40	\$33,326	1.04			
140 Chronic Obstructive Pulmonary Disease	\$24,488	\$26,853	\$35,760	0.75	\$21,626	1.24	\$30,692	0.87			
194 Heart Failure	\$24,779	\$29,548	\$43,714	0.68	\$25,105	1.18	\$37,402	0.79			
201 Heart Abnormal Rhythm and Conduction Disorders	\$21,236	\$21,321	\$31,461	0.68	\$18,832	1.13	\$26,261	0.81			
326 Elective knee joint replacement	*	*	\$55,883	*	\$51,872	*	\$61,836	*			
383 Cellulitis & other skin infections	\$14,098	\$17,161	\$32,909	0.52	\$21,471	0.80	\$28,319	0.61			
463 Kidney/Urinary Tract Infection	\$17,156	\$16,917	\$32,986	0.51	\$19,405	0.87	\$28,895	0.59			
469 Acute kidney injury	\$25,949	\$30,413	\$45,552	0.67	\$23,727	1.28	\$38,198	0.80			
540 Cesarean Delivery	\$22,566	\$23,315	\$34,658	0.67	\$24,636	0.95	\$29,333	0.79			
560 Vaginal Delivery	\$12,029	\$12,595	\$16,752	0.75	\$11,580	1.09	\$15,112	0.83			
640 Normal Newborn, Birthweight 2500g+	\$3,172	\$3,543	\$5,371	0.66	\$4,369	0.81	\$5,404	0.66			
720 Blood Infection/Septicemia	\$32,431	\$50,560	\$69,381	0.73	\$35,041	1.44	\$55,330	0.91			
775 Alcohol Abuse/Dependence	\$23,484	#	#	#	#	#	#	#			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

121 SSM Health Ripon Community Hospital

845 Parkside Street

Ripon, WI 54971 920-748-3101 Hospital Type: GMS
County: Fond du Lac

Analysis Area: 3-Lake Winnebago

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	432	Average Length of Stay (days):	3.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,673	Average Charge per Discharge:	\$27,880	Home or Self-Care	53.5%
Total Fattorit Days.	1,070	Average only per bisonarge.	Ψ21,000	Other GMS Hospital	6.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	16.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.3%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.9%
Total Childbirths:	0			Hospice	3.5%
	_			Other Institution	0.0%
Total Newborns:	0			Home Health Service	13.7%
Psychiatric Utilization				Left Against Medical Advice	0.5%
· · · · · ·				Expired	1.6%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	62	Percent of All Patient Days:	3.7%	Other	0.5%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	4	Percent of All Discharges:	0.9%	Medicare	79.4%
Patient Days:	15	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	7.9%
				Other Government	1.9%
				Commercial or Private Insurance	10.4%
				Self-Pay	0.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	51.2%	49.9%	Amer.Ind/Alaskan Native	€ 0.0%	0.0%
Under 15	0.0%	0.0%	Female	48.8%	50.1%	Asian	0.0%	0.0%
15 - 19	0.2%	0.1%				Black/African Amer.	0.2%	0.1%
20 - 24	0.9%	0.8%				Native Hawaii/Pac.Isl.	0.2%	0.4%
25 - 34	1.9%	1.6%				White	98.8%	99.3%
35 - 44	2.5%	2.0%				Multiracial	0.0%	0.0%
45 - 54	7.6%	7.5%				Declined	0.0%	0.0%
55 - 64	11.6%	16.9%				Unavailable	0.7%	0.2%
65 - 74	24.1%	21.2%						
75 - 84	28.2%	26.1%						
85 & Over	22.9%	23.8%						

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	17	3.6	4.1	0.88	3.5	1.03	4.5	0.80		
137 Respiratory Infections and Inflammations	23	4.0	4.9	0.82	4.0	1.00	5.2	0.77		
139 Pneumonia	22	4.0	3.9	1.03	3.8	1.05	4.2	0.95		
140 Chronic Obstructive Pulmonary Disease	8	5.0	2.9	1.72	3.1	1.61	3.4	1.47		
194 Heart Failure	42	4.0	4.0	1.00	3.8	1.05	4.9	0.82		
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.5	*	2.5	*	2.9	*		
247 Intestinal Obstruction without Surgery	9	3.9	3.2	1.22	3.0	1.30	3.5	1.11		
383 Cellulitis & other skin infections	11	4.0	4.0	1.00	4.4	0.91	4.3	0.93		
463 Kidney/Urinary Tract Infection	15	3.5	3.6	0.97	3.7	0.95	3.9	0.90		
469 Acute kidney injury	22	3.3	4.3	0.77	3.1	1.06	5.1	0.65		
540 Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.7	N/A	1.9	N/A		
720 Blood Infection/Septicemia	44	3.9	5.5	0.71	3.8	1.03	5.9	0.66		
861 Signs & Symptoms	*	*	5.5	*	5.5	*	5.6	*		

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$27,141	\$30,486	\$29,682	1.03	\$24,966	1.22	\$40,230	0.76
137 Respiratory Infections and Inflammations	\$26,599	\$32,901	\$28,745	1.14	\$23,829	1.38	\$42,641	0.77
139 Pneumonia	\$27,429	\$27,430	\$24,374	1.13	\$21,847	1.26	\$33,326	0.82
140 Chronic Obstructive Pulmonary Disease	\$32,140	\$32,263	\$21,435	1.51	\$18,738	1.72	\$30,692	1.05
194 Heart Failure	\$25,844	\$25,849	\$23,797	1.09	\$21,808	1.19	\$37,402	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	\$18,789	*	\$15,774	*	\$26,261	*
247 Intestinal Obstruction without Surgery	\$23,158	\$19,093	\$18,270	1.05	\$15,683	1.22	\$25,745	0.74
383 Cellulitis & other skin infections	\$23,420	\$20,113	\$20,438	0.98	\$19,917	1.01	\$28,319	0.71
463 Kidney/Urinary Tract Infection	\$18,906	\$18,450	\$21,677	0.85	\$17,130	1.08	\$28,895	0.64
469 Acute kidney injury	\$19,868	\$22,474	\$25,999	0.86	\$19,497	1.15	\$38,198	0.59
540 Cesarean Delivery	N/A	N/A	\$19,835	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$9,045	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,007	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$26,188	\$33,499	\$38,128	0.88	\$27,838	1.20	\$55,330	0.61
861 Signs & Symptoms	*	*	\$22,203	*	\$17,922	*	\$35,921	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

122 River Falls Area Hospital 1629 East Division Street River Falls, WI 54022

715-425-6155

Hospital Type: GMS

County: Saint Croix

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	478	Average Length of Stay (days):	5.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,551	Average Charge per Discharge:	\$19,391	Home or Self-Care Other GMS Hospital	46.9% 6.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	13.6% 1.7% 0.6%
Other Childbirths: Total Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice Other Institution	1.5% 0.0%
Total Newborns:	0			Home Health Service	19.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 2.3%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	8.2%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	12	Percent of All Discharges:	2.5%	Medicare	78.2%
Patient Days:	25	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	5.2%
				Other Government	2.3%
				Commercial or Private Insurance	13.0%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	48.3%	51.9%	Amer.Ind/Alaskan Native	1.3%	2.4%
Under 15	0.0%	0.0%	Female	51.7%	48.1%	Asian	0.0%	0.0%
15 - 19	0.4%	0.2%				Black/African Amer.	0.6%	0.2%
20 - 24	0.8%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.7%	0.9%				White	97.1%	96.4%
35 - 44	2.3%	1.9%				Multiracial	0.0%	0.0%
45 - 54	5.9%	6.3%				Declined	1.0%	1.1%
55 - 64	13.6%	12.5%				Unavailable	0 %	0 %
65 - 74	22.0%	22.3%						
75 - 84	33.1%	35.3%						
85 & Over	19.2%	20.1%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	5	1.8	4.4	0.41	3.5	0.51	4.5	0.40		
137 Respiratory Infections and Inflammations	28	4.7	5.2	0.90	4.0	1.18	5.2	0.90		
139 Pneumonia	11	3.2	4.1	0.78	3.8	0.84	4.2	0.76		
140 Chronic Obstructive Pulmonary Disease	8	3.3	3.5	0.94	3.1	1.06	3.4	0.97		
194 Heart Failure	46	4.3	4.8	0.90	3.8	1.13	4.9	0.88		
201 Heart Abnormal Rhythm and Conduction Disorders	7	2.9	3.0	0.97	2.5	1.16	2.9	1.00		
247 Intestinal Obstruction without Surgery	14	2.4	3.0	0.80	3.0	0.80	3.5	0.69		
383 Cellulitis & other skin infections	5	6.6	4.6	1.43	4.4	1.50	4.3	1.53		
463 Kidney/Urinary Tract Infection	*	*	3.8	*	3.7	*	3.9	*		
469 Acute kidney injury	8	2.8	4.4	0.64	3.1	0.90	5.1	0.55		
540 Cesarean Delivery	0	N/A	2.9	N/A	2.8	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A		
720 Blood Infection/Septicemia	84	3.4	5.3	0.64	3.8	0.89	5.9	0.58		
861 Signs & Symptoms	8	11.3	5.5	2.05	5.5	2.05	5.6	2.02		

	This Fac	ility	Risk Adjusted Group Averages							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
133 Respiratory failure	\$9,161	\$12,881	\$31,265	0.41	\$24,966	0.52	\$40,230	0.32		
137 Respiratory Infections and Inflammations	\$16,175	\$18,514	\$34,167	0.54	\$23,829	0.78	\$42,641	0.43		
139 Pneumonia	\$12,430	\$11,842	\$25,436	0.47	\$21,847	0.54	\$33,326	0.36		
140 Chronic Obstructive Pulmonary Disease	\$14,100	\$15,136	\$21,325	0.71	\$18,738	0.81	\$30,692	0.49		
194 Heart Failure	\$17,745	\$18,420	\$28,691	0.64	\$21,808	0.84	\$37,402	0.49		
201 Heart Abnormal Rhythm and Conduction Disorders	\$14,558	\$15,307	\$20,515	0.75	\$15,774	0.97	\$26,261	0.58		
247 Intestinal Obstruction without Surgery	\$12,889	\$12,226	\$16,040	0.76	\$15,683	0.78	\$25,745	0.47		
383 Cellulitis & other skin infections	\$13,446	\$15,532	\$21,857	0.71	\$19,917	0.78	\$28,319	0.55		
463 Kidney/Urinary Tract Infection	*	*	\$19,582	*	\$17,130	*	\$28,895	*		
469 Acute kidney injury	\$15,238	\$15,426	\$26,200	0.59	\$19,497	0.79	\$38,198	0.40		
540 Cesarean Delivery	N/A	N/A	\$22,289	*	\$25,945	*	\$29,333	*		
560 Vaginal Delivery	N/A	N/A	\$11,513	*	\$9,423	*	\$15,112	*		
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,672	*	\$4,311	*	\$5,404	*		
720 Blood Infection/Septicemia	\$16,938	\$20,716	\$40,375	0.51	\$27,838	0.74	\$55,330	0.37		
861 Signs & Symptoms	\$19,296	\$22,284	\$20,134	1.11	\$17,922	1.24	\$35,921	0.62		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

123 ThedaCare Medical Center - Shawano

100 County Road B

Shawano, WI 54166 Analysis Area: 4-Northeastern

715-526-2111

Inpatient Volume Group: 3

Hospital Type: GMS

County: Shawano

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,405	Average Length of Stay (days):	3.0	Discharge Status	% Discharges
Total Patient Days:	4,212	Average Charge per Discharge:	\$18,623	Home or Self-Care	63.8%
iolai Falleili Days.	4,212	Average Charge per Discharge.	φ10,023	Other GMS Hospital	5.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	130	Percent of All Childbirths:	72.6%	Skilled Nursing Facility	11.5%
Cesarean Childbirths:	33	Percent of All Childbirths:	18.4%	Intermediate Care Facility	1.2%
Other Childbirths:	16	Percent of All Childbirths:	8.9%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	179		0.070	Hospice	4.5%
Total Grindshino.	170			Other Institution	0.0%
Total Newborns:	203			Home Health Service	10.2%
Psychiatric Utilization				Left Against Medical Advice	1.1%
Psychiatric Othization				Expired	0.9%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	2	Percent of All Patient Days:	0.0%	Other	1.0%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	38	Percent of All Discharges:	2.7%	Medicare	53.1%
Patient Days:	150	Percent of All Patient Days:	3.6%	Medicaid/BadgerCare	23.6%
				Other Government	2.4%
				Commercial or Private Insurance	16.5%
				Self-Pay	4.3%
				Other or Unknown Insurance	0.1%

	Age Distribution	Ĺ		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	14.4%	8.9%	Male	41.7%	45.6%	Amer.Ind/Alaskan Native	e 25.3%	24.3%
Under 15	0.6%	0.3%	Female	58.3%	54.4%	Asian	0.1%	0.2%
15 - 19	1.2%	1.0%				Black/African Amer.	0.3%	0.1%
20 - 24	4.6%	3.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.2%	8.0%				White	69.5%	72.1%
35 - 44	5.3%	5.7%				Multiracial	0.3%	0.2%
45 - 54	6.5%	6.9%				Declined	0.1%	0.0%
55 - 64	9.1%	11.7%				Unavailable	4.4%	3.1%
65 - 74	15.7%	17.5%						
75 - 84	19.8%	21.9%						
85 & Over	12.5%	14.9%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	23	2.8	4.4	0.64	3.4	0.82	4.5	0.62		
137 Respiratory Infections and Inflammations	25	4.1	4.9	0.84	3.8	1.08	5.2	0.79		
139 Pneumonia	63	4.1	4.1	1.00	3.6	1.14	4.2	0.98		
140 Chronic Obstructive Pulmonary Disease	25	2.5	3.0	0.83	3.1	0.81	3.4	0.74		
194 Heart Failure	85	3.4	4.3	0.79	3.8	0.89	4.9	0.69		
201 Heart Abnormal Rhythm and Conduction Disorders	21	1.5	2.7	0.56	2.3	0.65	2.9	0.52		
326 Elective knee joint replacement	0	N/A	1.6	N/A	1.4	N/A	1.9	N/A		
383 Cellulitis & other skin infections	38	3.6	4.1	0.88	3.7	0.97	4.3	0.84		
463 Kidney/Urinary Tract Infection	19	2.5	3.7	0.68	3.4	0.74	3.9	0.64		
469 Acute kidney injury	38	3.1	4.6	0.67	3.4	0.91	5.1	0.61		
540 Cesarean Delivery	33	2.6	3.5	0.74	2.8	0.93	3.4	0.76		
560 Vaginal Delivery	130	1.9	2.0	0.95	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	180	1.8	1.8	1.00	1.8	1.00	1.9	0.95		
720 Blood Infection/Septicemia	180	4.5	5.6	0.80	4.3	1.05	5.9	0.76		
775 Alcohol Abuse/Dependence	27	4.3	3.8	1.13	3.6	1.19	3.9	1.10		

	:1:4.7			Dials Adiusted	Craus Averages		Risk Adjusted Group Averages							
	This Fac	-			RISK Adjusted	Group Averages								
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio						
133 Respiratory failure	\$19,455	\$21,612	\$36,401	0.59	\$28,186	0.77	\$40,230	0.54						
137 Respiratory Infections and Inflammations	\$25,019	\$26,609	\$38,011	0.70	\$27,697	0.96	\$42,641	0.62						
139 Pneumonia	\$23,041	\$23,492	\$30,062	0.78	\$24,745	0.95	\$33,326	0.70						
140 Chronic Obstructive Pulmonary Disease	\$19,349	\$21,277	\$28,051	0.76	\$21,626	0.98	\$30,692	0.69						
194 Heart Failure	\$21,643	\$21,585	\$31,359	0.69	\$25,105	0.86	\$37,402	0.58						
201 Heart Abnormal Rhythm and Conduction Disorders	\$15,089	\$15,714	\$22,385	0.70	\$18,832	0.83	\$26,261	0.60						
326 Elective knee joint replacement	N/A	N/A	\$49,328	*	\$51,872	*	\$61,836	*						
383 Cellulitis & other skin infections	\$17,649	\$16,458	\$24,996	0.66	\$21,471	0.77	\$28,319	0.58						
463 Kidney/Urinary Tract Infection	\$18,229	\$15,779	\$25,251	0.62	\$19,405	0.81	\$28,895	0.55						
469 Acute kidney injury	\$20,069	\$19,840	\$32,453	0.61	\$23,727	0.84	\$38,198	0.52						
540 Cesarean Delivery	\$23,223	\$23,551	\$23,516	1.00	\$24,636	0.96	\$29,333	0.80						
560 Vaginal Delivery	\$9,630	\$9,453	\$12,110	0.78	\$11,580	0.82	\$15,112	0.63						
640 Normal Newborn, Birthweight 2500g+	\$3,202	\$3,139	\$4,779	0.66	\$4,369	0.72	\$5,404	0.58						
720 Blood Infection/Septicemia	\$27,783	\$31,551	\$49,755	0.63	\$35,041	0.90	\$55,330	0.57						
775 Alcohol Abuse/Dependence	\$17,483	#	#	#	#	#	#	#						

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

124 Aurora Medical Center - Sheboygan County

3400 Union Ave

Sheboygan, WI 53081

Hospital Type: GMS

County: Sheboygan

Analysis Area: 4-Northeastern

920-802-2100				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	6,796	Average Length of Stay (days):	3.8	Discharge Status	% Discharges
Total Patient Days:	25,929	Average Charge per Discharge:	\$32,312	Home or Self-Care Other GMS Hospital	70.7% 2.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: Patient Days:	560 186 58 804 830 936 5,462	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	69.7% 23.1% 7.2% 13.8% 21.1%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	8.3% 2.5% 0.1% 1.8% 0.0% 10.9% 1.6% 0.4% 0.1%
•	,	·		Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	192	Percent of All Discharges:	2.8%	Medicare	41.6%
Patient Days:	634	Percent of All Patient Days:	2.4%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	21.4% 2.8% 31.3% 2.9% 0.1%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	12.2%	7.9%	Male	44.1%	47.9%	Amer.Ind/Alaskan Native	e 0.3%	0.4%
Under 15	1.7%	2.2%	Female	55.9%	52.1%	Asian	4.4%	3.4%
15 - 19	2.6%	3.3%				Black/African Amer.	3.9%	3.9%
20 - 24	4.3%	3.4%				Native Hawaii/Pac.Isl.	0.3%	0.3%
25 - 34	13.0%	9.4%				White	89.1%	90.1%
35 - 44	8.4%	8.3%				Multiracial	1.2%	1.1%
45 - 54	8.5%	9.4%				Declined	0.4%	0.3%
55 - 64	12.9%	15.0%				Unavailable	0.4%	0.4%
65 - 74	15.1%	17.4%						
75 - 84	14.3%	15.9%						
85 & Over	6.9%	7.8%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	77	3.4	4.2	0.81	4.3	0.79	4.8	0.71
133 Respiratory failure	152	3.5	4.4	0.80	4.2	0.83	4.5	0.78
137 Respiratory Infections and Inflammations	109	5.4	4.9	1.10	5.3	1.02	5.2	1.04
139 Pneumonia	115	3.8	4.1	0.93	4.3	0.88	4.2	0.90
174 Percutaneous coronary intervention w AMI	17	2.5	2.4	1.04	2.7	0.93	2.9	0.86
194 Heart Failure	250	4.5	4.3	1.05	4.8	0.94	4.9	0.92
201 Heart Abnormal Rhythm and Conduction Disorders	68	2.6	2.7	0.96	2.9	0.90	2.9	0.90
463 Kidney/Urinary Tract Infection	82	3.4	3.7	0.92	4.0	0.85	3.9	0.87
469 Acute kidney injury	122	4.1	4.6	0.89	5.0	0.82	5.1	0.80
540 Cesarean Delivery	186	2.8	3.5	0.80	2.9	0.97	3.4	0.82
560 Vaginal Delivery	560	1.7	2.0	0.85	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	755	1.7	1.8	0.94	1.9	0.89	1.9	0.89
720 Blood Infection/Septicemia	683	4.9	5.6	0.88	5.7	0.86	5.9	0.83
751 Psychoses	539	5.3	5.3	1.00	4.9	1.08	5.2	1.02
775 Alcohol Abuse/Dependence	155	3.3	3.8	0.87	3.9	0.85	3.9	0.85

•	•	• •	•	•	•	•					
This Facility				Risk Adjusted Group Averages							
RG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
troke and Precerebral Occlusion with Infarct	\$42,291	\$46,809	\$42,136	1.11	\$47,748	0.98	\$48,817	0.96			
lespiratory failure	\$33,643	\$37,713	\$36,401	1.04	\$37,099	1.02	\$40,230	0.94			
lespiratory Infections and Inflammations	\$46,997	\$44,275	\$38,011	1.16	\$41,393	1.07	\$42,641	1.04			
neumonia	\$33,914	\$32,199	\$30,062	1.07	\$34,303	0.94	\$33,326	0.97			
ercutaneous coronary intervention w AMI	\$89,141	\$93,052	\$74,035	1.26	\$85,768	1.08	\$88,028	1.06			
leart Failure	\$33,171	\$33,268	\$31,359	1.06	\$35,400	0.94	\$37,402	0.89			
leart Abnormal Rhythm and Conduction Disorders	\$24,280	\$24,154	\$22,385	1.08	\$25,284	0.96	\$26,261	0.92			
idney/Urinary Tract Infection	\$28,789	\$29,677	\$25,251	1.18	\$30,786	0.96	\$28,895	1.03			
cute kidney injury	\$34,714	\$35,741	\$32,453	1.10	\$36,604	0.98	\$38,198	0.94			
esarean Delivery	\$27,108	\$27,685	\$23,516	1.18	\$27,373	1.01	\$29,333	0.94			
aginal Delivery	\$11,879	\$12,145	\$12,110	1.00	\$14,481	0.84	\$15,112	0.80			
lormal Newborn, Birthweight 2500g+	\$4,637	\$5,037	\$4,779	1.05	\$5,825	0.86	\$5,404	0.93			
lood Infection/Septicemia	\$46,736	\$48,939	\$49,755	0.98	\$52,329	0.94	\$55,330	0.88			
sychoses	\$22,523	#	#	#	#	#	#	#			
Icohol Abuse/Dependence	\$23,770	#	#	#	#	#	#	#			
	troke and Precerebral Occlusion with Infarct espiratory failure espiratory Infections and Inflammations neumonia ercutaneous coronary intervention w AMI eart Failure eart Abnormal Rhythm and Conduction Disorders idney/Urinary Tract Infection cute kidney injury esarean Delivery aginal Delivery ormal Newborn, Birthweight 2500g+ lood Infection/Septicemia sychoses	Average Charge RG # and Description Charge troke and Precerebral Occlusion with Infarct \$42,291 espiratory failure \$33,643 espiratory Infections and Inflammations \$46,997 neumonia \$33,914 ercutaneous coronary intervention w AMI \$89,141 eart Failure \$33,171 eart Abnormal Rhythm and Conduction Disorders \$24,280 idney/Urinary Tract Infection \$28,789 cute kidney injury \$34,714 esarean Delivery \$27,108 aginal Delivery \$11,879 ormal Newborn, Birthweight 2500g+ \$4,637 lood Infection/Septicemia \$46,736 sychoses \$22,523	Risk Adjusted Average Charge troke and Precerebral Occlusion with Infarct \$42,291 \$46,809 espiratory failure \$33,643 \$37,713 espiratory Infections and Inflammations \$46,997 \$44,275 neumonia \$33,914 \$32,199 ercutaneous coronary intervention w AMI \$89,141 \$93,052 eart Failure \$33,171 \$33,268 eart Abnormal Rhythm and Conduction Disorders \$24,280 \$24,154 idney/Urinary Tract Infection \$28,789 \$29,677 cute kidney injury \$34,714 \$35,741 esarean Delivery \$27,108 \$27,685 aginal Delivery \$11,879 \$12,145 ormal Newborn, Birthweight 2500g+ \$46,373 \$5,037 lood Infection/Septicemia \$46,736 \$48,939 sychoses \$22,523 #	Risk Adjusted Average Charge C	RG # and Description Charge Ch	RG # and Description	Risk Adjusted Average Charge Charge Charge Charge Ratio C	Risk Adjusted Average Charge Charge Charge Charge Ratio C			

N/A - Zero Discharges reported

 $^{^{\}wedge}\, Risk\text{-}Adjusted\,\, Charges\,\, calculated\,\, using\,\, 3M\, \text{\tiny TM}\,\, APR\,\, DRG\,\, Software\,\, licensed\,\, through\,\, 3M\,\, Health\,\, Infomation\,\, Systems.$

^{* 1} through 4 Discharges reported

125 St Nicholas Hospital 3100 Superior Avenue Sheboygan, WI 53081 920-459-8300 Hospital Type: GMS

County: Sheboygan Analysis Area: 4-Northeastern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	1,705	Average Length of Stay (days):	3.3	Discharge Status	% Discharges
Total Patient Days:	5,608	Average Charge per Discharge:	\$29,699	Home or Self-Care	64.7%
Total Fatterit Days.	3,000	Average Charge per Discharge.	Ψ29,099	Other GMS Hospital	6.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	167	Percent of All Childbirths:	71.4%	Skilled Nursing Facility	10.6%
Cesarean Childbirths:	63	Percent of All Childbirths:	26.9%	Intermediate Care Facility	1.3%
Other Childbirths:	4	Percent of All Childbirths:	1.7%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	234	-	/2	Hospice	2.6%
				Other Institution	0.1%
Total Newborns:	233			Home Health Service	10.9%
Psychiatric Utilization				Left Against Medical Advice	1.4%
Psychiatric Offization				Expired	1.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.4%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	19	Percent of All Discharges:	1.1%	Medicare	48.9%
Patient Days:	50	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	13.1%
				Other Government	3.3%
				Commercial or Private Insurance	33.3%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.1%

	Age Distribution	<u>.</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	13.7%	6.9%	Male	42.1%	45.8%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.3%	0.1%	Female	57.9%	54.2%	Asian	3.2%	1.9%
15 - 19	0.7%	0.5%				Black/African Amer.	1.9%	2.7%
20 - 24	3.2%	2.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.1%	8.0%				White	92.8%	93.5%
35 - 44	5.6%	4.1%				Multiracial	0.3%	0.2%
45 - 54	4.8%	4.9%				Declined	1.2%	1.2%
55 - 64	12.0%	15.5%				Unavailable	0.5%	0.3%
65 - 74	16.1%	18.2%						
75 - 84	19.3%	23.8%						
85 & Over	12.1%	15.2%						

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	35	3.3	4.2	0.79	3.9	0.85	4.8	0.69	
133 Respiratory failure	87	3.6	4.4	0.82	3.8	0.95	4.5	0.80	
137 Respiratory Infections and Inflammations	46	4.1	4.9	0.84	4.9	0.84	5.2	0.79	
139 Pneumonia	59	3.1	4.1	0.76	4.0	0.78	4.2	0.74	
194 Heart Failure	49	3.9	4.3	0.91	4.2	0.93	4.9	0.80	
201 Heart Abnormal Rhythm and Conduction Disorders	22	3.5	2.7	1.30	2.8	1.25	2.9	1.21	
247 Intestinal Obstruction without Surgery	22	2.9	3.0	0.97	3.0	0.97	3.5	0.83	
383 Cellulitis & other skin infections	20	3.8	4.1	0.93	4.4	0.86	4.3	0.88	
463 Kidney/Urinary Tract Infection	20	2.8	3.7	0.76	3.9	0.72	3.9	0.72	
469 Acute kidney injury	46	4.5	4.6	0.98	4.4	1.02	5.1	0.88	
540 Cesarean Delivery	63	2.5	3.5	0.71	2.7	0.93	3.4	0.74	
560 Vaginal Delivery	167	2.0	2.0	1.00	1.9	1.05	2.1	0.95	
640 Normal Newborn, Birthweight 2500g+	220	1.7	1.8	0.94	1.7	1.00	1.9	0.89	
720 Blood Infection/Septicemia	143	4.0	5.6	0.71	4.9	0.82	5.9	0.68	
775 Alcohol Abuse/Dependence	16	2.9	3.8	0.76	3.6	0.81	3.9	0.74	

	Th!- F	1114.			Diala Adia ataut	·		
	This Fac	•			RISK Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$35,447	\$38,868	\$42,136	0.92	\$40,171	0.97	\$48,817	0.80
133 Respiratory failure	\$33,505	\$36,562	\$36,401	1.00	\$36,698	1.00	\$40,230	0.91
137 Respiratory Infections and Inflammations	\$34,112	\$31,831	\$38,011	0.84	\$36,939	0.86	\$42,641	0.75
139 Pneumonia	\$26,895	\$26,536	\$30,062	0.88	\$30,699	0.86	\$33,326	0.80
194 Heart Failure	\$30,790	\$28,467	\$31,359	0.91	\$31,713	0.90	\$37,402	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	\$32,223	\$27,283	\$22,385	1.22	\$24,868	1.10	\$26,261	1.04
247 Intestinal Obstruction without Surgery	\$24,202	\$22,859	\$21,350	1.07	\$23,106	0.99	\$25,745	0.89
383 Cellulitis & other skin infections	\$26,527	\$27,883	\$24,996	1.12	\$26,486	1.05	\$28,319	0.98
463 Kidney/Urinary Tract Infection	\$23,221	\$24,010	\$25,251	0.95	\$26,652	0.90	\$28,895	0.83
469 Acute kidney injury	\$35,997	\$34,152	\$32,453	1.05	\$33,034	1.03	\$38,198	0.89
540 Cesarean Delivery	\$25,715	\$26,411	\$23,516	1.12	\$26,530	1.00	\$29,333	0.90
560 Vaginal Delivery	\$13,317	\$13,129	\$12,110	1.08	\$12,146	1.08	\$15,112	0.87
640 Normal Newborn, Birthweight 2500g+	\$3,713	\$4,079	\$4,779	0.85	\$4,923	0.83	\$5,404	0.75
720 Blood Infection/Septicemia	\$34,259	\$39,185	\$49,755	0.79	\$44,231	0.89	\$55,330	0.71
775 Alcohol Abuse/Dependence	\$21,521	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

179 Indianhead Medical Center/Shell Lake

113 Fourth Avenue, PO Box 300

Shell Lake, WI 54871

85 & Over

20.9%

25.6%

715-468-7833 Inpatient Volume Group: 1

Hospital Type: GMS County: Washburn

Analysis Area: 7-Western Lake Superior

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	153	Average Length of Stay (days):	4.8	Discharge Status	% Discharges
Total Patient Days:	733	Average Charge per Discharge:	\$14,255	Home or Self-Care	58.8%
Total Fation Days.	700	Average onlinge per bisonarge.	Ψ14,200	Other GMS Hospital	5.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	9.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.7%
-	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice	0.0% 7.8%
-	4	Dereent of All Discharges	0.7%	Expired Discharge/Tran to Court/Law Enforcmnt	0.7%
Discharges:	1	Percent of All Datient Davis	*** **	Other	16.3%
Patient Days:	2	Percent of All Patient Days:	0.3%		
AODA HOTE AT A				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	86.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	8.5%
				Other Government	1.3%
				Commercial or Private Insurance	2.6%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race	Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	50.3%	48.6%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	49.7%	51.4%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.0%	0.0%				White	100.0%	100.0%
35 - 44	0.7%	0.5%				Multiracial	0.0%	0.0%
45 - 54	3.9%	2.9%				Declined	0.0%	0.0%
55 - 64	14.4%	14.1%				Unavailable	0 %	0 %
65 - 74	25.5%	27.1%						
75 - 84	34.6%	29.7%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	0	N/A	3.7	N/A	3.0	N/A	4.5	N/A		
137 Respiratory Infections and Inflammations	17	4.9	5.2	0.94	3.7	1.32	5.2	0.94		
139 Pneumonia	10	6.1	4.5	1.36	3.3	1.85	4.2	1.45		
140 Chronic Obstructive Pulmonary Disease	15	5.1	3.8	1.34	3.1	1.65	3.4	1.50		
194 Heart Failure	12	3.6	4.2	0.86	3.5	1.03	4.9	0.73		
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.7	*	2.6	*	2.9	*		
249 Other gastroenteritis, nausea & vomiting	*	*	2.8	*	2.6	*	3.5	*		
282 Disorders of Pancreas Except Malignancy	*	*	3.6	*	2.6	*	3.9	*		
383 Cellulitis & other skin infections	*	*	5.1	*	3.9	*	4.3	*		
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*		
463 Kidney/Urinary Tract Infection	11	4.9	5.2	0.94	3.5	1.40	3.9	1.26		
469 Acute kidney injury	5	4.4	4.0	1.10	3.3	1.33	5.1	0.86		
720 Blood Infection/Septicemia	*	*	4.8	*	3.5	*	5.9	*		
861 Signs & Symptoms	7	4.0	4.5	0.89	10.3	0.39	5.6	0.71		
862 Other Factors Influencing Health Status	0	N/A	9.1	N/A	12.2	N/A	8.2	N/A		

	This Facility					Group Averages	}	-
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	N/A	N/A	\$20,493	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$17,594	\$22,760	\$25,603	0.89	\$22,966	0.99	\$42,641	0.53
139 Pneumonia	\$18,580	\$29,435	\$21,744	1.35	\$20,677	1.42	\$33,326	0.88
140 Chronic Obstructive Pulmonary Disease	\$15,018	\$19,118	\$17,105	1.12	\$17,434	1.10	\$30,692	0.62
194 Heart Failure	\$11,062	\$17,956	\$18,201	0.99	\$19,130	0.94	\$37,402	0.48
201 Heart Abnormal Rhythm and Conduction Disor	ders *	*	\$11,027	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$15,080	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$22,729	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$18,104	*	\$18,221	*	\$28,319	*
420 Diabetes	*	*	\$18,935	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$10,305	\$13,588	\$18,415	0.74	\$16,696	0.81	\$28,895	0.47
469 Acute kidney injury	\$12,042	\$23,322	\$21,456	1.09	\$19,375	1.20	\$38,198	0.61
720 Blood Infection/Septicemia	*	*	\$25,870	*	\$25,105	*	\$55,330	*
861 Signs & Symptoms	\$11,719	\$16,625	\$16,793	0.99	\$18,999	0.88	\$35,921	0.46
862 Other Factors Influencing Health Status	N/A	N/A	\$17,201	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

127 Mayo Clinic Health System - Sparta

310 West Main Street

Sparta, WI 54656 608-269-2132

85 & Over

19.4%

18.6%

Hospital Type: GMS
County: Monroe

Analysis Area: 5B-Southwestern

Overall Hospital Utilization				Patient Discharge Statu	<u>ıs</u>
Total Discharges:	67	Average Length of Stay (days):	3.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	226	Average Charge per Discharge:	\$13,741	Home or Self-Care	67.2%
Total I attent Days.	220	Average Charge per Discharge.	ψ10,7 4 1	Other GMS Hospital	4.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	14.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
rotal Offidalitio.	Ŭ			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice	0.0%
PSychiatric Othization				Expired	1.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	11.9%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	70.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	9.0%
				Other Government	6.0%
				Commercial or Private Insurance	14.9%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	40.3%	34.5%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	59.7%	65.5%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	4.5%	3.1%				White	100.0%	100.0%
35 - 44	1.5%	0.9%				Multiracial	0.0%	0.0%
45 - 54	9.0%	9.7%				Declined	0.0%	0.0%
55 - 64	13.4%	10.2%				Unavailable	0 %	0 %
65 - 74	22.4%	23.0%						
75 - 84	29.9%	34.5%						

This Facility Group Averages								
			Analys	sis Area	Inpatient Volume Group		All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.0	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	5	3.2	4.8	0.67	3.7	0.86	5.2	0.62
139 Pneumonia	7	4.3	3.3	1.30	3.3	1.30	4.2	1.02
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*
194 Heart Failure	14	3.5	4.5	0.78	3.5	1.00	4.9	0.71
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.1	N/A	2.6	N/A	2.9	N/A
249 Other gastroenteritis, nausea & vomiting	0	N/A	4.2	N/A	2.6	N/A	3.5	N/A
282 Disorders of Pancreas Except Malignancy	*	*	3.3	*	2.6	*	3.9	*
383 Cellulitis & other skin infections	5	3.4	3.9	0.87	3.9	0.87	4.3	0.79
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.5	*	3.5	*	3.9	*
469 Acute kidney injury	*	*	4.9	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	11	3.1	4.6	0.67	3.5	0.89	5.9	0.53
861 Signs & Symptoms	0	N/A	6.5	N/A	10.3	N/A	5.6	N/A
862 Other Factors Influencing Health Status	0	N/A	11.6	N/A	12.2	N/A	8.2	N/A

	This Fac	- 1			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$26,914	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$14,347	\$18,760	\$29,196	0.64	\$22,966	0.82	\$42,641	0.44
139 Pneumonia	\$15,854	\$17,117	\$21,792	0.79	\$20,677	0.83	\$33,326	0.51
140 Chronic Obstructive Pulmonary Disease	*	*	\$22,105	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$12,234	\$15,262	\$24,371	0.63	\$19,130	0.80	\$37,402	0.41
201 Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$18,433	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	N/A	N/A	\$15,837	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$20,661	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	\$13,774	\$14,492	\$19,481	0.74	\$18,221	0.80	\$28,319	0.51
420 Diabetes	*	*	\$18,205	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	*	*	\$17,675	*	\$16,696	*	\$28,895	*
469 Acute kidney injury	*	*	\$24,071	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$13,406	\$20,415	\$30,818	0.66	\$25,105	0.81	\$55,330	0.37
861 Signs & Symptoms	N/A	N/A	\$26,429	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$37,912	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

orted ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

128 Spooner Health 1280 Chandler Drive Spooner, WI 54801

715-635-2111

85 & Over

18.9%

21.0%

Hospital Type: GMS
County: Washburn

Analysis Area: 7-Western Lake Superior

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	286	Average Length of Stay (days):	4.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,132	Average Charge per Discharge:	\$19,250	Home or Self-Care	49.0%
Total Lation Bays.	1,102	Average charge per bisonarge.	Ψ10,200	Other GMS Hospital	15.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	14.3%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		0.075	Hospice	2.8%
rotal Ormasitation	· ·			Other Institution	0.0%
Total Newborns:	0			Home Health Service	5.9%
Psychiatric Utilization				Left Against Medical Advice	0.7%
Psychiatric Offization				Expired	5.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	4.5%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	62.6%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	12.9%
				Other Government	11.5%
				Commercial or Private Insurance	11.5%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.7%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	54.5%	59.6%	Amer.Ind/Alaskan Native	e 6.3%	4.0%
Under 15	0.0%	0.0%	Female	45.5%	40.4%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.3%	0.5%
25 - 34	0.7%	0.3%				White	93.4%	95.5%
35 - 44	4.2%	3.1%				Multiracial	0.0%	0.0%
45 - 54	11.2%	7.9%				Declined	0.0%	0.0%
55 - 64	12.2%	16.3%				Unavailable	0 %	0 %
65 - 74	24.8%	26.4%						
75 - 84	28.0%	25.1%						

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS H	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	5	3.2	3.7	0.86	3.5	0.91	4.5	0.71		
137 Respiratory Infections and Inflammations	9	3.7	5.2	0.71	4.0	0.93	5.2	0.71		
139 Pneumonia	42	5.0	4.5	1.11	3.8	1.32	4.2	1.19		
140 Chronic Obstructive Pulmonary Disease	14	2.9	3.8	0.76	3.1	0.94	3.4	0.85		
194 Heart Failure	17	4.9	4.2	1.17	3.8	1.29	4.9	1.00		
201 Heart Abnormal Rhythm and Conduction Disorders	5	1.2	2.7	0.44	2.5	0.48	2.9	0.41		
247 Intestinal Obstruction without Surgery	*	*	2.8	*	3.0	*	3.5	*		
383 Cellulitis & other skin infections	10	3.7	5.1	0.73	4.4	0.84	4.3	0.86		
463 Kidney/Urinary Tract Infection	17	3.3	5.2	0.63	3.7	0.89	3.9	0.85		
469 Acute kidney injury	21	5.0	4.0	1.25	3.1	1.61	5.1	0.98		
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A		
720 Blood Infection/Septicemia	19	3.2	4.8	0.67	3.8	0.84	5.9	0.54		
861 Signs & Symptoms	*	*	4.5	*	5.5	*	5.6	*		

-	This Fac	ility	Risk Adjusted Group Averages							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	•		olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
133 Respiratory failure	\$17,625	\$24,782	\$20,493	1.21	\$24,966	0.99	\$40,230	0.62		
137 Respiratory Infections and Inflammations	\$18,490	\$23,842	\$25,603	0.93	\$23,829	1.00	\$42,641	0.56		
139 Pneumonia	\$22,562	\$25,460	\$21,744	1.17	\$21,847	1.17	\$33,326	0.76		
140 Chronic Obstructive Pulmonary Disease	\$14,133	\$15,750	\$17,105	0.92	\$18,738	0.84	\$30,692	0.51		
194 Heart Failure	\$22,090	\$29,114	\$18,201	1.60	\$21,808	1.34	\$37,402	0.78		
201 Heart Abnormal Rhythm and Conduction Disorders	\$6,673	\$9,498	\$11,027	0.86	\$15,774	0.60	\$26,261	0.36		
247 Intestinal Obstruction without Surgery	*	*	\$13,626	*	\$15,683	*	\$25,745	*		
383 Cellulitis & other skin infections	\$18,079	\$20,427	\$18,104	1.13	\$19,917	1.03	\$28,319	0.72		
463 Kidney/Urinary Tract Infection	\$16,792	\$18,791	\$18,415	1.02	\$17,130	1.10	\$28,895	0.65		
469 Acute kidney injury	\$24,567	\$30,291	\$21,456	1.41	\$19,497	1.55	\$38,198	0.79		
540 Cesarean Delivery	N/A	N/A	\$25,435	*	\$25,945	*	\$29,333	*		
560 Vaginal Delivery	N/A	N/A	\$7,651	*	\$9,423	*	\$15,112	*		
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,469	*	\$4,311	*	\$5,404	*		
720 Blood Infection/Septicemia	\$17,566	\$24,921	\$25,870	0.96	\$27,838	0.90	\$55,330	0.45		
861 Signs & Symptoms	*	*	\$16,793	*	\$17,922	*	\$35,921	*		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

129 St Croix Health 235 State Street St Croix Falls, WI 54024

14.0%

18.8%

715-483-3261

85 & Over

Hospital Type: GMS County: Polk

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	1,512	Average Length of Stay (days):	3.4	<u>Discharge Status</u>	% Discharges
Total Patient Days:	5,168	Average Charge per Discharge:	\$15,084	Home or Self-Care	64.3%
Total Fation Bayo.	0,100	Average enarge per Bleenarge.	Ψ10,001	Other GMS Hospital	5.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths:	144	Percent of All Childbirths:	72.4%	Skilled Nursing Facility	14.7%
Cesarean Childbirths:	48	Percent of All Childbirths:	24.1%	Intermediate Care Facility	0.2%
Other Childbirths:	7	Percent of All Childbirths:	3.5%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	199			Hospice Other Institution	1.5% 0.0%
Total Newborns:	219			Home Health Service	9.3%
Total Newborns.	213			Left Against Medical Advice	0.6%
Psychiatric Utilization				Expired	1.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.6%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	20	Percent of All Discharges:	1.3%	Medicare	50.4%
Patient Days:	55	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	17.5%
				Other Government	5.3%
				Commercial or Private Insurance	23.0%
				Self-Pay	3.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	14.5%	7.5%	Male	41.4%	44.7%	Amer.Ind/Alaskan Native	1.7%	1.3%
Under 15	0.4%	0.1%	Female	58.6%	55.3%	Asian	0.1%	0.1%
15 - 19	0.5%	0.4%				Black/African Amer.	0.3%	0.5%
20 - 24	3.4%	2.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.6%	6.8%				White	96.5%	96.8%
35 - 44	4.4%	3.4%				Multiracial	0.7%	0.5%
45 - 54	3.5%	2.9%				Declined	0.7%	0.8%
55 - 64	11.4%	12.2%				Unavailable	0 %	0 %
65 - 74	16.5%	19.8%						
75 - 84	20.8%	25.7%						

This Facility Group Averages								
			Analys	sis Area	Area Inpatient Volume Group			ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	26	5.2	4.4	1.18	3.9	1.33	4.8	1.08
133 Respiratory failure	68	3.8	4.4	0.86	3.8	1.00	4.5	0.84
137 Respiratory Infections and Inflammations	42	5.3	5.2	1.02	4.9	1.08	5.2	1.02
139 Pneumonia	45	3.3	4.1	0.80	4.0	0.83	4.2	0.79
194 Heart Failure	82	4.2	4.8	0.88	4.2	1.00	4.9	0.86
201 Heart Abnormal Rhythm and Conduction Disorders	16	3.1	3.0	1.03	2.8	1.11	2.9	1.07
247 Intestinal Obstruction without Surgery	20	2.3	3.0	0.77	3.0	0.77	3.5	0.66
383 Cellulitis & other skin infections	26	5.4	4.6	1.17	4.4	1.23	4.3	1.26
463 Kidney/Urinary Tract Infection	31	4.2	3.8	1.11	3.9	1.08	3.9	1.08
469 Acute kidney injury	35	5.1	4.4	1.16	4.4	1.16	5.1	1.00
540 Cesarean Delivery	48	3.0	2.9	1.03	2.7	1.11	3.4	0.88
560 Vaginal Delivery	144	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	201	1.7	1.8	0.94	1.7	1.00	1.9	0.89
720 Blood Infection/Septicemia	70	4.4	5.3	0.83	4.9	0.90	5.9	0.75
775 Alcohol Abuse/Dependence	19	2.8	3.8	0.74	3.6	0.78	3.9	0.72

	•	•	• • •	•	•	•	•		
		This Fac	ility			Risk Adjusted	Group Averages	i	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	is Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Prece	erebral Occlusion with Infarct	\$19,445	\$22,906	\$34,936	0.66	\$40,171	0.57	\$48,817	0.47
133 Respiratory failur	re	\$16,790	\$20,581	\$31,265	0.66	\$36,698	0.56	\$40,230	0.51
137 Respiratory Infect	tions and Inflammations	\$20,021	\$21,402	\$34,167	0.63	\$36,939	0.58	\$42,641	0.50
139 Pneumonia		\$13,363	\$18,024	\$25,436	0.71	\$30,699	0.59	\$33,326	0.54
194 Heart Failure		\$14,344	\$18,442	\$28,691	0.64	\$31,713	0.58	\$37,402	0.49
201 Heart Abnormal F	Rhythm and Conduction Disorders	\$12,145	\$12,179	\$20,515	0.59	\$24,868	0.49	\$26,261	0.46
247 Intestinal Obstruc	ction without Surgery	\$8,909	\$8,495	\$16,040	0.53	\$23,106	0.37	\$25,745	0.33
383 Cellulitis & other	skin infections	\$18,817	\$20,202	\$21,857	0.92	\$26,486	0.76	\$28,319	0.71
463 Kidney/Urinary T	ract Infection	\$13,787	\$16,382	\$19,582	0.84	\$26,652	0.61	\$28,895	0.57
469 Acute kidney inju	ıry	\$17,140	\$20,821	\$26,200	0.79	\$33,034	0.63	\$38,198	0.55
540 Cesarean Delive	ry	\$17,342	\$17,331	\$22,289	0.78	\$26,530	0.65	\$29,333	0.59
560 Vaginal Delivery		\$8,332	\$8,472	\$11,513	0.74	\$12,146	0.70	\$15,112	0.56
640 Normal Newborn	, Birthweight 2500g+	\$2,102	\$2,112	\$3,672	0.58	\$4,923	0.43	\$5,404	0.39
720 Blood Infection/S	epticemia	\$17,311	\$22,767	\$40,375	0.56	\$44,231	0.51	\$55,330	0.41
775 Alcohol Abuse/Do	ependence	\$12,512	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

130 Aspirus Stanley Hospital 1120 Pine Street

Stanley, WI 54768

715-644-5571 Inpatient Volume Group: 1

Hospital Type: GMS
County: Clark

Analysis Area: 5A-West Central

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	157	Average Length of Stay (days):	3.5	<u>Discharge Status</u>	% Discharges
Total Patient Days:	550	Average Charge per Discharge:	\$23,930	Home or Self-Care	39.5%
Total I attent Days.	330	Average Charge per Discharge.	Ψ25,930	Other GMS Hospital	14.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	1.3%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	13.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.8%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		0.070	Hospice	1.9%
Total Officialitis.	O			Other Institution	0.0%
Total Newborns:	0			Home Health Service	11.5%
Dovobiotrio Utilization				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	3.8%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	1.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	8.3%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	86.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	5.1%
				Other Government	5.7%
				Commercial or Private Insurance	3.2%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution	Ĺ		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	52.9%	53.1%	Amer.Ind/Alaskan Native	e 1.3%	1.8%
Under 15	0.0%	0.0%	Female	47.1%	46.9%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	1.3%	1.1%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.6%	0.4%				White	96.2%	95.5%
35 - 44	4.5%	4.4%				Multiracial	0.0%	0.0%
45 - 54	5.1%	4.9%				Declined	1.3%	1.6%
55 - 64	14.0%	11.5%				Unavailable	0 %	0 %
65 - 74	23.6%	24.9%						
75 - 84	24.2%	20.9%						
85 & Over	28.0%	33.1%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient Volume Group		All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*		
137 Respiratory Infections and Inflammations	7	5.0	5.2	0.96	3.7	1.35	5.2	0.96		
139 Pneumonia	8	4.0	4.1	0.98	3.3	1.21	4.2	0.95		
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*		
194 Heart Failure	26	3.3	4.8	0.69	3.5	0.94	4.9	0.67		
201 Heart Abnormal Rhythm and Conduction Disorders	5	1.8	3.0	0.60	2.6	0.69	2.9	0.62		
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.5	N/A	2.6	N/A	3.5	N/A		
282 Disorders of Pancreas Except Malignancy	*	*	3.5	*	2.6	*	3.9	*		
383 Cellulitis & other skin infections	8	4.4	4.6	0.96	3.9	1.13	4.3	1.02		
420 Diabetes	0	N/A	3.4	N/A	2.1	N/A	3.3	N/A		
463 Kidney/Urinary Tract Infection	*	*	3.8	*	3.5	*	3.9	*		
469 Acute kidney injury	*	*	4.4	*	3.3	*	5.1	*		
720 Blood Infection/Septicemia	19	2.9	5.3	0.55	3.5	0.83	5.9	0.49		
861 Signs & Symptoms	*	*	5.5	*	10.3	*	5.6	*		
862 Other Factors Influencing Health Status	*	*	9.1	*	12.2	*	8.2	*		

	This Facility					Risk Adjusted Group Averages							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio					
133 Respiratory failure	*	*	\$31,265	*	\$20,930	*	\$40,230	*					
137 Respiratory Infections and Inflammations	\$40,925	\$48,205	\$34,167	1.41	\$22,966	2.10	\$42,641	1.13					
139 Pneumonia	\$27,558	\$23,882	\$25,436	0.94	\$20,677	1.16	\$33,326	0.72					
140 Chronic Obstructive Pulmonary Disease	*	*	\$21,325	*	\$17,434	*	\$30,692	*					
194 Heart Failure	\$21,312	\$23,233	\$28,691	0.81	\$19,130	1.21	\$37,402	0.62					
201 Heart Abnormal Rhythm and Conduction Disorders	\$16,974	\$15,591	\$20,515	0.76	\$18,284	0.85	\$26,261	0.59					
249 Other gastroenteritis, nausea & vomiting	N/A	N/A	\$21,188	*	\$15,617	*	\$30,474	*					
282 Disorders of Pancreas Except Malignancy	*	*	\$23,495	*	\$18,647	*	\$34,273	*					
383 Cellulitis & other skin infections	\$27,763	\$36,717	\$21,857	1.68	\$18,221	2.02	\$28,319	1.30					
420 Diabetes	N/A	N/A	\$24,417	*	\$15,182	*	\$29,270	*					
463 Kidney/Urinary Tract Infection	*	*	\$19,582	*	\$16,696	*	\$28,895	*					
469 Acute kidney injury	*	*	\$26,200	*	\$19,375	*	\$38,198	*					
720 Blood Infection/Septicemia	\$20,380	\$22,258	\$40,375	0.55	\$25,105	0.89	\$55,330	0.40					
861 Signs & Symptoms	*	*	\$20,134	*	\$18,999	*	\$35,921	*					
862 Other Factors Influencing Health Status	*	*	\$19,643	*	\$19,869	*	\$32,059	*					

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#]Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

324 Aspirus Plover Hospital 5409 Vern Holmes Dr Stevens Point, WI 54482

9.9%

10.1%

85 & Over

Hospital Type: GMS
County: Portage

Analysis Area: 6-North Central

715-344-1600 Inpatient Volume Group: 1

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	141	Average Length of Stay (days):	4.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	582	Average Charge per Discharge:	\$52,056	Home or Self-Care	68.1%
Total Fattoni Days.	302	Average charge per bischarge.	Ψ02,000	Other GMS Hospital	3.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	2.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.8%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.4%
Total Childbirths:	0			Hospice	1.4%
T (1N)	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	15.6%
Psychiatric Utilization				Left Against Medical Advice	1.4%
	0	Dereent of All Discharges	0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	2.8% 0.0%
Discharges:	0	Percent of All Discharges:		Other	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%		
AODA HAH-adian				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				<u>Primary Payer</u>	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	68.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	3.5%
				Other Government	6.4%
				Commercial or Private Insurance	20.6%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.7%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	61.7%	55.8%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	38.3%	44.2%	Asian	0.7%	0.2%
15 - 19	0.7%	0.3%				Black/African Amer.	0.0%	0.0%
20 - 24	0.7%	0.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.1%	1.9%				White	99.3%	99.8%
35 - 44	5.7%	5.0%				Multiracial	0.0%	0.0%
45 - 54	2.1%	2.2%				Declined	0.0%	0.0%
55 - 64	17.0%	14.6%				Unavailable	0 %	0 %
65 - 74	38.3%	42.6%						
75 - 84	23.4%	23.0%						

	This Facil	ity			Group /	Averages	erages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*	
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.7	*	5.2	*	
139 Pneumonia	*	*	4.2	*	3.3	*	4.2	*	
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.5	N/A	3.1	N/A	3.4	N/A	
194 Heart Failure	9	6.0	4.8	1.25	3.5	1.71	4.9	1.22	
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.6	*	2.9	*	
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.3	N/A	2.6	N/A	3.5	N/A	
282 Disorders of Pancreas Except Malignancy	*	*	4.1	*	2.6	*	3.9	*	
383 Cellulitis & other skin infections	*	*	4.0	*	3.9	*	4.3	*	
420 Diabetes	0	N/A	3.7	N/A	2.1	N/A	3.3	N/A	
463 Kidney/Urinary Tract Infection	*	*	4.7	*	3.5	*	3.9	*	
469 Acute kidney injury	*	*	4.8	*	3.3	*	5.1	*	
720 Blood Infection/Septicemia	7	5.6	6.2	0.90	3.5	1.60	5.9	0.95	
861 Signs & Symptoms	*	*	5.9	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	0	N/A	7.6	N/A	12.2	N/A	8.2	N/A	

This Fac	ility		_							
Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
*	*	\$36,797	*	\$20,930	*	\$40,230	*			
*	*	\$33,124	*	\$22,966	*	\$42,641	*			
*	*	\$27,942	*	\$20,677	*	\$33,326	*			
N/A	N/A	\$26,064	*	\$17,434	*	\$30,692	*			
\$44,370	\$42,326	\$31,718	1.33	\$19,130	2.21	\$37,402	1.13			
*	*	\$22,917	*	\$18,284	*	\$26,261	*			
N/A	N/A	\$25,441	*	\$15,617	*	\$30,474	*			
*	*	\$28,824	*	\$18,647	*	\$34,273	*			
*	*	\$24,844	*	\$18,221	*	\$28,319	*			
N/A	N/A	\$27,273	*	\$15,182	*	\$29,270	*			
*	*	\$26,040	*	\$16,696	*	\$28,895	*			
*	*	\$33,126	*	\$19,375	*	\$38,198	*			
\$41,521	\$47,785	\$46,585	1.03	\$25,105	1.90	\$55,330	0.86			
*	*	\$35,344	*	\$18,999	*	\$35,921	*			
N/A	N/A	\$32,199	*	\$19,869	*	\$32,059	*			
	Average Charge * * N/A \$44,370 * N/A * * * * * * * * * * * * *	Adjusted Average Charge Charge *	Risk Adjusted Average Charge C	Risk Adjusted Average Charge Charge Charge Charge Charge Charge Charge Charge Ratio * * * \$36,797 * * \$33,124 * * \$27,942 * * \$27,942 * * \$22,917 * * \$22,917 * * \$28,824 * * \$28,824 * * \$24,844 * * \$24,844 * * \$24,844 * * \$24,844 * * \$24,844 * * \$24,844 *	Risk Adjusted Average Average Charge Charge Charge Charge Ratio Charge Charge Charge Charge Charge Ratio Charge * * * \$36,797 * \$20,930 * \$22,966 * \$27,942 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$20,677 * \$13,00 * \$1	Risk Adjusted Average Charge Charge Ratio * * * \$36,797 * \$20,930 * \$33,124 * \$22,966 * \$31,718 1.33 \$19,130 2.21 * \$22,917 * \$18,284 * \$18,647 * \$24,844 * \$18,221 * \$15,182 * \$16,696 * \$33,126 * \$19,375 * \$41,521 \$47,785 \$46,585 1.03 \$25,105 1.90 * \$35,344 * \$18,999 *	Risk Adjusted Average Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge Charge Ratio Charge Ratio Charge Ratio Charge Ratio Charge Charge Ratio Charge Ratio Charge Charge Ratio Charge			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

131 Aspirus Stevens Point Hospital

12.6%

16.6%

900 Illinois Avenue

Stevens Point, WI 54481

715-346-5000

85 & Over

Hospital Type: GMS
County: Portage

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	3,091	Average Length of Stay (days):	4.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	12,211	Average Charge per Discharge:	\$26,676	Home or Self-Care	60.3%
Total Fatient Days.	12,211	Average Charge per Discharge.	Ψ20,070	Other GMS Hospital	3.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	174	Percent of All Childbirths:	64.7%	Skilled Nursing Facility	9.4%
Cesarean Childbirths:	85	Percent of All Childbirths:	31.6%	Intermediate Care Facility	3.3%
Other Childbirths:	10	Percent of All Childbirths:	3.7%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	269			Hospice	3.3%
	000			Other Institution	0.0%
Total Newborns:	286			Home Health Service	12.9%
Psychiatric Utilization				Left Against Medical Advice	2.7%
				Expired	2.1%
Discharges:	326	Percent of All Discharges:	10.5%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	1,010	Percent of All Patient Days:	8.3%	Other	1.7%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	201	Percent of All Discharges:	6.5%	Medicare	49.2%
Patient Days:	538	Percent of All Patient Days:	4.4%	Medicaid/BadgerCare	19.0%
				Other Government	3.5%
				Commercial or Private Insurance	28.0%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	9.3%	4.6%	Male	45.2%	46.9%	Amer.Ind/Alaskan Native	0.6%	0.6%
Under 15	0.2%	0.1%	Female	54.8%	53.1%	Asian	1.6%	1.1%
15 - 19	1.6%	1.0%				Black/African Amer.	1.8%	1.3%
20 - 24	5.1%	2.9%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	10.8%	6.4%				White	95.1%	96.1%
35 - 44	7.9%	6.6%				Multiracial	0.2%	0.2%
45 - 54	8.1%	7.9%				Declined	0.5%	0.4%
55 - 64	11.1%	13.1%				Unavailable	0 %	0 %
65 - 74	17.0%	19.7%						
75 - 84	16.4%	21.2%						

	This Facil	ity	Group Averages							
			<u>Analysis Area</u>		Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	53	3.8	5.1	0.75	3.9	0.97	4.8	0.79		
133 Respiratory failure	60	3.8	4.4	0.86	3.8	1.00	4.5	0.84		
137 Respiratory Infections and Inflammations	60	4.6	4.9	0.94	4.9	0.94	5.2	0.88		
139 Pneumonia	42	4.3	4.2	1.02	4.0	1.08	4.2	1.02		
194 Heart Failure	164	4.8	4.8	1.00	4.2	1.14	4.9	0.98		
201 Heart Abnormal Rhythm and Conduction Disorders	55	3.1	2.8	1.11	2.8	1.11	2.9	1.07		
247 Intestinal Obstruction without Surgery	37	3.3	3.4	0.97	3.0	1.10	3.5	0.94		
383 Cellulitis & other skin infections	23	5.0	4.0	1.25	4.4	1.14	4.3	1.16		
463 Kidney/Urinary Tract Infection	36	4.7	4.7	1.00	3.9	1.21	3.9	1.21		
469 Acute kidney injury	61	4.0	4.8	0.83	4.4	0.91	5.1	0.78		
540 Cesarean Delivery	85	2.8	3.6	0.78	2.7	1.04	3.4	0.82		
560 Vaginal Delivery	174	1.9	2.0	0.95	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	268	2.0	2.0	1.00	1.7	1.18	1.9	1.05		
720 Blood Infection/Septicemia	343	5.9	6.2	0.95	4.9	1.20	5.9	1.00		
775 Alcohol Abuse/Dependence	164	2.7	4.3	0.63	3.6	0.75	3.9	0.69		

·											
	This Fac	ility			Risk Adjusted	Group Averages	3				
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
045 Stroke and Precerebral Occlusion with Infarct	\$34,183	\$36,371	\$39,818	0.91	\$40,171	0.91	\$48,817	0.75			
133 Respiratory failure	\$29,075	\$35,864	\$36,797	0.97	\$36,698	0.98	\$40,230	0.89			
137 Respiratory Infections and Inflammations	\$29,959	\$31,531	\$33,124	0.95	\$36,939	0.85	\$42,641	0.74			
139 Pneumonia	\$28,308	\$28,824	\$27,942	1.03	\$30,699	0.94	\$33,326	0.86			
194 Heart Failure	\$31,517	\$31,045	\$31,718	0.98	\$31,713	0.98	\$37,402	0.83			
201 Heart Abnormal Rhythm and Conduction Disorders	\$24,106	\$24,055	\$22,917	1.05	\$24,868	0.97	\$26,261	0.92			
247 Intestinal Obstruction without Surgery	\$17,618	\$20,634	\$22,137	0.93	\$23,106	0.89	\$25,745	0.80			
383 Cellulitis & other skin infections	\$26,202	\$25,294	\$24,844	1.02	\$26,486	0.95	\$28,319	0.89			
463 Kidney/Urinary Tract Infection	\$24,790	\$23,139	\$26,040	0.89	\$26,652	0.87	\$28,895	0.80			
469 Acute kidney injury	\$25,396	\$26,985	\$33,126	0.81	\$33,034	0.82	\$38,198	0.71			
540 Cesarean Delivery	\$21,776	\$22,695	\$25,753	0.88	\$26,530	0.86	\$29,333	0.77			
560 Vaginal Delivery	\$10,156	\$10,325	\$11,317	0.91	\$12,146	0.85	\$15,112	0.68			
640 Normal Newborn, Birthweight 2500g+	\$5,857	\$5,737	\$6,943	0.83	\$4,923	1.17	\$5,404	1.06			
720 Blood Infection/Septicemia	\$42,407	\$44,893	\$46,585	0.96	\$44,231	1.01	\$55,330	0.81			
775 Alcohol Abuse/Dependence	\$14,641	#	#	#	#	#	#	#			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

335 Marshfield Medical Center-River Region at Stevens Point

1400 State Highway 66

Stevens Point, WI 54481

715-997-6000

Hospital Type: GMS

Inpatient Volume Group: 1

County: Portage

Analysis Area: 6-North Central

Patient Discharge Status
Discharge Status % Discharges
2 Home or Self-Care 59.9% Other GMS Hospital 15.5%
Critical Access Hospital (CAH) 0.0%
Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other Other Other Other
7.0
Expected Pay Source Distribution
<u>Primary Payer</u> <u>% Discharges</u>
% Medicare 69.0%
% Medicaid/BadgerCare 4.9%
Other Government 4.2%
Commercial or Private Insurance 21.1%
Self-Pay 0.7%
Other or Unknown Insurance 0.0%

Age Distribution				Sex Distribution	<u>n</u>	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	49.3%	47.8%	Amer.Ind/Alaskan Native	4.9%	6.5%
Under 15	0.0%	0.0%	Female	50.7%	52.2%	Asian	2.8%	3.1%
15 - 19	0.7%	0.5%				Black/African Amer.	0.0%	0.0%
20 - 24	0.7%	1.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	3.5%	2.2%				White	90.8%	90.0%
35 - 44	4.2%	2.9%				Multiracial	0.0%	0.0%
45 - 54	5.6%	3.1%				Declined	0.7%	0.2%
55 - 64	14.1%	11.2%				Unavailable	0.7%	0.2%
65 - 74	21.1%	20.8%						
75 - 84	26.8%	32.1%						
85 & Over	23.2%	25.6%						

	This Facil	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.5	*
137 Respiratory Infections and Inflammations	11	3.1	4.9	0.63	3.7	0.84	5.2	0.60
139 Pneumonia	22	2.9	4.2	0.69	3.3	0.88	4.2	0.69
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.1	*	3.4	*
194 Heart Failure	10	2.7	4.8	0.56	3.5	0.77	4.9	0.55
201 Heart Abnormal Rhythm and Conduction Disorders	5	3.2	2.8	1.14	2.6	1.23	2.9	1.10
249 Other gastroenteritis, nausea & vomiting	*	*	3.3	*	2.6	*	3.5	*
282 Disorders of Pancreas Except Malignancy	5	1.6	4.1	0.39	2.6	0.62	3.9	0.41
383 Cellulitis & other skin infections	*	*	4.0	*	3.9	*	4.3	*
420 Diabetes	*	*	3.7	*	2.1	*	3.3	*
463 Kidney/Urinary Tract Infection	7	4.6	4.7	0.98	3.5	1.31	3.9	1.18
469 Acute kidney injury	*	*	4.8	*	3.3	*	5.1	*
720 Blood Infection/Septicemia	26	2.8	6.2	0.45	3.5	0.80	5.9	0.47
861 Signs & Symptoms	*	*	5.9	*	10.3	*	5.6	*
862 Other Factors Influencing Health Status	*	*	7.6	*	12.2	*	8.2	*

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>′olume Group</u> Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	*	*	\$36,797	*	\$20,930	*	\$40,230	*
137 Respiratory Infections and Inflammations	\$18,224	\$19,927	\$33,124	0.60	\$22,966	0.87	\$42,641	0.47
139 Pneumonia	\$15,713	\$16,047	\$27,942	0.57	\$20,677	0.78	\$33,326	0.48
140 Chronic Obstructive Pulmonary Disease	*	*	\$26,064	*	\$17,434	*	\$30,692	*
194 Heart Failure	\$14,036	\$14,158	\$31,718	0.45	\$19,130	0.74	\$37,402	0.38
201 Heart Abnormal Rhythm and Conduction Disorders	\$14,220	\$15,198	\$22,917	0.66	\$18,284	0.83	\$26,261	0.58
249 Other gastroenteritis, nausea & vomiting	*	*	\$25,441	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	\$11,885	\$14,481	\$28,824	0.50	\$18,647	0.78	\$34,273	0.42
383 Cellulitis & other skin infections	*	*	\$24,844	*	\$18,221	*	\$28,319	*
420 Diabetes	*	*	\$27,273	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection	\$29,247	\$30,858	\$26,040	1.19	\$16,696	1.85	\$28,895	1.07
469 Acute kidney injury	*	*	\$33,126	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$16,844	\$19,373	\$46,585	0.42	\$25,105	0.77	\$55,330	0.35
861 Signs & Symptoms	*	*	\$35,344	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	*	*	\$32,199	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

132 Stoughton Hospital Association

900 Ridge Street

Stoughton, WI 53589

608-873-6611

Hospital Type: GMS County: Dane

Analysis Area: 1-Southern

Patient	Discharge	Status
i aticiit	Discharge	Otatus

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	611	Average Length of Stay (days):	5.2	<u>Discharge Status</u>	% Discharges
Total Patient Days:	3,191	Average Charge per Discharge:	\$25,146	Home or Self-Care	55.8%
Total Fations Bayo.	σ, του του go στο go μου στο στο go		Ψ20,110	Other GMS Hospital	6.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	15.7%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.6%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	0	r ordoni orvin ormabilate.	0.070	Hospice	3.3%
Total Childbilths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	4.1%
Davishiatuia I Itilizatian				Left Against Medical Advice	1.3%
Psychiatric Utilization				Expired	2.6%
Discharges:	91	Percent of All Discharges:	14.9%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	955	Percent of All Patient Days:	29.9%	Other	6.2%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	23	Percent of All Discharges:	3.8%	Medicare	73.2%
Patient Days:	71	Percent of All Patient Days:	2.2%	Medicaid/BadgerCare	7.7%
				Other Government	1.1%
				Commercial or Private Insurance	17.3%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	37.5%	32.8%	Amer.Ind/Alaskan Native	e 0.2%	1.3%
Under 15	0.0%	0.0%	Female	62.5%	67.2%	Asian	0.2%	0.0%
15 - 19	0.2%	0.0%				Black/African Amer.	1.0%	1.1%
20 - 24	1.1%	0.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	4.1%	1.7%				White	96.6%	94.9%
35 - 44	2.9%	1.0%				Multiracial	0.0%	0.0%
45 - 54	6.4%	3.2%				Declined	0.2%	0.1%
55 - 64	13.4%	11.6%				Unavailable	2.0%	2.6%
65 - 74	22.4%	27.0%						
75 - 84	26.4%	31.4%						
85 & Over	23.1%	23.5%						

	This Facil	This Facility			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	27	3.7	4.2	0.88	3.5	1.06	4.5	0.82
137 Respiratory Infections and Inflammations	20	4.6	5.3	0.87	4.0	1.15	5.2	0.88
139 Pneumonia	26	3.6	4.0	0.90	3.8	0.95	4.2	0.86
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*
194 Heart Failure	34	4.0	5.0	0.80	3.8	1.05	4.9	0.82
201 Heart Abnormal Rhythm and Conduction Disorders	26	2.3	3.0	0.77	2.5	0.92	2.9	0.79
247 Intestinal Obstruction without Surgery	13	2.4	3.6	0.67	3.0	0.80	3.5	0.69
383 Cellulitis & other skin infections	12	4.0	4.5	0.89	4.4	0.91	4.3	0.93
463 Kidney/Urinary Tract Infection	13	2.5	3.9	0.64	3.7	0.68	3.9	0.64
469 Acute kidney injury	10	2.5	5.0	0.50	3.1	0.81	5.1	0.49
540 Cesarean Delivery	0	N/A	3.7	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.1	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.7	N/A	1.9	N/A
720 Blood Infection/Septicemia	26	4.3	6.2	0.69	3.8	1.13	5.9	0.73
861 Signs & Symptoms	9	2.3	4.4	0.52	5.5	0.42	5.6	0.41

<u> </u>	This Fac	I		Piek Adjusted	Group Averages		_	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
AFR-DRG # and Description	Charge	Charge	Charge	Italio	T	Natio	T	Tallo
133 Respiratory failure	\$24,709	\$29,374	\$48,230	0.61	\$24,966	1.18	\$40,230	0.73
137 Respiratory Infections and Inflammations	\$26,935	\$29,243	\$50,848	0.58	\$23,829	1.23	\$42,641	0.69
139 Pneumonia	\$22,106	\$22,781	\$38,234	0.60	\$21,847	1.04	\$33,326	0.68
140 Chronic Obstructive Pulmonary Disease	*	*	\$35,760	*	\$18,738	*	\$30,692	*
194 Heart Failure	\$26,190	\$29,366	\$43,714	0.67	\$21,808	1.35	\$37,402	0.79
201 Heart Abnormal Rhythm and Conduction Disorders	\$15,763	\$18,039	\$31,461	0.57	\$15,774	1.14	\$26,261	0.69
247 Intestinal Obstruction without Surgery	\$9,937	\$12,515	\$30,614	0.41	\$15,683	0.80	\$25,745	0.49
383 Cellulitis & other skin infections	\$23,038	\$26,631	\$32,909	0.81	\$19,917	1.34	\$28,319	0.94
463 Kidney/Urinary Tract Infection	\$10,954	\$11,793	\$32,986	0.36	\$17,130	0.69	\$28,895	0.41
469 Acute kidney injury	\$12,654	\$17,258	\$45,552	0.38	\$19,497	0.89	\$38,198	0.45
540 Cesarean Delivery	N/A	N/A	\$34,658	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$16,752	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,371	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$27,195	\$35,073	\$69,381	0.51	\$27,838	1.26	\$55,330	0.63
861 Signs & Symptoms	\$14,898	\$17,474	\$32,782	0.53	\$17,922	0.98	\$35,921	0.49

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

133 Door County Medical Center

323 South 18th Avenue

Sturgeon Bay, WI 54235

920-743-5566

Hospital Type: GMS County: Door

Inpatient Volume Group: 3

Analysis Area: 4-Northeastern

Patient Discharge Status

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	931	Average Length of Stay (days):	4.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	4,259	Average Charge per Discharge:	\$27,571	Home or Self-Care	57.9%
Total Fations Bayo.	1,200	Avolago Onargo por Biochargo.	Ψ21,011	Other GMS Hospital	3.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths:	70	Percent of All Childbirths:	69.3%	Skilled Nursing Facility	12.4%
Cesarean Childbirths:	25	Percent of All Childbirths:	24.8%	Intermediate Care Facility	0.1%
Other Childbirths:	6	Percent of All Childbirths:	5.9%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	101	r sreent sty in stillabilitie.	0.070	Hospice	4.0%
iotai Ciliiddii tiis.	101			Other Institution	0.0%
Total Newborns:	107			Home Health Service	11.3%
Davohiatnia I Itilization				Left Against Medical Advice	0.3%
Psychiatric Utilization				Expired	4.9%
Discharges:	2	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	20	Percent of All Patient Days:	0.5%	Other	4.8%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	11	Percent of All Discharges:	1.2%	Medicare	58.0%
Patient Days:	75	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	13.5%
				Other Government	2.0%
				Commercial or Private Insurance	24.1%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.4%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	11.5%	5.3%	Male	38.3%	43.3%	Amer.Ind/Alaskan Native	0.4%	0.3%
Under 15	0.8%	0.3%	Female	61.7%	56.7%	Asian	0.5%	0.4%
15 - 19	0.1%	0.0%				Black/African Amer.	0.4%	0.6%
20 - 24	1.4%	0.8%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	8.1%	4.4%				White	97.9%	98.4%
35 - 44	5.5%	3.2%				Multiracial	0.0%	0.0%
45 - 54	2.7%	2.1%				Declined	0.1%	0.0%
55 - 64	8.1%	10.4%				Unavailable	0.4%	0.2%
65 - 74	18.7%	21.0%						
75 - 84	24.3%	29.9%						
85 & Over	19.0%	22.5%						

-		This Facil	ity	Group Averages						
				Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Desc	ription	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	2	35	4.0	4.4	0.91	3.4	1.18	4.5	0.89	
137 Respiratory Infect	ions and Inflammations	37	4.4	4.9	0.90	3.8	1.16	5.2	0.85	
139 Pneumonia		31	4.5	4.1	1.10	3.6	1.25	4.2	1.07	
140 Chronic Obstructi	ve Pulmonary Disease	23	4.4	3.0	1.47	3.1	1.42	3.4	1.29	
194 Heart Failure		63	4.7	4.3	1.09	3.8	1.24	4.9	0.96	
201 Heart Abnormal F	Rhythm and Conduction Disorders	13	5.8	2.7	2.15	2.3	2.52	2.9	2.00	
326 Elective knee join	t replacement	0	N/A	1.6	N/A	1.4	N/A	1.9	N/A	
383 Cellulitis & other s	skin infections	23	7.1	4.1	1.73	3.7	1.92	4.3	1.65	
463 Kidney/Urinary Tr	act Infection	15	5.9	3.7	1.59	3.4	1.74	3.9	1.51	
469 Acute kidney injui	ту	11	5.9	4.6	1.28	3.4	1.74	5.1	1.16	
540 Cesarean Deliver	у	25	3.5	3.5	1.00	2.8	1.25	3.4	1.03	
560 Vaginal Delivery		70	2.2	2.0	1.10	1.9	1.16	2.1	1.05	
640 Normal Newborn,	Birthweight 2500g+	102	2.1	1.8	1.17	1.8	1.17	1.9	1.11	
720 Blood Infection/Se	epticemia	75	5.7	5.6	1.02	4.3	1.33	5.9	0.97	
775 Alcohol Abuse/De	pendence	10	6.3	3.8	1.66	3.6	1.75	3.9	1.62	

•	•	• •	•	•	•	•		
	This Fac	ility			Risk Adjusted	Group Averages		
-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
Respiratory failure	\$29,240	\$36,359	\$36,401	1.00	\$28,186	1.29	\$40,230	0.90
Respiratory Infections and Inflammations	\$29,134	\$31,049	\$38,011	0.82	\$27,697	1.12	\$42,641	0.73
Pneumonia	\$31,603	\$37,584	\$30,062	1.25	\$24,745	1.52	\$33,326	1.13
Chronic Obstructive Pulmonary Disease	\$31,824	\$33,168	\$28,051	1.18	\$21,626	1.53	\$30,692	1.08
Heart Failure	\$27,781	\$32,213	\$31,359	1.03	\$25,105	1.28	\$37,402	0.86
Heart Abnormal Rhythm and Conduction Disorders	\$35,634	\$34,097	\$22,385	1.52	\$18,832	1.81	\$26,261	1.30
Elective knee joint replacement	N/A	N/A	\$49,328	*	\$51,872	*	\$61,836	*
Cellulitis & other skin infections	\$35,653	\$36,387	\$24,996	1.46	\$21,471	1.69	\$28,319	1.28
Kidney/Urinary Tract Infection	\$31,728	\$29,464	\$25,251	1.17	\$19,405	1.52	\$28,895	1.02
Acute kidney injury	\$26,514	\$27,760	\$32,453	0.86	\$23,727	1.17	\$38,198	0.73
Cesarean Delivery	\$19,146	\$19,024	\$23,516	0.81	\$24,636	0.77	\$29,333	0.65
Vaginal Delivery	\$7,648	\$7,739	\$12,110	0.64	\$11,580	0.67	\$15,112	0.51
Normal Newborn, Birthweight 2500g+	\$5,093	\$4,821	\$4,779	1.01	\$4,369	1.10	\$5,404	0.89
Blood Infection/Septicemia	\$38,141	\$50,919	\$49,755	1.02	\$35,041	1.45	\$55,330	0.92
Alcohol Abuse/Dependence	\$32,927	#	#	#	#	#	#	#
	Respiratory Infections and Inflammations Pneumonia Chronic Obstructive Pulmonary Disease Heart Failure Heart Abnormal Rhythm and Conduction Disorders Elective knee joint replacement Cellulitis & other skin infections Kidney/Urinary Tract Infection Acute kidney injury Cesarean Delivery Vaginal Delivery Normal Newborn, Birthweight 2500g+ Blood Infection/Septicemia	Average Charge Respiratory failure Respiratory Infections and Inflammations Pneumonia Chronic Obstructive Pulmonary Disease Heart Failure Heart Abnormal Rhythm and Conduction Disorders Elective knee joint replacement Cellulitis & other skin infections Kidney/Urinary Tract Infection Acute kidney injury Sease South Acute kidney injury Vaginal Delivery Normal Newborn, Birthweight 2500g+ South Sease Suppose Suppos	Adjusted Average	Risk Adjusted Average Average Charge Respiratory Infections and Inflammations \$29,134 \$31,049 \$38,011 Pneumonia \$31,603 \$37,584 \$30,062 Chronic Obstructive Pulmonary Disease \$31,824 \$33,168 \$28,051 Heart Failure \$27,781 \$32,213 \$31,359 Heart Abnormal Rhythm and Conduction Disorders \$35,634 \$34,097 \$22,385 Elective knee joint replacement N/A N/A \$49,328 Cellulitis & other skin infections \$35,653 \$36,387 \$24,996 Kidney/Urinary Tract Infection \$31,728 \$29,464 \$25,251 Acute kidney injury \$26,514 \$27,760 \$32,453 Cesarean Delivery \$19,146 \$19,024 \$23,516 Vaginal Delivery \$7,648 \$7,739 \$12,110 Normal Newborn, Birthweight 2500g+ \$5,093 \$4,821 \$4,779 Blood Infection/Septicemia	Risk Adjusted Average Average Charge Charge Charge Charge Charge Ratio	Risk Adjusted Average Average Charge Charg	Respiratory failure	Risk Adjusted Average

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

314 Aurora Medical Center - Summit

36500 Aurora Drive

Summit, WI 53066

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

				· ······ , ···· · · · · · · · · · · · · · · · ·	
262-560-6151				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u></u>
Total Discharges:	5,390	Average Length of Stay (days):	4.1	Discharge Status	% Discharges
Total Patient Days:	22,351	Average Charge per Discharge:	\$41,977	Home or Self-Care Other GMS Hospital	62.6% 2.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	379 120 15	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	73.7% 23.3% 2.9%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice	10.8% 1.2% 1.9% 2.4%
Total Childbirths:	514			Other Institution	0.0%
Total Newborns:	548			Home Health Service	16.5%
Psychiatric Utilization				Left Against Medical Advice Expired	0.4% 1.3%
Discharges:	5	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	44	Percent of All Patient Days:	0.2%	Other	0.6%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	71	Percent of All Discharges:	1.3%	Medicare	51.5%
Patient Days:	254	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	8.5%
				Other Government	1.9%
				Commercial or Private Insurance	35.7%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.1%

Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	10.2%	6.3%	Male	45.4%	50.0%	Amer.Ind/Alaskan Native	0.3%	0.3%	
Under 15	0.2%	0.5%	Female	54.6%	50.0%	Asian	0.9%	0.6%	
15 - 19	0.4%	0.3%				Black/African Amer.	1.7%	1.4%	
20 - 24	1.8%	1.1%				Native Hawaii/Pac.Isl.	0.1%	0.1%	
25 - 34	10.7%	7.5%				White	96.0%	97.0%	
35 - 44	6.9%	4.6%				Multiracial	0.7%	0.4%	
45 - 54	7.3%	6.4%				Declined	0.1%	0.1%	
55 - 64	13.5%	15.2%				Unavailable	0.1%	0 %	
65 - 74	19.3%	22.3%							
75 - 84	18.5%	22.8%							
85 & Over	11.2%	12.9%							

	This Facil	ity	Group Averages						
			Analysis Area In			olume Group	All GMS H	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	114	3.7	4.2	0.88	4.3	0.86	4.8	0.77	
133 Respiratory failure	71	3.9	4.5	0.87	4.2	0.93	4.5	0.87	
137 Respiratory Infections and Inflammations	57	5.0	5.0	1.00	5.3	0.94	5.2	0.96	
139 Pneumonia	57	4.1	4.4	0.93	4.3	0.95	4.2	0.98	
174 Percutaneous coronary intervention w AMI	84	2.5	2.7	0.93	2.7	0.93	2.9	0.86	
194 Heart Failure	162	5.0	4.8	1.04	4.8	1.04	4.9	1.02	
201 Heart Abnormal Rhythm and Conduction Disorders	69	2.3	2.8	0.82	2.9	0.79	2.9	0.79	
463 Kidney/Urinary Tract Infection	59	3.1	3.7	0.84	4.0	0.78	3.9	0.79	
469 Acute kidney injury	66	5.8	5.2	1.12	5.0	1.16	5.1	1.14	
540 Cesarean Delivery	120	2.9	3.1	0.94	2.9	1.00	3.4	0.85	
560 Vaginal Delivery	379	2.0	2.0	1.00	1.9	1.05	2.1	0.95	
640 Normal Newborn, Birthweight 2500g+	507	1.9	1.9	1.00	1.9	1.00	1.9	1.00	
720 Blood Infection/Septicemia	496	5.4	5.5	0.98	5.7	0.95	5.9	0.92	
751 Psychoses	*	*	5.1	*	4.9	*	5.2	*	
775 Alcohol Abuse/Dependence	64	3.7	4.1	0.90	3.9	0.95	3.9	0.95	

	•				`				
		This Fac	ility			Risk Adjusted Group Averages			
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	espitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$41,506	\$43,879	\$48,841	0.90	\$47,748	0.92	\$48,817	0.90
133	Respiratory failure	\$32,959	\$34,969	\$40,487	0.86	\$37,099	0.94	\$40,230	0.87
137	Respiratory Infections and Inflammations	\$42,980	\$39,437	\$43,191	0.91	\$41,393	0.95	\$42,641	0.92
139	Pneumonia	\$32,100	\$31,912	\$37,172	0.86	\$34,303	0.93	\$33,326	0.96
174	Percutaneous coronary intervention w AMI	\$75,343	\$78,567	\$88,471	0.89	\$85,768	0.92	\$88,028	0.89
194	Heart Failure	\$34,650	\$33,599	\$37,913	0.89	\$35,400	0.95	\$37,402	0.90
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,216	\$22,361	\$28,341	0.79	\$25,284	0.88	\$26,261	0.85
463	Kidney/Urinary Tract Infection	\$28,561	\$26,877	\$29,800	0.90	\$30,786	0.87	\$28,895	0.93
469	Acute kidney injury	\$39,264	\$37,151	\$39,143	0.95	\$36,604	1.01	\$38,198	0.97
540	Cesarean Delivery	\$24,784	\$24,885	\$31,537	0.79	\$27,373	0.91	\$29,333	0.85
560	Vaginal Delivery	\$15,787	\$15,553	\$17,466	0.89	\$14,481	1.07	\$15,112	1.03
640	Normal Newborn, Birthweight 2500g+	\$5,915	\$6,268	\$6,387	0.98	\$5,825	1.08	\$5,404	1.16
720	Blood Infection/Septicemia	\$46,192	\$48,033	\$53,476	0.90	\$52,329	0.92	\$55,330	0.87
751	Psychoses	*	#	#	*	#	*	#	*
775	Alcohol Abuse/Dependence	\$25,603	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

134 St Mary's Hospital of Superior

3500 Tower Avenue

Superior, WI 54880

715-392-8281

Hospital Type: GMS
County: Douglas

Analysis Area: 7-Western Lake Superior

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	378	Average Length of Stay (days):	4.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	1,619	Average Charge per Discharge:	\$14,288	Home or Self-Care	61.1%
•	1,010	, wordge charge per Bleendige.	Ψ11,200	Other GMS Hospital	7.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	2.6%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	8.7%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility Inpatient Rehabilitation Facility	1.9% 0.3%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	2.1%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	5.8%
				Left Against Medical Advice	1.3%
Psychiatric Utilization				Expired	2.1%
Discharges:	3	Percent of All Discharges:	0.8%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	10	Percent of All Patient Days:	0.6%	Other	6.3%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	11	Percent of All Discharges:	2.9%	Medicare	62.2%
Patient Days:	96	Percent of All Patient Days:	5.9%	Medicaid/BadgerCare	13.0%
				Other Government	5.0%
				Commercial or Private Insurance	17.7%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	46.6%	51.9%	Amer.Ind/Alaskan Native	1.3%	1.7%	
Under 15	0.0%	0.0%	Female	53.4%	48.1%	Asian	0.3%	0.2%	
15 - 19	0.0%	0.0%				Black/African Amer.	1.1%	0.7%	
20 - 24	0.3%	0.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	4.2%	3.2%				White	96.3%	97.0%	
35 - 44	9.5%	6.4%				Multiracial	0.3%	0.2%	
45 - 54	7.1%	4.7%				Declined	0.8%	0.2%	
55 - 64	16.7%	13.0%				Unavailable	0 %	0 %	
65 - 74	20.9%	20.6%							
75 - 84	23.8%	26.1%							
85 & Over	17.5%	25.8%							

This Facility					Group /	Group Averages			
			Analys	sis Area	olume Group	olume Group All GMS Ho			
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	29	3.0	3.7	0.81	3.5	0.86	4.5	0.67	
137 Respiratory Infections and Inflammations	19	3.4	5.2	0.65	4.0	0.85	5.2	0.65	
139 Pneumonia	15	3.6	4.5	0.80	3.8	0.95	4.2	0.86	
140 Chronic Obstructive Pulmonary Disease	*	*	3.8	*	3.1	*	3.4	*	
194 Heart Failure	19	3.8	4.2	0.90	3.8	1.00	4.9	0.78	
201 Heart Abnormal Rhythm and Conduction Disorders	8	2.5	2.7	0.93	2.5	1.00	2.9	0.86	
247 Intestinal Obstruction without Surgery	8	2.6	2.8	0.93	3.0	0.87	3.5	0.74	
383 Cellulitis & other skin infections	17	5.6	5.1	1.10	4.4	1.27	4.3	1.30	
463 Kidney/Urinary Tract Infection	22	3.7	5.2	0.71	3.7	1.00	3.9	0.95	
469 Acute kidney injury	22	2.6	4.0	0.65	3.1	0.84	5.1	0.51	
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.7	N/A	1.9	N/A	
720 Blood Infection/Septicemia	59	4.4	4.8	0.92	3.8	1.16	5.9	0.75	
861 Signs & Symptoms	*	*	4.5	*	J 5.5	*	5.6	*	

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$10,871	\$14,257	\$20,493	0.70	\$24,966	0.57	\$40,230	0.35
137 Respiratory Infections and Inflammations	\$9,955	\$11,726	\$25,603	0.46	\$23,829	0.49	\$42,641	0.27
139 Pneumonia	\$13,297	\$14,667	\$21,744	0.67	\$21,847	0.67	\$33,326	0.44
140 Chronic Obstructive Pulmonary Disease	*	*	\$17,105	*	\$18,738	*	\$30,692	*
194 Heart Failure	\$14,017	\$14,731	\$18,201	0.81	\$21,808	0.68	\$37,402	0.39
201 Heart Abnormal Rhythm and Conduction Disorders	\$6,870	\$6,750	\$11,027	0.61	\$15,774	0.43	\$26,261	0.26
247 Intestinal Obstruction without Surgery	\$11,762	\$13,419	\$13,626	0.98	\$15,683	0.86	\$25,745	0.52
383 Cellulitis & other skin infections	\$15,643	\$17,309	\$18,104	0.96	\$19,917	0.87	\$28,319	0.61
463 Kidney/Urinary Tract Infection	\$12,014	\$13,903	\$18,415	0.75	\$17,130	0.81	\$28,895	0.48
469 Acute kidney injury	\$10,319	\$14,234	\$21,456	0.66	\$19,497	0.73	\$38,198	0.37
540 Cesarean Delivery	N/A	N/A	\$25,435	*	\$25,945	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$7,651	*	\$9,423	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,469	*	\$4,311	*	\$5,404	*
720 Blood Infection/Septicemia	\$16,759	\$22,398	\$25,870	0.87	\$27,838	0.80	\$55,330	0.40
861 Signs & Symptoms	*	*	\$16,793	*	\$17,922	*	\$35,921	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

135 Tomah Health 501 Gopher Drive Tomah, WI 54660

608-372-2181

Hospital Type: GMS
County: Monroe

Analysis Area: 5B-Southwestern

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	975	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,693	Average Charge per Discharge:	\$15,183	Home or Self-Care	79.7%
Total Lation Days.	2,030	Average charge per bischarge.	ψ15,105	Other GMS Hospital	5.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	150	Percent of All Childbirths:	73.2%	Skilled Nursing Facility	5.4%
Cesarean Childbirths:	52	Percent of All Childbirths:	25.4%	Intermediate Care Facility	2.8%
Other Childbirths:	3	Percent of All Childbirths:	1.5%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	205			Hospice	1.8%
	000			Other Institution	0.0%
Total Newborns:	208			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice	0.7%
	4	D (CAUD: 1	0.40/	Expired	0.9%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	3.4%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	36.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	21.8%
				Other Government	8.7%
				Commercial or Private Insurance	31.2%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days	
Newborn	21.3%	13.2%	Male	37.8%	41.3%	Amer.Ind/Alaskan Native	e 1.4%	2.0%	
Under 15	1.1%	0.9%	Female	62.2%	58.7%	Asian	0.2%	0.2%	
15 - 19	1.2%	1.0%				Black/African Amer.	1.1%	0.9%	
20 - 24	5.0%	4.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	16.2%	13.0%				White	96.2%	96.2%	
35 - 44	5.9%	5.6%				Multiracial	0.8%	0.6%	
45 - 54	4.1%	3.6%				Declined	0.1%	0.0%	
55 - 64	7.9%	9.9%				Unavailable	0.1%	0.1%	
65 - 74	14.2%	18.1%							
75 - 84	14.1%	17.3%							
85 & Over	8.9%	13.1%							

	This Facility		Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	31	4.0	4.0	1.00	3.4	1.18	4.5	0.89	
137 Respiratory Infections and Inflammations	31	4.4	4.8	0.92	3.8	1.16	5.2	0.85	
139 Pneumonia	21	3.8	3.3	1.15	3.6	1.06	4.2	0.90	
140 Chronic Obstructive Pulmonary Disease	12	2.3	3.4	0.68	3.1	0.74	3.4	0.68	
194 Heart Failure	25	4.1	4.5	0.91	3.8	1.08	4.9	0.84	
201 Heart Abnormal Rhythm and Conduction Disorders	14	2.8	3.1	0.90	2.3	1.22	2.9	0.97	
326 Elective knee joint replacement	*	*	2.1	*	1.4	*	1.9	*	
383 Cellulitis & other skin infections	7	2.7	3.9	0.69	3.7	0.73	4.3	0.63	
463 Kidney/Urinary Tract Infection	12	2.6	3.5	0.74	3.4	0.76	3.9	0.67	
469 Acute kidney injury	9	2.1	4.9	0.43	3.4	0.62	5.1	0.41	
540 Cesarean Delivery	52	2.7	3.3	0.82	2.8	0.96	3.4	0.79	
560 Vaginal Delivery	150	1.9	2.1	0.90	1.9	1.00	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	198	1.7	1.8	0.94	1.8	0.94	1.9	0.89	
720 Blood Infection/Septicemia	102	3.4	4.6	0.74	4.3	0.79	5.9	0.58	
775 Alcohol Abuse/Dependence	0	N/A	3.5	N/A	3.6	N/A	3.9	N/A	

	This Facility		Risk Adjusted Group Averages						
APR-DRG # and Descr	iption	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure		\$19,039	\$20,753	\$26,914	0.77	\$28,186	0.74	\$40,230	0.52
137 Respiratory Infection	ons and Inflammations	\$26,097	\$28,405	\$29,196	0.97	\$27,697	1.03	\$42,641	0.67
139 Pneumonia		\$22,182	\$21,238	\$21,792	0.97	\$24,745	0.86	\$33,326	0.64
140 Chronic Obstructiv	e Pulmonary Disease	\$12,473	\$12,551	\$22,105	0.57	\$21,626	0.58	\$30,692	0.41
194 Heart Failure		\$21,662	\$22,601	\$24,371	0.93	\$25,105	0.90	\$37,402	0.60
201 Heart Abnormal Rh	nythm and Conduction Disorders	\$17,915	\$17,945	\$18,433	0.97	\$18,832	0.95	\$26,261	0.68
326 Elective knee joint	replacement	*	*	\$51,022	*	\$51,872	*	\$61,836	*
383 Cellulitis & other sl	kin infections	\$16,730	\$16,383	\$19,481	0.84	\$21,471	0.76	\$28,319	0.58
463 Kidney/Urinary Tra	ct Infection	\$13,026	\$16,187	\$17,675	0.92	\$19,405	0.83	\$28,895	0.56
469 Acute kidney injury	/	\$11,273	\$11,874	\$24,071	0.49	\$23,727	0.50	\$38,198	0.31
540 Cesarean Delivery	,	\$19,070	\$20,523	\$28,961	0.71	\$24,636	0.83	\$29,333	0.70
560 Vaginal Delivery		\$7,700	\$7,830	\$16,404	0.48	\$11,580	0.68	\$15,112	0.52
640 Normal Newborn,	Birthweight 2500g+	\$2,537	\$2,614	\$4,720	0.55	\$4,369	0.60	\$5,404	0.48
720 Blood Infection/Se	pticemia	\$21,263	\$25,635	\$30,818	0.83	\$35,041	0.73	\$55,330	0.46
775 Alcohol Abuse/Dep	pendence	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

136 Aspirus Tomahawk Hospital **401 West Mohawk Drive**

Tomahawk, WI 54487

Inpatient Volume Group: 1

Hospital Type: GMS

County: Lincoln

Analysis Area: 6-North Central

715-453-7700

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	241	Average Length of Stay (days):	3.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	861	Average Charge per Discharge:	\$17,500	Home or Self-Care	27.4%
Total Fatient Days.	001	Average Charge per Discharge.	Ψ17,500	Other GMS Hospital	9.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	16.2%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.2%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	6.2%
	-			Other Institution	0.0%
Total Newborns:	0			Home Health Service	21.6%
Psychiatric Utilization				Left Against Medical Advice	2.5%
· · · · · · · · · · · · · · · · · · ·				Expired	7.5%
Discharges:	1	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	7	Percent of All Patient Days:	0.8%	Other	7.9%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	4.1%	Medicare	82.2%
Patient Days:	40	Percent of All Patient Days:	4.6%	Medicaid/BadgerCare	3.7%
				Other Government	7.1%
				Commercial or Private Insurance	7.1%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days		
Newborn	0.0%	0.0%	Male	47.3%	46.0%	Amer.Ind/Alaskan Native	0.4%	0.6%		
Under 15	0.0%	0.0%	Female	52.7%	54.0%	Asian	0.8%	2.7%		
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%		
20 - 24	0.4%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	0.4%	0.3%				White	98.3%	96.6%		
35 - 44	0.8%	0.5%				Multiracial	0.0%	0.0%		
45 - 54	2.9%	2.3%				Declined	0.4%	0.1%		
55 - 64	13.7%	11.6%				Unavailable	0 %	0 %		
65 - 74	22.4%	19.9%								
75 - 84	32.0%	35.8%								
85 & Over	27.4%	29.5%								

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	10	3.1	4.4	0.70	3.0	1.03	4.5	0.69	
137 Respiratory Infections and Inflammations	12	3.7	4.9	0.76	3.7	1.00	5.2	0.71	
139 Pneumonia	20	3.9	4.2	0.93	3.3	1.18	4.2	0.93	
140 Chronic Obstructive Pulmonary Disease	7	2.9	3.5	0.83	3.1	0.94	3.4	0.85	
194 Heart Failure	13	4.2	4.8	0.88	3.5	1.20	4.9	0.86	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A	
249 Other gastroenteritis, nausea & vomiting	*	*	3.3	*	2.6	*	3.5	*	
282 Disorders of Pancreas Except Malignancy	5	2.8	4.1	0.68	2.6	1.08	3.9	0.72	
383 Cellulitis & other skin infections	*	*	4.0	*	3.9	*	4.3	*	
420 Diabetes	*	*	3.7	*	2.1	*	3.3	*	
463 Kidney/Urinary Tract Infection	20	3.4	4.7	0.72	3.5	0.97	3.9	0.87	
469 Acute kidney injury	8	3.6	4.8	0.75	3.3	1.09	5.1	0.71	
720 Blood Infection/Septicemia	32	3.3	6.2	0.53	3.5	0.94	5.9	0.56	
861 Signs & Symptoms	*	*	5.9	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	10	3.2	7.6	0.42	12.2	0.26	8.2	0.39	

	This Facility						Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
AFIT-DITO # and Description		Onlarge		Onlarge	Tallo	T		T	
133 Respiratory failure		\$16,301	\$20,270	\$36,797	0.55	\$20,930	0.97	\$40,230	0.50
137 Respiratory Infections and Inflan	nmations	\$19,246	\$20,225	\$33,124	0.61	\$22,966	0.88	\$42,641	0.47
139 Pneumonia		\$19,227	\$19,404	\$27,942	0.69	\$20,677	0.94	\$33,326	0.58
140 Chronic Obstructive Pulmonary	Disease	\$14,743	\$15,179	\$26,064	0.58	\$17,434	0.87	\$30,692	0.49
194 Heart Failure		\$17,818	\$18,013	\$31,718	0.57	\$19,130	0.94	\$37,402	0.48
201 Heart Abnormal Rhythm and Co	nduction Disorders	N/A	N/A	\$22,917	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea &	omiting	*	*	\$25,441	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except M	alignancy	\$16,731	\$23,213	\$28,824	0.81	\$18,647	1.24	\$34,273	0.68
383 Cellulitis & other skin infections		*	*	\$24,844	*	\$18,221	*	\$28,319	*
420 Diabetes		*	*	\$27,273	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract Infection		\$18,459	\$20,399	\$26,040	0.78	\$16,696	1.22	\$28,895	0.71
469 Acute kidney injury		\$16,330	\$21,687	\$33,126	0.65	\$19,375	1.12	\$38,198	0.57
720 Blood Infection/Septicemia		\$18,261	\$22,513	\$46,585	0.48	\$25,105	0.90	\$55,330	0.41
861 Signs & Symptoms		*	*	\$35,344	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health	Status	\$13,813	\$12,367	\$32,199	0.38	\$19,869	0.62	\$32,059	0.39

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

137 Aurora Medical Center Manitowoc County

5000 Memorial Drive

Two Rivers, WI 54241

920-794-5000

85 & Over

10.9%

12.7%

County: Manitowoc

Hospital Type: GMS

Analysis Area: 4-Northeastern

Inpatient Volume Group: 4

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	2,342	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	6,670	Average Charge per Discharge:	\$26,908	Home or Self-Care	62.3%
Total Fatient Days.	0,070	Average Charge per Discharge.	Ψ20,900	Other GMS Hospital	5.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	278	Percent of All Childbirths:	71.3%	Skilled Nursing Facility	12.3%
Cesarean Childbirths:	86	Percent of All Childbirths:	22.1%	Intermediate Care Facility	2.3%
Other Childbirths:	26	Percent of All Childbirths:	6.7%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	390			Hospice	2.6%
				Other Institution	0.0%
Total Newborns:	405			Home Health Service	12.6%
Psychiatric Utilization				Left Against Medical Advice	1.1%
				Expired	0.8%
Discharges:	4	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	38	Percent of All Patient Days:	0.6%	Other	0.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	40	Percent of All Discharges:	1.7%	Medicare	45.9%
Patient Days:	144	Percent of All Patient Days:	2.2%	Medicaid/BadgerCare	20.1%
				Other Government	3.6%
				Commercial or Private Insurance	25.7%
				Self-Pay	4.6%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days		
Newborn	17.3%	9.4%	Male	40.3%	44.8%	Amer.Ind/Alaskan Native	0.4%	0.6%		
Under 15	0.5%	0.2%	Female	59.7%	55.2%	Asian	4.4%	2.7%		
15 - 19	1.1%	1.0%				Black/African Amer.	2.7%	2.6%		
20 - 24	4.2%	3.0%				Native Hawaii/Pac.Isl.	0.1%	0.0%		
25 - 34	12.7%	8.0%				White	90.8%	93.3%		
35 - 44	6.1%	5.2%				Multiracial	1.4%	0.8%		
45 - 54	4.6%	4.8%				Declined	0.2%	0.1%		
55 - 64	10.6%	14.1%				Unavailable	0 %	0 %		
65 - 74	17.3%	21.8%								
75 - 84	14.7%	19.9%								

	This Facil	ity	Group Averages						
			Analys	is Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	48	3.5	4.2	0.83	3.9	0.90	4.8	0.73	
133 Respiratory failure	54	3.2	4.4	0.73	3.8	0.84	4.5	0.71	
137 Respiratory Infections and Inflammations	50	3.5	4.9	0.71	4.9	0.71	5.2	0.67	
139 Pneumonia	51	3.1	4.1	0.76	4.0	0.78	4.2	0.74	
194 Heart Failure	85	3.5	4.3	0.81	4.2	0.83	4.9	0.71	
201 Heart Abnormal Rhythm and Conduction Disorders	30	1.9	2.7	0.70	2.8	0.68	2.9	0.66	
247 Intestinal Obstruction without Surgery	34	2.5	3.0	0.83	3.0	0.83	3.5	0.71	
383 Cellulitis & other skin infections	18	2.9	4.1	0.71	4.4	0.66	4.3	0.67	
463 Kidney/Urinary Tract Infection	36	3.0	3.7	0.81	3.9	0.77	3.9	0.77	
469 Acute kidney injury	37	4.4	4.6	0.96	4.4	1.00	5.1	0.86	
540 Cesarean Delivery	86	2.4	3.5	0.69	2.7	0.89	3.4	0.71	
560 Vaginal Delivery	278	1.6	2.0	0.80	1.9	0.84	2.1	0.76	
640 Normal Newborn, Birthweight 2500g+	365	1.5	1.8	0.83	1.7	0.88	1.9	0.79	
720 Blood Infection/Septicemia	254	4.0	5.6	0.71	4.9	0.82	5.9	0.68	
775 Alcohol Abuse/Dependence	34	3.3	3.8	0.87	3.6	0.92	3.9	0.85	

	This Faci	ility			Risk Adjusted	Group Averages	3	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Hospitals Average Charge Ratio	
045 Stroke and Precerebral Occlusion with Infarct	\$40,970	\$42,877	\$42,136	1.02	\$40,171	1.07	\$48,817	0.88
133 Respiratory failure	\$32,192	\$33,255	\$36,401	0.91	\$36,698	0.91	\$40,230	0.83
137 Respiratory Infections and Inflammations	\$31,670	\$31,507	\$38,011	0.83	\$36,939	0.85	\$42,641	0.74
139 Pneumonia	\$27,878	\$27,615	\$30,062	0.92	\$30,699	0.90	\$33,326	0.83
194 Heart Failure	\$31,013	\$30,616	\$31,359	0.98	\$31,713	0.97	\$37,402	0.82
201 Heart Abnormal Rhythm and Conduction Disord	ers \$20,437	\$21,085	\$22,385	0.94	\$24,868	0.85	\$26,261	0.80
247 Intestinal Obstruction without Surgery	\$19,279	\$21,932	\$21,350	1.03	\$23,106	0.95	\$25,745	0.85
383 Cellulitis & other skin infections	\$24,405	\$21,761	\$24,996	0.87	\$26,486	0.82	\$28,319	0.77
463 Kidney/Urinary Tract Infection	\$24,670	\$24,967	\$25,251	0.99	\$26,652	0.94	\$28,895	0.86
469 Acute kidney injury	\$38,908	\$42,133	\$32,453	1.30	\$33,034	1.28	\$38,198	1.10
540 Cesarean Delivery	\$27,462	\$27,203	\$23,516	1.16	\$26,530	1.03	\$29,333	0.93
560 Vaginal Delivery	\$12,305	\$12,279	\$12,110	1.01	\$12,146	1.01	\$15,112	0.81
640 Normal Newborn, Birthweight 2500g+	\$4,521	\$4,260	\$4,779	0.89	\$4,923	0.87	\$5,404	0.79
720 Blood Infection/Septicemia	\$36,925	\$38,015	\$49,755	0.76	\$44,231	0.86	\$55,330	0.69
775 Alcohol Abuse/Dependence	\$29,635	#	#	#	#	#	#	#

N/A - Zero Discharges reported

reported ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

138 Vernon Memorial Healthcare

507 S Main Street

Viroqua, WI 54665

608-637-2101

Hospital Type: GMS
County: Vernon

Inpatient Volume Group: 2

Analysis Area: 5B-Southwestern

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	830	Average Length of Stay (days):	3.0	Discharge Status	% Discharges
Total Patient Days:	2,473	Average Charge per Discharge:	\$17,825	Home or Self-Care	73.3%
Total I due it Days.	2,470	Average onarge per bisonarge.	Ψ17,020	Other GMS Hospital	4.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	72	Percent of All Childbirths:	65.5%	Skilled Nursing Facility	16.6%
Cesarean Childbirths:	33	Percent of All Childbirths:	30.0%	Intermediate Care Facility	0.5%
Other Childbirths:	5	Percent of All Childbirths:	4.5%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	110	r ereent er / til erinden tile.	4.070	Hospice	0.7%
Total Childbiltis.	110			Other Institution	0.0%
Total Newborns:	117			Home Health Service	0.1%
Davida I I I I I I I I I I I I I I I I I I I				Left Against Medical Advice	0.2%
Psychiatric Utilization				Expired	2.4%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.4%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	58.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	13.5%
				Other Government	3.1%
				Commercial or Private Insurance	19.4%
				Self-Pay	5.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	14.1%	9.4%	Male	39.6%	40.5%	Amer.Ind/Alaskan Native	e 0.1%	0.1%
Under 15	0.4%	0.2%	Female	60.4%	59.5%	Asian	0.0%	0.0%
15 - 19	1.2%	0.9%				Black/African Amer.	0.5%	0.3%
20 - 24	3.0%	2.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	9.2%	7.1%				White	98.9%	99.2%
35 - 44	4.1%	3.6%				Multiracial	0.1%	0.1%
45 - 54	2.9%	2.6%				Declined	0.1%	0.2%
55 - 64	10.2%	10.9%				Unavailable	0.2%	0.2%
65 - 74	15.9%	18.5%						
75 - 84	18.1%	20.1%						
85 & Over	21.0%	24.3%						

	This Facil	ity			Group /	Averages		
			<u>Analysis Area</u>		Inpatient Volume Group		All GMS H	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	40	3.0	4.0	0.75	3.5	0.86	4.5	0.67
137 Respiratory Infections and Inflammations	41	3.6	4.8	0.75	4.0	0.90	5.2	0.69
139 Pneumonia	28	3.5	3.3	1.06	3.8	0.92	4.2	0.83
140 Chronic Obstructive Pulmonary Disease	27	3.6	3.4	1.06	3.1	1.16	3.4	1.06
194 Heart Failure	51	3.7	4.5	0.82	3.8	0.97	4.9	0.76
201 Heart Abnormal Rhythm and Conduction Disorders	13	2.8	3.1	0.90	2.5	1.12	2.9	0.97
247 Intestinal Obstruction without Surgery	7	3.7	2.9	1.28	3.0	1.23	3.5	1.06
383 Cellulitis & other skin infections	30	4.2	3.9	1.08	4.4	0.95	4.3	0.98
463 Kidney/Urinary Tract Infection	38	3.4	3.5	0.97	3.7	0.92	3.9	0.87
469 Acute kidney injury	8	4.5	4.9	0.92	3.1	1.45	5.1	0.88
540 Cesarean Delivery	33	3.2	3.3	0.97	2.8	1.14	3.4	0.94
560 Vaginal Delivery	72	2.0	2.1	0.95	1.8	1.11	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	111	2.0	1.8	1.11	1.7	1.18	1.9	1.05
720 Blood Infection/Septicemia	25	3.5	4.6	0.76	3.8	0.92	5.9	0.59
861 Signs & Symptoms	11	3.3	6.5	0.51	5.5	0.60	5.6	0.59

	This Facility							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	•		Group Averages olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$15,263	\$22,187	\$26,914	0.82	\$24,966	0.89	\$40,230	0.55
137 Respiratory Infections and Inflammations	\$16,957	\$21,199	\$29,196	0.73	\$23,829	0.89	\$42,641	0.50
139 Pneumonia	\$17,491	\$22,913	\$21,792	1.05	\$21,847	1.05	\$33,326	0.69
140 Chronic Obstructive Pulmonary Disease	\$16,576	\$19,172	\$22,105	0.87	\$18,738	1.02	\$30,692	0.62
194 Heart Failure	\$16,071	\$21,217	\$24,371	0.87	\$21,808	0.97	\$37,402	0.57
201 Heart Abnormal Rhythm and Conduction Disorders	\$13,531	\$15,726	\$18,433	0.85	\$15,774	1.00	\$26,261	0.60
247 Intestinal Obstruction without Surgery	\$14,602	\$13,748	\$16,141	0.85	\$15,683	0.88	\$25,745	0.53
383 Cellulitis & other skin infections	\$15,905	\$18,874	\$19,481	0.97	\$19,917	0.95	\$28,319	0.67
463 Kidney/Urinary Tract Infection	\$12,043	\$13,782	\$17,675	0.78	\$17,130	0.80	\$28,895	0.48
469 Acute kidney injury	\$18,937	\$29,353	\$24,071	1.22	\$19,497	1.51	\$38,198	0.77
540 Cesarean Delivery	\$34,154	\$38,166	\$28,961	1.32	\$25,945	1.47	\$29,333	1.30
560 Vaginal Delivery	\$13,279	\$13,849	\$16,404	0.84	\$9,423	1.47	\$15,112	0.92
640 Normal Newborn, Birthweight 2500g+	\$4,181	\$4,539	\$4,720	0.96	\$4,311	1.05	\$5,404	0.84
720 Blood Infection/Septicemia	\$15,380	\$25,951	\$30,818	0.84	\$27,838	0.93	\$55,330	0.47
861 Signs & Symptoms	\$14,729	\$21,064	\$26,429	0.80	\$17,922	1.18	\$35,921	0.59

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

139 Watertown Regional Medical Center

125 Hospital Drive

Watertown, WI 53098

920-261-4210

Hospital Type: GMS
County: Dodge

Analysis Area: 1-Southern

inpati	ent v	olum	e Gro	up:	4

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	2,150	Average Length of Stay (days):	3.7	<u>Discharge Status</u>	% Discharges
Total Patient Days:	7,961	Average Charge per Discharge:	\$30,797	Home or Self-Care	62.9%
Total Fatient Days.	7,901	Average Charge per Discharge.	Ф30,797	Other GMS Hospital	3.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	115	Percent of All Childbirths:	71.9%	Skilled Nursing Facility	14.6%
Cesarean Childbirths:	40	Percent of All Childbirths:	25.0%	Intermediate Care Facility	4.1%
Other Childbirths:	5	Percent of All Childbirths:	3.1%	Inpatient Rehabilitation Facility	1.1%
Total Childbirths:	160	1 Croche of All Offidalities.	3.170	Hospice	3.2%
Total Childbirths.	100			Other Institution	0.0%
Total Newborns:	176			Home Health Service	6.9%
5				Left Against Medical Advice	0.5%
Psychiatric Utilization				Expired	1.6%
Discharges:	128	Percent of All Discharges:	6.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1,919	Percent of All Patient Days:	24.1%	Other	2.0%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	28	Percent of All Discharges:	1.3%	Medicare	61.9%
Patient Days:	101	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	14.7%
				Other Government	0.2%
				Commercial or Private Insurance	22.0%
				Self-Pay	1.1%
				Other or Unknown Insurance	0.0%

Age Distribution				Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	8.2%	4.7%	Male	44.0%	44.7%	Amer.Ind/Alaskan Native	1.3%	1.1%	
Under 15	0.1%	0.0%	Female	56.0%	55.3%	Asian	0.2%	0.2%	
15 - 19	0.9%	0.6%				Black/African Amer.	0.9%	1.6%	
20 - 24	2.2%	1.6%				Native Hawaii/Pac.Isl.	0.1%	0.0%	
25 - 34	7.2%	4.7%				White	96.5%	96.4%	
35 - 44	4.2%	3.1%				Multiracial	0.6%	0.4%	
45 - 54	5.7%	4.2%				Declined	0.4%	0.3%	
55 - 64	14.4%	13.0%				Unavailable	0 %	0 %	
65 - 74	20.5%	27.6%							
75 - 84	22.6%	25.2%							
85 & Over	14.1%	15.3%							

	This Facil	ity	y Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	30	2.2	4.8	0.46	3.9	0.56	4.8	0.46
133 Respiratory failure	37	3.2	4.2	0.76	3.8	0.84	4.5	0.71
137 Respiratory Infections and Inflammations	78	3.5	5.3	0.66	4.9	0.71	5.2	0.67
139 Pneumonia	61	3.4	4.0	0.85	4.0	0.85	4.2	0.81
194 Heart Failure	98	3.4	5.0	0.68	4.2	0.81	4.9	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	84	2.1	3.0	0.70	2.8	0.75	2.9	0.72
247 Intestinal Obstruction without Surgery	25	2.7	3.6	0.75	3.0	0.90	3.5	0.77
383 Cellulitis & other skin infections	20	2.5	4.5	0.56	4.4	0.57	4.3	0.58
463 Kidney/Urinary Tract Infection	35	2.7	3.9	0.69	3.9	0.69	3.9	0.69
469 Acute kidney injury	37	3.0	5.0	0.60	4.4	0.68	5.1	0.59
540 Cesarean Delivery	40	3.0	3.7	0.81	2.7	1.11	3.4	0.88
560 Vaginal Delivery	115	2.2	2.1	1.05	1.9	1.16	2.1	1.05
640 Normal Newborn, Birthweight 2500g+	162	1.9	2.0	0.95	1.7	1.12	1.9	1.00
720 Blood Infection/Septicemia	126	3.9	6.2	0.63	4.9	0.80	5.9	0.66
775 Alcohol Abuse/Dependence	23	3.3	3.9	0.85	3.6	0.92	3.9	0.85

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Descrip	otion	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precere	bral Occlusion with Infarct	\$27,938	\$33,664	\$58,073	0.58	\$40,171	0.84	\$48,817	0.69
133 Respiratory failure		\$33,318	\$33,591	\$48,230	0.70	\$36,698	0.92	\$40,230	0.83
137 Respiratory Infectio	ns and Inflammations	\$22,421	\$26,280	\$50,848	0.52	\$36,939	0.71	\$42,641	0.62
139 Pneumonia		\$24,222	\$28,606	\$38,234	0.75	\$30,699	0.93	\$33,326	0.86
194 Heart Failure		\$22,564	\$27,301	\$43,714	0.62	\$31,713	0.86	\$37,402	0.73
201 Heart Abnormal Rhy	thm and Conduction Disorders	\$17,971	\$19,796	\$31,461	0.63	\$24,868	0.80	\$26,261	0.75
247 Intestinal Obstruction	n without Surgery	\$21,307	\$26,064	\$30,614	0.85	\$23,106	1.13	\$25,745	1.01
383 Cellulitis & other ski	n infections	\$18,635	\$22,980	\$32,909	0.70	\$26,486	0.87	\$28,319	0.81
463 Kidney/Urinary Trac	t Infection	\$18,003	\$19,575	\$32,986	0.59	\$26,652	0.73	\$28,895	0.68
469 Acute kidney injury		\$20,419	\$23,305	\$45,552	0.51	\$33,034	0.71	\$38,198	0.61
540 Cesarean Delivery		\$35,958	\$37,116	\$34,658	1.07	\$26,530	1.40	\$29,333	1.27
560 Vaginal Delivery		\$16,668	\$16,844	\$16,752	1.01	\$12,146	1.39	\$15,112	1.11
640 Normal Newborn, B	irthweight 2500g+	\$5,287	\$5,577	\$5,371	1.04	\$4,923	1.13	\$5,404	1.03
720 Blood Infection/Sep	ticemia	\$30,973	\$38,398	\$69,381	0.55	\$44,231	0.87	\$55,330	0.69
775 Alcohol Abuse/Depe	endence	\$27,487	#	#	#	#	#	#	#

N/A - Zero Discharges reported

rted ^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

330 Ascension Wisconsin Hospital - Waukesha

2325 Fox Run Boulevard, Suite 100

Waukesha, WI 53188

262-732-3865

85 & Over

10.5%

14.2%

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

D . (1) (D		04.4
Patient D	ischarge	Status

Inpatient Volume Group: 1

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	76	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	212	Average Charge per Discharge:	\$15,190	Home or Self-Care	68.4%
Total Fationt Days.	212	Average charge per bisonarge.	Ψ10,100	Other GMS Hospital	15.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	3.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
	•			Other Institution	0.0%
Total Newborns:	0			Home Health Service	10.5%
Psychiatric Utilization				Left Against Medical Advice	1.3%
r sycillatric offization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	7.9%	Medicare	2.6%
Patient Days:	19	Percent of All Patient Days:	9.0%	Medicaid/BadgerCare	2.6%
				Other Government	0.0%
				Commercial or Private Insurance	92.1%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.0%

Age Distribution			Sex Distribution	<u>1</u>	Rac	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	40.8%	37.7%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	59.2%	62.3%	Asian	1.3%	0.5%
15 - 19	0.0%	0.0%				Black/African Amer.	31.6%	32.1%
20 - 24	1.3%	0.5%				Native Hawaii/Pac.Isl.	60.5%	61.8%
25 - 34	11.8%	15.1%				White	6.6%	5.7%
35 - 44	18.4%	14.6%				Multiracial	0.0%	0.0%
45 - 54	14.5%	10.8%				Declined	0.0%	0.0%
55 - 64	22.4%	20.8%				Unavailable	0 %	0 %
65 - 74	11.8%	12.7%						
75 - 84	9.2%	11.3%						

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	5	2.2	4.5	0.49	3.0	0.73	4.5	0.49	
137 Respiratory Infections and Inflammations	6	3.2	5.0	0.64	3.7	0.86	5.2	0.62	
139 Pneumonia	6	3.0	4.4	0.68	3.3	0.91	4.2	0.71	
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	3.1	*	3.4	*	
194 Heart Failure	*	*	4.8	*	3.5	*	4.9	*	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.8	N/A	2.6	N/A	2.9	N/A	
249 Other gastroenteritis, nausea & vomiting	*	*	3.2	*	2.6	*	3.5	*	
282 Disorders of Pancreas Except Malignancy	*	*	3.6	*	2.6	*	3.9	*	
383 Cellulitis & other skin infections	*	*	4.1	*	3.9	*	4.3	*	
420 Diabetes	10	1.7	3.5	0.49	2.1	0.81	3.3	0.52	
463 Kidney/Urinary Tract Infection	*	*	3.7	*	3.5	*	3.9	*	
469 Acute kidney injury	*	*	5.2	*	3.3	*	5.1	*	
720 Blood Infection/Septicemia	9	3.1	5.5	0.56	3.5	0.89	5.9	0.53	
861 Signs & Symptoms	*	*	3.9	*	10.3	*	5.6	*	
862 Other Factors Influencing Health Status	0	N/A	6.7	N/A	12.2	N/A	8.2	N/A	

	This Fac	ility			Risk Adjusted	Group Averages	i	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	-	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$8,333	\$13,480	\$40,487	0.33	\$20,930	0.64	\$40,230	0.34
137 Respiratory Infections and Inflammations	\$13,590	\$19,449	\$43,191	0.45	\$22,966	0.85	\$42,641	0.46
139 Pneumonia	\$18,936	\$36,161	\$37,172	0.97	\$20,677	1.75	\$33,326	1.09
140 Chronic Obstructive Pulmonary Disease	*	*	\$30,371	*	\$17,434	*	\$30,692	*
194 Heart Failure	*	*	\$37,913	*	\$19,130	*	\$37,402	*
201 Heart Abnormal Rhythm and Conduction Disorder	rs N/A	N/A	\$28,341	*	\$18,284	*	\$26,261	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$31,247	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas Except Malignancy	*	*	\$37,312	*	\$18,647	*	\$34,273	*
383 Cellulitis & other skin infections	*	*	\$29,097	*	\$18,221	*	\$28,319	*
420 Diabetes	\$15,664	\$21,184	\$29,281	0.72	\$15,182	1.40	\$29,270	0.72
463 Kidney/Urinary Tract Infection	*	*	\$29,800	*	\$16,696	*	\$28,895	*
469 Acute kidney injury	*	*	\$39,143	*	\$19,375	*	\$38,198	*
720 Blood Infection/Septicemia	\$19,542	\$45,994	\$53,476	0.86	\$25,105	1.83	\$55,330	0.83
861 Signs & Symptoms	*	*	\$32,807	*	\$18,999	*	\$35,921	*
862 Other Factors Influencing Health Status	N/A	N/A	\$26,393	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

141 ProHealth Waukesha Memorial Hospital

725 American Avenue

Waukesha, WI 53188

Hospital Type: GMS

County: Waukesha

Analysis Area: 2A-Southeastern

262-928-1000				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	13,218	Average Length of Stay (days):	4.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	52,691	Average Charge per Discharge:	\$53,623	Home or Self-Care Other GMS Hospital	66.8% 0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns:	1,001 360 67 1,428 1,517	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	70.1% 25.2% 4.7%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service	8.0% 1.5% 5.0% 4.0% 0.1% 11.2%
Psychiatric Utilization				Left Against Medical Advice	0.6% 1.0%
Discharges: Patient Days:	435 2,232	Percent of All Discharges: Percent of All Patient Days:	3.3% 4.2%	Expired Discharge/Tran to Court/Law Enforcmnt Other	0.1% 1.0%
•	•	ŕ		Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	210	Percent of All Discharges:	1.6%	Medicare	52.8%
Patient Days:	718	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	10.7% 0.9% 33.5% 2.0% 0.0%

Age Distribution			Sex Distribution	<u>n</u>	Rac	Race Distribution		
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	11.5%	8.5%	Male	43.6%	45.6%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.1%	0.3%	Female	56.4%	54.4%	Asian	1.3%	1.4%
15 - 19	0.7%	0.5%				Black/African Amer.	2.0%	2.0%
20 - 24	2.2%	1.8%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	10.6%	7.1%				White	93.6%	94.0%
35 - 44	6.8%	6.4%				Multiracial	0.5%	0.5%
45 - 54	6.6%	6.4%				Declined	0.4%	0.4%
55 - 64	11.7%	12.9%				Unavailable	2.0%	1.5%
65 - 74	18.6%	20.8%						
75 - 84	19.0%	21.6%						
85 & Over	12.2%	13.7%						

	This Facili	ity			Group A	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	172	3.8	4.2	0.90	5.2	0.73	4.8	0.79
133 Respiratory failure	59	6.1	4.5	1.36	4.9	1.24	4.5	1.36
137 Respiratory Infections and Inflammations	258	4.9	5.0	0.98	5.7	0.86	5.2	0.94
139 Pneumonia	251	4.2	4.4	0.95	4.5	0.93	4.2	1.00
174 Percutaneous coronary intervention w AMI	165	2.8	2.7	1.04	3.0	0.93	2.9	0.97
175 Percutaneous coronary intervention w/o AMI	217	2.3	2.9	0.79	2.7	0.85	2.8	0.82
194 Heart Failure	565	4.4	4.8	0.92	5.3	0.83	4.9	0.90
201 Heart Abnormal Rhythm and Conduction Disorders	279	2.7	2.8	0.96	3.0	0.90	2.9	0.93
463 Kidney/Urinary Tract Infection	312	3.3	3.7	0.89	4.0	0.83	3.9	0.85
469 Acute kidney injury	141	4.4	5.2	0.85	5.7	0.77	5.1	0.86
540 Cesarean Delivery	360	3.3	3.1	1.06	3.7	0.89	3.4	0.97
560 Vaginal Delivery	1,001	2.0	2.0	1.00	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,316	1.7	1.9	0.89	2.0	0.85	1.9	0.89
720 Blood Infection/Septicemia	971	5.5	5.5	1.00	6.6	0.83	5.9	0.93
751 Psychoses	226	4.3	5.1	0.84	5.1	0.84	5.2	0.83

	· · · · · · · · · · · · · · · · · · ·				•				
		This Fac	-			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$51,748	\$52,072	\$48,841	1.07	\$52,261	1.00	\$48,817	1.07
133	Respiratory failure	\$69,256	\$55,467	\$40,487	1.37	\$43,773	1.27	\$40,230	1.38
137	Respiratory Infections and Inflammations	\$42,245	\$47,457	\$43,191	1.10	\$48,694	0.97	\$42,641	1.11
139	Pneumonia	\$43,313	\$45,634	\$37,172	1.23	\$37,991	1.20	\$33,326	1.37
174	Percutaneous coronary intervention w AMI	\$86,656	\$87,785	\$88,471	0.99	\$88,693	0.99	\$88,028	1.00
175	Percutaneous coronary intervention w/o AMI	\$106,647	\$112,463	\$106,022	1.06	\$106,262	1.06	\$104,016	1.08
194	Heart Failure	\$39,737	\$42,478	\$37,913	1.12	\$41,878	1.01	\$37,402	1.14
201	Heart Abnormal Rhythm and Conduction Disorders	\$30,667	\$31,587	\$28,341	1.11	\$27,906	1.13	\$26,261	1.20
463	Kidney/Urinary Tract Infection	\$29,536	\$29,864	\$29,800	1.00	\$31,651	0.94	\$28,895	1.03
469	Acute kidney injury	\$40,496	\$41,196	\$39,143	1.05	\$42,194	0.98	\$38,198	1.08
540	Cesarean Delivery	\$40,098	\$40,450	\$31,537	1.28	\$30,606	1.32	\$29,333	1.38
560	Vaginal Delivery	\$23,743	\$23,899	\$17,466	1.37	\$16,232	1.47	\$15,112	1.58
640	Normal Newborn, Birthweight 2500g+	\$7,998	\$8,268	\$6,387	1.29	\$5,514	1.50	\$5,404	1.53
720	Blood Infection/Septicemia	\$58,779	\$60,551	\$53,476	1.13	\$61,811	0.98	\$55,330	1.09
751	Psychoses	\$20,059	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

142 ThedaCare Medical Center - Waupaca

800 Riverside Drive

County: Waupaca Analysis Area: 3-Lake Winnebago Waupaca, WI 54981

715-258-1000 Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	979	Average Length of Stay (days):	3.0	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,957	Average Charge per Discharge:	\$17,381	Home or Self-Care Other GMS Hospital	62.7% 6.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	79 21 14 114 123	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	69.3% 18.4% 12.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	12.3% 3.8% 0.1% 3.4% 0.1% 8.1% 1.0% 0.6% 0.2%
Discharges: Patient Days:	5	Percent of All Discharges: Percent of All Patient Days:	0.1%	Other	1.0%
AODA Utilization		·		Expected Pay Source Distril Primary Payer	oution % Discharges
Discharges:	16	Percent of All Discharges:	1.6%	Medicare	55.2%
Patient Days:	50	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	14.2% 4.5% 22.7% 3.2% 0.3%

Hospital Type: GMS

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	12.6%	7.6%	Male	44.4%	48.7%	Amer.Ind/Alaskan Native	e 1.2%	1.4%
Under 15	0.1%	0.0%	Female	55.6%	51.3%	Asian	0.6%	0.4%
15 - 19	0.7%	0.4%				Black/African Amer.	0.7%	0.9%
20 - 24	3.0%	2.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	9.7%	8.3%				White	95.1%	95.6%
35 - 44	5.5%	5.0%				Multiracial	0.0%	0.0%
45 - 54	5.0%	5.3%				Declined	0.1%	0.1%
55 - 64	10.3%	12.4%				Unavailable	2.2%	1.6%
65 - 74	19.7%	20.9%						
75 - 84	19.8%	22.2%						
85 & Over	13.6%	15.6%						

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	22	4.1	4.1	1.00	3.4	1.21	4.5	0.91
137 Respiratory Infections and Inflammations	31	3.7	4.9	0.76	3.8	0.97	5.2	0.71
139 Pneumonia	31	3.1	3.9	0.79	3.6	0.86	4.2	0.74
140 Chronic Obstructive Pulmonary Disease	24	2.6	2.9	0.90	3.1	0.84	3.4	0.76
194 Heart Failure	78	3.6	4.0	0.90	3.8	0.95	4.9	0.73
201 Heart Abnormal Rhythm and Conduction Disorders	18	1.9	2.5	0.76	2.3	0.83	2.9	0.66
326 Elective knee joint replacement	0	N/A	1.6	N/A	1.4	N/A	1.9	N/A
383 Cellulitis & other skin infections	19	4.2	4.0	1.05	3.7	1.14	4.3	0.98
463 Kidney/Urinary Tract Infection	18	2.7	3.6	0.75	3.4	0.79	3.9	0.69
469 Acute kidney injury	32	3.2	4.3	0.74	3.4	0.94	5.1	0.63
540 Cesarean Delivery	21	3.3	3.1	1.06	2.8	1.18	3.4	0.97
560 Vaginal Delivery	79	1.9	1.9	1.00	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	112	1.8	1.9	0.95	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	84	4.4	5.5	0.80	4.3	1.02	5.9	0.75
775 Alcohol Abuse/Dependence	16	3.1	3.4	0.91	3.6	0.86	3.9	0.79

•	•	• • •	•	•	-	•		
	This Fac	ility			Risk Adjusted	Group Averages		
RG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
tespiratory failure	\$21,489	\$25,903	\$29,682	0.87	\$28,186	0.92	\$40,230	0.64
espiratory Infections and Inflammations	\$20,740	\$20,577	\$28,745	0.72	\$27,697	0.74	\$42,641	0.48
neumonia	\$19,693	\$21,153	\$24,374	0.87	\$24,745	0.85	\$33,326	0.63
hronic Obstructive Pulmonary Disease	\$14,870	\$17,158	\$21,435	0.80	\$21,626	0.79	\$30,692	0.56
leart Failure	\$17,772	\$19,876	\$23,797	0.84	\$25,105	0.79	\$37,402	0.53
leart Abnormal Rhythm and Conduction Disorders	\$17,579	\$19,373	\$18,789	1.03	\$18,832	1.03	\$26,261	0.74
lective knee joint replacement	N/A	N/A	\$44,298	*	\$51,872	*	\$61,836	*
ellulitis & other skin infections	\$19,525	\$20,402	\$20,438	1.00	\$21,471	0.95	\$28,319	0.72
idney/Urinary Tract Infection	\$18,690	\$21,826	\$21,677	1.01	\$19,405	1.12	\$28,895	0.76
cute kidney injury	\$18,135	\$21,669	\$25,999	0.83	\$23,727	0.91	\$38,198	0.57
esarean Delivery	\$25,809	\$22,013	\$19,835	1.11	\$24,636	0.89	\$29,333	0.75
aginal Delivery	\$9,981	\$10,246	\$9,045	1.13	\$11,580	0.88	\$15,112	0.68
lormal Newborn, Birthweight 2500g+	\$3,252	\$3,528	\$4,007	0.88	\$4,369	0.81	\$5,404	0.65
lood Infection/Septicemia	\$25,083	\$28,817	\$38,128	0.76	\$35,041	0.82	\$55,330	0.52
Icohol Abuse/Dependence	\$15,596	#	#	#	#	#	#	#
	espiratory failure espiratory Infections and Inflammations neumonia chronic Obstructive Pulmonary Disease eart Failure eart Abnormal Rhythm and Conduction Disorders lective knee joint replacement ellulitis & other skin infections idney/Urinary Tract Infection cute kidney injury esarean Delivery aginal Delivery ormal Newborn, Birthweight 2500g+ lood Infection/Septicemia	Average RG # and Description Respiratory failure Respiratory Infections and Inflammations Respiratory Infections and Inflammations Respiratory Infections and Inflammations Respiratory Infections and Inflammations Respiratory Infections Respiratory Infections Respiratory Infections Respiratory Infections Respiratory Infections Respiratory Infections Respiratory Infection Respiratory Respiratory Infection Respiratory Respir	Adjusted Average Charge Charge Charge Charge Charge RG # and Description \$21,489 \$25,903 despiratory Infections and Inflammations \$20,740 \$20,577 neumonia \$19,693 \$21,153 description \$14,870 \$17,158 deart Failure \$17,772 \$19,876 deart Abnormal Rhythm and Conduction Disorders \$17,579 \$19,373 detive knee joint replacement N/A N/A dellulitis & other skin infections infections \$19,525 \$20,402 didney/Urinary Tract Infection \$18,690 \$21,826 dute kidney injury \$18,135 \$21,669 desarean Delivery \$25,809 \$22,013 diginal Delivery \$9,981 \$10,246 formal Newborn, Birthweight 2500g+ \$3,252 \$3,528 dod Infection/Septicemia \$25,083 \$28,817	Risk Adjusted Average Average Charge	Risk Adjusted Average Average Charge Charg	RG # and Description	Risk Adjusted Average Average Charge Charg	Risk Adjusted Average Average Charge Cha

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

143 SSM Health Waupun Memorial Hospital

620 W Brown Street

Waupun, WI 53963

920-324-5581 Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	s
Total Discharges:	879	Average Length of Stay (days):	2.8	<u>Discharge Status</u>	% Discharges
Total Patient Days:	2,499	Average Charge per Discharge:	\$23,023	Home or Self-Care	65.4%
Total Fation Days.	2,400	Average charge per bisonarge.	Ψ20,020	Other GMS Hospital	6.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	98	Percent of All Childbirths:	76.6%	Skilled Nursing Facility	8.8%
Cesarean Childbirths:	25	Percent of All Childbirths:	19.5%	Intermediate Care Facility	0.3%
Other Childbirths:	5	Percent of All Childbirths:	3.9%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	128			Hospice	1.9%
T (1N)	400			Other Institution	0.0%
Total Newborns:	136			Home Health Service	8.1%
Psychiatric Utilization				Left Against Medical Advice	0.8% 2.2%
	4	Percent of All Discharges	0.1%	Expired Discharge/Tran to Court/Law Enforcmnt	5.2%
Discharges:	7	Percent of All Discharges: Percent of All Patient Days:	0.1%	Other	0.6%
Patient Days:	1	reicent of All Patient Days.	0.3%		
AODA Hillimatian				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	13	Percent of All Discharges:	1.5%	Medicare	43.2%
Patient Days:	53	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	12.4%
				Other Government	8.1%
				Commercial or Private Insurance	35.4%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%

Hospital Type: GMS

County: Dodge

Analysis Area: 1-Southern

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	15.5%	11.0%	Male	42.3%	44.3%	Amer.Ind/Alaskan Native	e 0.5%	0.8%
Under 15	0.0%	0.0%	Female	57.7%	55.7%	Asian	0.2%	0.6%
15 - 19	0.3%	0.3%				Black/African Amer.	2.4%	1.8%
20 - 24	2.8%	2.1%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	13.9%	11.3%				White	84.5%	87.5%
35 - 44	4.6%	4.2%				Multiracial	0.3%	0.2%
45 - 54	6.0%	6.8%				Declined	0.1%	0.1%
55 - 64	14.3%	16.6%				Unavailable	11.8%	8.9%
65 - 74	17.6%	19.3%						
75 - 84	13.3%	15.3%						
85 & Over	11.6%	13.0%						

	This Facil	lity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	11	1.9	4.2	0.45	3.4	0.56	4.5	0.42
137 Respiratory Infections and Inflammations	24	3.4	5.3	0.64	3.8	0.89	5.2	0.65
139 Pneumonia	41	3.2	4.0	0.80	3.6	0.89	4.2	0.76
140 Chronic Obstructive Pulmonary Disease	11	3.1	3.4	0.91	3.1	1.00	3.4	0.91
194 Heart Failure	42	3.5	5.0	0.70	3.8	0.92	4.9	0.71
201 Heart Abnormal Rhythm and Conduction Disorders	6	1.5	3.0	0.50	2.3	0.65	2.9	0.52
326 Elective knee joint replacement	*	*	1.7	*	1.4	*	1.9	*
383 Cellulitis & other skin infections	16	3.6	4.5	0.80	3.7	0.97	4.3	0.84
463 Kidney/Urinary Tract Infection	11	2.2	3.9	0.56	3.4	0.65	3.9	0.56
469 Acute kidney injury	19	3.5	5.0	0.70	3.4	1.03	5.1	0.69
540 Cesarean Delivery	25	3.3	3.7	0.89	2.8	1.18	3.4	0.97
560 Vaginal Delivery	98	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	124	2.0	2.0	1.00	1.8	1.11	1.9	1.05
720 Blood Infection/Septicemia	37	3.1	6.2	0.50	4.3	0.72	5.9	0.53
775 Alcohol Abuse/Dependence	13	4.1	3.9	1.05	3.6	1.14	3.9	1.05

	•	•	•	•	•	•	•		
	This	Facility				Risk Adjusted	Group Average	s	
APR-DRG # and Description	Avera Charg	•	ed ge	<u>Analysi</u> Average Charge	s Area Ratio	<u>Inpatient V</u> Average Charge	/olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$20,6	05 \$22,6	53	\$48,230	0.47	\$28,186	0.80	\$40,230	0.56
137 Respiratory Infections and Inflammatic	ons \$28,1	76 \$28,4	48	\$50,848	0.56	\$27,697	1.03	\$42,641	0.67
139 Pneumonia	\$24,8	90 \$23,1	94	\$38,234	0.61	\$24,745	0.94	\$33,326	0.70
140 Chronic Obstructive Pulmonary Disea	se \$27,1	92 \$28,1	38	\$35,760	0.79	\$21,626	1.30	\$30,692	0.92
194 Heart Failure	\$27,6	30 \$28,2	41	\$43,714	0.65	\$25,105	1.12	\$37,402	0.76
201 Heart Abnormal Rhythm and Conduct	ion Disorders \$12,9	50 \$17,1	58	\$31,461	0.55	\$18,832	0.91	\$26,261	0.65
326 Elective knee joint replacement		*	*	\$55,883	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$21,2	44 \$20,5	98	\$32,909	0.63	\$21,471	0.96	\$28,319	0.73
463 Kidney/Urinary Tract Infection	\$17,2	71 \$20,1	60	\$32,986	0.61	\$19,405	1.04	\$28,895	0.70
469 Acute kidney injury	\$24,8	89 \$22,9	53	\$45,552	0.50	\$23,727	0.97	\$38,198	0.60
540 Cesarean Delivery	\$24,5	12 \$26,5	89	\$34,658	0.77	\$24,636	1.08	\$29,333	0.91
560 Vaginal Delivery	\$10,2	63 \$10,5	53	\$16,752	0.63	\$11,580	0.91	\$15,112	0.70
640 Normal Newborn, Birthweight 2500g+	\$4,0	88 \$3,7	43	\$5,371	0.70	\$4,369	0.86	\$5,404	0.69
720 Blood Infection/Septicemia	\$26,5	48 \$31,3	90	\$69,381	0.45	\$35,041	0.90	\$55,330	0.57
775 Alcohol Abuse/Dependence	\$23,7	30	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

145 Aspirus Wausau Hospital 333 Pine Ridge Boulevard Wausau, WI 54401

85 & Over

9.0%

10.1%

County: Marathon

Hospital Type: GMS

Analysis Area: 6-North Central

715-847-2121	Inpatient Volume Group: 6
--------------	---------------------------

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	14,598	Average Length of Stay (days):	5.3	<u>Discharge Status</u>	% Discharges
Total Patient Days:	77,615	Average Charge per Discharge:	\$53,867	Home or Self-Care	66.1%
·	,	g. 2g. p	+,	Other GMS Hospital	0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	786	Percent of All Childbirths:	67.2%	Skilled Nursing Facility	9.6%
Cesarean Childbirths:	372	Percent of All Childbirths:	31.8%	Intermediate Care Facility	0.9%
Other Childbirths:	11	Percent of All Childbirths:	0.9%	Inpatient Rehabilitation Facility	1.2% 2.6%
Total Childbirths:	1,169			Hospice Other Institution	2.6% 0.0%
Total Newborns:	1,258			Home Health Service	12.8%
Total Newbollis.	1,230			Left Against Medical Advice	1.0%
Psychiatric Utilization				Expired	3.8%
Discharges:	28	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	237	Percent of All Patient Days:	0.3%	Other	1.0%
				Expected Pay Source Distrib	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	128	Percent of All Discharges:	0.9%	Medicare	51.0%
Patient Days:	894	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	12.3%
				Other Government	5.0%
				Commercial or Private Insurance	31.4%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days	
Newborn	8.6%	7.0%	Male	50.1%	53.9%	Amer.Ind/Alaskan Native	1.4%	1.6%	
Under 15	0.8%	1.3%	Female	49.9%	46.1%	Asian	3.4%	2.9%	
15 - 19	0.7%	0.6%				Black/African Amer.	1.0%	1.0%	
20 - 24	2.5%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%	
25 - 34	8.4%	5.2%				White	92.8%	92.8%	
35 - 44	6.2%	5.3%				Multiracial	0.3%	0.2%	
45 - 54	7.5%	8.1%				Declined	1.0%	1.5%	
55 - 64	15.6%	16.8%				Unavailable	0 %	0 %	
65 - 74	22.4%	24.2%							
75 - 84	18.4%	19.7%							

	This Facili	ity	Group Averages					
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	213	5.8	5.1	1.14	5.2	1.12	4.8	1.21
133 Respiratory failure	223	5.5	4.4	1.25	4.9	1.12	4.5	1.22
137 Respiratory Infections and Inflammations	165	6.0	4.9	1.22	5.7	1.05	5.2	1.15
139 Pneumonia	136	5.1	4.2	1.21	4.5	1.13	4.2	1.21
174 Percutaneous coronary intervention w AMI	388	2.6	2.9	0.90	3.0	0.87	2.9	0.90
175 Percutaneous coronary intervention w/o AMI	281	2.1	2.6	0.81	2.7	0.78	2.8	0.75
194 Heart Failure	503	5.5	4.8	1.15	5.3	1.04	4.9	1.12
201 Heart Abnormal Rhythm and Conduction Disorders	274	2.9	2.8	1.04	3.0	0.97	2.9	1.00
463 Kidney/Urinary Tract Infection	131	6.3	4.7	1.34	4.0	1.58	3.9	1.62
469 Acute kidney injury	190	6.5	4.8	1.35	5.7	1.14	5.1	1.27
540 Cesarean Delivery	372	4.2	3.6	1.17	3.7	1.14	3.4	1.24
560 Vaginal Delivery	786	1.8	2.0	0.90	2.2	0.82	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	1,079	2.1	2.0	1.05	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	919	7.3	6.2	1.18	6.6	1.11	5.9	1.24
751 Psychoses	*	*	4.2	*	5.1	*	5.2	*

	This Facility				Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio		
045 St	troke and Precerebral Occlusion with Infarct	\$46,793	\$45,507	\$39,818	1.14	\$52,261	0.87	\$48,817	0.93		
133 Re	espiratory failure	\$45,915	\$47,496	\$36,797	1.29	\$43,773	1.09	\$40,230	1.18		
137 Re	espiratory Infections and Inflammations	\$42,103	\$39,004	\$33,124	1.18	\$48,694	0.80	\$42,641	0.91		
139 Pr	neumonia	\$38,952	\$37,248	\$27,942	1.33	\$37,991	0.98	\$33,326	1.12		
174 Pe	ercutaneous coronary intervention w AMI	\$70,068	\$71,051	\$72,517	0.98	\$88,693	0.80	\$88,028	0.81		
175 Pe	ercutaneous coronary intervention w/o AMI	\$72,460	\$73,556	\$79,955	0.92	\$106,262	0.69	\$104,016	0.71		
194 He	eart Failure	\$44,883	\$43,012	\$31,718	1.36	\$41,878	1.03	\$37,402	1.15		
201 He	eart Abnormal Rhythm and Conduction Disorders	\$26,363	\$27,123	\$22,917	1.18	\$27,906	0.97	\$26,261	1.03		
463 Ki	idney/Urinary Tract Infection	\$32,472	\$31,272	\$26,040	1.20	\$31,651	0.99	\$28,895	1.08		
469 Ad	cute kidney injury	\$44,530	\$44,092	\$33,126	1.33	\$42,194	1.04	\$38,198	1.15		
540 Ce	esarean Delivery	\$28,252	\$28,365	\$25,753	1.10	\$30,606	0.93	\$29,333	0.97		
560 Va	aginal Delivery	\$10,595	\$10,820	\$11,317	0.96	\$16,232	0.67	\$15,112	0.72		
640 No	ormal Newborn, Birthweight 2500g+	\$8,088	\$8,195	\$6,943	1.18	\$5,514	1.49	\$5,404	1.52		
720 BI	lood Infection/Septicemia	\$59,705	\$56,490	\$46,585	1.21	\$61,811	0.91	\$55,330	1.02		
751 Ps	sychoses	*	#	#	*	#	*	#	*		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

150 Aurora West Allis Medical Center

8901 W Lincoln Avenue

West Allis, WI 53227

Analysis Area: 2B-Milwaukee County

Hospital Type: GMS

County: Milwaukee

414-328-6000 Inpatient Volume Group: 6

Overall Hospital Utilization				Patient Discharge Statu	S
Total Discharges:	11,874	Average Length of Stay (days):	3.7	Discharge Status	% Discharges
Total Patient Days:	43,966	Average Charge per Discharge:	\$36,010	Home or Self-Care Other GMS Hospital	76.4% 2.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	2,209	Percent of All Childbirths:	69.2%	Skilled Nursing Facility Intermediate Care Facility	6.6% 1.2%
Cesarean Childbirths:	847	Percent of All Childhirths:	26.5%	Inpatient Rehabilitation Facility	0.6%
Other Childbirths: Total Childbirths:	135 3,191	Percent of All Childbirths:	4.2%	Hospice	1.9%
Total Newborns:	3,325			Other Institution Home Health Service	0.2% 9.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.8% 0.5%
Discharges:	14	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	104	Percent of All Patient Days:	0.2%	Other	0.4%
				Expected Pay Source Distrik	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	64	Percent of All Discharges:	0.5%	Medicare	29.1%
Patient Days:	217	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	25.6%
				Other Government	1.3%
				Commercial or Private Insurance	40.6%
				Self-Pay	3.4%
				Other or Unknown Insurance	0.0%

	Age Distribution	Ĺ		Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	28.0%	23.8%	Male	32.1%	37.0%	Amer.Ind/Alaskan Native	e 0.4%	0.3%	
Under 15	0.4%	1.6%	Female	67.8%	63.0%	Asian	4.2%	3.3%	
15 - 19	0.9%	0.6%				Black/African Amer.	11.8%	13.2%	
20 - 24	4.3%	3.0%				Native Hawaii/Pac.Isl.	0.5%	0.4%	
25 - 34	20.5%	14.4%				White	80.2%	80.3%	
35 - 44	8.8%	7.2%				Multiracial	2.1%	1.7%	
45 - 54	4.0%	4.8%				Declined	0.7%	0.6%	
55 - 64	7.4%	10.4%				Unavailable	0 %	0 %	
65 - 74	9.9%	13.8%							
75 - 84	8.1%	10.6%							
85 & Over	7.7%	9.8%							

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	72	3.7	6.2	0.60	5.2	0.71	4.8	0.77	
133 Respiratory failure	102	3.8	4.9	0.78	4.9	0.78	4.5	0.84	
137 Respiratory Infections and Inflammations	111	5.0	6.1	0.82	5.7	0.88	5.2	0.96	
139 Pneumonia	96	3.7	4.5	0.82	4.5	0.82	4.2	0.88	
174 Percutaneous coronary intervention w AMI	0	N/A	3.8	N/A	3.0	N/A	2.9	N/A	
175 Percutaneous coronary intervention w/o AMI	0	N/A	3.2	N/A	2.7	N/A	2.8	N/A	
194 Heart Failure	341	4.2	5.6	0.75	5.3	0.79	4.9	0.86	
201 Heart Abnormal Rhythm and Conduction Disorders	62	5.0	3.2	1.56	3.0	1.67	2.9	1.72	
463 Kidney/Urinary Tract Infection	142	3.9	4.1	0.95	4.0	0.98	3.9	1.00	
469 Acute kidney injury	149	5.0	6.5	0.77	5.7	0.88	5.1	0.98	
540 Cesarean Delivery	847	3.4	3.7	0.92	3.7	0.92	3.4	1.00	
560 Vaginal Delivery	2,209	2.3	2.2	1.05	2.2	1.05	2.1	1.10	
640 Normal Newborn, Birthweight 2500g+	2,913	2.0	2.0	1.00	2.0	1.00	1.9	1.05	
720 Blood Infection/Septicemia	720	5.2	7.2	0.72	6.6	0.79	5.9	0.88	
751 Psychoses	*	*	5.1	*	5.1	*	5.2	*	

	This Fac	ility			Risk Adjusted	Group Averages	3	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group	All GMS Ho Average Charge	ospitals Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$55,461	\$57,269	\$64,144	0.89	\$52,261	1.10	\$48,817	1.17
133 Respiratory failure	\$45,670	\$43,582	\$46,194	0.94	\$43,773	1.00	\$40,230	1.08
137 Respiratory Infections and Inflammations	\$54,916	\$52,057	\$55,648	0.94	\$48,694	1.07	\$42,641	1.22
139 Pneumonia	\$38,891	\$35,485	\$42,480	0.84	\$37,991	0.93	\$33,326	1.06
174 Percutaneous coronary intervention w AMI	N/A	N/A	\$120,280	*	\$88,693	*	\$88,028	*
175 Percutaneous coronary intervention w/o AMI	N/A	N/A	\$137,861	*	\$106,262	*	\$104,016	*
194 Heart Failure	\$45,141	\$43,431	\$47,909	0.91	\$41,878	1.04	\$37,402	1.16
201 Heart Abnormal Rhythm and Conduction Disorders	\$38,483	\$35,113	\$31,682	1.11	\$27,906	1.26	\$26,261	1.34
463 Kidney/Urinary Tract Infection	\$38,899	\$38,516	\$36,892	1.04	\$31,651	1.22	\$28,895	1.33
469 Acute kidney injury	\$46,062	\$45,367	\$51,546	0.88	\$42,194	1.08	\$38,198	1.19
540 Cesarean Delivery	\$30,050	\$30,006	\$33,019	0.91	\$30,606	0.98	\$29,333	1.02
560 Vaginal Delivery	\$20,084	\$19,962	\$18,150	1.10	\$16,232	1.23	\$15,112	1.32
640 Normal Newborn, Birthweight 2500g+	\$6,020	\$5,885	\$5,882	1.00	\$5,514	1.07	\$5,404	1.09
720 Blood Infection/Septicemia	\$57,865	\$61,685	\$73,537	0.84	\$61,811	1.00	\$55,330	1.11
751 Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

151 Froedtert West Bend Hospital 3200 Pleasant Valley Road

West Bend, WI 53095

Hospital Type: GMS

County: Washington

Analysis Area: 2A-Southeastern

,				· ····· y · · · · · · · · · · · · · · · · · · ·					
262-334-5533			Inpatient Volume Group: 5						
Overall Hospital Utilization				Patient Discharge Statu	<u></u>				
Total Discharges:	4,560	Average Length of Stay (days):	3.6	Discharge Status	% Discharges				
Total Patient Days:	16,478	Average Charge per Discharge:	\$36,443	Home or Self-Care Other GMS Hospital	63.9% 3.1%				
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%				
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	483 162 29	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	71.7% 24.0% 4.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice	12.5% 1.6% 1.1% 3.8%				
Total Childbirths:	674			Other Institution	0.4%				
Total Newborns:	681			Home Health Service	10.7%				
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 1.1%				
Discharges:	4	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.4%				
Patient Days:	68	Percent of All Patient Days:	0.4%	Other	0.7%				
				Expected Pay Source Distri	<u>bution</u>				
AODA Utilization				Primary Payer	% Discharges				
Discharges:	74	Percent of All Discharges:	1.6%	Medicare	51.3%				
Patient Days:	230	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare	10.8%				
				Other Government	1.4%				
				Commercial or Private Insurance	34.0%				
				Self-Pay	2.6%				
				Other or Unknown Insurance	0.0%				

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	14.9%	8.2%	Male	42.7%	46.9%	Amer.Ind/Alaskan Native	0.3%	0.3%	
Under 15	0.1%	0.0%	Female	57.3%	53.1%	Asian	0.9%	0.5%	
15 - 19	0.6%	0.3%				Black/African Amer.	1.9%	1.7%	
20 - 24	2.2%	1.4%				Native Hawaii/Pac.Isl.	0.1%	0.3%	
25 - 34	12.3%	7.7%				White	94.1%	95.4%	
35 - 44	7.0%	4.8%				Multiracial	0.0%	0.0%	
45 - 54	5.4%	5.7%				Declined	1.8%	1.2%	
55 - 64	9.9%	13.2%				Unavailable	0.9%	0.5%	
65 - 74	15.9%	18.0%							
75 - 84	18.3%	24.1%							
85 & Over	13.4%	16.6%							

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	108	3.5	4.2	0.83	4.3	0.81	4.8	0.73
133 Respiratory failure	86	3.7	4.5	0.82	4.2	0.88	4.5	0.82
137 Respiratory Infections and Inflammations	127	4.4	5.0	0.88	5.3	0.83	5.2	0.85
139 Pneumonia	68	3.9	4.4	0.89	4.3	0.91	4.2	0.93
174 Percutaneous coronary intervention w AMI	0	N/A	2.7	N/A	2.7	N/A	2.9	N/A
194 Heart Failure	321	4.7	4.8	0.98	4.8	0.98	4.9	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	78	2.8	2.8	1.00	2.9	0.97	2.9	0.97
463 Kidney/Urinary Tract Infection	66	2.8	3.7	0.76	4.0	0.70	3.9	0.72
469 Acute kidney injury	71	3.9	5.2	0.75	5.0	0.78	5.1	0.76
540 Cesarean Delivery	162	3.0	3.1	0.97	2.9	1.03	3.4	0.88
560 Vaginal Delivery	483	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	629	1.9	1.9	1.00	1.9	1.00	1.9	1.00
720 Blood Infection/Septicemia	404	5.0	5.5	0.91	5.7	0.88	5.9	0.85
751 Psychoses	*	*	5.1	*	4.9	*	5.2	*
775 Alcohol Abuse/Dependence	51	3.4	4.1	0.83	3.9	0.87	3.9	0.87

	<u> </u>		T								
		This Facility			Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	espitals Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$46,682	\$47,125	\$48,841	0.96	\$47,748	0.99	\$48,817	0.97		
133	Respiratory failure	\$36,199	\$38,449	\$40,487	0.95	\$37,099	1.04	\$40,230	0.96		
137	Respiratory Infections and Inflammations	\$44,812	\$42,725	\$43,191	0.99	\$41,393	1.03	\$42,641	1.00		
139	Pneumonia	\$37,048	\$34,905	\$37,172	0.94	\$34,303	1.02	\$33,326	1.05		
174	Percutaneous coronary intervention w AMI	N/A	N/A	\$88,471	*	\$85,768	*	\$88,028	*		
194	Heart Failure	\$37,386	\$36,391	\$37,913	0.96	\$35,400	1.03	\$37,402	0.97		
201	Heart Abnormal Rhythm and Conduction Disorders	\$30,027	\$29,008	\$28,341	1.02	\$25,284	1.15	\$26,261	1.10		
463	Kidney/Urinary Tract Infection	\$27,461	\$27,659	\$29,800	0.93	\$30,786	0.90	\$28,895	0.96		
469	Acute kidney injury	\$35,758	\$37,975	\$39,143	0.97	\$36,604	1.04	\$38,198	0.99		
540	Cesarean Delivery	\$27,489	\$28,900	\$31,537	0.92	\$27,373	1.06	\$29,333	0.99		
560	Vaginal Delivery	\$18,407	\$18,702	\$17,466	1.07	\$14,481	1.29	\$15,112	1.24		
640	Normal Newborn, Birthweight 2500g+	\$5,211	\$5,258	\$6,387	0.82	\$5,825	0.90	\$5,404	0.97		
720	Blood Infection/Septicemia	\$52,530	\$52,634	\$53,476	0.98	\$52,329	1.01	\$55,330	0.95		
751	Psychoses	*	#	#	*	#	*	#	*		
775	Alcohol Abuse/Dependence	\$30,506	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

308 Marshfield Medical Center-Weston

3400 Ministry Parkway

Weston, WI 54476

715-393-3000

Hospital Type: GMS

County: Marathon

Analysis Area: 6-North Central

inpatient volume Group: 5	
---------------------------	--

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	3,737	Average Length of Stay (days):	3.9	<u>Discharge Status</u>	% Discharges
Total Patient Days:	14,527	Average Charge per Discharge:	\$32,776	Home or Self-Care	69.9%
Total Fatient Days.	14,521	Average Charge per Discharge.	φ32,770	Other GMS Hospital	3.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	268	Percent of All Childbirths:	68.7%	Skilled Nursing Facility	9.8%
Cesarean Childbirths:	86	Percent of All Childbirths:	22.1%	Intermediate Care Facility	0.5%
Other Childbirths:	36	Percent of All Childbirths:	9.2%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	390	1 Croche of All Offidalities.	9.270	Hospice	2.2%
Total Childbirths.	390			Other Institution	0.0%
Total Newborns:	398			Home Health Service	10.1%
5				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	2.8%
Discharges:	3	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	9	Percent of All Patient Days:	0.1%	Other	0.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	37	Percent of All Discharges:	1.0%	Medicare	54.1%
Patient Days:	226	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	14.8%
•		•		Other Government	3.2%
				Commercial or Private Insurance	26.4%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	10.7%	5.0%	Male	47.4%	49.7%	Amer.Ind/Alaskan Native	1.5%	2.1%
Under 15	0.7%	0.2%	Female	52.6%	50.3%	Asian	3.8%	2.6%
15 - 19	0.6%	0.4%				Black/African Amer.	0.9%	0.9%
20 - 24	2.6%	1.4%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	9.3%	5.3%				White	90.5%	89.8%
35 - 44	6.0%	5.3%				Multiracial	0.0%	0.0%
45 - 54	6.4%	5.9%				Declined	1.4%	1.5%
55 - 64	12.6%	16.0%				Unavailable	1.7%	3.2%
65 - 74	20.5%	24.2%						
75 - 84	18.9%	23.0%						
85 & Over	11.6%	13.3%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	53	8.3	5.1	1.63	4.3	1.93	4.8	1.73		
133 Respiratory failure	74	4.5	4.4	1.02	4.2	1.07	4.5	1.00		
137 Respiratory Infections and Inflammations	78	4.9	4.9	1.00	5.3	0.92	5.2	0.94		
139 Pneumonia	67	3.8	4.2	0.90	4.3	0.88	4.2	0.90		
174 Percutaneous coronary intervention w AMI	113	2.6	2.9	0.90	2.7	0.96	2.9	0.90		
194 Heart Failure	199	4.5	4.8	0.94	4.8	0.94	4.9	0.92		
201 Heart Abnormal Rhythm and Conduction Disorders	130	2.9	2.8	1.04	2.9	1.00	2.9	1.00		
463 Kidney/Urinary Tract Infection	37	4.3	4.7	0.91	4.0	1.08	3.9	1.10		
469 Acute kidney injury	79	4.1	4.8	0.85	5.0	0.82	5.1	0.80		
540 Cesarean Delivery	86	2.5	3.6	0.69	2.9	0.86	3.4	0.74		
560 Vaginal Delivery	268	1.7	2.0	0.85	1.9	0.89	2.1	0.81		
640 Normal Newborn, Birthweight 2500g+	385	1.8	2.0	0.90	1.9	0.95	1.9	0.95		
720 Blood Infection/Septicemia	367	5.9	6.2	0.95	5.7	1.04	5.9	1.00		
751 Psychoses	0	N/A	4.2	N/A	4.9	N/A	5.2	N/A		
775 Alcohol Abuse/Dependence	29	7.0	4.3	1.63	3.9	1.79	3.9	1.79		

·	T								
	This Fac	ility	Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio	
045 Stroke and Precerebral Occlusion with Infarct	\$32,264	\$34,844	\$39,818	0.88	\$47,748	0.73	\$48,817	0.71	
133 Respiratory failure	\$28,060	\$27,809	\$36,797	0.76	\$37,099	0.75	\$40,230	0.69	
137 Respiratory Infections and Inflammations	\$26,206	\$25,003	\$33,124	0.75	\$41,393	0.60	\$42,641	0.59	
139 Pneumonia	\$21,688	\$18,985	\$27,942	0.68	\$34,303	0.55	\$33,326	0.57	
174 Percutaneous coronary intervention w AMI	\$68,041	\$71,931	\$72,517	0.99	\$85,768	0.84	\$88,028	0.82	
194 Heart Failure	\$23,885	\$22,436	\$31,718	0.71	\$35,400	0.63	\$37,402	0.60	
201 Heart Abnormal Rhythm and Conduction Disorders	\$17,723	\$18,247	\$22,917	0.80	\$25,284	0.72	\$26,261	0.69	
463 Kidney/Urinary Tract Infection	\$20,665	\$20,989	\$26,040	0.81	\$30,786	0.68	\$28,895	0.73	
469 Acute kidney injury	\$22,032	\$22,429	\$33,126	0.68	\$36,604	0.61	\$38,198	0.59	
540 Cesarean Delivery	\$17,068	\$18,520	\$25,753	0.72	\$27,373	0.68	\$29,333	0.63	
560 Vaginal Delivery	\$8,261	\$8,443	\$11,317	0.75	\$14,481	0.58	\$15,112	0.56	
640 Normal Newborn, Birthweight 2500g+	\$4,243	\$4,523	\$6,943	0.65	\$5,825	0.78	\$5,404	0.84	
720 Blood Infection/Septicemia	\$38,748	\$36,510	\$46,585	0.78	\$52,329	0.70	\$55,330	0.66	
751 Psychoses	N/A	#	#	*	#	*	#	*	
775 Alcohol Abuse/Dependence	\$34,278	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

152 Gundersen Tri-County Hospital and Clinics

18601 Lincoln Street

Whitehall, WI 54773

85 & Over

25.8%

26.8%

Hospital Type: GMS

County: Trempealeau

Analysis Area: 5B-Southwestern

715-538-4361				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	190	Average Length of Stay (days):	3.1	<u>Discharge Status</u>	% Discharges
Total Patient Days:	598	Average Charge per Discharge:	\$13,574	Home or Self-Care Other GMS Hospital	47.9% 15.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges: Patient Days:	0 0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges: Percent of All Patient Days:	0.0% 0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt Other	4.7% 0.0% 0.0% 1.1% 0.0% 0.0% 0.0% 0.0% 2.2% 0.5% 27.4%
, anom 2 aye.	· ·		0.070	Expected Pay Source Distril	
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	1.1%	Medicare	87.9%
Patient Days:	7	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Other or Unknown Insurance	1.6% 2.6% 7.4% 0.0% 0.5%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	45.8%	46.8%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	54.2%	53.2%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.6%	0.7%				White	100.0%	100.0%
35 - 44	1.6%	2.0%				Multiracial	0.0%	0.0%
45 - 54	2.6%	2.5%				Declined	0.0%	0.0%
55 - 64	7.4%	7.0%				Unavailable	0 %	0 %
65 - 74	30.5%	32.9%						
75 - 84	30.5%	28.1%						

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	13	2.9	4.0	0.73	3.0	0.97	4.5	0.64	
137 Respiratory Infections and Inflammations	15	3.8	4.8	0.79	3.7	1.03	5.2	0.73	
139 Pneumonia	15	3.1	3.3	0.94	3.3	0.94	4.2	0.74	
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.1	*	3.4	*	
194 Heart Failure	10	3.1	4.5	0.69	3.5	0.89	4.9	0.63	
201 Heart Abnormal Rhythm and Conduction Disorders	9	2.8	3.1	0.90	2.6	1.08	2.9	0.97	
249 Other gastroenteritis, nausea & vomiting	*	*	4.2	*	2.6	*	3.5	*	
282 Disorders of Pancreas Except Malignancy	6	1.7	3.3	0.52	2.6	0.65	3.9	0.44	
383 Cellulitis & other skin infections	*	*	3.9	*	3.9	*	4.3	*	
420 Diabetes	*	*	2.7	*	2.1	*	3.3	*	
463 Kidney/Urinary Tract Infection	9	2.6	3.5	0.74	3.5	0.74	3.9	0.67	
469 Acute kidney injury	10	3.6	4.9	0.73	3.3	1.09	5.1	0.71	
720 Blood Infection/Septicemia	32	3.8	4.6	0.83	3.5	1.09	5.9	0.64	
861 Signs & Symptoms	6	4.0	6.5	0.62	10.3	0.39	5.6	0.71	
862 Other Factors Influencing Health Status	0	N/A	11.6	N/A	12.2	N/A	8.2	N/A	

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Descriptio	n	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	is Area Ratio	_	/olume Group	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure		\$14,461	\$16,648	\$26,914	0.62	\$20,930	0.80	\$40,230	0.41
137 Respiratory Infections	and Inflammations	\$17,543	\$18,922	\$29,196	0.65	\$22,966	0.82	\$42,641	0.44
139 Pneumonia		\$14,808	\$17,102	\$21,792	0.78	\$20,677	0.83	\$33,326	0.51
140 Chronic Obstructive Pu	Ilmonary Disease	*	*	\$22,105	*	\$17,434	*	\$30,692	*
194 Heart Failure		\$14,868	\$20,468	\$24,371	0.84	\$19,130	1.07	\$37,402	0.55
201 Heart Abnormal Rhythr	n and Conduction Disorders	\$14,289	\$12,561	\$18,433	0.68	\$18,284	0.69	\$26,261	0.48
249 Other gastroenteritis, n	ausea & vomiting	*	*	\$15,837	*	\$15,617	*	\$30,474	*
282 Disorders of Pancreas	Except Malignancy	\$10,988	\$14,957	\$20,661	0.72	\$18,647	0.80	\$34,273	0.44
383 Cellulitis & other skin ir	fections	*	*	\$19,481	*	\$18,221	*	\$28,319	*
420 Diabetes		*	*	\$18,205	*	\$15,182	*	\$29,270	*
463 Kidney/Urinary Tract In	fection	\$10,651	\$11,939	\$17,675	0.68	\$16,696	0.72	\$28,895	0.41
469 Acute kidney injury		\$13,613	\$17,562	\$24,071	0.73	\$19,375	0.91	\$38,198	0.46
720 Blood Infection/Septice	mia	\$15,457	\$21,679	\$30,818	0.70	\$25,105	0.86	\$55,330	0.39
861 Signs & Symptoms		\$12,848	\$11,823	\$26,429	0.45	\$18,999	0.62	\$35,921	0.33
862 Other Factors Influenci	ng Health Status	N/A	N/A	\$37,912	*	\$19,869	*	\$32,059	*

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

153 ThedaCare Medical Center - Wild Rose

Box 243, 601 Grove Avenue

Wild Rose, WI 54984

920-622-3257

Hospital Type: GMS

County: Waushara

Analysis Area: 3-Lake Winnebago

		<u> </u>
Dationt	Discharge	Statue

Inpatient Volume Group: 1

Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	150	Average Length of Stay (days):	3.8	Discharge Status	% Discharges
Total Patient Days:	571	Average Charge per Discharge:	\$23,897	Home or Self-Care	47.3%
Total Patient Days:	37 1	Average Charge per Discharge.	Φ23,097	Other GMS Hospital	9.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	4.7%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	8.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
	<u> </u>	r ercent of All Childbirths.	0.070	Hospice	7.3%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	13.3%
				Left Against Medical Advice	1.3%
Psychiatric Utilization				Expired	0.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.7%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	7.3%
				Expected Pay Source Distrib	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.7%	Medicare	85.3%
Patient Days:	3	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	6.7%
•		•		Other Government	0.7%
				Commercial or Private Insurance	5.3%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.7%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days
Newborn	0.0%	0.0%	Male	48.0%	49.0%	Amer.Ind/Alaskan Native	e 0.7%	0.5%
Under 15	0.7%	0.5%	Female	52.0%	51.0%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.7%	0.7%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	3.3%	2.5%				White	97.3%	97.7%
35 - 44	2.7%	2.1%				Multiracial	0.0%	0.0%
45 - 54	3.3%	1.9%				Declined	0.7%	0.5%
55 - 64	12.7%	12.4%				Unavailable	0.7%	0.5%
65 - 74	25.3%	23.8%						
75 - 84	26.0%	30.1%						
85 & Over	26.0%	26.6%						

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	*	*	4.1	*	3.0	*	4.5	*		
137 Respiratory Infections and Inflammations	13	2.8	4.9	0.57	3.7	0.76	5.2	0.54		
139 Pneumonia	16	4.3	3.9	1.10	3.3	1.30	4.2	1.02		
140 Chronic Obstructive Pulmonary Disease	15	3.4	2.9	1.17	3.1	1.10	3.4	1.00		
194 Heart Failure	9	4.0	4.0	1.00	3.5	1.14	4.9	0.82		
201 Heart Abnormal Rhythm and Conduction Disorders	7	2.6	2.5	1.04	2.6	1.00	2.9	0.90		
249 Other gastroenteritis, nausea & vomiting	*	*	3.4	*	2.6	*	3.5	*		
282 Disorders of Pancreas Except Malignancy	*	*	3.8	*	2.6	*	3.9	*		
383 Cellulitis & other skin infections	8	5.3	4.0	1.33	3.9	1.36	4.3	1.23		
420 Diabetes	*	*	3.0	*	2.1	*	3.3	*		
463 Kidney/Urinary Tract Infection	9	3.6	3.6	1.00	3.5	1.03	3.9	0.92		
469 Acute kidney injury	7	4.7	4.3	1.09	3.3	1.42	5.1	0.92		
720 Blood Infection/Septicemia	11	5.1	5.5	0.93	3.5	1.46	5.9	0.86		
861 Signs & Symptoms	*	*	5.5	*	10.3	*	5.6	*		
862 Other Factors Influencing Health Status	0	N/A	6.6	N/A	12.2	N/A	8.2	N/A		

This Facility				Risk Adjusted Group Averages							
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio			
133 Respiratory failure	*	*	\$29,682	*	\$20,930	*	\$40,230	*			
137 Respiratory Infections and Inflammations	\$19,572	\$24,669	\$28,745	0.86	\$22,966	1.07	\$42,641	0.58			
139 Pneumonia	\$26,804	\$33,011	\$24,374	1.35	\$20,677	1.60	\$33,326	0.99			
140 Chronic Obstructive Pulmonary Disease	\$20,734	\$24,616	\$21,435	1.15	\$17,434	1.41	\$30,692	0.80			
194 Heart Failure	\$22,186	\$27,735	\$23,797	1.17	\$19,130	1.45	\$37,402	0.74			
201 Heart Abnormal Rhythm and Conduction Disorders	\$16,385	\$17,691	\$18,789	0.94	\$18,284	0.97	\$26,261	0.67			
249 Other gastroenteritis, nausea & vomiting	*	*	\$21,096	*	\$15,617	*	\$30,474	*			
282 Disorders of Pancreas Except Malignancy	*	*	\$23,671	*	\$18,647	*	\$34,273	*			
383 Cellulitis & other skin infections	\$28,653	\$29,393	\$20,438	1.44	\$18,221	1.61	\$28,319	1.04			
420 Diabetes	*	*	\$21,959	*	\$15,182	*	\$29,270	*			
463 Kidney/Urinary Tract Infection	\$24,204	\$28,858	\$21,677	1.33	\$16,696	1.73	\$28,895	1.00			
469 Acute kidney injury	\$26,861	\$34,938	\$25,999	1.34	\$19,375	1.80	\$38,198	0.91			
720 Blood Infection/Septicemia	\$29,953	\$45,612	\$38,128	1.20	\$25,105	1.82	\$55,330	0.82			
861 Signs & Symptoms	*	*	\$22,203	*	\$18,999	*	\$35,921	*			
862 Other Factors Influencing Health Status	N/A	N/A	\$18,749	*	\$19,869	*	\$32,059	*			

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

[#] Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

155 Aspirus Riverview Hospital and Clinics, Inc

410 Dewey Street, PO Box 8080

Wisconsin Rapids, WI 54495

715-423-6060

85 & Over

10.5%

13.6%

Hospital Type: GMS County: Wood

Inpatient Volume Group: 4

Analysis Area: 6-North Central

Overall Hospital Utilization				Patient Discharge Statu	<u>s</u>
Total Discharges:	2,834	Average Length of Stay (days):	3.6	<u>Discharge Status</u>	% Discharges
Total Patient Days:	10,165	Average Charge per Discharge:	\$26,542	Home or Self-Care Other GMS Hospital	66.4% 4.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	304 125 10 439 457	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	69.2% 28.5% 2.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	9.7% 2.6% 0.0% 2.5% 0.0% 10.2% 1.0% 2.5% 0.4%
Patient Days:	6	Percent of All Patient Days:	0.1%	Other	0.5%
AODA Utilization				Expected Pay Source Distrik	
	40	D CAN D I	4.50/	Primary Payer	<u>% Discharges</u>
Discharges:	43	Percent of All Discharges:	1.5%	Medicare	44.7%
Patient Days:	148	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare Other Government	17.9% 5.0%
				Commercial or Private Insurance	32.4%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	<u>Race</u>	% Discharges	% Patient Days	
Newborn	16.1%	7.4%	Male	41.8%	45.7%	Amer.Ind/Alaskan Native	0.8%	0.6%	
Under 15	0.6%	0.2%	Female	58.2%	54.3%	Asian	1.5%	0.9%	
15 - 19	1.1%	0.7%				Black/African Amer.	1.2%	0.9%	
20 - 24	3.8%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.3%	
25 - 34	13.3%	7.7%				White	95.4%	96.8%	
35 - 44	5.6%	4.3%				Multiracial	0.3%	0.1%	
45 - 54	5.2%	5.2%				Declined	0.6%	0.3%	
55 - 64	11.1%	14.6%				Unavailable	0 %	0 %	
65 - 74	16.4%	20.2%							
75 - 84	16.3%	23.5%							

	ity	Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	46	4.9	5.1	0.96	3.9	1.26	4.8	1.02	
133 Respiratory failure	85	3.1	4.4	0.70	3.8	0.82	4.5	0.69	
137 Respiratory Infections and Inflammations	37	5.0	4.9	1.02	4.9	1.02	5.2	0.96	
139 Pneumonia	76	3.8	4.2	0.90	4.0	0.95	4.2	0.90	
194 Heart Failure	132	4.6	4.8	0.96	4.2	1.10	4.9	0.94	
201 Heart Abnormal Rhythm and Conduction Disorders	46	3.1	2.8	1.11	2.8	1.11	2.9	1.07	
247 Intestinal Obstruction without Surgery	53	3.3	3.4	0.97	3.0	1.10	3.5	0.94	
383 Cellulitis & other skin infections	19	3.8	4.0	0.95	4.4	0.86	4.3	0.88	
463 Kidney/Urinary Tract Infection	30	4.6	4.7	0.98	3.9	1.18	3.9	1.18	
469 Acute kidney injury	40	5.3	4.8	1.10	4.4	1.20	5.1	1.04	
540 Cesarean Delivery	125	2.6	3.6	0.72	2.7	0.96	3.4	0.76	
560 Vaginal Delivery	304	1.9	2.0	0.95	1.9	1.00	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	416	1.7	2.0	0.85	1.7	1.00	1.9	0.89	
720 Blood Infection/Septicemia	277	5.8	6.2	0.94	4.9	1.18	5.9	0.98	
775 Alcohol Abuse/Dependence	33	3.9	4.3	0.91	3.6	1.08	3.9	1.00	

		This Fac	Risk Adjusted Group Averages						
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient Volume Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
045 Stroke a	and Precerebral Occlusion with Infarct	\$36,727	\$36,935	\$39,818	0.93	\$40,171	0.92	\$48,817	0.76
133 Respirat	tory failure	\$24,568	\$30,194	\$36,797	0.82	\$36,698	0.82	\$40,230	0.75
137 Respirat	tory Infections and Inflammations	\$34,040	\$31,296	\$33,124	0.94	\$36,939	0.85	\$42,641	0.73
139 Pneumo	onia	\$25,549	\$22,843	\$27,942	0.82	\$30,699	0.74	\$33,326	0.69
194 Heart Fa	ailure	\$28,323	\$28,108	\$31,718	0.89	\$31,713	0.89	\$37,402	0.75
201 Heart Al	onormal Rhythm and Conduction Disorders	\$26,747	\$24,237	\$22,917	1.06	\$24,868	0.97	\$26,261	0.92
247 Intestina	al Obstruction without Surgery	\$19,864	\$21,822	\$22,137	0.99	\$23,106	0.94	\$25,745	0.85
383 Cellulitis	s & other skin infections	\$25,127	\$27,939	\$24,844	1.12	\$26,486	1.05	\$28,319	0.99
463 Kidney/l	Urinary Tract Infection	\$24,254	\$25,638	\$26,040	0.98	\$26,652	0.96	\$28,895	0.89
469 Acute ki	dney injury	\$30,624	\$31,457	\$33,126	0.95	\$33,034	0.95	\$38,198	0.82
540 Cesarea	an Delivery	\$23,798	\$24,141	\$25,753	0.94	\$26,530	0.91	\$29,333	0.82
560 Vaginal	Delivery	\$11,262	\$11,361	\$11,317	1.00	\$12,146	0.94	\$15,112	0.75
640 Normal	Newborn, Birthweight 2500g+	\$5,301	\$5,702	\$6,943	0.82	\$4,923	1.16	\$5,404	1.06
720 Blood In	nfection/Septicemia	\$37,158	\$40,507	\$46,585	0.87	\$44,231	0.92	\$55,330	0.73
775 Alcohol	Abuse/Dependence	\$25,609	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported

156 Howard Young Medical Center 240 Maple Street, PO Box 470

Woodruff, WI 54568

715-356-8000

85 & Over

16.5%

15.8%

Hospital Type: GMS County: Oneida

Analysis Area: 6-North Central

Inpatient Volume Group: 3

Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	978	Average Length of Stay (days):	4.4	Discharge Status	% Discharges
Total Patient Days:	4,286	Average Charge per Discharge:	\$28,626	Home or Self-Care	46.5%
Total Fatient Days.	4,200	Average Charge per Discharge.	Ψ20,020	Other GMS Hospital	7.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	10.2%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.1%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	0	r croone or 7 th ormaditure.	0.070	Hospice	2.5%
Total Childbirths.	U			Other Institution	0.0%
Total Newborns:	0			Home Health Service	22.6%
B. Alta C. Hell at				Left Against Medical Advice	0.9%
Psychiatric Utilization				Expired	5.6%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.5%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	2.7%
				Expected Pay Source Distril	<u>oution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	63	Percent of All Discharges:	6.4%	Medicare	69.0%
Patient Days:	313	Percent of All Patient Days:	7.3%	Medicaid/BadgerCare	12.9%
				Other Government	5.1%
				Commercial or Private Insurance	13.0%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race Distribution			
Age Group	% Discharges	% Patient Days	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	% Patient Days	
Newborn	0.0%	0.0%	Male	53.4%	56.3%	Amer.Ind/Alaskan Native	8.4%	9.3%	
Under 15	0.0%	0.0%	Female	46.6%	43.7%	Asian	0.0%	0.0%	
15 - 19	0.3%	0.3%				Black/African Amer.	0.1%	0.0%	
20 - 24	0.8%	0.5%				Native Hawaii/Pac.Isl.	0.2%	0.6%	
25 - 34	2.4%	1.5%				White	89.8%	88.4%	
35 - 44	5.8%	4.2%				Multiracial	0.7%	0.7%	
45 - 54	8.9%	8.2%				Declined	0.8%	1.0%	
55 - 64	17.7%	19.9%				Unavailable	0 %	0 %	
65 - 74	27.8%	30.6%							
75 - 84	19.8%	18.9%							

		This Facil	ity	Group Averages						
				Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description		Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133	Respiratory failure	38	3.7	4.4	0.84	3.4	1.09	4.5	0.82	
137	Respiratory Infections and Inflammations	34	4.5	4.9	0.92	3.8	1.18	5.2	0.87	
139	Pneumonia	48	4.5	4.2	1.07	3.6	1.25	4.2	1.07	
140	Chronic Obstructive Pulmonary Disease	10	3.8	3.5	1.09	3.1	1.23	3.4	1.12	
194	Heart Failure	74	4.9	4.8	1.02	3.8	1.29	4.9	1.00	
201	Heart Abnormal Rhythm and Conduction Disorders	32	2.2	2.8	0.79	2.3	0.96	2.9	0.76	
326	Elective knee joint replacement	0	N/A	2.0	N/A	1.4	N/A	1.9	N/A	
383	Cellulitis & other skin infections	17	3.6	4.0	0.90	3.7	0.97	4.3	0.84	
463	Kidney/Urinary Tract Infection	30	4.0	4.7	0.85	3.4	1.18	3.9	1.03	
469	Acute kidney injury	32	3.6	4.8	0.75	3.4	1.06	5.1	0.71	
540	Cesarean Delivery	0	N/A	3.6	N/A	2.8	N/A	3.4	N/A	
560	Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A	
640	Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.8	N/A	1.9	N/A	
720	Blood Infection/Septicemia	152	5.6	6.2	0.90	4.3	1.30	5.9	0.95	
775	Alcohol Abuse/Dependence	57	4.5	4.3	1.05	3.6	1.25	3.9	1.15	

·	Risk Adjusted Group Averages							
	This Fac	-			RISK Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	s Area Ratio	Inpatient V Average Charge	olume Group Ratio	All GMS Ho Average Charge	ospitals Ratio
133 Respiratory failure	\$25,219	\$28,114	\$36,797	0.76	\$28,186	1.00	\$40,230	0.70
137 Respiratory Infections and Inflammations	\$24,886	\$23,416	\$33,124	0.71	\$27,697	0.85	\$42,641	0.55
139 Pneumonia	\$28,758	\$26,267	\$27,942	0.94	\$24,745	1.06	\$33,326	0.79
140 Chronic Obstructive Pulmonary Disease	\$25,011	\$25,536	\$26,064	0.98	\$21,626	1.18	\$30,692	0.83
194 Heart Failure	\$27,855	\$25,691	\$31,718	0.81	\$25,105	1.02	\$37,402	0.69
201 Heart Abnormal Rhythm and Conduction Disorders	\$18,084	\$20,568	\$22,917	0.90	\$18,832	1.09	\$26,261	0.78
326 Elective knee joint replacement	N/A	N/A	\$50,208	*	\$51,872	*	\$61,836	*
383 Cellulitis & other skin infections	\$22,363	\$22,165	\$24,844	0.89	\$21,471	1.03	\$28,319	0.78
463 Kidney/Urinary Tract Infection	\$19,425	\$18,960	\$26,040	0.73	\$19,405	0.98	\$28,895	0.66
469 Acute kidney injury	\$20,386	\$23,962	\$33,126	0.72	\$23,727	1.01	\$38,198	0.63
540 Cesarean Delivery	N/A	N/A	\$25,753	*	\$24,636	*	\$29,333	*
560 Vaginal Delivery	N/A	N/A	\$11,317	*	\$11,580	*	\$15,112	*
640 Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,943	*	\$4,369	*	\$5,404	*
720 Blood Infection/Septicemia	\$40,875	\$36,689	\$46,585	0.79	\$35,041	1.05	\$55,330	0.66
775 Alcohol Abuse/Dependence	\$30,277	#	#	#	#	#	#	#

N/A - Zero Discharges reported

[^] Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

^{* 1} through 4 Discharges reported