198 OakLeaf Surgical Hospital				Hospital Type: GMS	
1000 OakLeaf Way				County: Eau Claire	
Altoona, WI 54720				Analysis Area: 5A-West Cer	ntral
715-831-8130				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	358	Average Length of Stay (days):	2.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,017	Average Charge per Discharge:	\$105,020	Home or Self-Care Other GMS Hospital	76.8% 0.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	12.6% 0.8% 0.6%
Total Childbirths:	0		0.070	Hospice	0.0%
Total Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	5.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 0.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	3.4%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	57.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	6.4%
				Other Government	4.2%
				Commercial or Private Insurance	31.6%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.4%	50.0%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	50.6%	50.0%	Asian	0.3%	0.3%
15 - 19	0.6%	0.4%				Black/African Amer.	0.0%	0.0%
20 - 24	0.6%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.0%	2.9%				White	98.6%	99.0%
35 - 44	7.0%	5.5%				Multiracial	0.0%	0.0%
45 - 54	12.0%	9.6%				Declined	0.0%	0.0%
55 - 64	22.3%	21.6%				Unavailable	1.1%	0.7%
65 - 74	31.8%	34.2%						
75 - 84	18.4%	17.7%						
85 & Over	5.3%	7.8%						

198 OakLeaf Surgical Hospital

Altoona, WI 54720

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient Volume Group		<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	0	N/A	4.6	N/A	3.6	N/A	4.2	N/A		
137 Respiratory Infections and Inflammations	0	N/A	4.6	N/A	3.7	N/A	5.1	N/A		
139 Pneumonia	0	N/A	3.8	N/A	3.4	N/A	3.9	N/A		
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.3	N/A	3.0	N/A	3.3	N/A		
194 Heart Failure	0	N/A	4.7	N/A	3.7	N/A	4.7	N/A		
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.9	N/A	2.7	N/A	2.9	N/A		
247 Intestinal Obstruction without Surgery	*	*	2.9	*	2.8	*	3.4	*		
326 Elective knee joint replacement	26	3.0	2.7	1.11	1.6	1.88	2.0	1.50		
383 Cellulitis & other skin infections	0	N/A	4.4	N/A	3.8	N/A	4.0	N/A		
463 Kidney/Urinary Tract Infection	0	N/A	3.7	N/A	3.3	N/A	3.8	N/A		
469 Acute kidney injury	0	N/A	4.5	N/A	3.4	N/A	4.8	N/A		
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.8	N/A	1.9	N/A		
720 Blood Infection/Septicemia	0	N/A	5.3	N/A	3.9	N/A	5.7	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-I	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	N/A	N/A	\$31,031	*	\$27,996	*	\$41,427	*
137	Respiratory Infections and Inflammations	N/A	N/A	\$33,451	*	\$25,863	*	\$44,204	*
139	Pneumonia	N/A	N/A	\$24,141	*	\$23,921	*	\$33,131	*
140	Chronic Obstructive Pulmonary Disease	N/A	N/A	\$21,372	*	\$20,883	*	\$32,611	*
194	Heart Failure	N/A	N/A	\$29,089	*	\$24,051	*	\$38,512	*
201	Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$21,213	*	\$18,840	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$15,833	*	\$17,509	*	\$27,065	*
326	Elective knee joint replacement	\$55,773	\$56,996	\$44,423	1.28	\$53,216	1.07	\$65,010	0.88
383	Cellulitis & other skin infections	N/A	N/A	\$21,652	*	\$21,588	*	\$29,240	*
463	Kidney/Urinary Tract Infection	N/A	N/A	\$20,430	*	\$17,785	*	\$30,445	*
469	Acute kidney injury	N/A	N/A	\$28,871	*	\$22,228	*	\$39,232	*
540	Cesarean Delivery	N/A	N/A	\$22,518	*	\$26,138	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$12,000	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$4,404	*	\$5,687	*
720	Blood Infection/Septicemia	N/A	N/A	\$42,770	*	\$33,539	*	\$56,342	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

t Central <u>Status</u> <u>% Discharges</u> 77.5% 5.7% 0.1%
<u>Status</u> <u>% Discharges</u> 77.5% 5.7%
<u>% Discharges</u> 77.5% 5.7%
<u>% Discharges</u> 77.5% 5.7%
77.5% 5.7%
5.7%
0.1%
0.170
3.3%
3.2%
0.1%
1.4%
0.0%
3.3%
0.5%
1.8%
nt 0.0%
2.9%
<u>Distribution</u>
% Discharges
48.7%
20.5%
3.1%
27.5%
0.3%
0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	5.2%	2.2%	Male	49.2%	50.9%	Amer.Ind/Alaskan Native	e 1.0%	1.0%
Under 15	0.0%	0.0%	Female	50.8%	49.1%	Asian	0.2%	0.2%
15 - 19	2.8%	2.0%				Black/African Amer.	1.0%	1.2%
20 - 24	5.9%	7.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	12.7%	13.7%				White	90.2%	87.4%
35 - 44	9.8%	11.6%				Multiracial	0.0%	0.0%
45 - 54	9.0%	10.2%				Declined	1.1%	1.3%
55 - 64	13.0%	15.5%				Unavailable	6.5%	8.8%
65 - 74	14.1%	14.3%						
75 - 84	16.9%	15.5%						
85 & Over	10.5%	7.8%						

001 Amery Regional Medical Center

Amery, WI 54001

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	21	4.3	4.6	0.93	3.6	1.19	4.2	1.02
137 Respiratory Infections and Inflammations	18	3.9	4.6	0.85	3.7	1.05	5.1	0.76
139 Pneumonia	26	2.8	3.8	0.74	3.4	0.82	3.9	0.72
140 Chronic Obstructive Pulmonary Disease	19	2.2	3.3	0.67	3.0	0.73	3.3	0.67
194 Heart Failure	58	3.3	4.7	0.70	3.7	0.89	4.7	0.70
201 Heart Abnormal Rhythm and Conduction Disorders	11	1.8	2.9	0.62	2.7	0.67	2.9	0.62
247 Intestinal Obstruction without Surgery	19	1.8	2.9	0.62	2.8	0.64	3.4	0.53
326 Elective knee joint replacement	*	*	2.7	*	1.6	*	2.0	*
383 Cellulitis & other skin infections	11	5.5	4.4	1.25	3.8	1.45	4.0	1.38
463 Kidney/Urinary Tract Infection	14	2.2	3.7	0.59	3.3	0.67	3.8	0.58
469 Acute kidney injury	18	2.9	4.5	0.64	3.4	0.85	4.8	0.60
540 Cesarean Delivery	16	3.4	2.8	1.21	2.8	1.21	3.4	1.00
560 Vaginal Delivery	42	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	54	1.9	1.8	1.06	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	55	2.9	5.3	0.55	3.9	0.74	5.7	0.51

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio	
133	Respiratory failure	\$31,174	\$35,671	\$31,031	1.15	\$27,996	1.27	\$41,427	0.86	
137	Respiratory Infections and Inflammations	\$21,002	\$23,964	\$33,451	0.72	\$25,863	0.93	\$44,204	0.54	
139	Pneumonia	\$16,948	\$19,902	\$24,141	0.82	\$23,921	0.83	\$33,131	0.60	
140	Chronic Obstructive Pulmonary Disease	\$12,841	\$14,140	\$21,372	0.66	\$20,883	0.68	\$32,611	0.43	
194	Heart Failure	\$17,654	\$21,053	\$29,089	0.72	\$24,051	0.88	\$38,512	0.55	
201	Heart Abnormal Rhythm and Conduction Disorders	\$9,115	\$10,715	\$21,213	0.51	\$18,840	0.57	\$27,857	0.38	
247	Intestinal Obstruction without Surgery	\$10,750	\$10,741	\$15,833	0.68	\$17,509	0.61	\$27,065	0.40	
326	Elective knee joint replacement	*	*	\$44,423	*	\$53,216	*	\$65,010	*	
383	Cellulitis & other skin infections	\$22,077	\$22,717	\$21,652	1.05	\$21,588	1.05	\$29,240	0.78	
463	Kidney/Urinary Tract Infection	\$8,632	\$10,420	\$20,430	0.51	\$17,785	0.59	\$30,445	0.34	
469	Acute kidney injury	\$11,193	\$15,057	\$28,871	0.52	\$22,228	0.68	\$39,232	0.38	
540	Cesarean Delivery	\$33,474	\$33,220	\$22,518	1.48	\$26,138	1.27	\$31,158	1.07	
560	Vaginal Delivery	\$15,290	\$15,039	\$11,125	1.35	\$12,000	1.25	\$16,019	0.94	
640	Normal Newborn, Birthweight 2500g+	\$3,520	\$3,400	\$3,955	0.86	\$4,404	0.77	\$5,687	0.60	
720	Blood Infection/Septicemia	\$16,669	\$24,149	\$42,770	0.56	\$33,539	0.72	\$56,342	0.43	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

002 Aspirus Langlade Hospita 112 East Fifth Avenue	al			Hospital Type: GMS County: Langlade	
Antigo, WI 54409				Analysis Area: 6-North Cen	tral
715-623-2331				Inpatient Volume Group: 3	liai
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,219	Average Length of Stay (days):	3.5	Discharge Status	% Discharges
Total Patient Days:	4,320	Average Charge per Discharge:	\$25,252	Home or Self-Care Other GMS Hospital	61.9% 4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	114 26	Percent of All Childbirths: Percent of All Childbirths:	79.7% 18.2%	Skilled Nursing Facility Intermediate Care Facility	8.0% 2.0%
Other Childbirths:	3	Percent of All Childbirths:	2.1%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	143			Hospice	3.6%
Total Newborns:	143			Other Institution Home Health Service	0.0% 13.6%
Psychiatric Utilization				Left Against Medical Advice Expired	1.5% 2.2%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	7	Percent of All Patient Days:	0.2%	Other	2.3%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	0.8%	Medicare	55.4%
Patient Days:	47	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	13.3%
				Other Government	5.6%
				Commercial or Private Insurance	25.6%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.7%	5.9%	Male	42.6%	45.4%	Amer.Ind/Alaskan Native	e 7.8%	5.7%
Under 15	0.7%	0.4%	Female	57.4%	54.6%	Asian	0.4%	0.2%
15 - 19	0.8%	0.5%				Black/African Amer.	0.5%	0.3%
20 - 24	3.8%	2.3%				Native Hawaii/Pac.Isl.	0.9%	0.7%
25 - 34	8.2%	4.9%				White	89.6%	92.4%
35 - 44	3.9%	3.3%				Multiracial	0.5%	0.3%
45 - 54	4.5%	4.6%				Declined	0.3%	0.3%
55 - 64	10.3%	10.4%				Unavailable	0 %	0 %
65 - 74	20.1%	24.4%						
75 - 84	21.0%	24.2%						
85 & Over	14.8%	19.1%						

002 Aspirus Langlade Hospital

Antigo, WI 54409

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	34	4.2	4.1	1.02	3.6	1.17	4.2	1.00	
137 Respiratory Infections and Inflammations	45	3.8	5.1	0.75	3.7	1.03	5.1	0.75	
139 Pneumonia	37	3.9	4.0	0.98	3.4	1.15	3.9	1.00	
140 Chronic Obstructive Pulmonary Disease	11	4.1	3.5	1.17	3.0	1.37	3.3	1.24	
194 Heart Failure	65	4.7	4.6	1.02	3.7	1.27	4.7	1.00	
201 Heart Abnormal Rhythm and Conduction Disorders	19	3.3	2.8	1.18	2.7	1.22	2.9	1.14	
247 Intestinal Obstruction without Surgery	20	2.8	3.2	0.88	2.8	1.00	3.4	0.82	
326 Elective knee joint replacement	*	*	2.5	*	1.6	*	2.0	*	
383 Cellulitis & other skin infections	12	2.6	4.1	0.63	3.8	0.68	4.0	0.65	
463 Kidney/Urinary Tract Infection	15	3.0	3.9	0.77	3.3	0.91	3.8	0.79	
469 Acute kidney injury	35	4.1	4.8	0.85	3.4	1.21	4.8	0.85	
540 Cesarean Delivery	26	2.8	3.5	0.80	2.8	1.00	3.4	0.82	
560 Vaginal Delivery	114	1.9	2.0	0.95	1.9	1.00	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	140	1.8	1.9	0.95	1.8	1.00	1.9	0.95	
720 Blood Infection/Septicemia	196	4.2	5.6	0.75	3.9	1.08	5.7	0.74	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	-		<u>ospitals</u> Ratio
133	Respiratory failure	\$31,587	\$36,919	\$37,801	0.98	\$27,996	1.32	\$41,427	0.89
137 139	Respiratory Infections and Inflammations Pneumonia	\$27,383 \$27,433	\$30,255 \$27.558	\$37,786 \$30,317	0.80 0.91	\$25,863 \$23,921	1.17 1.15	\$44,204 \$33,131	0.68 0.83
140	Chronic Obstructive Pulmonary Disease	\$24,635	\$25,528	\$32,438	0.79	\$20,883	1.22	\$32,611	0.78
194	Heart Failure	\$28,856	\$29,825	\$34,805	0.86	\$24,051	1.24	\$38,512	0.77
201	Heart Abnormal Rhythm and Conduction Disorders	\$24,244	\$23,358	\$24,857	0.94	\$18,840	1.24	\$27,857	0.84
247	Intestinal Obstruction without Surgery	\$18,189	\$18,815	\$21,658	0.87	\$17,509	1.07	\$27,065	0.70
326	Elective knee joint replacement	*	*	\$57,200	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$21,132	\$22,351	\$25,899	0.86	\$21,588	1.04	\$29,240	0.76
463	Kidney/Urinary Tract Infection	\$19,842	\$21,300	\$28,365	0.75	\$17,785	1.20	\$30,445	0.70
469	Acute kidney injury	\$29,481	\$29,846	\$36,852	0.81	\$22,228	1.34	\$39,232	0.76
540	Cesarean Delivery	\$25,991	\$29,450	\$27,634	1.07	\$26,138	1.13	\$31,158	0.95
560	Vaginal Delivery	\$9,881	\$10,201	\$12,421	0.82	\$12,000	0.85	\$16,019	0.64
640	Normal Newborn, Birthweight 2500g+	\$5,391	\$6,178	\$7,016	0.88	\$4,404	1.40	\$5,687	1.09
720	Blood Infection/Septicemia	\$33,384	\$37,301	\$48,275	0.77	\$33,539	1.11	\$56,342	0.66

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

1506 South Oneida Street Appleton, WI 54915				Hospital Type: GMS County: Outagamie Analysis Area: 3-Lake Winnebago			
				Inpatient Volume Group: 6			
Overall Hospital Utilization				Patient Discharge Statu	IS		
Total Discharges:	8,607	Average Length of Stay (days):	4.2	<u>Discharge Status</u>	<u>% Discharges</u>		
Total Patient Days:	36,181	Average Charge per Discharge:	\$32,764	Home or Self-Care Other GMS Hospital	73.6% 0.9%		
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%		
Normal Childbirths:	714	Percent of All Childbirths:	72.9%	Skilled Nursing Facility	8.1%		
Cesarean Childbirths:	225	Percent of All Childbirths:	23.0%	Intermediate Care Facility	0.3%		
Other Childbirths:	41	Percent of All Childbirths:	4.2%	Inpatient Rehabilitation Facility	0.7%		
Total Childbirths:	980			Hospice Other Institution	3.1%		
Total Newborns:	969			Home Health Service	0.0% 8.8%		
Total Newborns.	909			Left Against Medical Advice	0.0% 1.2%		
Psychiatric Utilization				Expired	2.1%		
Discharges:	1,095	Percent of All Discharges:	12.7%	Discharge/Tran to Court/Law Enforcmnt	0.2%		
Patient Days:	5,238	Percent of All Patient Days:	14.5%	Other	1.0%		
				Expected Pay Source Distri	<u>bution</u>		
AODA Utilization				Primary Payer	% Discharges		
Discharges:	273	Percent of All Discharges:	3.2%	Medicare	42.8%		
Patient Days:	897	Percent of All Patient Days:	2.5%	Medicaid/BadgerCare	19.2%		
				Other Government	6.4%		
				Commercial or Private Insurance	28.3%		
				Self-Pay	3.1%		
				Other or Unknown Insurance	0.0%		

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.3%	9.0%	Male	45.5%	48.7%	Amer.Ind/Alaskan Native	e 1.2%	1.1%
Under 15	4.7%	6.2%	Female	54.5%	51.3%	Asian	3.2%	2.7%
15 - 19	3.8%	4.2%				Black/African Amer.	3.6%	3.2%
20 - 24	3.4%	2.2%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	11.4%	7.6%				White	86.5%	88.3%
35 - 44	6.9%	5.5%				Multiracial	1.0%	0.9%
45 - 54	6.4%	6.8%				Declined	4.3%	3.6%
55 - 64	11.0%	12.6%				Unavailable	0 %	0 %
65 - 74	16.1%	19.1%						
75 - 84	16.3%	17.8%						
85 & Over	8.6%	9.0%						

004 Ascension NE Wisconsin - St. Elizabeth Campus

Appleton, WI 54915

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	144	4.7	4.0	1.18	5.0	0.94	4.6	1.02	
133 Respiratory failure	86	4.4	3.7	1.19	4.5	0.98	4.2	1.05	
137 Respiratory Infections and Inflammations	131	6.7	5.0	1.34	5.6	1.20	5.1	1.31	
139 Pneumonia	135	4.4	3.7	1.19	4.1	1.07	3.9	1.13	
174 Percutaneous coronary intervention w AMI	76	2.5	2.7	0.93	3.0	0.83	2.9	0.86	
175 Percutaneous coronary intervention w/o AMI	187	1.8	2.2	0.82	2.5	0.72	2.5	0.72	
194 Heart Failure	270	4.5	4.1	1.10	5.1	0.88	4.7	0.96	
201 Heart Abnormal Rhythm and Conduction Disorders	204	2.7	2.5	1.08	3.0	0.90	2.9	0.93	
463 Kidney/Urinary Tract Infection	95	4.5	3.4	1.32	4.0	1.13	3.8	1.18	
469 Acute kidney injury	79	5.4	4.1	1.32	5.2	1.04	4.8	1.13	
540 Cesarean Delivery	225	3.6	3.1	1.16	3.7	0.97	3.4	1.06	
560 Vaginal Delivery	714	2.0	1.9	1.05	2.2	0.91	2.1	0.95	
640 Normal Newborn, Birthweight 2500g+	859	2.0	1.9	1.05	2.0	1.00	1.9	1.05	
720 Blood Infection/Septicemia	314	7.2	5.1	1.41	6.3	1.14	5.7	1.26	
751 Psychoses	549	4.7	4.3	1.09	5.0	0.94	5.1	0.92	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	6
-DRG # and Description	<u>All GMS Hospitals</u> Average Charge Ratio
Stroke and Precerebral Occlusion with Infarct	\$50,763 0.70
Respiratory failure	\$41,427 0.68
Respiratory Infections and Inflammations	\$44,204 0.68
Pneumonia	\$33,131 0.73
Percutaneous coronary intervention w AMI	\$92,242 1.25
Percutaneous coronary intervention w/o AMI	\$110,305 0.95
Heart Failure	\$38,512 0.60
Heart Abnormal Rhythm and Conduction Disorders	\$27,857 0.69
Acute kidney injury	\$39,232 0.65
Vaginal Delivery	\$16,019 0.42
Blood Infection/Septicemia	\$5,687 0.79 \$56,342 0.68 # #
Kidney/Urinary Tract Infection	\$30,445
Acute kidney injury	\$39,232
Cesarean Delivery	\$31,158
Vaginal Delivery	\$16,019
Normal Newborn, Birthweight 2500g+	\$5,687

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

338 ThedaCare Medical Center 2400 E Capitol Drive Appleton, WI 54911 	Orthoped	lics, Spine and Pain		Hospital Type: GMS County: Outagamie Analysis Area: 3-Lake Winn Inpatient Volume Group: 4	ebago
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	501	Average Length of Stay (days):	1.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	720	Average Charge per Discharge:	\$62,558	Home or Self-Care Other GMS Hospital	72.1% 0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	14.2%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.2%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.6%
Total Childbirths:	0		0.070	Hospice	0.0%
	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	11.0%
Psychiatric Utilization				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.2%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	61.3%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	2.8%
-		-		Other Government	2.2%
				Commercial or Private Insurance	33.5%
				Self-Pay	0.2%
				-	

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	43.5%	42.5%	Amer.Ind/Alaskan Native	e 0.6%	0.4%
Under 15	0.0%	0.0%	Female	56.5%	57.5%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.8%	0.6%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.6%	1.1%				White	98.0%	98.5%
35 - 44	3.6%	3.3%				Multiracial	0.2%	0.1%
45 - 54	10.8%	9.0%				Declined	0.2%	0.1%
55 - 64	26.3%	25.4%				Unavailable	0.2%	0.3%
65 - 74	30.1%	30.1%						
75 - 84	22.4%	25.0%						
85 & Over	5.2%	6.0%						

Other or Unknown Insurance

0.0%

338 ThedaCare Medical Center Orthopedics, Spine and Pain

Appleton, WI 54911

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	0	N/A	4.0	N/A	3.5	N/A	4.6	N/A	
133 Respiratory failure	0	N/A	3.7	N/A	3.5	N/A	4.2	N/A	
137 Respiratory Infections and Inflammations	0	N/A	5.0	N/A	4.4	N/A	5.1	N/A	
139 Pneumonia	0	N/A	3.7	N/A	3.6	N/A	3.9	N/A	
194 Heart Failure	0	N/A	4.1	N/A	3.8	N/A	4.7	N/A	
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	2.5	N/A	2.6	N/A	2.9	N/A	
247 Intestinal Obstruction without Surgery	0	N/A	3.3	N/A	3.0	N/A	3.4	N/A	
383 Cellulitis & other skin infections	0	N/A	3.7	N/A	4.1	N/A	4.0	N/A	
463 Kidney/Urinary Tract Infection	0	N/A	3.4	N/A	3.4	N/A	3.8	N/A	
469 Acute kidney injury	0	N/A	4.1	N/A	4.2	N/A	4.8	N/A	
540 Cesarean Delivery	0	N/A	3.1	N/A	2.7	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	0	N/A	5.1	N/A	4.5	N/A	5.7	N/A	
775 Alcohol Abuse/Dependence	0	N/A	3.3	N/A	3.9	N/A	3.7	N/A	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient Va</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	N/A	N/A	\$35,316	*	\$39,675	*	\$50,763	*
133	Respiratory failure	N/A	N/A	\$29,067	*	\$36,159	*	\$41,427	*
137	Respiratory Infections and Inflammations	N/A	N/A	\$31,076	*	\$36,731	*	\$44,204	*
139	Pneumonia	N/A	N/A	\$25,465	*	\$28,353	*	\$33,131	*
194	Heart Failure	N/A	N/A	\$26,437	*	\$30,581	*	\$38,512	*
201	Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$19,751	*	\$24,409	*	\$27,857	*
247	Intestinal Obstruction without Surgery	N/A	N/A	\$18,938	*	\$23,588	*	\$27,065	*
383	Cellulitis & other skin infections	N/A	N/A	\$21,780	*	\$26,179	*	\$29,240	*
463	Kidney/Urinary Tract Infection	N/A	N/A	\$22,229	*	\$25,093	*	\$30,445	*
469	Acute kidney injury	N/A	N/A	\$26,749	*	\$31,117	*	\$39,232	*
540	Cesarean Delivery	N/A	N/A	\$20,549	*	\$26,660	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$12,456	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$5,451	*	\$5,687	*
720	Blood Infection/Septicemia	N/A	N/A	\$38,002	*	\$42,902	*	\$56,342	*
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

003 ThedaCare Regional Me 1818 North Meade Street Appleton, WI 54911 920-731-4101	dical Center	- Appleton, Inc.		Hospital Type: GMS County: Outagamie Analysis Area: 3-Lake Winn Inpatient Volume Group: 6	lebago
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	9,352	Average Length of Stay (days):	3.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	32,674	Average Charge per Discharge:	\$35,874	Home or Self-Care Other GMS Hospital	65.3% 1.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	522	Percent of All Childbirths:	69.5%	Skilled Nursing Facility	13.1%
Cesarean Childbirths:	196	Percent of All Childbirths:	26.1%	Intermediate Care Facility	1.3%
Other Childbirths:	33	Percent of All Childbirths:	4.4%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	751		1.170	Hospice	4.5%
Total Officialitis.	701			Other Institution	0.0%
Total Newborns:	813			Home Health Service	10.2%
Psychiatric Utilization				Left Against Medical Advice	0.6%
<u>P Sychlattic Othization</u>				Expired	1.3%
Discharges:	10	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	54	Percent of All Patient Days:	0.2%	Other	1.1%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	84	Percent of All Discharges:	0.9%	Medicare	55.1%
Patient Days:	275	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	8.7%
-				Other Government	3.2%
				Commercial or Private Insurance	30.1%
				Self-Pay	2.4%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	8.7%	4.3%	Male	47.8%	49.6%	Amer.Ind/Alaskan Native	e 1.7%	1.9%
Under 15	0.0%	0.0%	Female	52.2%	50.4%	Asian	2.7%	2.1%
15 - 19	0.5%	0.4%				Black/African Amer.	1.3%	1.3%
20 - 24	1.9%	1.5%				Native Hawaii/Pac.Isl.	0.1%	0.2%
25 - 34	8.6%	5.6%				White	92.0%	92.8%
35 - 44	6.0%	5.2%				Multiracial	0.2%	0.2%
45 - 54	6.6%	6.5%				Declined	0.4%	0.3%
55 - 64	15.3%	17.1%				Unavailable	1.6%	1.2%
65 - 74	22.3%	25.7%						
75 - 84	20.9%	23.4%						
85 & Over	9.2%	10.3%						

003 ThedaCare Regional Medical Center - Appleton, Inc.

Appleton, WI 54911

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages					
			Analys	sis Area	Inpatient Volume Group		<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	123	3.3	4.0	0.83	5.0	0.66	4.6	0.72
133 Respiratory failure	109	3.9	3.7	1.05	4.5	0.87	4.2	0.93
137 Respiratory Infections and Inflammations	129	4.8	5.0	0.96	5.6	0.86	5.1	0.94
139 Pneumonia	116	3.9	3.7	1.05	4.1	0.95	3.9	1.00
174 Percutaneous coronary intervention w AMI	273	2.8	2.7	1.04	3.0	0.93	2.9	0.97
175 Percutaneous coronary intervention w/o AMI	138	2.4	2.2	1.09	2.5	0.96	2.5	0.96
194 Heart Failure	353	4.4	4.1	1.07	5.1	0.86	4.7	0.94
201 Heart Abnormal Rhythm and Conduction Disorders	218	2.3	2.5	0.92	3.0	0.77	2.9	0.79
463 Kidney/Urinary Tract Infection	123	3.2	3.4	0.94	4.0	0.80	3.8	0.84
469 Acute kidney injury	165	4.0	4.1	0.98	5.2	0.77	4.8	0.83
540 Cesarean Delivery	196	2.6	3.1	0.84	3.7	0.70	3.4	0.76
560 Vaginal Delivery	522	1.8	1.9	0.95	2.2	0.82	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	758	1.8	1.9	0.95	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	881	4.6	5.1	0.90	6.3	0.73	5.7	0.81
751 Psychoses	0	N/A	4.3	N/A	5.0	N/A	5.1	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$30,161	\$31,860	\$35,316	0.90	\$54,618	0.58	\$50,763	0.63
133	Respiratory failure	\$30,829	\$26,929	\$29,067	0.93	\$44,431	0.61	\$41,427	0.65
137	Respiratory Infections and Inflammations	\$30,161	\$28,196	\$31,076	0.91	\$49,624	0.57	\$44,204	0.64
139	Pneumonia	\$24,754	\$23,704	\$25,465	0.93	\$37,011	0.64	\$33,131	0.72
174	Percutaneous coronary intervention w AMI	\$76,780	\$76,636	\$80,761	0.95	\$92,807	0.83	\$92,242	0.83
175	Percutaneous coronary intervention w/o AMI	\$81,721	\$82,438	\$96,138	0.86	\$112,207	0.73	\$110,305	0.75
194	Heart Failure	\$26,576	\$25,215	\$26,437	0.95	\$43,048	0.59	\$38,512	0.65
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,645	\$15,649	\$19,751	0.79	\$29,715	0.53	\$27,857	0.56
463	Kidney/Urinary Tract Infection	\$20,819	\$20,908	\$22,229	0.94	\$33,907	0.62	\$30,445	0.69
469	Acute kidney injury	\$24,498	\$24,615	\$26,749	0.92	\$43,161	0.57	\$39,232	0.63
540	Cesarean Delivery	\$19,376	\$20,870	\$20,549	1.02	\$32,532	0.64	\$31,158	0.67
560	Vaginal Delivery	\$9,561	\$10,044	\$9,705	1.03	\$17,304	0.58	\$16,019	0.63
640	Normal Newborn, Birthweight 2500g+	\$3,434	\$3,566	\$4,293	0.83	\$5,861	0.61	\$5,687	0.63
720	Blood Infection/Septicemia	\$34,195	\$34,147	\$38,002	0.90	\$62,322	0.55	\$56,342	0.61
751	Psychoses	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

006 Tamarack Health Ashlan	d Medical C	enter		Hospital Type: GMS	
1615 Maple Lane				County: Ashland	
Ashland, WI 54806				Analysis Area: 7-Western L	ake Superior
715-685-5500				Inpatient Volume Group: 4	·
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,963	Average Length of Stay (days):	4.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	7,806	Average Charge per Discharge:	\$16,654	Home or Self-Care Other GMS Hospital	71.9% 6.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.7%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	175 48 9	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	75.4% 20.7% 3.9%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.1% 1.4% 1.1%
Total Childbirths:	232		0.070	Hospice	0.8%
Total Newborns:	244			Other Institution Home Health Service	0.0% 0.5% 5.4%
Psychiatric Utilization				Left Against Medical Advice Expired	1.7%
Discharges: Patient Days:	230 1,304	Percent of All Discharges: Percent of All Patient Days:	11.7% 16.7%	Discharge/Tran to Court/Law Enforcmnt Other	0.1%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	199	Percent of All Discharges:	10.1%	Medicare	44.4%
Patient Days:	852	Percent of All Patient Days:	10.9%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	18.7% 2.9% 27.9%
				Self-Pay Other or Unknown Insurance	6.1% 0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	12.4%	5.6%	Male	43.4%	46.5%	Amer.Ind/Alaskan Native	e 17.9%	19.2%
Under 15	0.8%	0.3%	Female	56.6%	53.5%	Asian	0.5%	0.5%
15 - 19	1.4%	1.1%				Black/African Amer.	0.5%	0.3%
20 - 24	4.3%	3.3%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	13.8%	11.7%				White	78.9%	78.3%
35 - 44	10.8%	9.4%				Multiracial	0.7%	0.6%
45 - 54	6.1%	7.5%				Declined	0.6%	0.4%
55 - 64	10.5%	11.3%				Unavailable	0.8%	0.6%
65 - 74	15.9%	17.8%						
75 - 84	14.6%	18.7%						
85 & Over	9.4%	13.3%						

006 Tamarack Health Ashland Medical Center

Ashland, WI 54806

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	16	3.9	5.0	0.78	3.5	1.11	4.6	0.85	
133 Respiratory failure	31	3.9	3.3	1.18	3.5	1.11	4.2	0.93	
137 Respiratory Infections and Inflammations	51	5.3	4.9	1.08	4.4	1.20	5.1	1.04	
139 Pneumonia	97	4.4	4.1	1.07	3.6	1.22	3.9	1.13	
194 Heart Failure	51	3.4	3.7	0.92	3.8	0.89	4.7	0.72	
201 Heart Abnormal Rhythm and Conduction Disorders	38	2.4	2.8	0.86	2.6	0.92	2.9	0.83	
247 Intestinal Obstruction without Surgery	9	2.3	3.2	0.72	3.0	0.77	3.4	0.68	
383 Cellulitis & other skin infections	35	5.1	4.0	1.28	4.1	1.24	4.0	1.28	
463 Kidney/Urinary Tract Infection	34	5.6	4.0	1.40	3.4	1.65	3.8	1.47	
469 Acute kidney injury	13	4.2	3.0	1.40	4.2	1.00	4.8	0.88	
540 Cesarean Delivery	48	2.6	2.6	1.00	2.7	0.96	3.4	0.76	
560 Vaginal Delivery	175	1.7	1.8	0.94	1.8	0.94	2.1	0.81	
640 Normal Newborn, Birthweight 2500g+	214	1.8	1.7	1.06	1.8	1.00	1.9	0.95	
720 Blood Infection/Septicemia	64	4.5	4.2	1.07	4.5	1.00	5.7	0.79	
775 Alcohol Abuse/Dependence	126	4.6	4.3	1.07	3.9	1.18	3.7	1.24	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	y Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$23,926	\$29,728	\$25,393	1.17	\$39,675	0.75	\$50,763	0.59
133	Respiratory failure	\$20,280	\$23,448	\$20,007	1.17	\$36,159	0.65	\$41,427	0.57
137	Respiratory Infections and Inflammations	\$22,514	\$26,299	\$22,722	1.16	\$36,731	0.72	\$44,204	0.59
139	Pneumonia	\$18,768	\$21,312	\$20,478	1.04	\$28,353	0.75	\$33,131	0.64
194	Heart Failure	\$14,706	\$16,570	\$17,648	0.94	\$30,581	0.54	\$38,512	0.43
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,295	\$12,031	\$12,246	0.98	\$24,409	0.49	\$27,857	0.43
247	Intestinal Obstruction without Surgery	\$10,482	\$12,218	\$14,725	0.83	\$23,588	0.52	\$27,065	0.45
383	Cellulitis & other skin infections	\$20,691	\$20,366	\$16,229	1.25	\$26,179	0.78	\$29,240	0.70
463	Kidney/Urinary Tract Infection	\$20,759	\$20,632	\$16,198	1.27	\$25,093	0.82	\$30,445	0.68
469	Acute kidney injury	\$14,037	\$16,145	\$15,237	1.06	\$31,117	0.52	\$39,232	0.41
540	Cesarean Delivery	\$24,136	\$24,540	\$25,382	0.97	\$26,660	0.92	\$31,158	0.79
560	Vaginal Delivery	\$7,601	\$7,568	\$7,868	0.96	\$12,456	0.61	\$16,019	0.47
640	Normal Newborn, Birthweight 2500g+	\$4,389	\$4,266	\$4,533	0.94	\$5,451	0.78	\$5,687	0.75
720	Blood Infection/Septicemia	\$22,038	\$27,036	\$26,033	1.04	\$42,902	0.63	\$56,342	0.48
775	Alcohol Abuse/Dependence	\$15,562	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Risk-Adjusted Charges not calculated using 3MTM APR DRG Software licensed through 3M Health Information Systems. # Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

007 Western Wisconsin Health	ı			Hospital Type: GMS	
1100 Bergslien St				County: Saint Croix	
Baldwin, WI 54002				Analysis Area: 5A-West Cer	ntral
715-684-3311				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,108	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,967	Average Charge per Discharge:	\$12,617	Home or Self-Care Other GMS Hospital	85.3% 4.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths:	294	Percent of All Childbirths:	84.2%	Skilled Nursing Facility Intermediate Care Facility	4.0% 0.0%
Cesarean Childbirths: Other Childbirths:	33 22	Percent of All Childbirths: Percent of All Childbirths:	9.5% 6.3%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	349			Hospice Other Institution	0.7% 1.0%
Total Newborns:	292			Home Health Service	1.1%
Psychiatric Utilization				Left Against Medical Advice Expired	1.4% 0.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	0.9%	Medicare	26.2%
Patient Days:	20	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	22.0%
				Other Government	1.1%
				Commercial or Private Insurance	49.6%
				Self-Pay	1.1%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	26.4%	15.7%	Male	32.0%	38.2%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.6%	0.3%	Female	68.0%	61.8%	Asian	0.1%	0.1%
15 - 19	1.0%	0.7%				Black/African Amer.	0.2%	0.1%
20 - 24	5.0%	3.5%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	24.0%	18.1%				White	97.8%	98.4%
35 - 44	7.5%	7.1%				Multiracial	0.3%	0.2%
45 - 54	3.4%	3.8%				Declined	1.4%	1.0%
55 - 64	7.5%	12.1%				Unavailable	0 %	0 %
65 - 74	10.0%	17.6%						
75 - 84	8.5%	12.9%						
85 & Over	6.1%	8.2%						

007 Western Wisconsin Health

Baldwin, WI 54002

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	5	2.4	4.6	0.52	3.5	0.69	4.2	0.57
137 Respiratory Infections and Inflammations	13	4.4	4.6	0.96	3.9	1.13	5.1	0.86
139 Pneumonia	25	3.2	3.8	0.84	3.6	0.89	3.9	0.82
140 Chronic Obstructive Pulmonary Disease	23	4.2	3.3	1.27	3.5	1.20	3.3	1.27
194 Heart Failure	23	3.2	4.7	0.68	3.6	0.89	4.7	0.68
201 Heart Abnormal Rhythm and Conduction Disorders	5	2.8	2.9	0.97	2.6	1.08	2.9	0.97
247 Intestinal Obstruction without Surgery	11	2.0	2.9	0.69	3.0	0.67	3.4	0.59
383 Cellulitis & other skin infections	13	6.3	4.4	1.43	3.8	1.66	4.0	1.58
463 Kidney/Urinary Tract Infection	5	4.0	3.7	1.08	3.5	1.14	3.8	1.05
469 Acute kidney injury	7	3.4	4.5	0.76	3.1	1.10	4.8	0.71
560 Vaginal Delivery	294	1.9	2.0	0.95	1.8	1.06	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	276	1.6	1.8	0.89	1.6	1.00	1.9	0.84
720 Blood Infection/Septicemia	58	4.6	5.3	0.87	3.7	1.24	5.7	0.81
861 Signs & Symptoms	6	5.2	5.5	0.95	6.9	0.75	5.8	0.90
862 Other Factors Influencing Health Status	11	9.1	10.8	0.84	11.6	0.78	7.9	1.15

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$12,994	\$15,907	\$31,031	0.51	\$26,133	0.61	\$41,427	0.38
137	Respiratory Infections and Inflammations	\$18,069	\$21,335	\$33,451	0.64	\$25,355	0.84	\$44,204	0.48
139	Pneumonia	\$12,585	\$17,781	\$24,141	0.74	\$23,433	0.76	\$33,131	0.54
140	Chronic Obstructive Pulmonary Disease	\$22,006	\$25,217	\$21,372	1.18	\$23,153	1.09	\$32,611	0.77
194	Heart Failure	\$16,592	\$22,197	\$29,089	0.76	\$23,717	0.94	\$38,512	0.58
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,788	\$20,059	\$21,213	0.95	\$17,441	1.15	\$27,857	0.72
247	Intestinal Obstruction without Surgery	\$11,489	\$14,605	\$15,833	0.92	\$19,525	0.75	\$27,065	0.54
383	Cellulitis & other skin infections	\$23,208	\$26,524	\$21,652	1.23	\$19,976	1.33	\$29,240	0.91
463	Kidney/Urinary Tract Infection	\$10,712	\$10,825	\$20,430	0.53	\$21,286	0.51	\$30,445	0.36
469	Acute kidney injury	\$15,271	\$26,409	\$28,871	0.91	\$22,049	1.20	\$39,232	0.67
560	Vaginal Delivery	\$9,005	\$9,063	\$11,125	0.81	\$9,420	0.96	\$16,019	0.57
640	Normal Newborn, Birthweight 2500g+	\$3,513	\$3,760	\$3,955	0.95	\$3,997	0.94	\$5,687	0.66
720	Blood Infection/Septicemia	\$18,624	\$31,762	\$42,770	0.74	\$33,506	0.95	\$56,342	0.56
861	Signs & Symptoms	\$15,909	\$23,215	\$21,215	1.09	\$20,582	1.13	\$36,306	0.64
862	Other Factors Influencing Health Status	\$14,580	\$17,880	\$18,785	0.95	\$19,795	0.90	\$31,921	0.56

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

008 SSM Health St. Clare He	ospital – Bara	aboo		Hospital Type: GMS	
707 Fourteenth Street				County: Sauk	
Baraboo, WI 53913				Analysis Area: 1-Southern	
608-356-1400				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,626	Average Length of Stay (days):	3.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	5,371	Average Charge per Discharge:	\$30,370	Home or Self-Care Other GMS Hospital	66.6% 6.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	107 53 3	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	65.6% 32.5% 1.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	9.0% 0.7% 1.1%
Total Childbirths:	163	-		Hospice	5.1%
Total Newborns:	164			Other Institution Home Health Service	0.0% 7.3%
Psychiatric Utilization				Left Against Medical Advice Expired	1.5% 1.5%
Discharges: Patient Days:	1 3	Percent of All Discharges: Percent of All Patient Days:	0.1% 0.1%	Discharge/Tran to Court/Law Enforcmnt Other	0.1%
r ddont Buyo.	0		0.170	Expected Pay Source Distri	
AODA Utilization				Primary Payer	% Discharges
Discharges:	39	Percent of All Discharges:	2.4%	Medicare	54.9%
Patient Days:	111	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	20.0% 3.7% 18.9%
				Self-Pay Other or Unknown Insurance	2.5% 0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	10.1%	6.1%	Male	43.7%	45.0%	Amer.Ind/Alaskan Native	e 2.2%	2.2%
Under 15	0.6%	0.2%	Female	56.3%	55.0%	Asian	0.2%	0.2%
15 - 19	0.6%	0.4%				Black/African Amer.	2.0%	1.8%
20 - 24	3.9%	2.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.7%	6.3%				White	86.7%	89.0%
35 - 44	5.5%	4.0%				Multiracial	0.2%	0.1%
45 - 54	5.5%	4.9%				Declined	0.4%	0.2%
55 - 64	11.9%	14.3%				Unavailable	8.2%	6.4%
65 - 74	18.4%	21.2%						
75 - 84	21.3%	23.5%						
85 & Over	13.6%	16.4%						

008 SSM Health St. Clare Hospital – Baraboo

Baraboo, WI 53913

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	27	3.9	4.5	0.87	3.5	1.11	4.6	0.85		
133 Respiratory failure	30	3.2	4.3	0.74	3.5	0.91	4.2	0.76		
137 Respiratory Infections and Inflammations	62	3.8	5.1	0.75	4.4	0.86	5.1	0.75		
139 Pneumonia	62	3.4	3.9	0.87	3.6	0.94	3.9	0.87		
194 Heart Failure	105	3.5	5.1	0.69	3.8	0.92	4.7	0.74		
201 Heart Abnormal Rhythm and Conduction Disorders	34	2.6	3.0	0.87	2.6	1.00	2.9	0.90		
247 Intestinal Obstruction without Surgery	24	2.5	3.6	0.69	3.0	0.83	3.4	0.74		
383 Cellulitis & other skin infections	49	4.5	4.2	1.07	4.1	1.10	4.0	1.13		
463 Kidney/Urinary Tract Infection	30	3.9	3.8	1.03	3.4	1.15	3.8	1.03		
469 Acute kidney injury	34	4.1	4.8	0.85	4.2	0.98	4.8	0.85		
540 Cesarean Delivery	53	2.9	3.7	0.78	2.7	1.07	3.4	0.85		
560 Vaginal Delivery	107	2.0	2.1	0.95	1.8	1.11	2.1	0.95		
640 Normal Newborn, Birthweight 2500g+	156	2.0	2.0	1.00	1.8	1.11	1.9	1.05		
720 Blood Infection/Septicemia	157	5.2	6.1	0.85	4.5	1.16	5.7	0.91		
775 Alcohol Abuse/Dependence	30	2.3	3.8	0.61	3.9	0.59	3.7	0.62		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	i	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$44,424	\$47,427	\$59,881	0.79	\$39,675	1.20	\$50,763	0.93
133	Respiratory failure	\$37,018	\$44,351	\$52,595	0.84	\$36,159	1.23	\$41,427	1.07
137	Respiratory Infections and Inflammations	\$40,208	\$41,987	\$54,668	0.77	\$36,731	1.14	\$44,204	0.95
139	Pneumonia	\$34,295	\$35,870	\$39,479	0.91	\$28,353	1.27	\$33,131	1.08
194	Heart Failure	\$30,805	\$33,653	\$47,309	0.71	\$30,581	1.10	\$38,512	0.87
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,154	\$29,362	\$33,234	0.88	\$24,409	1.20	\$27,857	1.05
247	Intestinal Obstruction without Surgery	\$22,044	\$25,410	\$32,288	0.79	\$23,588	1.08	\$27,065	0.94
383	Cellulitis & other skin infections	\$34,575	\$33,571	\$34,338	0.98	\$26,179	1.28	\$29,240	1.15
463	Kidney/Urinary Tract Infection	\$34,207	\$34,850	\$35,981	0.97	\$25,093	1.39	\$30,445	1.14
469	Acute kidney injury	\$33,529	\$38,898	\$46,091	0.84	\$31,117	1.25	\$39,232	0.99
540	Cesarean Delivery	\$25,531	\$28,712	\$36,417	0.79	\$26,660	1.08	\$31,158	0.92
560	Vaginal Delivery	\$12,115	\$12,556	\$17,782	0.71	\$12,456	1.01	\$16,019	0.78
640	Normal Newborn, Birthweight 2500g+	\$4,256	\$4,096	\$5,754	0.71	\$5,451	0.75	\$5,687	0.72
720	Blood Infection/Septicemia	\$49,399	\$50,885	\$70,715	0.72	\$42,902	1.19	\$56,342	0.90
775	Alcohol Abuse/Dependence	\$23,624	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

009 Mayo Clinic Health Sys	tem - Northla	nd in Barron		Hospital Type: GMS	
1222 E Woodland Avenue				County: Barron	
Barron, WI 54812				Analysis Area: 5A-West Cer	ntral
715-537-3186				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	843	Average Length of Stay (days):	3.0	Discharge Status	% Discharges
Total Patient Days:	2,515	Average Charge per Discharge:	\$16,275	Home or Self-Care	48.8% 6.9%
				Other GMS Hospital	0.0%
Obstetrical Utilization				Critical Access Hospital (CAH) Skilled Nursing Facility	13.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	-	0.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	0			Hospice Other Institution	3.7% 0.0%
Total Navykaway	0			Home Health Service	
Total Newborns:	0				6.6%
Psychiatric Utilization				Left Against Medical Advice	0.9% 0.7%
Discharges:	2	Percent of All Discharges:	0.2%	Expired Discharge/Tran to Court/Law Enforcmnt	0.7%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	16.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	0.7%	Medicare	80.3%
Patient Days:	13	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	4.6%
				Other Government	4.2%
				Commercial or Private Insurance	10.0%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	44.0%	42.9%	Amer.Ind/Alaskan Native	e 0.7%	0.6%
Under 15	0.0%	0.0%	Female	56.0%	57.1%	Asian	0.1%	0.1%
15 - 19	0.0%	0.0%				Black/African Amer.	0.2%	0.2%
20 - 24	0.4%	0.1%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	2.4%	1.5%				White	98.0%	98.4%
35 - 44	3.2%	2.4%				Multiracial	0.1%	0.1%
45 - 54	5.8%	4.9%				Declined	0.0%	0.0%
55 - 64	11.3%	10.1%				Unavailable	0.7%	0.7%
65 - 74	25.0%	24.8%						
75 - 84	31.2%	32.6%						
85 & Over	20.8%	23.6%						

009 Mayo Clinic Health System - Northland in Barron

Barron, WI 54812

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	19	2.4	4.6	0.52	3.6	0.67	4.2	0.57	
137 Respiratory Infections and Inflammations	61	3.1	4.6	0.67	3.7	0.84	5.1	0.61	
139 Pneumonia	70	3.1	3.8	0.82	3.4	0.91	3.9	0.79	
140 Chronic Obstructive Pulmonary Disease	23	2.5	3.3	0.76	3.0	0.83	3.3	0.76	
194 Heart Failure	84	3.1	4.7	0.66	3.7	0.84	4.7	0.66	
201 Heart Abnormal Rhythm and Conduction Disorders	12	2.8	2.9	0.97	2.7	1.04	2.9	0.97	
247 Intestinal Obstruction without Surgery	15	2.6	2.9	0.90	2.8	0.93	3.4	0.76	
326 Elective knee joint replacement	*	*	2.7	*	1.6	*	2.0	*	
383 Cellulitis & other skin infections	35	3.8	4.4	0.86	3.8	1.00	4.0	0.95	
463 Kidney/Urinary Tract Infection	41	3.1	3.7	0.84	3.3	0.94	3.8	0.82	
469 Acute kidney injury	31	3.1	4.5	0.69	3.4	0.91	4.8	0.65	
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	97	3.2	5.3	0.60	3.9	0.82	5.7	0.56	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$12,783	\$15,024	\$31,031	0.48	\$27,996	0.54	\$41,427	0.36
137	Respiratory Infections and Inflammations	\$19,286	\$22,295	\$33,451	0.67	\$25,863	0.86	\$44,204	0.50
139	Pneumonia	\$16,153	\$16,352	\$24,141	0.68	\$23,921	0.68	\$33,131	0.49
140	Chronic Obstructive Pulmonary Disease	\$14,103	\$14,841	\$21,372	0.69	\$20,883	0.71	\$32,611	0.46
194	Heart Failure	\$16,830	\$19,078	\$29,089	0.66	\$24,051	0.79	\$38,512	0.50
201	Heart Abnormal Rhythm and Conduction Disorders	\$14,210	\$14,479	\$21,213	0.68	\$18,840	0.77	\$27,857	0.52
247	Intestinal Obstruction without Surgery	\$11,587	\$14,411	\$15,833	0.91	\$17,509	0.82	\$27,065	0.53
326	Elective knee joint replacement	*	*	\$44,423	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$17,368	\$17,760	\$21,652	0.82	\$21,588	0.82	\$29,240	0.61
463	Kidney/Urinary Tract Infection	\$14,304	\$14,911	\$20,430	0.73	\$17,785	0.84	\$30,445	0.49
469	Acute kidney injury	\$14,472	\$17,404	\$28,871	0.60	\$22,228	0.78	\$39,232	0.44
540	Cesarean Delivery	N/A	N/A	\$22,518	*	\$26,138	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$12,000	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$4,404	*	\$5,687	*
720	Blood Infection/Septicemia	\$16,595	\$21,100	\$42,770	0.49	\$33,539	0.63	\$56,342	0.37

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

010 Marshfield Medical Center – Beaver	Dam		Hospital Type: GMS	
707 South University Avenue			County: Dodge	
Beaver Dam, WI 53916			Analysis Area: 1-Southern	
920-887-7181			Inpatient Volume Group: 3	
Overall Hospital Utilization			Patient Discharge Statu	I <u>S</u>
Total Discharges: 896	Average Length of Stay (days):	2.6	Discharge Status	<u>% Discharges</u>
Total Patient Days: 2,303	Average Charge per Discharge:	\$23,058	Home or Self-Care Other GMS Hospital	66.3% 4.7%
Obstetrical Utilization			Critical Access Hospital (CAH)	0.1%
Normal Childbirths:108Cesarean Childbirths:29Other Childbirths:14	Percent of All Childbirths:	71.5% 19.2% 9.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	11.9% 2.0% 0.1%
Total Childbirths: 151	· · · · · · · · · · · · · · · · · · ·	0.070	Hospice	2.8%
Total Newborns: 157			Other Institution Home Health Service	0.0% 9.8%
Psychiatric Utilization			Left Against Medical Advice Expired	0.8% 1.3%
Discharges: 0 Patient Days: 0	· · · · · · · · · · · · · · · · · · ·	0.0% 0.0%	Discharge/Tran to Court/Law Enforcmnt Other	0.1%
Talient Days. 0	reicent of Air ratient Days.	0.078	Expected Pay Source Distril	
AODA Utilization			Primary Payer	<u>% Discharges</u>
Discharges: 14	Percent of All Discharges:	1.6%	Medicare	42.2%
Patient Days: 41	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	25.6% 2.7% 26.9%
			Self-Pay Other or Unknown Insurance	2.7% 0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	17.5%	13.2%	Male	39.5%	40.6%	Amer.Ind/Alaskan Native	e 0.2%	0.3%
Under 15	0.1%	0.0%	Female	60.5%	59.4%	Asian	0.3%	0.3%
15 - 19	1.3%	1.3%				Black/African Amer.	2.0%	2.1%
20 - 24	4.0%	3.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.9%	11.6%				White	96.4%	96.6%
35 - 44	7.1%	6.6%				Multiracial	0.0%	0.0%
45 - 54	5.6%	5.1%				Declined	0.1%	0.1%
55 - 64	9.9%	9.5%				Unavailable	0.9%	0.6%
65 - 74	16.0%	19.1%						
75 - 84	14.6%	16.4%						
85 & Over	10.8%	13.2%						

010 Marshfield Medical Center – Beaver Dam

Beaver Dam, WI 53916

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	14	2.5	4.3	0.58	3.6	0.69	4.2	0.60		
137 Respiratory Infections and Inflammations	21	3.3	5.1	0.65	3.7	0.89	5.1	0.65		
139 Pneumonia	22	2.7	3.9	0.69	3.4	0.79	3.9	0.69		
140 Chronic Obstructive Pulmonary Disease	12	1.8	3.4	0.53	3.0	0.60	3.3	0.55		
194 Heart Failure	55	2.6	5.1	0.51	3.7	0.70	4.7	0.55		
201 Heart Abnormal Rhythm and Conduction Disorders	9	2.2	3.0	0.73	2.7	0.81	2.9	0.76		
247 Intestinal Obstruction without Surgery	13	2.8	3.6	0.78	2.8	1.00	3.4	0.82		
326 Elective knee joint replacement	0	N/A	2.0	N/A	1.6	N/A	2.0	N/A		
383 Cellulitis & other skin infections	12	2.8	4.2	0.67	3.8	0.74	4.0	0.70		
463 Kidney/Urinary Tract Infection	18	3.1	3.8	0.82	3.3	0.94	3.8	0.82		
469 Acute kidney injury	27	2.5	4.8	0.52	3.4	0.74	4.8	0.52		
540 Cesarean Delivery	29	2.9	3.7	0.78	2.8	1.04	3.4	0.85		
560 Vaginal Delivery	108	2.2	2.1	1.05	1.9	1.16	2.1	1.05		
640 Normal Newborn, Birthweight 2500g+	149	1.9	2.0	0.95	1.8	1.06	1.9	1.00		
720 Blood Infection/Septicemia	99	3.1	6.1	0.51	3.9	0.79	5.7	0.54		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$26,207	\$30,719	\$52,595	0.58	\$27,996	1.10	\$41,427	0.74
137 139	Respiratory Infections and Inflammations Pneumonia	\$32,096 \$26,758	\$33,066 \$27,898	\$54,668 \$39,479	0.60 0.71	\$25,863 \$23,921	1.28 1.17	\$44,204 \$33,131	0.75 0.84
140	Chronic Obstructive Pulmonary Disease	\$21,587	\$23,376	\$37,773	0.62	\$20,883	1.12	\$32,611	0.72
194	Heart Failure	\$22,661	\$26,158	\$47,309	0.55	\$24,051	1.09	\$38,512	0.68
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,854	\$23,508	\$33,234	0.71	\$18,840	1.25	\$27,857	0.84
247	Intestinal Obstruction without Surgery	\$23,164	\$27,687	\$32,288	0.86	\$17,509	1.58	\$27,065	1.02
326	Elective knee joint replacement	N/A	N/A	\$59,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$28,749	\$34,243	\$34,338	1.00	\$21,588	1.59	\$29,240	1.17
463	Kidney/Urinary Tract Infection	\$23,251	\$23,316	\$35,981	0.65	\$17,785	1.31	\$30,445	0.77
469	Acute kidney injury	\$22,068	\$24,247	\$46,091	0.53	\$22,228	1.09	\$39,232	0.62
540	Cesarean Delivery	\$25,458	\$25,899	\$36,417	0.71	\$26,138	0.99	\$31,158	0.83
560	Vaginal Delivery	\$17,937	\$18,285	\$17,782	1.03	\$12,000	1.52	\$16,019	1.14
640	Normal Newborn, Birthweight 2500g+	\$5,844	\$5,857	\$5,754	1.02	\$4,404	1.33	\$5,687	1.03
720	Blood Infection/Septicemia	\$30,412	\$35,584	\$70,715	0.50	\$33,539	1.06	\$56,342	0.63

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

011 Beloit Health System				Hospital Type: GMS	
1969 West Hart Road				County: Rock	
Beloit, WI 53511				Analysis Area: 1-Southern	
608-324-5011				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	4,424	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	19,559	Average Charge per Discharge:	\$64,788	Home or Self-Care Other GMS Hospital	71.7% 1.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	210	Percent of All Childbirths:	70.5%	Skilled Nursing Facility Intermediate Care Facility	13.4% 0.0%
Cesarean Childbirths: Other Childbirths:	79 9	Percent of All Childbirths: Percent of All Childbirths:	26.5% 3.0%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	298			Hospice	2.3%
Total Newborns:	278			Other Institution Home Health Service	0.0% 4.6%
Psychiatric Utilization				Left Against Medical Advice Expired	2.4% 2.8%
Discharges:	4	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	9	Percent of All Patient Days:	0.0%	Other	0.5%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	66	Percent of All Discharges:	1.5%	Medicare	57.0%
Patient Days:	196	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	20.0%
				Other Government	2.2%
				Commercial or Private Insurance	17.8%
				Self-Pay	3.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	6.3%	2.8%	Male	43.7%	46.3%	Amer.Ind/Alaskan Native	e 0.1%	0.1%
Under 15	0.6%	0.2%	Female	56.3%	53.7%	Asian	0.4%	0.3%
15 - 19	1.0%	0.5%				Black/African Amer.	11.6%	12.4%
20 - 24	3.1%	1.7%				Native Hawaii/Pac.Isl.	0.4%	0.5%
25 - 34	6.7%	3.6%				White	85.6%	85.0%
35 - 44	6.4%	4.6%				Multiracial	0.8%	0.6%
45 - 54	8.3%	8.1%				Declined	1.2%	1.0%
55 - 64	15.9%	17.3%				Unavailable	0 %	0 %
65 - 74	21.2%	25.7%						
75 - 84	18.7%	22.0%						
85 & Over	11.8%	13.4%						

011 Beloit Health System

Beloit, WI 53511

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analysis Area		Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	75	4.1	4.5	0.91	3.9	1.05	4.6	0.89
133 Respiratory failure	31	4.4	4.3	1.02	4.2	1.05	4.2	1.05
137 Respiratory Infections and Inflammations	94	4.7	5.1	0.92	5.1	0.92	5.1	0.92
139 Pneumonia	140	4.4	3.9	1.13	4.0	1.10	3.9	1.13
194 Heart Failure	241	5.4	5.1	1.06	4.5	1.20	4.7	1.15
201 Heart Abnormal Rhythm and Conduction Disorders	98	3.9	3.0	1.30	3.0	1.30	2.9	1.34
383 Cellulitis & other skin infections	47	4.0	4.2	0.95	3.9	1.03	4.0	1.00
463 Kidney/Urinary Tract Infection	97	3.9	3.8	1.03	3.6	1.08	3.8	1.03
466 Malfunction, reaction, complic of genitourinary device or pro	oc 47	5.4	5.5	0.98	5.1	1.06	5.2	1.04
469 Acute kidney injury	103	4.7	4.8	0.98	4.6	1.02	4.8	0.98
540 Cesarean Delivery	79	3.0	3.7	0.81	2.9	1.03	3.4	0.88
560 Vaginal Delivery	210	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	261	1.9	2.0	0.95	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	328	6.3	6.1	1.03	5.3	1.19	5.7	1.11
775 Alcohol Abuse/Dependence	44	3.5	3.8	0.92	3.4	1.03	3.7	0.95

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$71,032	\$81,553	\$59,881	1.36	\$47,909	1.70	\$50,763	1.61
133	Respiratory failure	\$66,134	\$58,424	\$52,595	1.11	\$41,132	1.42	\$41,427	1.41
137	Respiratory Infections and Inflammations	\$61,152	\$60,577	\$54,668	1.11	\$44,693	1.36	\$44,204	1.37
139	Pneumonia	\$46,556	\$43,969	\$39,479	1.11	\$34,901	1.26	\$33,131	1.33
194	Heart Failure	\$54,711	\$56,185	\$47,309	1.19	\$36,539	1.54	\$38,512	1.46
201	Heart Abnormal Rhythm and Conduction Disorders	\$45,801	\$42,094	\$33,234	1.27	\$27,323	1.54	\$27,857	1.51
383	Cellulitis & other skin infections	\$36,840	\$40,810	\$34,338	1.19	\$29,662	1.38	\$29,240	1.40
463	Kidney/Urinary Tract Infection	\$41,356	\$42,574	\$35,981	1.18	\$30,920	1.38	\$30,445	1.40
466	Malfunction, reaction, complic of genitourinary device or proc	\$61,030	\$63,048	\$57,360	1.10	\$41,728	1.51	\$45,131	1.40
469	Acute kidney injury	\$53,396	\$56,063	\$46,091	1.22	\$37,998	1.48	\$39,232	1.43
540	Cesarean Delivery	\$37,049	\$40,956	\$36,417	1.12	\$29,193	1.40	\$31,158	1.31
560	Vaginal Delivery	\$22,474	\$23,147	\$17,782	1.30	\$14,839	1.56	\$16,019	1.44
640	Normal Newborn, Birthweight 2500g+	\$6,449	\$6,897	\$5,754	1.20	\$5,740	1.20	\$5,687	1.21
720	Blood Infection/Septicemia	\$87,536	\$85,779	\$70,715	1.21	\$52,940	1.62	\$56,342	1.52
775	Alcohol Abuse/Dependence	\$46,314	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

013 ThedaCare Medical Cen	iter - Berlin, I	nc.		Hospital Type: GMS	
225 Memorial Drive				County: Green Lake	
Berlin, WI 54923				Analysis Area: 3-Lake Winn	ebado
920-361-1313				Inpatient Volume Group: 3	5
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	841	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,278	Average Charge per Discharge:	\$22,871	Home or Self-Care Other GMS Hospital	53.2% 8.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	71	Percent of All Childbirths:	78.9%	Skilled Nursing Facility Intermediate Care Facility	16.2% 3.7%
Cesarean Childbirths: Other Childbirths:	13 6	Percent of All Childbirths: Percent of All Childbirths:	14.4% 6.7%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	90	-		Hospice	4.5%
				Other Institution	0.0%
Total Newborns:	93			Home Health Service	9.6%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 0.8%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	1.4%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	4	Percent of All Discharges:	0.5%	Medicare	60.6%
Patient Days:	13	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	15.3%
				Other Government	3.0%
				Commercial or Private Insurance	16.8%
				Self-Pay	2.3%
				Other or Unknown Insurance	2.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.1%	6.5%	Male	44.9%	46.3%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.0%	0.0%	Female	55.1%	53.7%	Asian	0.6%	0.2%
15 - 19	0.8%	0.7%				Black/African Amer.	0.6%	0.7%
20 - 24	3.6%	2.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	7.1%	4.9%				White	96.8%	98.0%
35 - 44	6.1%	5.8%				Multiracial	0.0%	0.0%
45 - 54	4.5%	3.7%				Declined	0.1%	0.1%
55 - 64	10.5%	13.5%				Unavailable	1.7%	0.8%
65 - 74	21.5%	23.5%						
75 - 84	20.6%	22.1%						
85 & Over	14.3%	16.5%						

013 ThedaCare Medical Center - Berlin, Inc.

Berlin, WI 54923

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS H	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	17	3.1	3.7	0.84	3.6	0.86	4.2	0.74	
137 Respiratory Infections and Inflammations	21	3.1	5.0	0.62	3.7	0.84	5.1	0.61	
139 Pneumonia	34	2.9	3.7	0.78	3.4	0.85	3.9	0.74	
140 Chronic Obstructive Pulmonary Disease	20	2.8	2.8	1.00	3.0	0.93	3.3	0.85	
194 Heart Failure	40	3.5	4.1	0.85	3.7	0.95	4.7	0.74	
201 Heart Abnormal Rhythm and Conduction Disorders	16	1.5	2.5	0.60	2.7	0.56	2.9	0.52	
247 Intestinal Obstruction without Surgery	10	2.0	3.3	0.61	2.8	0.71	3.4	0.59	
326 Elective knee joint replacement	*	*	1.8	*	1.6	*	2.0	*	
383 Cellulitis & other skin infections	14	3.0	3.7	0.81	3.8	0.79	4.0	0.75	
463 Kidney/Urinary Tract Infection	19	2.9	3.4	0.85	3.3	0.88	3.8	0.76	
469 Acute kidney injury	29	2.6	4.1	0.63	3.4	0.76	4.8	0.54	
540 Cesarean Delivery	13	2.2	3.1	0.71	2.8	0.79	3.4	0.65	
560 Vaginal Delivery	71	1.8	1.9	0.95	1.9	0.95	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	86	1.6	1.9	0.84	1.8	0.89	1.9	0.84	
720 Blood Infection/Septicemia	81	3.3	5.1	0.65	3.9	0.85	5.7	0.58	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$30,462	\$31,803	\$29,067	1.09	\$27,996	1.14	\$41,427	0.77
137	Respiratory Infections and Inflammations	\$26,871	\$30,702	\$31,076	0.99	\$25,863	1.19	\$44,204	0.69
139	Pneumonia	\$25,320	\$23,361	\$25,465	0.92	\$23,921	0.98	\$33,131	0.71
140	Chronic Obstructive Pulmonary Disease	\$23,048	\$23,732	\$23,561	1.01	\$20,883	1.14	\$32,611	0.73
194	Heart Failure	\$24,276	\$26,355	\$26,437	1.00	\$24,051	1.10	\$38,512	0.68
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,720	\$17,848	\$19,751	0.90	\$18,840	0.95	\$27,857	0.64
247	Intestinal Obstruction without Surgery	\$20,401	\$21,524	\$18,938	1.14	\$17,509	1.23	\$27,065	0.80
326	Elective knee joint replacement	*	*	\$44,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$21,040	\$23,274	\$21,780	1.07	\$21,588	1.08	\$29,240	0.80
463	Kidney/Urinary Tract Infection	\$22,887	\$21,635	\$22,229	0.97	\$17,785	1.22	\$30,445	0.71
469	Acute kidney injury	\$17,975	\$20,609	\$26,749	0.77	\$22,228	0.93	\$39,232	0.53
540	Cesarean Delivery	\$23,303	\$24,332	\$20,549	1.18	\$26,138	0.93	\$31,158	0.78
560	Vaginal Delivery	\$12,027	\$11,978	\$9,705	1.23	\$12,000	1.00	\$16,019	0.75
640	Normal Newborn, Birthweight 2500g+	\$3,604	\$3,865	\$4,293	0.90	\$4,404	0.88	\$5,687	0.68
720	Blood Infection/Septicemia	\$28,888	\$34,784	\$38,002	0.92	\$33,539	1.04	\$56,342	0.62

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

014 Black River Health 711 West Adams Street				Hospital Type: GMS County: Jackson	
Black River Falls, WI 54615				Analysis Area: 5B-Southwe	stern
715-284-5361				Inpatient Volume Group: 2	3011
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	549	Average Length of Stay (days):	3.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,620	Average Charge per Discharge:	\$15,664	Home or Self-Care Other GMS Hospital	72.9% 6.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	63 26 14	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	61.2% 25.2% 13.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	5.5% 0.0% 0.0%
Total Childbirths:	14	reicent of All Childbirths.	13.0%	Hospice	0.5%
Total Childbiltits.	105			Other Institution	0.0%
Total Newborns:	108			Home Health Service	1.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 1.1%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	1.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	10.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	8	Percent of All Discharges:	1.5%	Medicare	43.4%
Patient Days:	18	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	25.3%
				Other Government	4.2%
				Commercial or Private Insurance	22.2%
				Self-Pay	4.7%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	19.7%	11.9%	Male	37.5%	39.4%	Amer.Ind/Alaskan Native	e 7.7%	6.2%
Under 15	0.4%	0.2%	Female	62.5%	60.6%	Asian	0.5%	0.4%
15 - 19	1.6%	1.2%				Black/African Amer.	0.5%	0.2%
20 - 24	5.3%	3.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	14.2%	10.2%				White	80.7%	86.7%
35 - 44	4.4%	3.3%				Multiracial	0.0%	0.0%
45 - 54	3.8%	3.9%				Declined	0.4%	0.2%
55 - 64	7.8%	12.7%				Unavailable	10.2%	6.2%
65 - 74	15.1%	15.4%						
75 - 84	15.5%	23.2%						
85 & Over	12.2%	13.9%						

014 Black River Health

Black River Falls, WI 54615

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	26	2.9	3.6	0.81	3.5	0.83	4.2	0.69
137 Respiratory Infections and Inflammations	9	4.0	4.5	0.89	3.9	1.03	5.1	0.78
139 Pneumonia	14	3.2	3.2	1.00	3.6	0.89	3.9	0.82
140 Chronic Obstructive Pulmonary Disease	10	4.9	2.9	1.69	3.5	1.40	3.3	1.48
194 Heart Failure	14	2.7	4.0	0.68	3.6	0.75	4.7	0.57
201 Heart Abnormal Rhythm and Conduction Disorders	9	2.8	2.9	0.97	2.6	1.08	2.9	0.97
247 Intestinal Obstruction without Surgery	8	2.9	2.7	1.07	3.0	0.97	3.4	0.85
383 Cellulitis & other skin infections	16	3.1	3.8	0.82	3.8	0.82	4.0	0.78
463 Kidney/Urinary Tract Infection	14	3.1	3.2	0.97	3.5	0.89	3.8	0.82
469 Acute kidney injury	10	2.9	4.2	0.69	3.1	0.94	4.8	0.60
560 Vaginal Delivery	63	1.8	2.1	0.86	1.8	1.00	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	95	1.8	1.7	1.06	1.6	1.13	1.9	0.95
720 Blood Infection/Septicemia	33	3.1	4.5	0.69	3.7	0.84	5.7	0.54
861 Signs & Symptoms	9	11.1	6.6	1.68	6.9	1.61	5.8	1.91
862 Other Factors Influencing Health Status	*	*	11.5	*	11.6	*	l 7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133 Respiratory failure	\$20,942	\$20,960	\$25,776	0.81	\$26,133	0.80	\$41,427	0.51
137 Respiratory Infections and Inflammations	\$23,672	\$25,397	\$30,904	0.82	\$25,355	1.00	\$44,204	0.57
139 Pneumonia	\$19,023	\$24,073	\$21,981	1.10	\$23,433	1.03	\$33,131	0.73
140 Chronic Obstructive Pulmonary Disease	\$25,246	\$26,531	\$20,738	1.28	\$23,153	1.15	\$32,611	0.81
194 Heart Failure	\$14,525	\$16,303	\$24,595	0.66	\$23,717	0.69	\$38,512	0.42
201 Heart Abnormal Rhythm and Conduction Disorders	s \$19,472	\$20,339	\$18,874	1.08	\$17,441	1.17	\$27,857	0.73
247 Intestinal Obstruction without Surgery	\$12,763	\$11,745	\$16,242	0.72	\$19,525	0.60	\$27,065	0.43
383 Cellulitis & other skin infections	\$14,587	\$16,980	\$18,125	0.94	\$19,976	0.85	\$29,240	0.58
463 Kidney/Urinary Tract Infection	\$18,971	\$19,456	\$17,248	1.13	\$21,286	0.91	\$30,445	0.64
469 Acute kidney injury	\$16,254	\$21,451	\$23,553	0.91	\$22,049	0.97	\$39,232	0.55
560 Vaginal Delivery	\$9,152	\$8,889	\$17,310	0.51	\$9,420	0.94	\$16,019	0.55
640 Normal Newborn, Birthweight 2500g+	\$6,004	\$6,322	\$4,773	1.32	\$3,997	1.58	\$5,687	1.11
720 Blood Infection/Septicemia	\$16,307	\$27,556	\$30,431	0.91	\$33,506	0.82	\$56,342	0.49
861 Signs & Symptoms	\$15,929	\$19,709	\$27,408	0.72	\$20,582	0.96	\$36,306	0.54
862 Other Factors Influencing Health Status	*	*	\$38,307	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Risk-Adjusted Charges not calculated using SMM APR DRG Software licensed tinough SM Health Information Systems. # Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

015 Mayo Clinic Health System	em - Chippe	wa Valley in Bloomer		Hospital Type: GMS	
1501 Thompson Street				County: Chippewa	
Bloomer, WI 54724				Analysis Area: 5A-West Cer	ntral
715-568-2000				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	366	Average Length of Stay (days):	3.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,265	Average Charge per Discharge:	\$15,874	Home or Self-Care Other GMS Hospital	44.3% 4.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	5.2% 2.2% 0.0%
Total Childbirths:	0		0.070	Hospice	0.3%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	6.0%
Psychiatric Utilization				Left Against Medical Advice Expired	1.6% 0.3%
Discharges:	1	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	4	Percent of All Patient Days:	0.3%	Other	35.8%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	1	Percent of All Discharges:	0.3%	Medicare	81.7%
Patient Days:	2	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	3.3%
				Other Government	6.6%
				Commercial or Private Insurance	7.4%
				Self-Pay	1.1%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.9%	50.0%	Amer.Ind/Alaskan Native	0.3%	0.3%
Under 15	0.0%	0.0%	Female	51.1%	50.0%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.8%	0.7%
20 - 24	0.5%	0.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.9%	2.8%				White	98.1%	98.0%
35 - 44	2.5%	2.0%				Multiracial	0.3%	0.3%
45 - 54	6.0%	5.4%				Declined	0.0%	0.0%
55 - 64	6.3%	7.8%				Unavailable	0.5%	0.6%
65 - 74	26.0%	25.1%						
75 - 84	35.0%	34.2%						
85 & Over	21.9%	22.0%						

015 Mayo Clinic Health System - Chippewa Valley in Bloomer

Bloomer, WI 54724

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	5	3.6	4.6	0.78	3.5	1.03	4.2	0.86
137 Respiratory Infections and Inflammations	36	3.6	4.6	0.78	3.9	0.92	5.1	0.71
139 Pneumonia	41	3.6	3.8	0.95	3.6	1.00	3.9	0.92
140 Chronic Obstructive Pulmonary Disease	11	3.0	3.3	0.91	3.5	0.86	3.3	0.91
194 Heart Failure	39	3.6	4.7	0.77	3.6	1.00	4.7	0.77
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.9	*	2.6	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	2.9	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	25	3.3	4.4	0.75	3.8	0.87	4.0	0.83
463 Kidney/Urinary Tract Infection	23	3.2	3.7	0.86	3.5	0.91	3.8	0.84
469 Acute kidney injury	11	3.1	4.5	0.69	3.1	1.00	4.8	0.65
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	44	3.6	5.3	0.68	3.7	0.97	5.7	0.63
861 Signs & Symptoms	*	*	5.5	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	0	N/A	10.8	N/A	11.6	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient Vo</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$18,533	\$21,024	\$31,031	0.68	\$26,133	0.80	\$41,427	0.51
137	Respiratory Infections and Inflammations	\$20,990	\$21,322	\$33,451	0.64	\$25,355	0.84	\$44,204	0.48
139	Pneumonia	\$17,559	\$18,024	\$24,141	0.75	\$23,433	0.77	\$33,131	0.54
140	Chronic Obstructive Pulmonary Disease	\$16,801	\$16,808	\$21,372	0.79	\$23,153	0.73	\$32,611	0.52
194	Heart Failure	\$16,650	\$17,391	\$29,089	0.60	\$23,717	0.73	\$38,512	0.45
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$21,213	*	\$17,441	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$15,833	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$12,648	\$13,060	\$21,652	0.60	\$19,976	0.65	\$29,240	0.45
463	Kidney/Urinary Tract Infection	\$13,138	\$12,627	\$20,430	0.62	\$21,286	0.59	\$30,445	0.41
469	Acute kidney injury	\$13,453	\$17,543	\$28,871	0.61	\$22,049	0.80	\$39,232	0.45
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$16,913	\$22,526	\$42,770	0.53	\$33,506	0.67	\$56,342	0.40
861	Signs & Symptoms	*	*	\$21,215	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$18,785	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

016 Gundersen Boscobel Area	a Hospital a	and Clinics		Hospital Type: GMS	
205 Parker Street				County: Grant	
Boscobel, WI 53805				Analysis Area: 1-Southern	
608-375-4112				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	143	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	383	Average Charge per Discharge:	\$11,087	Home or Self-Care Other GMS Hospital	58.0% 11.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	14.7% 0.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	0.0%
Total Newborns:	0			Other Institution Home Health Service	0.0% 0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 4.2%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	4.2 %
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	9.8%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	80.4%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	4.9%
				Other Government	7.0%
				Commercial or Private Insurance	7.0%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.7%	43.9%	Amer.Ind/Alaskan Native	e 0.7%	1.3%
Under 15	0.0%	0.0%	Female	50.3%	56.1%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.7%	1.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.4%	1.3%				White	97.9%	97.4%
35 - 44	3.5%	2.1%				Multiracial	0.0%	0.0%
45 - 54	3.5%	3.9%				Declined	0.7%	0.3%
55 - 64	18.9%	17.8%				Unavailable	0 %	0 %
65 - 74	28.7%	27.7%						
75 - 84	29.4%	33.4%						
85 & Over	14.7%	13.8%						

016 Gundersen Boscobel Area Hospital and Clinics

Boscobel, WI 53805

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	2.0	4.3	0.47	3.0	0.67	4.2	0.48
137 Respiratory Infections and Inflammations	*	*	5.1	*	3.4	*	5.1	*
139 Pneumonia	8	2.5	3.9	0.64	3.2	0.78	3.9	0.64
140 Chronic Obstructive Pulmonary Disease	10	2.1	3.4	0.62	2.5	0.84	3.3	0.64
194 Heart Failure	14	2.2	5.1	0.43	3.2	0.69	4.7	0.47
249 Other gastroenteritis, nausea & vomiting	*	*	3.6	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	7	2.3	4.3	0.53	2.4	0.96	3.9	0.59
383 Cellulitis & other skin infections	8	2.4	4.2	0.57	3.4	0.71	4.0	0.60
420 Diabetes	*	*	3.3	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	10	4.0	3.8	1.05	3.4	1.18	3.8	1.05
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	18	2.4	6.1	0.39	3.1	0.77	5.7	0.42
775 Alcohol Abuse/Dependence	0	N/A	3.8	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	*	*	4.9	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	0	N/A	5.0	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # ar	nd Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133 Respirato	ry failure	\$9,800	\$10,241	\$52,595	0.19	\$23,461	0.44	\$41,427	0.25
137 Respirato	ry Infections and Inflammations	*	*	\$54,668	*	\$26,728	*	\$44,204	*
139 Pneumon	ia	\$9,820	\$11,601	\$39,479	0.29	\$19,737	0.59	\$33,131	0.35
140 Chronic C	bstructive Pulmonary Disease	\$9,743	\$10,234	\$37,773	0.27	\$14,984	0.68	\$32,611	0.31
194 Heart Fail	ure	\$9,909	\$10,631	\$47,309	0.22	\$18,454	0.58	\$38,512	0.28
249 Other gas	troenteritis, nausea & vomiting	*	*	\$36,233	*	\$14,692	*	\$30,820	*
282 Disorders	of Pancreas Except Malignancy	\$13,461	\$12,197	\$41,299	0.30	\$18,126	0.67	\$35,124	0.35
383 Cellulitis &	& other skin infections	\$9,047	\$10,378	\$34,338	0.30	\$17,133	0.61	\$29,240	0.35
420 Diabetes		*	*	\$36,150	*	\$16,894	*	\$30,138	*
463 Kidney/Ur	inary Tract Infection	\$13,084	\$14,167	\$35,981	0.39	\$17,003	0.83	\$30,445	0.47
469 Acute kidr	ney injury	*	*	\$46,091	*	\$16,299	*	\$39,232	*
720 Blood Infe	ection/Septicemia	\$11,476	\$16,768	\$70,715	0.24	\$27,572	0.61	\$56,342	0.30
775 Alcohol Al	buse/Dependence	N/A	#	#	*	#	*	#	*
861 Signs & S	ymptoms	*	*	\$34,410	*	\$22,684	*	\$36,306	*
862 Other Fac	tors Influencing Health Status	N/A	N/A	\$21,380	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

017 Ascension SE Wiscons 19333 West North Avenue	sin - Elmbrool	k Campus		Hospital Type: GMS County: Waukesha	4
Brookfield, WI 53045 262-785-2000				Analysis Area: 2A-Southeas Inpatient Volume Group: 5	stern
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,375	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	14,997	Average Charge per Discharge:	\$40,295	Home or Self-Care Other GMS Hospital	61.8% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	152 63 10	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	67.6% 28.0% 4.4%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	13.8% 0.2% 2.6%
Total Childbirths:	225		т. т 70	Hospice	5.3%
Total Newborns:	212			Other Institution Home Health Service	0.0% 11.8%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 1.6%
Discharges:	7	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	120	Percent of All Patient Days:	0.8%	Other	0.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	32	Percent of All Discharges:	0.9%	Medicare	60.2%
Patient Days:	97	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	8.7% 0.3% 29.7%
				Self-Pay Other or Unknown Insurance	1.1% 0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	6.3%	3.0%	Male	41.6%	45.1%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.0%	0.0%	Female	58.4%	54.9%	Asian	2.3%	1.5%
15 - 19	0.2%	0.1%				Black/African Amer.	10.9%	13.1%
20 - 24	1.2%	1.0%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	7.3%	4.2%				White	83.5%	82.2%
35 - 44	6.8%	4.6%				Multiracial	0.5%	0.3%
45 - 54	7.3%	6.8%				Declined	2.4%	2.6%
55 - 64	12.3%	12.9%				Unavailable	0 %	0 %
65 - 74	20.0%	22.3%						
75 - 84	21.4%	25.7%						
85 & Over	17.1%	19.4%						

017 Ascension SE Wisconsin - Elmbrook Campus

Brookfield, WI 53045

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	40	3.4	3.8	0.89	3.9	0.87	4.6	0.74
133 Respiratory failure	27	4.5	4.4	1.02	4.2	1.07	4.2	1.07
137 Respiratory Infections and Inflammations	55	5.4	4.8	1.13	5.1	1.06	5.1	1.06
139 Pneumonia	63	4.3	3.9	1.10	4.0	1.08	3.9	1.10
194 Heart Failure	160	4.8	4.5	1.07	4.5	1.07	4.7	1.02
201 Heart Abnormal Rhythm and Conduction Disorders	61	2.9	2.8	1.04	3.0	0.97	2.9	1.00
383 Cellulitis & other skin infections	46	4.8	3.9	1.23	3.9	1.23	4.0	1.20
463 Kidney/Urinary Tract Infection	96	4.3	3.5	1.23	3.6	1.19	3.8	1.13
466 Malfunction, reaction, complic of genitourinary device or pro	c 47	6.0	5.1	1.18	5.1	1.18	5.2	1.15
469 Acute kidney injury	70	4.0	4.8	0.83	4.6	0.87	4.8	0.83
540 Cesarean Delivery	63	2.9	3.1	0.94	2.9	1.00	3.4	0.85
560 Vaginal Delivery	152	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	196	1.9	1.9	1.00	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	171	6.3	5.2	1.21	5.3	1.19	5.7	1.11
775 Alcohol Abuse/Dependence	11	3.5	3.1	1.13	3.4	1.03	3.7	0.95

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$35,064	\$38,798	\$48,872	0.79	\$47,909	0.81	\$50,763	0.76
133	Respiratory failure	\$31,915	\$31,577	\$42,864	0.74	\$41,132	0.77	\$41,427	0.76
137	Respiratory Infections and Inflammations	\$37,159	\$38,655	\$43,676	0.89	\$44,693	0.86	\$44,204	0.87
139	Pneumonia	\$27,002	\$29,411	\$35,485	0.83	\$34,901	0.84	\$33,131	0.89
194	Heart Failure	\$28,254	\$27,853	\$37,494	0.74	\$36,539	0.76	\$38,512	0.72
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,086	\$22,563	\$29,688	0.76	\$27,323	0.83	\$27,857	0.81
383	Cellulitis & other skin infections	\$28,131	\$26,926	\$30,428	0.88	\$29,662	0.91	\$29,240	0.92
463	Kidney/Urinary Tract Infection	\$28,111	\$28,041	\$30,491	0.92	\$30,920	0.91	\$30,445	0.92
466	Malfunction, reaction, complic of genitourinary device or proc	\$39,322	\$39,892	\$42,902	0.93	\$41,728	0.96	\$45,131	0.88
469	Acute kidney injury	\$24,861	\$27,344	\$39,575	0.69	\$37,998	0.72	\$39,232	0.70
540	Cesarean Delivery	\$28,069	\$29,582	\$34,572	0.86	\$29,193	1.01	\$31,158	0.95
560	Vaginal Delivery	\$13,170	\$13,747	\$18,364	0.75	\$14,839	0.93	\$16,019	0.86
640	Normal Newborn, Birthweight 2500g+	\$6,909	\$6,778	\$6,707	1.01	\$5,740	1.18	\$5,687	1.19
720	Blood Infection/Septicemia	\$45,167	\$41,367	\$54,544	0.76	\$52,940	0.78	\$56,342	0.73
775	Alcohol Abuse/Dependence	\$24,752	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

018 Aurora Medical Center I	Burlington			Hospital Type: GMS	
252 McHenry Street				County: Racine	
Burlington, WI 53105				Analysis Area: 2A-Southeas	stern
262-767-6000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,346	Average Length of Stay (days):	4.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	10,772	Average Charge per Discharge:	\$51,392	Home or Self-Care Other GMS Hospital	49.4% 4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	15.1% 4.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.9%
Total Childbirths:	0			Hospice	2.9%
Total Newborns:	0			Other Institution Home Health Service	0.0% 19.6% 1.0%
Psychiatric Utilization				Left Against Medical Advice Expired	1.0%
Discharges:	1	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	0.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	42	Percent of All Discharges:	1.8%	Medicare	82.7%
Patient Days:	143	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	6.0%
				Other Government	0.7%
				Commercial or Private Insurance	8.5%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.8%	49.2%	Amer.Ind/Alaskan Native	e 0.5%	0.3%
Under 15	0.0%	0.0%	Female	50.2%	50.8%	Asian	0.4%	0.7%
15 - 19	0.3%	0.1%				Black/African Amer.	1.3%	1.9%
20 - 24	0.5%	0.2%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	3.4%	2.5%				White	97.4%	96.6%
35 - 44	4.6%	3.3%				Multiracial	0.0%	0.2%
45 - 54	6.7%	5.5%				Declined	0.2%	0.1%
55 - 64	15.0%	13.8%				Unavailable	0.1%	0.1%
65 - 74	23.3%	25.1%						
75 - 84	29.3%	31.8%						
85 & Over	17.0%	17.5%						

018 Aurora Medical Center Burlington

Burlington, WI 53105

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	34	3.4	3.8	0.89	3.9	0.87	4.6	0.74
133 Respiratory failure	55	4.2	4.4	0.95	4.2	1.00	4.2	1.00
137 Respiratory Infections and Inflammations	35	8.9	4.8	1.85	5.1	1.75	5.1	1.75
139 Pneumonia	56	3.4	3.9	0.87	4.0	0.85	3.9	0.87
194 Heart Failure	177	4.3	4.5	0.96	4.5	0.96	4.7	0.91
201 Heart Abnormal Rhythm and Conduction Disorders	48	2.2	2.8	0.79	3.0	0.73	2.9	0.76
383 Cellulitis & other skin infections	33	2.8	3.9	0.72	3.9	0.72	4.0	0.70
463 Kidney/Urinary Tract Infection	49	4.7	3.5	1.34	3.6	1.31	3.8	1.24
466 Malfunction, reaction, complic of genitourinary device or pro-	c 48	6.3	5.1	1.24	5.1	1.24	5.2	1.21
469 Acute kidney injury	60	4.8	4.8	1.00	4.6	1.04	4.8	1.00
540 Cesarean Delivery	0	N/A	3.1	N/A	2.9	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	387	5.2	5.2	1.00	5.3	0.98	5.7	0.91
775 Alcohol Abuse/Dependence	35	3.6	3.1	1.16	3.4	1.06	3.7	0.97

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Descr	iption	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045 Stroke and Precere	ebral Occlusion with Infarct	\$51,287	\$58,105	\$48,872	1.19	\$47,909	1.21	\$50,763	1.14
133 Respiratory failure		\$41,030	\$47,445	\$42,864	1.11	\$41,132	1.15	\$41,427	1.15
137 Respiratory Infection	ons and Inflammations	\$45,658	\$43,691	\$43,676	1.00	\$44,693	0.98	\$44,204	0.99
139 Pneumonia		\$37,056	\$35,132	\$35,485	0.99	\$34,901	1.01	\$33,131	1.06
194 Heart Failure		\$39,070	\$40,116	\$37,494	1.07	\$36,539	1.10	\$38,512	1.04
201 Heart Abnormal Rh	ythm and Conduction Disorders	\$29,324	\$33,214	\$29,688	1.12	\$27,323	1.22	\$27,857	1.19
383 Cellulitis & other sl	kin infections	\$26,196	\$28,102	\$30,428	0.92	\$29,662	0.95	\$29,240	0.96
463 Kidney/Urinary Tra	ct Infection	\$36,575	\$35,236	\$30,491	1.16	\$30,920	1.14	\$30,445	1.16
466 Malfunction, reaction	on, complic of genitourinary device or proc	\$52,678	\$55,578	\$42,902	1.30	\$41,728	1.33	\$45,131	1.23
469 Acute kidney injury	1	\$41,150	\$44,114	\$39,575	1.11	\$37,998	1.16	\$39,232	1.12
540 Cesarean Delivery		N/A	N/A	\$34,572	*	\$29,193	*	\$31,158	*
560 Vaginal Delivery		N/A	N/A	\$18,364	*	\$14,839	*	\$16,019	*
640 Normal Newborn, I	Birthweight 2500g+	N/A	N/A	\$6,707	*	\$5,740	*	\$5,687	*
720 Blood Infection/Se	oticemia	\$50,715	\$55,617	\$54,544	1.02	\$52,940	1.05	\$56,342	0.99
775 Alcohol Abuse/Dep	pendence	\$37,403	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

019 Ascension Calumet Hosp	ital			Hospital Type: GMS	
614 Memorial Drive				County: Calumet	
Chilton, WI 53014				Analysis Area: 3-Lake Winn	ebago
920-849-2386				Inpatient Volume Group: 2	0
Overall Hospital Utilization				Patient Discharge Statu	I <u>S</u>
Total Discharges:	237	Average Length of Stay (days):	5.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,372	Average Charge per Discharge:	\$11,923	Home or Self-Care Other GMS Hospital	42.6% 9.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	11.8% 2.1%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	1.7%
Total Childbirths:	0			Hospice	8.0%
Total Newborns:	0			Other Institution Home Health Service	0.0% 14.8%
Total Newborns.	0			Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	4.6%
Discharges:	1	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	4	Percent of All Patient Days:	0.3%	Other	5.1%
				Expected Pay Source Distri	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	1.3%	Medicare	84.8%
Patient Days:	6	Percent of All Patient Days:	0.4%	Medicaid/BadgerCare	3.0%
				Other Government	1.7%
				Commercial or Private Insurance	5.1%
				Self-Pay	5.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	46.4%	48.9%	Amer.Ind/Alaskan Native	e 0.8%	0.4%
Under 15	0.0%	0.0%	Female	53.6%	51.1%	Asian	0.0%	0.0%
15 - 19	0.4%	0.3%				Black/African Amer.	0.4%	0.3%
20 - 24	0.8%	0.7%				Native Hawaii/Pac.Isl.	0.4%	0.1%
25 - 34	2.1%	1.5%				White	97.9%	99.2%
35 - 44	1.3%	1.2%				Multiracial	0.0%	0.0%
45 - 54	3.0%	4.4%				Declined	0.4%	0.1%
55 - 64	6.3%	10.7%				Unavailable	0 %	0 %
65 - 74	16.9%	14.2%						
75 - 84	30.8%	31.2%						
85 & Over	38.4%	35.9%						

019 Ascension Calumet Hospital

Chilton, WI 53014

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	3.7	*	3.5	*	4.2	*
137 Respiratory Infections and Inflammations	15	5.8	5.0	1.16	3.9	1.49	5.1	1.14
139 Pneumonia	5	5.6	3.7	1.51	3.6	1.56	3.9	1.44
140 Chronic Obstructive Pulmonary Disease	*	*	2.8	*	3.5	*	3.3	*
194 Heart Failure	12	2.7	4.1	0.66	3.6	0.75	4.7	0.57
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.5	*	2.6	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	3.3	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	*	*	3.7	*	3.8	*	4.0	*
463 Kidney/Urinary Tract Infection	13	3.0	3.4	0.88	3.5	0.86	3.8	0.79
469 Acute kidney injury	7	3.6	4.1	0.88	3.1	1.16	4.8	0.75
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	31	3.5	5.1	0.69	3.7	0.95	5.7	0.61
861 Signs & Symptoms	38	8.8	4.6	1.91	6.9	1.28	5.8	1.52
862 Other Factors Influencing Health Status	15	6.1	5.0	1.22	11.6	0.53	7.9	0.77

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	*	*	\$29,067	*	\$26,133	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$9,809	\$11,488	\$31,076	0.37	\$25,355	0.45	\$44,204	0.26
139	Pneumonia	\$15,209	\$13,798	\$25,465	0.54	\$23,433	0.59	\$33,131	0.42
140	Chronic Obstructive Pulmonary Disease	*	*	\$23,561	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$7,161	\$7,817	\$26,437	0.30	\$23,717	0.33	\$38,512	0.20
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$19,751	*	\$17,441	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$18,938	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	*	*	\$21,780	*	\$19,976	*	\$29,240	*
463	Kidney/Urinary Tract Infection	\$10,096	\$10,507	\$22,229	0.47	\$21,286	0.49	\$30,445	0.35
469	Acute kidney injury	\$10,376	\$11,027	\$26,749	0.41	\$22,049	0.50	\$39,232	0.28
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$9,997	\$15,386	\$38,002	0.40	\$33,506	0.46	\$56,342	0.27
861	Signs & Symptoms	\$12,457	\$12,347	\$24,875	0.50	\$20,582	0.60	\$36,306	0.34
862	Other Factors Influencing Health Status	\$5,926	\$6,350	\$15,253	0.42	\$19,795	0.32	\$31,921	0.20

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

020 St Joseph's Hospital				Hospital Type: GMS	
2661 County Highway I				County: Chippewa	
Chippewa Falls, WI 54729				Analysis Area: 5A-West Ce	ntral
715-717-7200				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	131	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	449	Average Charge per Discharge:	\$14,444	Home or Self-Care Other GMS Hospital	77.9% 7.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	1.5% 2.3% 0.8%
Total Childbirths:	0		0.070	Hospice	2.3%
Total Official difficial.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	3.1%
Psychiatric Utilization				Left Against Medical Advice Expired	3.8% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.8%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	82	Percent of All Discharges:	62.6%	Medicare	32.1%
Patient Days:	276	Percent of All Patient Days:	61.5%	Medicaid/BadgerCare	39.7%
-		-		Other Government	6.1%
				Commercial or Private Insurance	19.1%
				Self-Pay	3.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	54.2%	59.2%	Amer.Ind/Alaskan Native	e 6.1%	5.1%
Under 15	0.0%	0.0%	Female	45.8%	40.8%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.8%	0.7%
20 - 24	3.1%	2.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	17.6%	14.9%				White	84.7%	84.4%
35 - 44	24.4%	23.2%				Multiracial	0.0%	0.0%
45 - 54	16.8%	16.9%				Declined	8.4%	9.8%
55 - 64	12.2%	14.9%				Unavailable	0 %	0 %
65 - 74	13.0%	10.7%						
75 - 84	8.4%	8.2%						
85 & Over	4.6%	8.5%						

020 St Joseph's Hospital

Chippewa Falls, WI 54729

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	4.6	N/A	3.0	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	*	*	4.6	*	3.4	*	5.1	*
139 Pneumonia	7	2.9	3.8	0.76	3.2	0.91	3.9	0.74
140 Chronic Obstructive Pulmonary Disease	5	2.2	3.3	0.67	2.5	0.88	3.3	0.67
194 Heart Failure	*	*	4.7	*	3.2	*	4.7	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.7	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	*	*	4.4	*	3.4	*	4.0	*
420 Diabetes	*	*	3.2	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.7	*	3.4	*	3.8	*
469 Acute kidney injury	*	*	4.5	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	*	*	5.3	*	3.1	*	5.7	*
775 Alcohol Abuse/Dependence	44	3.4	4.0	0.85	3.1	1.10	3.7	0.92
861 Signs & Symptoms	*	*	5.5	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	0	N/A	10.8	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Respiratory failure	N/A	N/A	\$31,031	*	\$23,461	*	\$41,427	*
137 Respiratory Infections and Inflammations	*	*	\$33,451	*	\$26,728	*	\$44,204	*
139 Pneumonia	\$25,487	\$29,456	\$24,141	1.22	\$19,737	1.49	\$33,131	0.89
140 Chronic Obstructive Pulmonary Disease	\$17,092	\$20,592	\$21,372	0.96	\$14,984	1.37	\$32,611	0.63
194 Heart Failure	*	*	\$29,089	*	\$18,454	*	\$38,512	*
249 Other gastroenteritis, nausea & vomiting	*	*	\$21,698	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas Except Malignancy	*	*	\$25,997	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin infections	*	*	\$21,652	*	\$17,133	*	\$29,240	*
420 Diabetes	*	*	\$22,704	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection	*	*	\$20,430	*	\$17,003	*	\$30,445	*
469 Acute kidney injury	*	*	\$28,871	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia	*	*	\$42,770	*	\$27,572	*	\$56,342	*
775 Alcohol Abuse/Dependence	\$8,701	#	#	#	#	#	#	#
861 Signs & Symptoms	*	*	\$21,215	*	\$22,684	*	\$36,306	*
862 Other Factors Influencing Health Status	N/A	N/A	\$18,785	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

022 Prairie Ridge Health				Hospital Type: GMS	
1515 Park Avenue				County: Columbia	
Columbus, WI 53925				Analysis Area: 1-Southern	
920-623-2200				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	933	Average Length of Stay (days):	2.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,628	Average Charge per Discharge:	\$19,649	Home or Self-Care Other GMS Hospital	78.0% 7.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	112	Percent of All Childbirths:	81.2%	Skilled Nursing Facility Intermediate Care Facility	5.3% 0.5%
Cesarean Childbirths: Other Childbirths:	25 1	Percent of All Childbirths: Percent of All Childbirths:	18.1% 0.7%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	138			Hospice Other Institution	1.4% 0.1%
Total Newborns:	142			Home Health Service	0.1%
Psychiatric Utilization				Left Against Medical Advice Expired	0.2% 1.7%
Discharges:	2	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	4.2%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	0.5%	Medicare	53.2%
Patient Days:	19	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	8.3%
				Other Government	0.6%
				Commercial or Private Insurance	35.4%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	15.2%	9.9%	Male	40.6%	42.7%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.4%	0.2%	Female	59.4%	57.3%	Asian	0.1%	0.1%
15 - 19	0.8%	0.6%				Black/African Amer.	0.5%	0.5%
20 - 24	2.0%	1.8%				Native Hawaii/Pac.Isl.	0.2%	0.3%
25 - 34	11.8%	9.6%				White	89.4%	91.0%
35 - 44	4.8%	4.2%				Multiracial	0.1%	0.1%
45 - 54	5.1%	4.8%				Declined	0.9%	1.0%
55 - 64	8.1%	9.7%				Unavailable	8.8%	7.1%
65 - 74	14.8%	14.3%						
75 - 84	18.9%	24.2%						
85 & Over	18.0%	20.6%						

022 Prairie Ridge Health

Columbus, WI 53925

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	32	3.5	4.3	0.81	3.6	0.97	4.2	0.83
137 Respiratory Infections and Inflammations	32	3.4	5.1	0.67	3.7	0.92	5.1	0.67
139 Pneumonia	60	3.5	3.9	0.90	3.4	1.03	3.9	0.90
140 Chronic Obstructive Pulmonary Disease	19	3.3	3.4	0.97	3.0	1.10	3.3	1.00
194 Heart Failure	34	3.2	5.1	0.63	3.7	0.86	4.7	0.68
201 Heart Abnormal Rhythm and Conduction Disorders	14	2.9	3.0	0.97	2.7	1.07	2.9	1.00
247 Intestinal Obstruction without Surgery	16	1.9	3.6	0.53	2.8	0.68	3.4	0.56
326 Elective knee joint replacement	17	1.0	2.0	0.50	1.6	0.63	2.0	0.50
383 Cellulitis & other skin infections	27	3.7	4.2	0.88	3.8	0.97	4.0	0.93
463 Kidney/Urinary Tract Infection	35	2.9	3.8	0.76	3.3	0.88	3.8	0.76
469 Acute kidney injury	7	2.3	4.8	0.48	3.4	0.68	4.8	0.48
540 Cesarean Delivery	25	2.8	3.7	0.76	2.8	1.00	3.4	0.82
560 Vaginal Delivery	112	2.3	2.1	1.10	1.9	1.21	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	133	1.9	2.0	0.95	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	19	5.1	6.1	0.84	3.9	1.31	5.7	0.89

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	U		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$24,071	\$29,926	\$52,595	0.57	\$27,996	1.07	\$41,427	0.72
137	Respiratory Infections and Inflammations	\$19,834	\$24,452	\$54,668	0.45	\$25,863	0.95	\$44,204	0.55
139	Pneumonia	\$21,428	\$29,251	\$39,479	0.74	\$23,921	1.22	\$33,131	0.88
140	Chronic Obstructive Pulmonary Disease	\$28,204	\$32,025	\$37,773	0.85	\$20,883	1.53	\$32,611	0.98
194	Heart Failure	\$17,758	\$23,107	\$47,309	0.49	\$24,051	0.96	\$38,512	0.60
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,314	\$30,996	\$33,234	0.93	\$18,840	1.65	\$27,857	1.11
247	Intestinal Obstruction without Surgery	\$13,556	\$17,947	\$32,288	0.56	\$17,509	1.03	\$27,065	0.66
326	Elective knee joint replacement	\$43,521	\$46,731	\$59,463	0.79	\$53,216	0.88	\$65,010	0.72
383	Cellulitis & other skin infections	\$21,099	\$26,556	\$34,338	0.77	\$21,588	1.23	\$29,240	0.91
463	Kidney/Urinary Tract Infection	\$14,198	\$17,301	\$35,981	0.48	\$17,785	0.97	\$30,445	0.57
469	Acute kidney injury	\$10,542	\$13,336	\$46,091	0.29	\$22,228	0.60	\$39,232	0.34
540	Cesarean Delivery	\$24,716	\$27,375	\$36,417	0.75	\$26,138	1.05	\$31,158	0.88
560	Vaginal Delivery	\$12,481	\$13,059	\$17,782	0.73	\$12,000	1.09	\$16,019	0.82
640	Normal Newborn, Birthweight 2500g+	\$4,648	\$5,412	\$5,754	0.94	\$4,404	1.23	\$5,687	0.95
720	Blood Infection/Septicemia	\$28,448	\$48,369	\$70,715	0.68	\$33,539	1.44	\$56,342	0.86

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

182 Aurora St. Luke's South	Shore			Hospital Type: GMS	
5900 S Lake Dr				County: Milwaukee	
Cudahy, WI 53110				Analysis Area: 2B-Milwauke	e County
414-489-9000				Inpatient Volume Group: 5	5
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,505	Average Length of Stay (days):	4.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	16,417	Average Charge per Discharge:	\$66,352	Home or Self-Care Other GMS Hospital	40.8% 0.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	18.3% 3.5% 2.2%
Total Childbirths:	0		0.070	Hospice	3.7%
Total Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	27.2%
Psychiatric Utilization				Left Against Medical Advice Expired	2.1% 1.4%
Discharges:	15	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	84	Percent of All Patient Days:	0.5%	Other	0.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	95	Percent of All Discharges:	2.7%	Medicare	82.5%
Patient Days:	295	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	10.5%
				Other Government	0.3%
				Commercial or Private Insurance	5.0%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	46.1%	47.6%	Amer.Ind/Alaskan Native	e 1.0%	0.8%
Under 15	0.0%	0.0%	Female	53.9%	52.4%	Asian	0.6%	0.7%
15 - 19	0.3%	0.2%				Black/African Amer.	3.6%	3.2%
20 - 24	0.8%	0.5%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	3.5%	2.9%				White	93.9%	93.9%
35 - 44	5.1%	4.1%				Multiracial	0.3%	0.7%
45 - 54	7.0%	6.6%				Declined	0.3%	0.3%
55 - 64	15.1%	14.7%				Unavailable	0.1%	0.2%
65 - 74	27.1%	29.4%						
75 - 84	23.2%	24.9%						
85 & Over	17.9%	16.8%						

182 Aurora St. Luke's South Shore

Cudahy, WI 53110

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Faci	lity	Group Averages							
			Analys	sis Area	Inpatient V	Inpatient Volume Group		ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	60	4.7	6.5	0.72	3.9	1.21	4.6	1.02		
133 Respiratory failure	50	4.4	4.4	1.00	4.2	1.05	4.2	1.05		
137 Respiratory Infections and Inflammations	59	3.8	5.6	0.68	5.1	0.75	5.1	0.75		
139 Pneumonia	71	4.2	4.1	1.02	4.0	1.05	3.9	1.08		
194 Heart Failure	305	4.2	5.3	0.79	4.5	0.93	4.7	0.89		
201 Heart Abnormal Rhythm and Conduction Disorders	27	2.2	3.3	0.67	3.0	0.73	2.9	0.76		
383 Cellulitis & other skin infections	69	3.8	4.1	0.93	3.9	0.97	4.0	0.95		
463 Kidney/Urinary Tract Infection	151	3.0	4.3	0.70	3.6	0.83	3.8	0.79		
466 Malfunction, reaction, complic of genitourinary device or p	roc 81	4.0	5.6	0.71	5.1	0.78	5.2	0.77		
469 Acute kidney injury	95	4.0	5.6	0.71	4.6	0.87	4.8	0.83		
540 Cesarean Delivery	0	N/A	3.7	N/A	2.9	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A		
720 Blood Infection/Septicemia	606	5.3	6.8	0.78	5.3	1.00	5.7	0.93		
775 Alcohol Abuse/Dependence	64	3.5	3.6	0.97	3.4	1.03	3.7	0.95		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$69,347	\$70,795	\$66,752	1.06	\$47,909	1.48	\$50,763	1.39
133	Respiratory failure	\$55,211	\$55,986	\$45,892	1.22	\$41,132	1.36	\$41,427	1.35
137	Respiratory Infections and Inflammations	\$52,475	\$57,620	\$54,053	1.07	\$44,693	1.29	\$44,204	1.30
139	Pneumonia	\$46,222	\$45,119	\$38,942	1.16	\$34,901	1.29	\$33,131	1.36
194	Heart Failure	\$45,809	\$43,325	\$48,131	0.90	\$36,539	1.19	\$38,512	1.12
201	Heart Abnormal Rhythm and Conduction Disorders	\$32,540	\$28,982	\$34,368	0.84	\$27,323	1.06	\$27,857	1.04
383	Cellulitis & other skin infections	\$38,318	\$39,217	\$37,141	1.06	\$29,662	1.32	\$29,240	1.34
463	Kidney/Urinary Tract Infection	\$36,736	\$36,774	\$38,452	0.96	\$30,920	1.19	\$30,445	1.21
466	Malfunction, reaction, complic of genitourinary device or proc	\$47,794	\$49,832	\$54,393	0.92	\$41,728	1.19	\$45,131	1.10
469	Acute kidney injury	\$45,138	\$44,858	\$49,167	0.91	\$37,998	1.18	\$39,232	1.14
540	Cesarean Delivery	N/A	N/A	\$35,225	*	\$29,193	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$19,729	*	\$14,839	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,018	*	\$5,740	*	\$5,687	*
720	Blood Infection/Septicemia	\$66,448	\$68,700	\$73,707	0.93	\$52,940	1.30	\$56,342	1.22
775	Alcohol Abuse/Dependence	\$42,007	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

024 Cumberland Healthcare				Hospital Type: GMS	
1705 16th Ave				County: Barron	
Cumberland, WI 54829				Analysis Area: 5A-West Cer	ntral
715-822-2741				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	193	Average Length of Stay (days):	4.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	807	Average Charge per Discharge:	\$35,238	Home or Self-Care Other GMS Hospital	68.4% 3.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.5%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	10.9% 2.6% 0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	1.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	1.6% 4.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	7.3%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	1.6%	Medicare	80.8%
Patient Days:	4	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	6.2%
				Other Government	4.1%
				Commercial or Private Insurance	6.2%
				Self-Pay	1.0%
				Other or Unknown Insurance	1.6%

	Age Distribution	<u>1</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	53.9%	53.8%	Amer.Ind/Alaskan Native	e 6.2%	6.8%
Under 15	0.0%	0.0%	Female	46.1%	46.2%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.5%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.0%	0.7%				White	90.7%	90.3%
35 - 44	3.6%	2.6%				Multiracial	0.0%	0.0%
45 - 54	8.8%	9.0%				Declined	0.0%	0.0%
55 - 64	10.4%	12.4%				Unavailable	3.1%	2.9%
65 - 74	24.4%	22.9%						
75 - 84	30.1%	32.6%						
85 & Over	21.2%	19.2%						

024 Cumberland Healthcare

Cumberland, WI 54829

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	9	5.8	4.6	1.26	3.0	1.93	4.2	1.38		
137 Respiratory Infections and Inflammations	8	4.1	4.6	0.89	3.4	1.21	5.1	0.80		
139 Pneumonia	10	4.1	3.8	1.08	3.2	1.28	3.9	1.05		
140 Chronic Obstructive Pulmonary Disease	7	3.6	3.3	1.09	2.5	1.44	3.3	1.09		
194 Heart Failure	6	3.8	4.7	0.81	3.2	1.19	4.7	0.81		
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*		
282 Disorders of Pancreas Except Malignancy	*	*	3.7	*	2.4	*	3.9	*		
383 Cellulitis & other skin infections	14	5.3	4.4	1.20	3.4	1.56	4.0	1.33		
420 Diabetes	0	N/A	3.2	N/A	2.9	N/A	3.3	N/A		
463 Kidney/Urinary Tract Infection	22	3.1	3.7	0.84	3.4	0.91	3.8	0.82		
469 Acute kidney injury	*	*	4.5	*	2.6	*	4.8	*		
720 Blood Infection/Septicemia	7	3.7	5.3	0.70	3.1	1.19	5.7	0.65		
775 Alcohol Abuse/Dependence	*	*	4.0	*	3.1	*	3.7	*		
861 Signs & Symptoms	9	5.0	5.5	0.91	9.1	0.55	5.8	0.86		
862 Other Factors Influencing Health Status	0	N/A	10.8	N/A	13.4	N/A	7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Descript	tion	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133 Respiratory failure		\$47,955	\$57,270	\$31,031	1.85	\$23,461	2.44	\$41,427	1.38
137 Respiratory Infection	s and Inflammations	\$42,203	\$52,267	\$33,451	1.56	\$26,728	1.96	\$44,204	1.18
139 Pneumonia		\$39,165	\$40,813	\$24,141	1.69	\$19,737	2.07	\$33,131	1.23
140 Chronic Obstructive	Pulmonary Disease	\$34,948	\$42,798	\$21,372	2.00	\$14,984	2.86	\$32,611	1.31
194 Heart Failure		\$29,934	\$27,759	\$29,089	0.95	\$18,454	1.50	\$38,512	0.72
249 Other gastroenteritis	, nausea & vomiting	*	*	\$21,698	*	\$14,692	*	\$30,820	*
282 Disorders of Pancrea	as Except Malignancy	*	*	\$25,997	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skir	infections	\$36,882	\$24,552	\$21,652	1.13	\$17,133	1.43	\$29,240	0.84
420 Diabetes		N/A	N/A	\$22,704	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract	Infection	\$25,661	\$22,537	\$20,430	1.10	\$17,003	1.33	\$30,445	0.74
469 Acute kidney injury		*	*	\$28,871	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septi	cemia	\$26,086	\$44,362	\$42,770	1.04	\$27,572	1.61	\$56,342	0.79
775 Alcohol Abuse/Depe	ndence	*	#	#	*	#	*	#	*
861 Signs & Symptoms		\$41,843	\$36,876	\$21,215	1.74	\$22,684	1.63	\$36,306	1.02
862 Other Factors Influer	ncing Health Status	N/A	N/A	\$18,785	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

025 Memorial Hospital of Lafa	yette Co.			Hospital Type: GMS	
800 Clay Street				County: Lafayette	
Darlington, WI 53530				Analysis Area: 1-Southern	
608-776-4466				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	205	Average Length of Stay (days):	4.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	819	Average Charge per Discharge:	\$16,284	Home or Self-Care Other GMS Hospital	68.3% 7.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.5%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	10.2% 1.5%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	1.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.5%
Developedaia Utilizzation				Left Against Medical Advice	0.0%
Psychiatric Utilization				Expired	1.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.5%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	8.8%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	76.6%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	5.9%
-		-		Other Government	1.5%
				Commercial or Private Insurance	12.2%
				Self-Pay	3.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.2%	46.4%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	47.8%	53.6%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	1.0%	0.7%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.5%	0.7%				White	99.0%	99.3%
35 - 44	2.0%	0.7%				Multiracial	0.0%	0.0%
45 - 54	6.3%	3.8%				Declined	0.0%	0.0%
55 - 64	10.7%	6.0%				Unavailable	0 %	0 %
65 - 74	25.9%	22.0%						
75 - 84	26.8%	33.0%						
85 & Over	26.8%	33.8%						

025 Memorial Hospital of Lafayette Co.

Darlington, WI 53530

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	8	4.5	4.3	1.05	3.0	1.50	4.2	1.07		
137 Respiratory Infections and Inflammations	*	*	5.1	*	3.4	*	5.1	*		
139 Pneumonia	26	4.6	3.9	1.18	3.2	1.44	3.9	1.18		
140 Chronic Obstructive Pulmonary Disease	7	2.3	3.4	0.68	2.5	0.92	3.3	0.70		
194 Heart Failure	10	3.3	5.1	0.65	3.2	1.03	4.7	0.70		
249 Other gastroenteritis, nausea & vomiting	*	*	3.6	*	2.4	*	3.3	*		
282 Disorders of Pancreas Except Malignancy	*	*	4.3	*	2.4	*	3.9	*		
383 Cellulitis & other skin infections	6	3.0	4.2	0.71	3.4	0.88	4.0	0.75		
420 Diabetes	9	2.9	3.3	0.88	2.9	1.00	3.3	0.88		
463 Kidney/Urinary Tract Infection	12	3.5	3.8	0.92	3.4	1.03	3.8	0.92		
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*		
720 Blood Infection/Septicemia	5	3.4	6.1	0.56	3.1	1.10	5.7	0.60		
775 Alcohol Abuse/Dependence	0	N/A	3.8	N/A	3.1	N/A	3.7	N/A		
861 Signs & Symptoms	18	6.8	4.9	1.39	9.1	0.75	5.8	1.17		
862 Other Factors Influencing Health Status	*	*	5.0	*	13.4	*	7.9	*		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133 Respiratory failure		\$16,348	\$18,944	\$52,595	0.36	\$23,461	0.81	\$41,427	0.46
137 Respiratory Infections and Infla	mmations	*	*	\$54,668	*	\$26,728	*	\$44,204	*
139 Pneumonia		\$19,290	\$22,224	\$39,479	0.56	\$19,737	1.13	\$33,131	0.67
140 Chronic Obstructive Pulmonary	Disease	\$8,591	\$7,712	\$37,773	0.20	\$14,984	0.51	\$32,611	0.24
194 Heart Failure		\$11,177	\$13,635	\$47,309	0.29	\$18,454	0.74	\$38,512	0.35
249 Other gastroenteritis, nausea &	vomiting	*	*	\$36,233	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas Except I	Valignancy	*	*	\$41,299	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin infections		\$10,284	\$10,106	\$34,338	0.29	\$17,133	0.59	\$29,240	0.35
420 Diabetes		\$13,085	\$16,467	\$36,150	0.46	\$16,894	0.97	\$30,138	0.55
463 Kidney/Urinary Tract Infection		\$15,806	\$17,264	\$35,981	0.48	\$17,003	1.02	\$30,445	0.57
469 Acute kidney injury		*	*	\$46,091	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia		\$15,375	\$23,441	\$70,715	0.33	\$27,572	0.85	\$56,342	0.42
775 Alcohol Abuse/Dependence		N/A	#	#	*	#	*	#	*
861 Signs & Symptoms		\$14,628	\$18,125	\$34,410	0.53	\$22,684	0.80	\$36,306	0.50
862 Other Factors Influencing Heal	h Status	*	*	\$21,380	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

026 Upland Hills Health Inc				Hospital Type: GMS	
800 Compassion Way, PO B	ox 800			County: Iowa	
Dodgeville, WI 53533				Analysis Area: 1-Southern	
608-930-8000				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,109	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,797	Average Charge per Discharge:	\$20,913	Home or Self-Care Other GMS Hospital	77.5% 6.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	139 48	Percent of All Childbirths: Percent of All Childbirths:	68.8% 23.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	7.1% 1.5% 0.6%
Other Childbirths:	15	Percent of All Childbirths:	7.4%	Hospice	0.3%
Total Childbirths:	202			Other Institution	0.0%
Total Newborns:	211			Home Health Service	0.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.5% 1.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	4.1%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	15	Percent of All Discharges:	1.4%	Medicare	49.2%
Patient Days:	49	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	14.2%
				Other Government	1.3%
				Commercial or Private Insurance	32.3%
				Self-Pay	3.0%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	19.0%	10.0%	Male	36.8%	36.8%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.5%	0.2%	Female	63.2%	63.2%	Asian	0.1%	0.1%
15 - 19	1.0%	0.8%				Black/African Amer.	0.5%	0.2%
20 - 24	3.5%	2.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	14.4%	9.6%				White	98.8%	99.1%
35 - 44	4.9%	3.9%				Multiracial	0.2%	0.3%
45 - 54	3.6%	5.3%				Declined	0.0%	0.0%
55 - 64	6.7%	9.8%				Unavailable	0.2%	0.1%
65 - 74	16.1%	22.1%						
75 - 84	17.0%	18.8%						
85 & Over	13.2%	17.1%						

026 Upland Hills Health Inc

Dodgeville, WI 53533

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	6	3.3	4.3	0.77	3.6	0.92	4.2	0.79
137 Respiratory Infections and Inflammations	13	3.2	5.1	0.63	3.7	0.86	5.1	0.63
139 Pneumonia	36	3.2	3.9	0.82	3.4	0.94	3.9	0.82
140 Chronic Obstructive Pulmonary Disease	31	3.4	3.4	1.00	3.0	1.13	3.3	1.03
194 Heart Failure	71	4.4	5.1	0.86	3.7	1.19	4.7	0.94
201 Heart Abnormal Rhythm and Conduction Disorders	20	3.4	3.0	1.13	2.7	1.26	2.9	1.17
247 Intestinal Obstruction without Surgery	15	2.8	3.6	0.78	2.8	1.00	3.4	0.82
326 Elective knee joint replacement	*	*	2.0	*	1.6	*	2.0	*
383 Cellulitis & other skin infections	31	4.2	4.2	1.00	3.8	1.11	4.0	1.05
463 Kidney/Urinary Tract Infection	19	3.1	3.8	0.82	3.3	0.94	3.8	0.82
469 Acute kidney injury	*	*	4.8	*	3.4	*	4.8	*
540 Cesarean Delivery	48	2.9	3.7	0.78	2.8	1.04	3.4	0.85
560 Vaginal Delivery	139	2.0	2.1	0.95	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	195	1.8	2.0	0.90	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	81	4.4	6.1	0.72	3.9	1.13	5.7	0.77

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	\$25,302	\$32,185	\$52,595	0.61	\$27,996	1.15	\$41,427	0.78
137	Respiratory Infections and Inflammations	\$21,750	\$22,842	\$54,668	0.42	\$25,863	0.88	\$44,204	0.52
139	Pneumonia	\$21,218	\$25,603	\$39,479	0.65	\$23,921	1.07	\$33,131	0.77
140	Chronic Obstructive Pulmonary Disease	\$27,931	\$27,676	\$37,773	0.73	\$20,883	1.33	\$32,611	0.85
194	Heart Failure	\$25,876	\$30,517	\$47,309	0.65	\$24,051	1.27	\$38,512	0.79
201	Heart Abnormal Rhythm and Conduction Disorders	\$18,046	\$19,397	\$33,234	0.58	\$18,840	1.03	\$27,857	0.70
247	Intestinal Obstruction without Surgery	\$12,602	\$16,268	\$32,288	0.50	\$17,509	0.93	\$27,065	0.60
326	Elective knee joint replacement	*	*	\$59,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$22,475	\$21,777	\$34,338	0.63	\$21,588	1.01	\$29,240	0.74
463	Kidney/Urinary Tract Infection	\$15,190	\$17,287	\$35,981	0.48	\$17,785	0.97	\$30,445	0.57
469	Acute kidney injury	*	*	\$46,091	*	\$22,228	*	\$39,232	*
540	Cesarean Delivery	\$25,302	\$28,285	\$36,417	0.78	\$26,138	1.08	\$31,158	0.91
560	Vaginal Delivery	\$11,996	\$12,874	\$17,782	0.72	\$12,000	1.07	\$16,019	0.80
640	Normal Newborn, Birthweight 2500g+	\$3,791	\$4,351	\$5,754	0.76	\$4,404	0.99	\$5,687	0.77
720	Blood Infection/Septicemia	\$28,603	\$36,103	\$70,715	0.51	\$33,539	1.08	\$56,342	0.64

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

027 AdventHealth Durand				Hospital Type: GMS	
1220 Third Avenue, PO Box 224				County: Pepin	
Durand, WI 54736				Analysis Area: 5A-West Cer	ntral
715-672-4211				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	133	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	355	Average Charge per Discharge:	\$18,008	Home or Self-Care Other GMS Hospital	57.9% 6.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	21.1% 0.0% 0.0%
Total Childbirths:	0			Hospice	0.8%
Total Newborns:	0			Other Institution Home Health Service Left Against Medical Advice	0.0% 1.5% 1.5%
Psychiatric Utilization				Expired	5.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	5.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.8%	Medicare	90.2%
Patient Days:	2	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	3.0%
				Other Government	2.3%
				Commercial or Private Insurance	3.8%
				Self-Pay	0.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.6%	49.3%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	47.4%	50.7%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.5%	0.6%				White	100.0%	100.0%
35 - 44	1.5%	2.0%				Multiracial	0.0%	0.0%
45 - 54	0.8%	0.3%				Declined	0.0%	0.0%
55 - 64	6.8%	5.1%				Unavailable	0 %	0 %
65 - 74	24.1%	22.8%						
75 - 84	36.1%	37.7%						
85 & Over	29.3%	31.5%						

027 AdventHealth Durand

Durand, WI 54736

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	4.6	N/A	3.0	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	9	2.7	4.6	0.59	3.4	0.79	5.1	0.53
139 Pneumonia	11	2.4	3.8	0.63	3.2	0.75	3.9	0.62
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	2.5	*	3.3	*
194 Heart Failure	9	1.8	4.7	0.38	3.2	0.56	4.7	0.38
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.7	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	7	3.1	4.4	0.70	3.4	0.91	4.0	0.78
420 Diabetes	*	*	3.2	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	5	1.6	3.7	0.43	3.4	0.47	3.8	0.42
469 Acute kidney injury	*	*	4.5	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	17	4.6	5.3	0.87	3.1	1.48	5.7	0.81
775 Alcohol Abuse/Dependence	0	N/A	4.0	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	*	*	5.5	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	*	*	10.8	*	13.4	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	on	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133 Respiratory failure		N/A	N/A	\$31,031	*	\$23,461	*	\$41,427	*
137 Respiratory Infections	and Inflammations	\$42,448	\$50,272	\$33,451	1.50	\$26,728	1.88	\$44,204	1.14
139 Pneumonia		\$14,363	\$13,593	\$24,141	0.56	\$19,737	0.69	\$33,131	0.41
140 Chronic Obstructive P	ulmonary Disease	*	*	\$21,372	*	\$14,984	*	\$32,611	*
194 Heart Failure	-	\$13,065	\$15,769	\$29,089	0.54	\$18,454	0.85	\$38,512	0.41
249 Other gastroenteritis, i	nausea & vomiting	*	*	\$21,698	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas	Except Malignancy	*	*	\$25,997	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin i	nfections	\$13,899	\$14,877	\$21,652	0.69	\$17,133	0.87	\$29,240	0.51
420 Diabetes		*	*	\$22,704	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract I	nfection	\$19,462	\$25,760	\$20,430	1.26	\$17,003	1.52	\$30,445	0.85
469 Acute kidney injury		*	*	\$28,871	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septic	emia	\$27,029	\$30,658	\$42,770	0.72	\$27,572	1.11	\$56,342	0.54
775 Alcohol Abuse/Depend	dence	N/A	#	#	*	#	*	#	*
861 Signs & Symptoms		*	*	\$21,215	*	\$22,684	*	\$36,306	*
862 Other Factors Influence	ing Health Status	*	*	\$18,785	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

028 Aspirus Eagle River Hosp	oital			Hospital Type: GMS	
201 E Hospital Road				County: Vilas	
Eagle River, WI 54521				Analysis Area: 6-North Cen	tral
715-479-7411				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	328	Average Length of Stay (days):	3.6	Discharge Status	% Discharges
Total Patient Days:	1,187	Average Charge per Discharge:	\$22,991	Home or Self-Care Other GMS Hospital	41.5% 9.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.2% 1.5% 0.0%
Total Childbirths:	0		0.0%	Hospice Other Institution	5.5% 0.0%
Total Newborns: Psychiatric Utilization	0			Home Health Service Left Against Medical Advice Expired	15.2% 0.0% 3.7%
Discharges:	1	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	5	Percent of All Patient Days:	0.4%	Other	14.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	0.9%	Medicare	80.5%
Patient Days:	10	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	5.8%
				Other Government	4.9%
				Commercial or Private Insurance	8.5%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	46.6%	43.3%	Amer.Ind/Alaskan Native	e 2.1%	2.2%
Under 15	0.0%	0.0%	Female	53.4%	56.7%	Asian	0.3%	0.3%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.0%	0.0%				White	95.1%	94.9%
35 - 44	4.0%	4.0%				Multiracial	1.8%	1.9%
45 - 54	2.7%	5.5%				Declined	0.6%	0.8%
55 - 64	9.1%	7.3%				Unavailable	0 %	0 %
65 - 74	24.4%	21.7%						
75 - 84	33.2%	33.5%						
85 & Over	26.5%	28.0%						

028 Aspirus Eagle River Hospital

Eagle River, WI 54521

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	12	4.1	4.1	1.00	3.5	1.17	4.2	0.98
137 Respiratory Infections and Inflammations	30	3.3	5.1	0.65	3.9	0.85	5.1	0.65
139 Pneumonia	26	3.2	4.0	0.80	3.6	0.89	3.9	0.82
140 Chronic Obstructive Pulmonary Disease	7	4.3	3.5	1.23	3.5	1.23	3.3	1.30
194 Heart Failure	28	3.0	4.6	0.65	3.6	0.83	4.7	0.64
201 Heart Abnormal Rhythm and Conduction Disorders	5	2.8	2.8	1.00	2.6	1.08	2.9	0.97
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	10	5.3	4.1	1.29	3.8	1.39	4.0	1.33
463 Kidney/Urinary Tract Infection	23	3.0	3.9	0.77	3.5	0.86	3.8	0.79
469 Acute kidney injury	10	2.7	4.8	0.56	3.1	0.87	4.8	0.56
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	34	3.5	5.6	0.63	3.7	0.95	5.7	0.61
861 Signs & Symptoms	*	*	6.7	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	19	3.2	9.2	0.35	11.6	0.28	7.9	0.41

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$21,266	\$32,246	\$37,801	0.85	\$26,133	1.23	\$41,427	0.78
137	Respiratory Infections and Inflammations	\$22,556	\$23,693	\$37,786	0.63	\$25,355	0.93	\$44,204	0.54
139	Pneumonia	\$21,667	\$20,994	\$30,317	0.69	\$23,433	0.90	\$33,131	0.63
140	Chronic Obstructive Pulmonary Disease	\$16,836	\$19,105	\$32,438	0.59	\$23,153	0.83	\$32,611	0.59
194	Heart Failure	\$18,164	\$20,704	\$34,805	0.59	\$23,717	0.87	\$38,512	0.54
201	Heart Abnormal Rhythm and Conduction Disorders	\$18,031	\$14,458	\$24,857	0.58	\$17,441	0.83	\$27,857	0.52
247	Intestinal Obstruction without Surgery	*	*	\$21,658	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$28,201	\$28,736	\$25,899	1.11	\$19,976	1.44	\$29,240	0.98
463	Kidney/Urinary Tract Infection	\$19,171	\$22,779	\$28,365	0.80	\$21,286	1.07	\$30,445	0.75
469	Acute kidney injury	\$18,579	\$26,063	\$36,852	0.71	\$22,049	1.18	\$39,232	0.66
560	Vaginal Delivery	N/A	N/A	\$12,421	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$7,016	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$27,919	\$40,879	\$48,275	0.85	\$33,506	1.22	\$56,342	0.73
861	Signs & Symptoms	*	*	\$35,451	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	\$14,087	\$14,184	\$40,395	0.35	\$19,795	0.72	\$31,921	0.44

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

322 Marshfield Medical Cen 2310 Craig Rd Eau Claire, WI 54701	nter - Eau Clai	ire		Hospital Type: GMS County: Eau Claire Analysis Area: 5A-West Cer	ntral
·				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	4,352	Average Length of Stay (days):	3.4	Discharge Status	% Discharges
Total Patient Days:	14,964	Average Charge per Discharge:	\$23,814	Home or Self-Care Other GMS Hospital	82.3% 4.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization	777 241 <u>47</u> 1,065 1,120	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	73.0% 22.6% 4.4%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired	5.4% 1.0% 0.1% 1.2% 0.0% 3.4% 0.8% 1.0%
Discharges:	2	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	10	Percent of All Patient Days:	0.1%	Other	0.3%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	22	Percent of All Discharges:	0.5%	Medicare	29.5%
Patient Days:	245	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	26.6%
				Other Government	3.0%
				Commercial or Private Insurance	37.8%
				Self-Pay	3.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	25.7%	13.4%	Male	37.9%	45.1%	Amer.Ind/Alaskan Native	e 1.6%	1.7%
Under 15	0.5%	0.2%	Female	62.1%	54.9%	Asian	2.1%	1.3%
15 - 19	0.8%	0.5%				Black/African Amer.	1.1%	1.3%
20 - 24	5.2%	3.6%				Native Hawaii/Pac.Isl.	0.1%	1.2%
25 - 34	18.7%	11.6%				White	88.7%	89.9%
35 - 44	7.2%	6.2%				Multiracial	0.0%	0.0%
45 - 54	4.8%	7.1%				Declined	0.5%	0.3%
55 - 64	8.8%	12.4%				Unavailable	5.8%	4.3%
65 - 74	12.7%	17.9%						
75 - 84	10.1%	17.3%						
85 & Over	5.6%	10.0%						

Other or Unknown Insurance

0.0%

322 Marshfield Medical Center - Eau Claire

Eau Claire, WI 54701

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	40	8.3	4.6	1.80	3.9	2.13	4.6	1.80
133 Respiratory failure	30	4.9	4.6	1.07	4.2	1.17	4.2	1.17
137 Respiratory Infections and Inflammations	48	5.7	4.6	1.24	5.1	1.12	5.1	1.12
139 Pneumonia	71	4.8	3.8	1.26	4.0	1.20	3.9	1.23
194 Heart Failure	103	6.8	4.7	1.45	4.5	1.51	4.7	1.45
201 Heart Abnormal Rhythm and Conduction Disorders	53	3.9	2.9	1.34	3.0	1.30	2.9	1.34
383 Cellulitis & other skin infections	34	5.7	4.4	1.30	3.9	1.46	4.0	1.43
463 Kidney/Urinary Tract Infection	49	5.2	3.7	1.41	3.6	1.44	3.8	1.37
466 Malfunction, reaction, complic of genitourinary device or prod	c 18	4.9	5.1	0.96	5.1	0.96	5.2	0.94
469 Acute kidney injury	73	5.9	4.5	1.31	4.6	1.28	4.8	1.23
540 Cesarean Delivery	241	2.7	2.8	0.96	2.9	0.93	3.4	0.79
560 Vaginal Delivery	777	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,049	1.7	1.8	0.94	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	247	7.0	5.3	1.32	5.3	1.32	5.7	1.23
775 Alcohol Abuse/Dependence	16	5.0	4.0	1.25	3.4	1.47	3.7	1.35

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility		Risk Adjusted	Risk Adjusted Group Averages			
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$36,160	\$38,268	\$36,020	1.06	\$47,909	0.80	\$50,763	0.75
133	Respiratory failure	\$36,610	\$43,070	\$31,031	1.39	\$41,132	1.05	\$41,427	1.04
137	Respiratory Infections and Inflammations	\$37,378	\$35,786	\$33,451	1.07	\$44,693	0.80	\$44,204	0.81
139	Pneumonia	\$31,814	\$29,574	\$24,141	1.23	\$34,901	0.85	\$33,131	0.89
194	Heart Failure	\$40,816	\$40,113	\$29,089	1.38	\$36,539	1.10	\$38,512	1.04
201	Heart Abnormal Rhythm and Conduction Disorders	\$28,095	\$27,586	\$21,213	1.30	\$27,323	1.01	\$27,857	0.99
383	Cellulitis & other skin infections	\$29,792	\$29,191	\$21,652	1.35	\$29,662	0.98	\$29,240	1.00
463	Kidney/Urinary Tract Infection	\$29,876	\$31,041	\$20,430	1.52	\$30,920	1.00	\$30,445	1.02
466	Malfunction, reaction, complic of genitourinary device or proc	\$32,166	\$34,932	\$31,791	1.10	\$41,728	0.84	\$45,131	0.77
469	Acute kidney injury	\$35,693	\$35,247	\$28,871	1.22	\$37,998	0.93	\$39,232	0.90
540	Cesarean Delivery	\$19,978	\$21,089	\$22,518	0.94	\$29,193	0.72	\$31,158	0.68
560	Vaginal Delivery	\$9,698	\$9,880	\$11,125	0.89	\$14,839	0.67	\$16,019	0.62
640	Normal Newborn, Birthweight 2500g+	\$4,540	\$4,732	\$3,955	1.20	\$5,740	0.82	\$5,687	0.83
720	Blood Infection/Septicemia	\$44,636	\$46,827	\$42,770	1.09	\$52,940	0.88	\$56,342	0.83
775	Alcohol Abuse/Dependence	\$27,516	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

029 Mayo Clinic Health Sys	stem - Eau Cla	lire		Hospital Type: GMS	
1221 Whipple Street				County: Eau Claire	
Eau Claire, WI 54703				Analysis Area: 5A-West Cer	ntral
715-838-3311				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	14,785	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	65,647	Average Charge per Discharge:	\$42,564	Home or Self-Care Other GMS Hospital	71.2% 0.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	830 287 56	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	70.8% 24.5% 4.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	9.3% 2.3% 0.3%
Total Childbirths:	1.173			Hospice	1.6%
Total Newborns:	1,268			Other Institution Home Health Service	0.0% 5.8%
Psychiatric Utilization				Left Against Medical Advice Expired	1.1% 2.0%
Discharges:	1,166	Percent of All Discharges:	7.9%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	6,411	Percent of All Patient Days:	9.8%	Other	5.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	342	Percent of All Discharges:	2.3%	Medicare	52.3%
Patient Days:	1,513	Percent of All Patient Days:	2.3%	Medicaid/BadgerCare	15.3%
				Other Government	4.0%
				Commercial or Private Insurance	25.5%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.1%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	8.6%	4.5%	Male	49.0%	52.2%	Amer.Ind/Alaskan Native	e 0.6%	0.7%
Under 15	0.6%	0.3%	Female	51.0%	47.8%	Asian	1.9%	1.7%
15 - 19	1.3%	1.3%				Black/African Amer.	1.2%	1.2%
20 - 24	3.4%	2.8%				Native Hawaii/Pac.Isl.	0.1%	0.2%
25 - 34	10.6%	7.9%				White	93.5%	94.0%
35 - 44	7.6%	6.9%				Multiracial	0.5%	0.4%
45 - 54	7.5%	7.9%				Declined	0.4%	0.4%
55 - 64	13.0%	15.3%				Unavailable	1.7%	1.5%
65 - 74	19.3%	21.7%						
75 - 84	18.0%	20.2%						
85 & Over	10.0%	11.2%						

029 Mayo Clinic Health System - Eau Claire

Eau Claire, WI 54703

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	179	4.8	4.6	1.04	5.0	0.96	4.6	1.04
133 Respiratory failure	89	5.9	4.6	1.28	4.5	1.31	4.2	1.40
137 Respiratory Infections and Inflammations	303	5.4	4.6	1.17	5.6	0.96	5.1	1.06
139 Pneumonia	222	4.0	3.8	1.05	4.1	0.98	3.9	1.03
174 Percutaneous coronary intervention w AMI	242	2.7	2.6	1.04	3.0	0.90	2.9	0.93
175 Percutaneous coronary intervention w/o AMI	132	2.8	2.7	1.04	2.5	1.12	2.5	1.12
194 Heart Failure	570	5.3	4.7	1.13	5.1	1.04	4.7	1.13
201 Heart Abnormal Rhythm and Conduction Disorders	303	2.9	2.9	1.00	3.0	0.97	2.9	1.00
463 Kidney/Urinary Tract Infection	192	4.0	3.7	1.08	4.0	1.00	3.8	1.05
469 Acute kidney injury	190	5.0	4.5	1.11	5.2	0.96	4.8	1.04
540 Cesarean Delivery	287	3.1	2.8	1.11	3.7	0.84	3.4	0.91
560 Vaginal Delivery	830	2.2	2.0	1.10	2.2	1.00	2.1	1.05
640 Normal Newborn, Birthweight 2500g+	1,111	1.9	1.8	1.06	2.0	0.95	1.9	1.00
720 Blood Infection/Septicemia	806	6.4	5.3	1.21	6.3	1.02	5.7	1.12
751 Psychoses	596	4.9	5.2	0.94	5.0	0.98	l 5.1	0.96

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045 133	Stroke and Precerebral Occlusion with Infarct Respiratory failure	\$49,419 \$52,584	\$47,268 \$38,267	\$36,020 \$31,031	1.31 1.23	\$54,618 \$44,431	0.87 0.86	\$50,763 \$41,427	0.93 0.92
137	Respiratory Infections and Inflammations	\$45,940	\$43,733	\$33,451	1.31	\$49,624	0.88	\$44,204	0.92
139	Pneumonia	\$31,852	\$30,947	\$24,141	1.28	\$37,011	0.84	\$33,131	0.93
174 175	Percutaneous coronary intervention w AMI Percutaneous coronary intervention w/o AMI	\$75,795 \$80,034	\$74,017 \$77,930	\$72,940 \$76,910	1.01 1.01	\$92,807 \$112,207	0.80 0.69	\$92,242 \$110,305	0.80 0.71
194	Heart Failure	\$37,028	\$77,930 \$35,850	\$70,910 \$29,089	1.01	\$43,048	0.83	\$38,512	0.71
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,356	\$23,860	\$21,213	1.12	\$29,715	0.80	\$27,857	0.86
463	Kidney/Urinary Tract Infection	\$26,950	\$25,833	\$20,430	1.26	\$33,907	0.76	\$30,445	0.85
469	Acute kidney injury	\$38,499	\$35,999	\$28,871	1.25	\$43,161	0.83	\$39,232	0.92
540	Cesarean Delivery	\$22,245	\$22,521	\$22,518	1.00	\$32,532	0.69	\$31,158	0.72
560	Vaginal Delivery	\$12,255	\$12,021	\$11,125	1.08	\$17,304	0.69	\$16,019	0.75
640	Normal Newborn, Birthweight 2500g+	\$3,870	\$3,706	\$3,955	0.94	\$5,861	0.63	\$5,687	0.65
720	Blood Infection/Septicemia	\$58,501	\$55,241	\$42,770	1.29	\$62,322	0.89	\$56,342	0.98
751	Psychoses	\$12,821	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

030 Sacred Heart Hospital				Hospital Type: GMS	
900 West Clairemont Avenue				County: Eau Claire	
Eau Claire, WI 54701				Analysis Area: 5A-West Ce	ntral
715-839-4121				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	991	Average Length of Stay (days):	4.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	4,704	Average Charge per Discharge:	\$37,136	Home or Self-Care Other GMS Hospital	73.1% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	136	Percent of All Childbirths:	80.5%	Skilled Nursing Facility Intermediate Care Facility	8.8% 2.2%
Cesarean Childbirths: Other Childbirths:	32 1	Percent of All Childbirths: Percent of All Childbirths:	18.9% 0.6%	Inpatient Rehabilitation Facility	2.4%
Total Childbirths:	169			Hospice Other Institution	1.8% 0.5%
Total Newborns:	171			Home Health Service	5.7%
Psychiatric Utilization				Left Against Medical Advice Expired	1.1% 1.7%
Discharges:	92	Percent of All Discharges:	9.3%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	603	Percent of All Patient Days:	12.8%	Other	0.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	20	Percent of All Discharges:	2.0%	Medicare	34.5%
Patient Days:	126	Percent of All Patient Days:	2.7%	Medicaid/BadgerCare	25.3%
				Other Government	4.1%
				Commercial or Private Insurance	32.6%
				Self-Pay	3.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	17.3%	6.4%	Male	41.2%	45.6%	Amer.Ind/Alaskan Native	e 0.8%	0.9%
Under 15	2.1%	1.9%	Female	58.8%	54.4%	Asian	1.6%	0.9%
15 - 19	2.1%	2.7%				Black/African Amer.	1.0%	1.5%
20 - 24	4.3%	3.2%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	16.3%	8.4%				White	93.9%	93.8%
35 - 44	8.9%	7.9%				Multiracial	0.7%	0.5%
45 - 54	7.1%	9.3%				Declined	1.2%	2.0%
55 - 64	10.9%	14.7%				Unavailable	0.5%	0.5%
65 - 74	12.5%	18.2%						
75 - 84	10.8%	16.4%						
85 & Over	7.7%	10.9%						

030 Sacred Heart Hospital

Eau Claire, WI 54701

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	14	4.9	4.6	1.07	3.6	1.36	4.2	1.17
137 Respiratory Infections and Inflammations	16	6.4	4.6	1.39	3.7	1.73	5.1	1.25
139 Pneumonia	34	4.5	3.8	1.18	3.4	1.32	3.9	1.15
140 Chronic Obstructive Pulmonary Disease	16	3.5	3.3	1.06	3.0	1.17	3.3	1.06
194 Heart Failure	30	5.3	4.7	1.13	3.7	1.43	4.7	1.13
201 Heart Abnormal Rhythm and Conduction Disorders	10	3.7	2.9	1.28	2.7	1.37	2.9	1.28
247 Intestinal Obstruction without Surgery	9	4.3	2.9	1.48	2.8	1.54	3.4	1.26
326 Elective knee joint replacement	0	N/A	2.7	N/A	1.6	N/A	2.0	N/A
383 Cellulitis & other skin infections	11	7.5	4.4	1.70	3.8	1.97	4.0	1.88
463 Kidney/Urinary Tract Infection	11	5.5	3.7	1.49	3.3	1.67	3.8	1.45
469 Acute kidney injury	8	7.1	4.5	1.58	3.4	2.09	4.8	1.48
540 Cesarean Delivery	32	2.5	2.8	0.89	2.8	0.89	3.4	0.74
560 Vaginal Delivery	136	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	158	1.7	1.8	0.94	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	64	9.4	5.3	1.77	3.9	2.41	5.7	1.65

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$44,277	\$37,468	\$31,031	1.21	\$27,996	1.34	\$41,427	0.90
137	Respiratory Infections and Inflammations	\$47,858	\$44,921	\$33,451	1.34	\$25,863	1.74	\$44,204	1.02
139	Pneumonia	\$33,224	\$33,274	\$24,141	1.38	\$23,921	1.39	\$33,131	1.00
140	Chronic Obstructive Pulmonary Disease	\$26,905	\$27,432	\$21,372	1.28	\$20,883	1.31	\$32,611	0.84
194	Heart Failure	\$38,014	\$33,092	\$29,089	1.14	\$24,051	1.38	\$38,512	0.86
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,826	\$20,949	\$21,213	0.99	\$18,840	1.11	\$27,857	0.75
247	Intestinal Obstruction without Surgery	\$20,896	\$23,131	\$15,833	1.46	\$17,509	1.32	\$27,065	0.85
326	Elective knee joint replacement	N/A	N/A	\$44,423	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$44,860	\$40,926	\$21,652	1.89	\$21,588	1.90	\$29,240	1.40
463	Kidney/Urinary Tract Infection	\$31,719	\$33,611	\$20,430	1.65	\$17,785	1.89	\$30,445	1.10
469	Acute kidney injury	\$37,638	\$28,551	\$28,871	0.99	\$22,228	1.28	\$39,232	0.73
540	Cesarean Delivery	\$27,170	\$28,608	\$22,518	1.27	\$26,138	1.09	\$31,158	0.92
560	Vaginal Delivery	\$14,318	\$14,709	\$11,125	1.32	\$12,000	1.23	\$16,019	0.92
640	Normal Newborn, Birthweight 2500g+	\$3,395	\$3,429	\$3,955	0.87	\$4,404	0.78	\$5,687	0.60
720	Blood Infection/Septicemia	\$75,028	\$61,817	\$42,770	1.45	\$33,539	1.84	\$56,342	1.10

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

031 Edgerton Hospital and He	alth Servic	ces		Hospital Type: GMS	
11101 N. Sherman Rd				County: Rock	
Edgerton, WI 53534				Analysis Area: 1-Southern	
608-884-3441				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	150	Average Length of Stay (days):	3.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	471	Average Charge per Discharge:	\$23,729	Home or Self-Care Other GMS Hospital	60.7% 9.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.7%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	8.0% 0.0%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0% 3.3%
Total Childbirths:	0			Hospice Other Institution	0.0%
Total Newborns:	0			Home Health Service	3.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 0.0%
Discharges:	1	Percent of All Discharges:	0.7%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.4%	Other	14.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.7%	Medicare	79.3%
Patient Days:	3	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	2.7%
				Other Government	2.0%
				Commercial or Private Insurance	14.7%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.0%	48.4%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	52.0%	51.6%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	1.3%	2.5%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.7%	0.8%				White	98.7%	97.5%
35 - 44	4.0%	4.5%				Multiracial	0.0%	0.0%
45 - 54	1.3%	1.5%				Declined	0.0%	0.0%
55 - 64	14.0%	12.5%				Unavailable	0 %	0 %
65 - 74	20.7%	17.6%						
75 - 84	33.3%	38.6%						
85 & Over	26.0%	24.4%						

031 Edgerton Hospital and Health Services

Edgerton, WI 53534

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.3	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	11	3.9	5.1	0.76	3.4	1.15	5.1	0.76
139 Pneumonia	10	2.7	3.9	0.69	3.2	0.84	3.9	0.69
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*
194 Heart Failure	8	2.8	5.1	0.55	3.2	0.88	4.7	0.60
249 Other gastroenteritis, nausea & vomiting	*	*	3.6	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	5	3.0	4.3	0.70	2.4	1.25	3.9	0.77
383 Cellulitis & other skin infections	7	3.3	4.2	0.79	3.4	0.97	4.0	0.83
420 Diabetes	*	*	3.3	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.8	*	3.4	*	3.8	*
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	32	3.3	6.1	0.54	3.1	1.06	5.7	0.58
775 Alcohol Abuse/Dependence	*	*	3.8	*	3.1	*	3.7	*
861 Signs & Symptoms	*	*	4.9	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	*	*	5.0	*	13.4	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This	Facility			Risk Adjuste	d Group Avera	ges	
APR-DRG # and Description	Averaç Charg		e Average	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133 Respiratory failure		*	* \$52,595	*	\$23,461	*	\$41,427	*
137 Respiratory Infections and Inflamr	mations \$30,2	56 \$34,85	7 \$54,668	0.64	\$26,728	1.30	\$44,204	0.79
139 Pneumonia	\$20,6	74 \$19,06	4 \$39,479	0.48	\$19,737	0.97	\$33,131	0.58
140 Chronic Obstructive Pulmonary Di	lisease	*	* \$37,773	*	\$14,984	*	\$32,611	*
194 Heart Failure	\$19,5	80 \$22,23	2 \$47,309	0.47	\$18,454	1.20	\$38,512	0.58
249 Other gastroenteritis, nausea & vo	omiting	*	* \$36,233	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas Except Ma	alignancy \$23,0	20 \$34,90	5 \$41,299	0.85	\$18,126	1.93	\$35,124	0.99
383 Cellulitis & other skin infections	\$20,1	19 \$17,98	3 \$34,338	0.52	\$17,133	1.05	\$29,240	0.62
420 Diabetes		*	* \$36,150	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection		*	* \$35,981	*	\$17,003	*	\$30,445	*
469 Acute kidney injury		*	* \$46,091	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia	\$26,1	29 \$33,20	4 \$70,715	0.47	\$27,572	1.20	\$56,342	0.59
775 Alcohol Abuse/Dependence		*	4 #	*	#	*	#	*
861 Signs & Symptoms		*	* \$34,410	*	\$22,684	*	\$36,306	*
862 Other Factors Influencing Health S	Status	*	* \$21,380	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

032 Aurora Lakeland Medica W3985 Cty Rd NN Elkhorn, WI 53121 262-741-2000	al Center			Hospital Type: GMS County: Walworth Analysis Area: 2A-Southeas Inpatient Volume Group: 5	stern
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,651	Average Length of Stay (days):	3.1	Discharge Status	% Discharges
Total Patient Days:	11,186	Average Charge per Discharge:	\$30,652	Home or Self-Care Other GMS Hospital	62.0% 5.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	465 165	Percent of All Childbirths: Percent of All Childbirths:	72.1% 25.6%	Skilled Nursing Facility Intermediate Care Facility	11.3% 1.7%
Other Childbirths:	15	Percent of All Childbirths:	2.3%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	645			Hospice	3.0%
Total Newborns:	673			Other Institution Home Health Service	0.0% 13.6%
Total Newborns.	075			Left Against Medical Advice	0.7%
Psychiatric Utilization				Expired	1.0%
Discharges:	4	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	16	Percent of All Patient Days:	0.1%	Other	0.4%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	67	Percent of All Discharges:	1.8%	Medicare	59.4%
Patient Days:	226	Percent of All Patient Days:	2.0%	Medicaid/BadgerCare	17.1%
				Other Government	0.7%
				Commercial or Private Insurance	17.4%
				Self-Pay	5.1%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	18.4%	10.0%	Male	39.0%	42.8%	Amer.Ind/Alaskan Native	e 0.1%	0.2%
Under 15	0.2%	0.1%	Female	61.0%	57.2%	Asian	0.4%	0.8%
15 - 19	0.7%	0.5%				Black/African Amer.	1.2%	1.6%
20 - 24	3.8%	2.8%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	14.5%	9.7%				White	96.0%	95.9%
35 - 44	6.4%	4.9%				Multiracial	0.6%	0.5%
45 - 54	3.8%	4.1%				Declined	0.4%	0.3%
55 - 64	9.6%	11.2%				Unavailable	1.1%	0.6%
65 - 74	14.8%	21.3%						
75 - 84	16.2%	20.3%						
85 & Over	11.5%	15.1%						

032 Aurora Lakeland Medical Center

Elkhorn, WI 53121

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	41	4.0	3.8	1.05	3.9	1.03	4.6	0.87		
133 Respiratory failure	99	3.8	4.4	0.86	4.2	0.90	4.2	0.90		
137 Respiratory Infections and Inflammations	70	5.2	4.8	1.08	5.1	1.02	5.1	1.02		
139 Pneumonia	67	3.9	3.9	1.00	4.0	0.98	3.9	1.00		
194 Heart Failure	154	4.3	4.5	0.96	4.5	0.96	4.7	0.91		
201 Heart Abnormal Rhythm and Conduction Disorders	65	3.6	2.8	1.29	3.0	1.20	2.9	1.24		
383 Cellulitis & other skin infections	30	3.1	3.9	0.79	3.9	0.79	4.0	0.78		
463 Kidney/Urinary Tract Infection	57	3.0	3.5	0.86	3.6	0.83	3.8	0.79		
466 Malfunction, reaction, complic of genitourinary device or pro-	c 42	3.4	5.1	0.67	5.1	0.67	5.2	0.65		
469 Acute kidney injury	70	4.2	4.8	0.88	4.6	0.91	4.8	0.88		
540 Cesarean Delivery	165	2.7	3.1	0.87	2.9	0.93	3.4	0.79		
560 Vaginal Delivery	465	1.8	2.0	0.90	1.9	0.95	2.1	0.86		
640 Normal Newborn, Birthweight 2500g+	638	1.7	1.9	0.89	1.8	0.94	1.9	0.89		
720 Blood Infection/Septicemia	345	4.3	5.2	0.83	5.3	0.81	5.7	0.75		
775 Alcohol Abuse/Dependence	45	3.3	3.1	1.06	3.4	0.97	3.7	0.89		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$50,806	\$48,347	\$48,872	0.99	\$47,909	1.01	\$50,763	0.95
133	Respiratory failure	\$40,213	\$46,597	\$42,864	1.09	\$41,132	1.13	\$41,427	1.12
137	Respiratory Infections and Inflammations	\$46,622	\$47,660	\$43,676	1.09	\$44,693	1.07	\$44,204	1.08
139	Pneumonia	\$35,532	\$30,708	\$35,485	0.87	\$34,901	0.88	\$33,131	0.93
194	Heart Failure	\$37,678	\$36,161	\$37,494	0.96	\$36,539	0.99	\$38,512	0.94
201	Heart Abnormal Rhythm and Conduction Disorders	\$32,516	\$30,890	\$29,688	1.04	\$27,323	1.13	\$27,857	1.11
383	Cellulitis & other skin infections	\$26,710	\$28,445	\$30,428	0.93	\$29,662	0.96	\$29,240	0.97
463	Kidney/Urinary Tract Infection	\$28,877	\$28,786	\$30,491	0.94	\$30,920	0.93	\$30,445	0.95
466	Malfunction, reaction, complic of genitourinary device or proc	\$30,250	\$33,050	\$42,902	0.77	\$41,728	0.79	\$45,131	0.73
469	Acute kidney injury	\$36,562	\$38,107	\$39,575	0.96	\$37,998	1.00	\$39,232	0.97
540	Cesarean Delivery	\$31,543	\$31,581	\$34,572	0.91	\$29,193	1.08	\$31,158	1.01
560	Vaginal Delivery	\$16,243	\$16,554	\$18,364	0.90	\$14,839	1.12	\$16,019	1.03
640	Normal Newborn, Birthweight 2500g+	\$4,603	\$4,956	\$6,707	0.74	\$5,740	0.86	\$5,687	0.87
720	Blood Infection/Septicemia	\$46,016	\$47,256	\$54,544	0.87	\$52,940	0.89	\$56,342	0.84
775	Alcohol Abuse/Dependence	\$31,185	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

345 Aurora Medical Center - Fo 210 Wisconsin American Dr Fond du Lac, WI 54937 	ond du La	c		Hospital Type: GMS County: Fond du Lac Analysis Area: 3-Lake Winn Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	225	Average Length of Stay (days):	3.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	850	Average Charge per Discharge:	\$41,737	Home or Self-Care Other GMS Hospital	59.1% 7.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	11.6%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.3%
Total Childbirths:	0			Hospice	0.4%
-	-			Other Institution	0.0%
Total Newborns:	0			Home Health Service	14.2%
Psychiatric Utilization				Left Against Medical Advice	1.3%
				Expired	2.2%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	6	Percent of All Discharges:	2.7%	Medicare	83.1%
Patient Days:	32	Percent of All Patient Days:	3.8%	Medicaid/BadgerCare	8.9%
				Other Government	1.3%
				Commercial or Private Insurance	5.8%
				Self-Pay	0.9%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.8%	46.4%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	50.2%	53.6%	Asian	0.4%	0.2%
15 - 19	0.0%	0.0%				Black/African Amer.	2.2%	3.3%
20 - 24	0.9%	1.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.7%	3.3%				White	96.9%	96.4%
35 - 44	8.0%	5.1%				Multiracial	0.4%	0.1%
45 - 54	10.2%	8.6%				Declined	0.0%	0.0%
55 - 64	18.2%	21.2%				Unavailable	0 %	0 %
65 - 74	24.4%	29.8%						
75 - 84	22.7%	20.5%						
85 & Over	12.9%	10.2%						

Other or Unknown Insurance

0.0%

345 Aurora Medical Center - Fond du Lac

Fond du Lac, WI 54937

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			<u>Analysis Area</u>		Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	3.7	N/A	3.5	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	6	3.5	5.0	0.70	3.9	0.90	5.1	0.69
139 Pneumonia	7	2.0	3.7	0.54	3.6	0.56	3.9	0.51
140 Chronic Obstructive Pulmonary Disease	*	*	2.8	*	3.5	*	3.3	*
194 Heart Failure	22	3.0	4.1	0.73	3.6	0.83	4.7	0.64
201 Heart Abnormal Rhythm and Conduction Disorders	5	1.4	2.5	0.56	2.6	0.54	2.9	0.48
247 Intestinal Obstruction without Surgery	7	5.7	3.3	1.73	3.0	1.90	3.4	1.68
383 Cellulitis & other skin infections	*	*	3.7	*	3.8	*	4.0	*
463 Kidney/Urinary Tract Infection	6	3.2	3.4	0.94	3.5	0.91	3.8	0.84
469 Acute kidney injury	*	*	4.1	*	3.1	*	4.8	*
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	35	4.6	5.1	0.90	3.7	1.24	5.7	0.81
861 Signs & Symptoms	*	*	4.6	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	*	*	5.0	*	11.6	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> <u>Inpatient Volume Grou</u> Average Average Charge Ratio Charge Ratio			<u>All GMS Hospitals</u> Average Charge Ratio		
133	Respiratory failure	N/A	N/A	\$29,067	*	\$26,133	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$46,416	\$37,820	\$31,076	1.22	\$25,355	1.49	\$44,204	0.86
139	Pneumonia	\$26,371	\$25,673	\$25,465	1.01	\$23,433	1.10	\$33,131	0.77
140	Chronic Obstructive Pulmonary Disease	*	*	\$23,561	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$31,816	\$31,367	\$26,437	1.19	\$23,717	1.32	\$38,512	0.81
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,113	\$28,173	\$19,751	1.43	\$17,441	1.62	\$27,857	1.01
247	Intestinal Obstruction without Surgery	\$44,525	\$42,190	\$18,938	2.23	\$19,525	2.16	\$27,065	1.56
383	Cellulitis & other skin infections	*	*	\$21,780	*	\$19,976	*	\$29,240	*
463	Kidney/Urinary Tract Infection	\$27,652	\$28,639	\$22,229	1.29	\$21,286	1.35	\$30,445	0.94
469	Acute kidney injury	*	*	\$26,749	*	\$22,049	*	\$39,232	*
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$52,500	\$56,541	\$38,002	1.49	\$33,506	1.69	\$56,342	1.00
861	Signs & Symptoms	*	*	\$24,875	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	*	*	\$15,253	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

034 SSM Health St Agnes He	ospital			Hospital Type: GMS	
430 E Division, PO Box 385				County: Fond du Lac	
Fond du Lac, WI 54935				Analysis Area: 3-Lake Winn	ebado
920-929-2300				Inpatient Volume Group: 6	5
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	7,874	Average Length of Stay (days):	3.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	30,765	Average Charge per Discharge:	\$36,497	Home or Self-Care Other GMS Hospital	72.3% 1.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	553	Percent of All Childbirths:	74.8%	Skilled Nursing Facility Intermediate Care Facility	11.7% 0.9%
Cesarean Childbirths:	174	Percent of All Childbirths:	23.5%	Inpatient Rehabilitation Facility	0.5%
Other Childbirths:	12	Percent of All Childbirths:	1.6%	Hospice	2.7%
Total Childbirths:	739			Other Institution	0.0%
Total Newborns:	799			Home Health Service	5.8%
-				Left Against Medical Advice	1.4%
Psychiatric Utilization				Expired	2.0%
Discharges:	568	Percent of All Discharges:	7.2%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	2,339	Percent of All Patient Days:	7.6%	Other	0.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	292	Percent of All Discharges:	3.7%	Medicare	51.8%
Patient Days:	872	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare	18.2%
				Other Government	3.4%
				Commercial or Private Insurance	24.8%
				Self-Pay	1.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	10.1%	5.2%	Male	47.9%	50.6%	Amer.Ind/Alaskan Native	e 0.3%	0.3%
Under 15	0.2%	0.2%	Female	52.1%	49.4%	Asian	1.0%	0.9%
15 - 19	1.0%	0.7%				Black/African Amer.	2.9%	2.7%
20 - 24	3.2%	2.2%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	10.9%	7.4%				White	87.8%	91.5%
35 - 44	6.6%	5.4%				Multiracial	0.1%	0.1%
45 - 54	6.0%	6.1%				Declined	0.2%	0.1%
55 - 64	13.3%	16.0%				Unavailable	7.7%	4.3%
65 - 74	18.3%	22.7%						
75 - 84	19.1%	21.5%						
85 & Over	11.4%	12.6%						

034 SSM Health St Agnes Hospital

Fond du Lac, WI 54935

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	102	4.9	4.0	1.23	5.0	0.98	4.6	1.07
133 Respiratory failure	102	4.1	3.7	1.11	4.5	0.91	4.2	0.98
137 Respiratory Infections and Inflammations	152	5.5	5.0	1.10	5.6	0.98	5.1	1.08
139 Pneumonia	128	3.7	3.7	1.00	4.1	0.90	3.9	0.95
174 Percutaneous coronary intervention w AMI	142	2.9	2.7	1.07	3.0	0.97	2.9	1.00
175 Percutaneous coronary intervention w/o AMI	260	2.2	2.2	1.00	2.5	0.88	2.5	0.88
194 Heart Failure	275	4.3	4.1	1.05	5.1	0.84	4.7	0.91
201 Heart Abnormal Rhythm and Conduction Disorders	118	2.6	2.5	1.04	3.0	0.87	2.9	0.90
463 Kidney/Urinary Tract Infection	156	3.4	3.4	1.00	4.0	0.85	3.8	0.89
469 Acute kidney injury	145	3.6	4.1	0.88	5.2	0.69	4.8	0.75
540 Cesarean Delivery	174	2.8	3.1	0.90	3.7	0.76	3.4	0.82
560 Vaginal Delivery	553	1.9	1.9	1.00	2.2	0.86	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	739	1.9	1.9	1.00	2.0	0.95	1.9	1.00
720 Blood Infection/Septicemia	488	6.0	5.1	1.18	6.3	0.95	5.7	1.05
751 Psychoses	298	3.9	4.3	0.91	5.0	0.78	5.1	0.76

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$41,997	\$41,960	\$35,316	1.19	\$54,618	0.77	\$50,763	0.83
133	Respiratory failure	\$38,549	\$35,247	\$29,067	1.21	\$44,431	0.79	\$41,427	0.85
137	Respiratory Infections and Inflammations	\$40,460	\$39,017	\$31,076	1.26	\$49,624	0.79	\$44,204	0.88
139	Pneumonia	\$31,291	\$30,363	\$25,465	1.19	\$37,011	0.82	\$33,131	0.92
174	Percutaneous coronary intervention w AMI	\$66,816	\$66,040	\$80,761	0.82	\$92,807	0.71	\$92,242	0.72
175	Percutaneous coronary intervention w/o AMI	\$94,226	\$96,682	\$96,138	1.01	\$112,207	0.86	\$110,305	0.88
194	Heart Failure	\$32,643	\$32,027	\$26,437	1.21	\$43,048	0.74	\$38,512	0.83
201	Heart Abnormal Rhythm and Conduction Disorders	\$30,173	\$30,336	\$19,751	1.54	\$29,715	1.02	\$27,857	1.09
463	Kidney/Urinary Tract Infection	\$25,824	\$24,934	\$22,229	1.12	\$33,907	0.74	\$30,445	0.82
469	Acute kidney injury	\$27,745	\$29,466	\$26,749	1.10	\$43,161	0.68	\$39,232	0.75
540	Cesarean Delivery	\$23,536	\$25,105	\$20,549	1.22	\$32,532	0.77	\$31,158	0.81
560	Vaginal Delivery	\$10,297	\$10,583	\$9,705	1.09	\$17,304	0.61	\$16,019	0.66
640	Normal Newborn, Birthweight 2500g+	\$4,503	\$4,602	\$4,293	1.07	\$5,861	0.79	\$5,687	0.81
720	Blood Infection/Septicemia	\$46,527	\$45,646	\$38,002	1.20	\$62,322	0.73	\$56,342	0.81
751	Psychoses	\$12,150	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Risk-Adjusted Charges not calculated using SMTM APR DRG Software incensed tinough SM Health Information Systems. # Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

035 Fort HealthCare				Hospital Type: GMS	
611 East Sherman Avenue					
				County: Jefferson	
Fort Atkinson, WI 53538				Analysis Area: 1-Southern	
920-568-5000				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,776	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	5.064	Average Charge per Discharge:	\$25,057	Home or Self-Care	65.4%
	0,001		<i><i><i><i></i></i></i></i>	Other GMS Hospital	7.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	223	Percent of All Childbirths:	66.8%	Skilled Nursing Facility	11.5%
Cesarean Childbirths:	82	Percent of All Childbirths:	24.6%	Intermediate Care Facility	3.4%
Other Childbirths:	29	Percent of All Childbirths:	8.7%	Inpatient Rehabilitation Facility	1.3%
Total Childbirths:	334	refectit of Air Offidbirth3.	0.7 /0	Hospice	3.8%
Total Childbirths.	334			Other Institution	0.1%
Total Newborns:	351			Home Health Service	4.8%
				Left Against Medical Advice	1.0%
Psychiatric Utilization				Expired	1.0%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	0.5%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	15	Percent of All Discharges:	0.8%	Medicare	42.3%
Patient Days:	52	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	24.0%
-		-		Other Government	1.9%
				Commercial or Private Insurance	28.8%
				Self-Pav	2.3%
				Other or Unknown Insurance	0.8%
					0.070

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	19.8%	13.0%	Male	36.9%	37.4%	Amer.Ind/Alaskan Native	e 0.6%	0.4%
Under 15	1.0%	0.9%	Female	63.1%	62.6%	Asian	0.6%	0.6%
15 - 19	1.6%	1.3%				Black/African Amer.	1.9%	1.4%
20 - 24	5.0%	4.0%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	13.0%	9.7%				White	91.9%	92.6%
35 - 44	6.8%	5.7%				Multiracial	0.5%	0.6%
45 - 54	4.2%	4.1%				Declined	4.2%	4.2%
55 - 64	9.3%	11.2%				Unavailable	0.1%	0 %
65 - 74	13.3%	16.9%						
75 - 84	15.3%	19.1%						
85 & Over	10.9%	13.9%						

035 Fort HealthCare

Fort Atkinson, WI 53538

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	18	2.8	4.5	0.62	3.5	0.80	4.6	0.61
133 Respiratory failure	80	3.9	4.3	0.91	3.5	1.11	4.2	0.93
137 Respiratory Infections and Inflammations	32	3.3	5.1	0.65	4.4	0.75	5.1	0.65
139 Pneumonia	44	2.8	3.9	0.72	3.6	0.78	3.9	0.72
194 Heart Failure	50	3.3	5.1	0.65	3.8	0.87	4.7	0.70
201 Heart Abnormal Rhythm and Conduction Disorders	31	2.7	3.0	0.90	2.6	1.04	2.9	0.93
247 Intestinal Obstruction without Surgery	11	2.8	3.6	0.78	3.0	0.93	3.4	0.82
383 Cellulitis & other skin infections	16	2.9	4.2	0.69	4.1	0.71	4.0	0.73
463 Kidney/Urinary Tract Infection	24	2.6	3.8	0.68	3.4	0.76	3.8	0.68
469 Acute kidney injury	15	3.7	4.8	0.77	4.2	0.88	4.8	0.77
540 Cesarean Delivery	82	2.9	3.7	0.78	2.7	1.07	3.4	0.85
560 Vaginal Delivery	223	1.8	2.1	0.86	1.8	1.00	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	326	1.9	2.0	0.95	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	174	3.5	6.1	0.57	4.5	0.78	5.7	0.61
775 Alcohol Abuse/Dependence	11	3.9	3.8	1.03	3.9	1.00	3.7	1.05

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$32,888	\$32,499	\$59,881	0.54	\$39,675	0.82	\$50,763	0.64
133	Respiratory failure	\$40,324	\$41,568	\$52,595	0.79	\$36,159	1.15	\$41,427	1.00
137	Respiratory Infections and Inflammations	\$28,415	\$29,804	\$54,668	0.55	\$36,731	0.81	\$44,204	0.67
139	Pneumonia	\$24,796	\$26,566	\$39,479	0.67	\$28,353	0.94	\$33,131	0.80
194	Heart Failure	\$27,932	\$29,093	\$47,309	0.61	\$30,581	0.95	\$38,512	0.76
201	Heart Abnormal Rhythm and Conduction Disorders	\$33,116	\$30,587	\$33,234	0.92	\$24,409	1.25	\$27,857	1.10
247	Intestinal Obstruction without Surgery	\$18,802	\$22,742	\$32,288	0.70	\$23,588	0.96	\$27,065	0.84
383	Cellulitis & other skin infections	\$22,207	\$21,741	\$34,338	0.63	\$26,179	0.83	\$29,240	0.74
463	Kidney/Urinary Tract Infection	\$23,899	\$21,235	\$35,981	0.59	\$25,093	0.85	\$30,445	0.70
469	Acute kidney injury	\$32,318	\$29,607	\$46,091	0.64	\$31,117	0.95	\$39,232	0.75
540	Cesarean Delivery	\$16,535	\$17,694	\$36,417	0.49	\$26,660	0.66	\$31,158	0.57
560	Vaginal Delivery	\$10,153	\$10,355	\$17,782	0.58	\$12,456	0.83	\$16,019	0.65
640	Normal Newborn, Birthweight 2500g+	\$10,271	\$10,744	\$5,754	1.87	\$5,451	1.97	\$5,687	1.89
720	Blood Infection/Septicemia	\$33,188	\$37,387	\$70,715	0.53	\$42,902	0.87	\$56,342	0.66
775	Alcohol Abuse/Dependence	\$35,490	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

311 Ascension SE Wisconsi 10101 S. 27th Street	in Hospital - I	Franklin Campus		Hospital Type: GMS	
				County: Milwaukee	0 1
Franklin, WI 53132				Analysis Area: 2B-Milwauke	e County
414-325-4700				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,678	Average Length of Stay (days):	4.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	12,016	Average Charge per Discharge:	\$39,938	Home or Self-Care	57.1%
Total Fatient Days.	12,010	Average charge per Discharge.	ψ09,900	Other GMS Hospital	2.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	14.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.1%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	2.8%
Total Childbirths:	0	r creent of All Officialities.	0.076	Hospice	5.0%
Total Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	13.4%
				Left Against Medical Advice	0.9%
Psychiatric Utilization				Expired	2.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.2%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	55	Percent of All Discharges:	2.1%	Medicare	70.1%
Patient Days:	260	Percent of All Patient Days:	2.2%	Medicaid/BadgerCare	9.3%
-		-		Other Government	0.6%
				Commercial or Private Insurance	18.3%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	47.7%	49.7%	Amer.Ind/Alaskan Native	e 0.5%	0.5%
Under 15	0.0%	0.0%	Female	52.3%	50.3%	Asian	1.9%	1.7%
15 - 19	0.5%	0.4%				Black/African Amer.	5.5%	6.4%
20 - 24	0.4%	0.2%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	3.1%	2.4%				White	88.3%	87.5%
35 - 44	5.4%	3.8%				Multiracial	0.7%	0.9%
45 - 54	7.2%	7.2%				Declined	3.0%	3.1%
55 - 64	14.4%	13.2%				Unavailable	0 %	0 %
65 - 74	24.9%	27.2%						
75 - 84	24.7%	25.7%						
85 & Over	19.4%	19.8%						

311 Ascension SE Wisconsin Hospital - Franklin Campus

Franklin, WI 53132

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	49	3.2	6.5	0.49	3.9	0.82	4.6	0.70
133 Respiratory failure	65	5.2	4.4	1.18	4.2	1.24	4.2	1.24
137 Respiratory Infections and Inflammations	53	5.5	5.6	0.98	5.1	1.08	5.1	1.08
139 Pneumonia	103	4.2	4.1	1.02	4.0	1.05	3.9	1.08
194 Heart Failure	192	4.9	5.3	0.92	4.5	1.09	4.7	1.04
201 Heart Abnormal Rhythm and Conduction Disorders	66	2.8	3.3	0.85	3.0	0.93	2.9	0.97
383 Cellulitis & other skin infections	38	4.0	4.1	0.98	3.9	1.03	4.0	1.00
463 Kidney/Urinary Tract Infection	94	4.0	4.3	0.93	3.6	1.11	3.8	1.05
466 Malfunction, reaction, complic of genitourinary device or pro	c 42	5.0	5.6	0.89	5.1	0.98	5.2	0.96
469 Acute kidney injury	87	5.0	5.6	0.89	4.6	1.09	4.8	1.04
540 Cesarean Delivery	0	N/A	3.7	N/A	2.9	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	232	5.6	6.8	0.82	5.3	1.06	5.7	0.98
775 Alcohol Abuse/Dependence	21	4.6	3.6	1.28	3.4	1.35	3.7	1.24

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$32,204	\$34,178	\$66,752	0.51	\$47,909	0.71	\$50,763	0.67
133	Respiratory failure	\$42,471	\$42,101	\$45,892	0.92	\$41,132	1.02	\$41,427	1.02
137	Respiratory Infections and Inflammations	\$39,590	\$37,761	\$54,053	0.70	\$44,693	0.84	\$44,204	0.85
139	Pneumonia	\$28,414	\$28,181	\$38,942	0.72	\$34,901	0.81	\$33,131	0.85
194	Heart Failure	\$32,912	\$32,826	\$48,131	0.68	\$36,539	0.90	\$38,512	0.85
201	Heart Abnormal Rhythm and Conduction Disorders	\$19,734	\$21,243	\$34,368	0.62	\$27,323	0.78	\$27,857	0.76
383	Cellulitis & other skin infections	\$26,693	\$26,758	\$37,141	0.72	\$29,662	0.90	\$29,240	0.92
463	Kidney/Urinary Tract Infection	\$26,299	\$26,371	\$38,452	0.69	\$30,920	0.85	\$30,445	0.87
466	Malfunction, reaction, complic of genitourinary device or proc	\$31,581	\$31,556	\$54,393	0.58	\$41,728	0.76	\$45,131	0.70
469	Acute kidney injury	\$31,486	\$32,252	\$49,167	0.66	\$37,998	0.85	\$39,232	0.82
540	Cesarean Delivery	N/A	N/A	\$35,225	*	\$29,193	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$19,729	*	\$14,839	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,018	*	\$5,740	*	\$5,687	*
720	Blood Infection/Septicemia	\$44,813	\$45,234	\$73,707	0.61	\$52,940	0.85	\$56,342	0.80
775	Alcohol Abuse/Dependence	\$29,522	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

313 Midwest Orthopedic Spe 10101 South 27th Street Franklin, WI 53132	ecialty Hospi	ital		Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke	e County
414-817-5800				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	478	Average Length of Stay (days):	2.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,092	Average Charge per Discharge:	\$73,141	Home or Self-Care Other GMS Hospital	67.2% 0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	13.6% 0.2% 1.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	0.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	17.2%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	57.7%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare Other Government	2.7% 0.2%
				Commercial or Private Insurance	38.7%
				Self-Pay Other or Unknown Insurance	0.6% 0.0%

	Age Distribution			Sex Distributio	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	39.1%	37.5%	Amer.Ind/Alaskan Native	0.2%	0.1%
Under 15	0.0%	0.0%	Female	60.9%	62.5%	Asian	0.2%	0.1%
15 - 19	0.2%	0.3%				Black/African Amer.	6.3%	5.6%
20 - 24	0.8%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.8%	0.7%				White	87.7%	88.0%
35 - 44	1.9%	1.4%				Multiracial	0.2%	0.1%
45 - 54	11.5%	10.4%				Declined	5.4%	6.1%
55 - 64	26.4%	25.3%				Unavailable	0 %	0 %
65 - 74	32.2%	31.2%						
75 - 84	22.0%	23.4%						
85 & Over	4.2%	6.8%						

313 Midwest Orthopedic Specialty Hospital

Franklin, WI 53132

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	4.4	N/A	3.6	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	0	N/A	5.6	N/A	3.7	N/A	5.1	N/A
139 Pneumonia	*	*	4.1	*	3.4	*	3.9	*
140 Chronic Obstructive Pulmonary Disease	0	N/A	3.3	N/A	3.0	N/A	3.3	N/A
194 Heart Failure	0	N/A	5.3	N/A	3.7	N/A	4.7	N/A
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.3	N/A	2.7	N/A	2.9	N/A
247 Intestinal Obstruction without Surgery	0	N/A	4.0	N/A	2.8	N/A	3.4	N/A
326 Elective knee joint replacement	129	1.8	2.1	0.86	1.6	1.13	2.0	0.90
383 Cellulitis & other skin infections	0	N/A	4.1	N/A	3.8	N/A	4.0	N/A
463 Kidney/Urinary Tract Infection	0	N/A	4.3	N/A	3.3	N/A	3.8	N/A
469 Acute kidney injury	0	N/A	5.6	N/A	3.4	N/A	4.8	N/A
540 Cesarean Delivery	0	N/A	3.7	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	0	N/A	6.8	N/A	3.9	N/A	5.7	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Descriptior		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Respiratory failure		N/A	N/A	\$45,892	*	\$27,996	*	\$41,427	*
137 Respiratory Infections a	nd Inflammations	N/A	N/A	\$54,053	*	\$25,863	*	\$44,204	*
139 Pneumonia		*	*	\$38,942	*	\$23,921	*	\$33,131	*
140 Chronic Obstructive Pul	monary Disease	N/A	N/A	\$40,616	*	\$20,883	*	\$32,611	*
194 Heart Failure	-	N/A	N/A	\$48,131	*	\$24,051	*	\$38,512	*
201 Heart Abnormal Rhythm	and Conduction Disorders	N/A	N/A	\$34,368	*	\$18,840	*	\$27,857	*
247 Intestinal Obstruction w	thout Surgery	N/A	N/A	\$35,055	*	\$17,509	*	\$27,065	*
326 Elective knee joint repla	cement	\$50,883	\$52,336	\$77,959	0.67	\$53,216	0.98	\$65,010	0.81
383 Cellulitis & other skin inf	ections	N/A	N/A	\$37,141	*	\$21,588	*	\$29,240	*
463 Kidney/Urinary Tract Inf	ection	N/A	N/A	\$38,452	*	\$17,785	*	\$30,445	*
469 Acute kidney injury		N/A	N/A	\$49,167	*	\$22,228	*	\$39,232	*
540 Cesarean Delivery		N/A	N/A	\$35,225	*	\$26,138	*	\$31,158	*
560 Vaginal Delivery		N/A	N/A	\$19,729	*	\$12,000	*	\$16,019	*
640 Normal Newborn, Birthv	veight 2500g+	N/A	N/A	\$6,018	*	\$4,404	*	\$5,687	*
720 Blood Infection/Septicer	nia	N/A	N/A	\$73,707	*	\$33,539	*	\$56,342	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

037 Gundersen Moundview Ho 402 W Lake Street, PO Box 40		I Clinics		Hospital Type: GMS County: Adams	
Friendship, WI 53934				Analysis Area: 6-North Cen	tral
608-339-3331				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	115	Average Length of Stay (days):	3.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	346	Average Charge per Discharge:	\$14,601	Home or Self-Care Other GMS Hospital	57.4% 8.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.9%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	7.0% 2.6%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	0.9% 0.0%
Total Newborns:	0			Home Health Service	4.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 2.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	15.7%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	72.2%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	7.0%
				Other Government	8.7%
				Commercial or Private Insurance	9.6%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	56.5%	57.2%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	43.5%	42.8%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.9%	0.3%				Native Hawaii/Pac.Isl.	0.9%	0.6%
25 - 34	1.7%	1.2%				White	99.1%	99.4%
35 - 44	3.5%	2.3%				Multiracial	0.0%	0.0%
45 - 54	2.6%	2.0%				Declined	0.0%	0.0%
55 - 64	21.7%	21.4%				Unavailable	0 %	0 %
65 - 74	23.5%	24.6%						
75 - 84	26.1%	22.5%						
85 & Over	20.0%	25.7%						

037 Gundersen Moundview Hospital and Clinics

Friendship, WI 53934

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	17	2.6	4.1	0.63	3.0	0.87	4.2	0.62
137 Respiratory Infections and Inflammations	*	*	5.1	*	3.4	*	5.1	*
139 Pneumonia	6	2.3	4.0	0.58	3.2	0.72	3.9	0.59
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	2.5	*	3.3	*
194 Heart Failure	15	3.6	4.6	0.78	3.2	1.13	4.7	0.77
249 Other gastroenteritis, nausea & vomiting	*	*	3.3	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.9	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	*	*	4.1	*	3.4	*	4.0	*
420 Diabetes	6	1.5	3.3	0.45	2.9	0.52	3.3	0.45
463 Kidney/Urinary Tract Infection	*	*	3.9	*	3.4	*	3.8	*
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	16	3.7	5.6	0.66	3.1	1.19	5.7	0.65
775 Alcohol Abuse/Dependence	0	N/A	3.7	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	*	*	6.7	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	0	N/A	9.2	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	8		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$17,080	\$19,668	\$37,801	0.52	\$23,461	0.84	\$41,427	0.47
137	Respiratory Infections and Inflammations	*	*	\$37,786	*	\$26,728	*	\$44,204	*
139	Pneumonia	\$13,069	\$16,622	\$30,317	0.55	\$19,737	0.84	\$33,131	0.50
140	Chronic Obstructive Pulmonary Disease	*	*	\$32,438	*	\$14,984	*	\$32,611	*
194	Heart Failure	\$15,074	\$17,549	\$34,805	0.50	\$18,454	0.95	\$38,512	0.46
249	Other gastroenteritis, nausea & vomiting	*	*	\$25,844	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$30,353	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	*	*	\$25,899	*	\$17,133	*	\$29,240	*
420	Diabetes	\$15,760	\$18,324	\$28,506	0.64	\$16,894	1.08	\$30,138	0.61
463	Kidney/Urinary Tract Infection	*	*	\$28,365	*	\$17,003	*	\$30,445	*
469	Acute kidney injury	*	*	\$36,852	*	\$16,299	*	\$39,232	*
720	Blood Infection/Septicemia	\$13,717	\$17,438	\$48,275	0.36	\$27,572	0.63	\$56,342	0.31
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861	Signs & Symptoms	*	*	\$35,451	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$40,395	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

195 Orthopaedic Hospital of	f Wisconsin			Hospital Type: GMS	
475 West River Woods Park	way			County: Milwaukee	
Glendale, WI 53212				Analysis Area: 2B-Milwauke	e County
414-961-6800				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	666	Average Length of Stay (days):	1.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,096	Average Charge per Discharge:	\$76,790	Home or Self-Care Other GMS Hospital	86.2% 3.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	3.3% 0.0%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	0.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.2%
Psychiatric Utilization				Left Against Medical Advice	0.0%
				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	74.2%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	3.9%
				Other Government	0.3%
				Commercial or Private Insurance	21.3%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	40.4%	40.0%	Amer.Ind/Alaskan Native	e 0.5%	0.5%
Under 15	0.0%	0.0%	Female	59.6%	60.0%	Asian	0.3%	0.3%
15 - 19	0.2%	0.3%				Black/African Amer.	11.7%	13.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.6%	0.6%				White	83.9%	82.2%
35 - 44	1.4%	1.9%				Multiracial	0.0%	0.0%
45 - 54	8.1%	10.1%				Declined	0.3%	0.3%
55 - 64	15.2%	15.2%				Unavailable	3.3%	3.7%
65 - 74	47.0%	44.0%						
75 - 84	25.1%	25.1%						
85 & Over	2.6%	2.7%						

195 Orthopaedic Hospital of Wisconsin

Glendale, WI 53212

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	0	N/A	6.5	N/A	3.5	N/A	4.6	N/A
133 Respiratory failure	0	N/A	4.4	N/A	3.5	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	0	N/A	5.6	N/A	4.4	N/A	5.1	N/A
139 Pneumonia	0	N/A	4.1	N/A	3.6	N/A	3.9	N/A
194 Heart Failure	0	N/A	5.3	N/A	3.8	N/A	4.7	N/A
201 Heart Abnormal Rhythm and Conduction Disorders	0	N/A	3.3	N/A	2.6	N/A	2.9	N/A
247 Intestinal Obstruction without Surgery	0	N/A	4.0	N/A	3.0	N/A	3.4	N/A
383 Cellulitis & other skin infections	0	N/A	4.1	N/A	4.1	N/A	4.0	N/A
463 Kidney/Urinary Tract Infection	0	N/A	4.3	N/A	3.4	N/A	3.8	N/A
469 Acute kidney injury	0	N/A	5.6	N/A	4.2	N/A	4.8	N/A
540 Cesarean Delivery	0	N/A	3.7	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	0	N/A	6.8	N/A	4.5	N/A	5.7	N/A
775 Alcohol Abuse/Dependence	0	N/A	3.6	N/A	3.9	N/A	3.7	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	N/A	N/A	\$66,752	*	\$39,675	*	\$50,763	*
133	Respiratory failure	N/A	N/A	\$45,892	*	\$36,159	*	\$41,427	*
137	Respiratory Infections and Inflammations	N/A	N/A	\$54,053	*	\$36,731	*	\$44,204	*
139	Pneumonia	N/A	N/A	\$38,942	*	\$28,353	*	\$33,131	*
194	Heart Failure	N/A	N/A	\$48,131	*	\$30,581	*	\$38,512	*
201	Heart Abnormal Rhythm and Conduction Disorders	N/A	N/A	\$34,368	*	\$24,409	*	\$27,857	*
247	Intestinal Obstruction without Surgery	N/A	N/A	\$35,055	*	\$23,588	*	\$27,065	*
383	Cellulitis & other skin infections	N/A	N/A	\$37,141	*	\$26,179	*	\$29,240	*
463	Kidney/Urinary Tract Infection	N/A	N/A	\$38,452	*	\$25,093	*	\$30,445	*
469	Acute kidney injury	N/A	N/A	\$49,167	*	\$31,117	*	\$39,232	*
540	Cesarean Delivery	N/A	N/A	\$35,225	*	\$26,660	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$19,729	*	\$12,456	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,018	*	\$5,451	*	\$5,687	*
720	Blood Infection/Septicemia	N/A	N/A	\$73,707	*	\$42,902	*	\$56,342	*
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

315 Aurora Medical Center -	Grafton			Hospital Type: GMS	
975 Port Washington Road				County: Ozaukee	
Grafton, WI 53024				Analysis Area: 2A-Southeas	stern
262-392-4321				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	8,881	Average Length of Stay (days):	4.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	36,408	Average Charge per Discharge:	\$55,695	Home or Self-Care Other GMS Hospital	61.7% 1.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	736 239	Percent of All Childbirths: Percent of All Childbirths:	72.7% 23.6%	Skilled Nursing Facility Intermediate Care Facility	9.2% 3.2% 0.5%
Other Childbirths:	38	Percent of All Childbirths:	3.8%	Inpatient Rehabilitation Facility Hospice	2.8%
Total Childbirths:	1,013			Other Institution	0.0%
Total Newborns:	1,063			Home Health Service	18.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 1.2%
Discharges:	35	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	122	Percent of All Patient Days:	0.3%	Other	0.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	61	Percent of All Discharges:	0.7%	Medicare	76.3%
Patient Days:	175	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	8.3%
				Other Government	0.7%
				Commercial or Private Insurance	12.2%
				Self-Pay	2.4%
				Other or Unknown Insurance	0.1%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	Race Distribution			
Age Group	% Discharges	<u>% Patient Days</u>	<u>Sex</u>	% Discharges	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>		
Newborn	12.0%	9.4%	Male	42.9%	45.8%	Amer.Ind/Alaskan Native	e 0.3%	0.3%		
Under 15	0.1%	0.1%	Female	57.1%	54.2%	Asian	2.0%	1.7%		
15 - 19	0.3%	0.2%				Black/African Amer.	7.8%	8.1%		
20 - 24	1.7%	1.3%				Native Hawaii/Pac.Isl.	0.3%	0.3%		
25 - 34	9.6%	6.6%				White	86.7%	87.4%		
35 - 44	6.2%	5.1%				Multiracial	0.7%	0.6%		
45 - 54	5.1%	5.0%				Declined	0.5%	0.4%		
55 - 64	11.4%	12.0%				Unavailable	1.7%	1.2%		
65 - 74	19.5%	20.8%								
75 - 84	20.7%	24.0%								
85 & Over	13.4%	15.6%								

315 Aurora Medical Center - Grafton Grafton, WI 53024

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	122	3.2	3.8	0.84	5.0	0.64	4.6	0.70	
133 Respiratory failure	64	3.3	4.4	0.75	4.5	0.73	4.2	0.79	
137 Respiratory Infections and Inflammations	111	4.5	4.8	0.94	5.6	0.80	5.1	0.88	
139 Pneumonia	116	3.8	3.9	0.97	4.1	0.93	3.9	0.97	
174 Percutaneous coronary intervention w AMI	134	2.4	2.6	0.92	3.0	0.80	2.9	0.83	
175 Percutaneous coronary intervention w/o AMI	132	2.2	2.3	0.96	2.5	0.88	2.5	0.88	
194 Heart Failure	350	4.9	4.5	1.09	5.1	0.96	4.7	1.04	
201 Heart Abnormal Rhythm and Conduction Disorders	175	2.2	2.8	0.79	3.0	0.73	2.9	0.76	
463 Kidney/Urinary Tract Infection	131	4.0	3.5	1.14	4.0	1.00	3.8	1.05	
469 Acute kidney injury	149	4.7	4.8	0.98	5.2	0.90	4.8	0.98	
540 Cesarean Delivery	239	3.7	3.1	1.19	3.7	1.00	3.4	1.09	
560 Vaginal Delivery	736	2.4	2.0	1.20	2.2	1.09	2.1	1.14	
640 Normal Newborn, Birthweight 2500g+	956	2.2	1.9	1.16	2.0	1.10	1.9	1.16	
720 Blood Infection/Septicemia	852	5.0	5.2	0.96	6.3	0.79	5.7	0.88	
751 Psychoses	*	*	5.0	*	5.0	*	5.1	*	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$50,222	\$51,541	\$48,872	1.05	\$54,618	0.94	\$50,763	1.02
133	Respiratory failure	\$39,483	\$39,166	\$42,864	0.91	\$44,431	0.88	\$41,427	0.95
137	Respiratory Infections and Inflammations	\$52,019	\$52,807	\$43,676	1.21	\$49,624	1.06	\$44,204	1.19
139	Pneumonia	\$41,083	\$37,526	\$35,485	1.06	\$37,011	1.01	\$33,131	1.13
174	Percutaneous coronary intervention w AMI	\$104,678	\$101,564	\$94,522	1.07	\$92,807	1.09	\$92,242	1.10
175	Percutaneous coronary intervention w/o AMI	\$147,537	\$146,380	\$109,972	1.33	\$112,207	1.30	\$110,305	1.33
194	Heart Failure	\$45,718	\$44,582	\$37,494	1.19	\$43,048	1.04	\$38,512	1.16
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,671	\$30,846	\$29,688	1.04	\$29,715	1.04	\$27,857	1.11
463	Kidney/Urinary Tract Infection	\$41,347	\$38,983	\$30,491	1.28	\$33,907	1.15	\$30,445	1.28
469	Acute kidney injury	\$45,822	\$43,462	\$39,575	1.10	\$43,161	1.01	\$39,232	1.11
540	Cesarean Delivery	\$37,905	\$37,532	\$34,572	1.09	\$32,532	1.15	\$31,158	1.20
560	Vaginal Delivery	\$17,914	\$17,880	\$18,364	0.97	\$17,304	1.03	\$16,019	1.12
640	Normal Newborn, Birthweight 2500g+	\$6,262	\$6,473	\$6,707	0.97	\$5,861	1.10	\$5,687	1.14
720	Blood Infection/Septicemia	\$54,589	\$58,228	\$54,544	1.07	\$62,322	0.93	\$56,342	1.03
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M ™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

038 Burnett Medical Center 257 W St George Avenue Grantsburg, WI 54840 715-463-5353				Hospital Type: GMS County: Burnett Analysis Area: 7-Western La Inpatient Volume Group: 1	ake Superior
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	209	Average Length of Stay (days):	3.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	804	Average Charge per Discharge:	\$15,533	Home or Self-Care Other GMS Hospital	69.4% 5.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	10.0% 0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility Hospice	0.0% 2.9%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	1.4% 4.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	4.3 %
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	6.7%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	58.4%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	7.7%
				Other Government	10.5%
				Commercial or Private Insurance	12.0%
				Self-Pay	11.0%
				Other or Unknown Insurance	0.5%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	Race Distribution			
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>		
Newborn	0.0%	0.0%	Male	42.6%	41.9%	Amer.Ind/Alaskan Native	e 0.5%	0.2%		
Under 15	0.0%	0.0%	Female	57.4%	58.1%	Asian	0.0%	0.0%		
15 - 19	1.0%	0.4%				Black/African Amer.	0.0%	0.0%		
20 - 24	0.5%	0.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%		
25 - 34	1.0%	0.4%				White	95.7%	96.4%		
35 - 44	3.8%	2.4%				Multiracial	1.4%	1.0%		
45 - 54	3.8%	4.0%				Declined	0.0%	0.0%		
55 - 64	11.5%	8.1%				Unavailable	2.4%	2.4%		
65 - 74	21.1%	15.5%								
75 - 84	29.2%	38.8%								
85 & Over	28.2%	30.2%								

038 Burnett Medical Center

Grantsburg, WI 54840

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	*	*	3.3	*	3.0	*	4.2	*	
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.4	*	5.1	*	
139 Pneumonia	13	4.1	4.1	1.00	3.2	1.28	3.9	1.05	
140 Chronic Obstructive Pulmonary Disease	11	2.9	3.4	0.85	2.5	1.16	3.3	0.88	
194 Heart Failure	20	3.1	3.7	0.84	3.2	0.97	4.7	0.66	
249 Other gastroenteritis, nausea & vomiting	10	3.7	3.8	0.97	2.4	1.54	3.3	1.12	
282 Disorders of Pancreas Except Malignancy	*	*	2.6	*	2.4	*	3.9	*	
383 Cellulitis & other skin infections	7	4.0	4.0	1.00	3.4	1.18	4.0	1.00	
420 Diabetes	*	*	3.8	*	2.9	*	3.3	*	
463 Kidney/Urinary Tract Infection	15	2.5	4.0	0.63	3.4	0.74	3.8	0.66	
469 Acute kidney injury	*	*	3.0	*	2.6	*	4.8	*	
720 Blood Infection/Septicemia	*	*	4.2	*	3.1	*	5.7	*	
775 Alcohol Abuse/Dependence	0	N/A	4.3	N/A	3.1	N/A	3.7	N/A	
861 Signs & Symptoms	12	5.8	5.3	1.09	9.1	0.64	5.8	1.00	
862 Other Factors Influencing Health Status	6	6.5	6.8	0.96	13.4	0.49	7.9	0.82	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Faci	lity			Risk Adjusted	Group Averages	i	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	8		ospitals Ratio
133 Respiratory failure	*	*	\$20,007	*	\$23,461	*	\$41,427	*
137 Respiratory Infections and Inflammations	*	*	\$22,722	*	\$26,728	*	\$44,204	*
139 Pneumonia	\$16,197	\$22,297	\$20,478	1.09	\$19,737	1.13	\$33,131	0.67
140 Chronic Obstructive Pulmonary Disease	\$13,873	\$15,388	\$16,367	0.94	\$14,984	1.03	\$32,611	0.47
194 Heart Failure	\$14,030	\$16,973	\$17,648	0.96	\$18,454	0.92	\$38,512	0.44
249 Other gastroenteritis, nausea & vomiting	\$15,032	\$14,480	\$17,512	0.83	\$14,692	0.99	\$30,820	0.47
282 Disorders of Pancreas Except Malignancy	*	*	\$21,364	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin infections	\$19,356	\$22,221	\$16,229	1.37	\$17,133	1.30	\$29,240	0.76
420 Diabetes	*	*	\$20,745	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection	\$11,614	\$12,092	\$16,198	0.75	\$17,003	0.71	\$30,445	0.40
469 Acute kidney injury	*	*	\$15,237	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia	*	*	\$26,033	*	\$27,572	*	\$56,342	*
775 Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861 Signs & Symptoms	\$21,349	\$26,614	\$18,814	1.41	\$22,684	1.17	\$36,306	0.73
862 Other Factors Influencing Health Status	\$12,327	\$15,386	\$15,162	1.01	\$24,289	0.63	\$31,921	0.48

N/A - Zero Discharges reported

harges reported Hisk-Adjusted Charges bat

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

197 Aurora BayCare Medica	l Center			Hospital Type: GMS	
2845 Greenbrier Drive				County: Brown	
Green Bay, WI 54311				Analysis Area: 4-Northeaste	ern
920-288-8000				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	10,508	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	46,647	Average Charge per Discharge:	\$56,767	Home or Self-Care Other GMS Hospital	67.2% 1.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	883	Percent of All Childbirths:	68.9%	Skilled Nursing Facility	7.7%
Cesarean Childbirths:	333	Percent of All Childbirths:	26.0%	Intermediate Care Facility	0.9%
Other Childbirths:	66	Percent of All Childbirths:	5.1%	Inpatient Rehabilitation Facility	2.7%
Total Childbirths:	1,282		0.170	Hospice	2.3%
	1,202			Other Institution	0.3%
Total Newborns:	1,387			Home Health Service	12.8%
Psychiatric Utilization				Left Against Medical Advice	1.0%
				Expired	2.6%
Discharges:	33	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	257	Percent of All Patient Days:	0.6%	Other	0.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	67	Percent of All Discharges:	0.6%	Medicare	67.7%
Patient Days:	301	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	13.6%
		-		Other Government	1.7%
				Commercial or Private Insurance	14.7%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.1%

	Age Distribution	<u>l</u>		Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	13.2%	17.3%	Male	46.0%	51.1%	Amer.Ind/Alaskan Native	e 1.6%	1.6%
Under 15	0.5%	0.7%	Female	54.0%	48.9%	Asian	2.5%	2.6%
15 - 19	0.7%	0.5%				Black/African Amer.	2.4%	2.4%
20 - 24	2.6%	2.1%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	11.7%	7.4%				White	91.7%	92.2%
35 - 44	7.2%	6.0%				Multiracial	1.1%	0.8%
45 - 54	7.1%	7.2%				Declined	0.3%	0.2%
55 - 64	14.2%	14.9%				Unavailable	0.1%	0.1%
65 - 74	20.5%	20.3%						
75 - 84	16.3%	17.5%						
85 & Over	6.0%	6.1%						

197 Aurora BayCare Medical Center

Green Bay, WI 54311

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	215	4.1	3.8	1.08	5.0	0.82	4.6	0.89
133 Respiratory failure	45	4.0	4.3	0.93	4.5	0.89	4.2	0.95
137 Respiratory Infections and Inflammations	74	4.7	5.4	0.87	5.6	0.84	5.1	0.92
139 Pneumonia	69	3.3	3.7	0.89	4.1	0.80	3.9	0.85
174 Percutaneous coronary intervention w AMI	146	2.7	2.5	1.08	3.0	0.90	2.9	0.93
175 Percutaneous coronary intervention w/o AMI	122	2.7	1.9	1.42	2.5	1.08	2.5	1.08
194 Heart Failure	262	4.4	4.1	1.07	5.1	0.86	4.7	0.94
201 Heart Abnormal Rhythm and Conduction Disorders	171	2.9	2.9	1.00	3.0	0.97	2.9	1.00
463 Kidney/Urinary Tract Infection	73	4.5	3.7	1.22	4.0	1.13	3.8	1.18
469 Acute kidney injury	112	4.8	4.3	1.12	5.2	0.92	4.8	1.00
540 Cesarean Delivery	333	4.0	3.5	1.14	3.7	1.08	3.4	1.18
560 Vaginal Delivery	883	2.1	2.0	1.05	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,179	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	1,092	5.2	5.2	1.00	6.3	0.83	5.7	0.91
751 Psychoses	*	*	5.1	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	8		<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$56,796	\$52,525	\$44,321	1.19	\$54,618	0.96	\$50,763	1.03
133	Respiratory failure	\$52,585	\$44,776	\$38,110	1.17	\$44,431	1.01	\$41,427	1.08
137	Respiratory Infections and Inflammations	\$47,901	\$47,408	\$41,782	1.13	\$49,624	0.96	\$44,204	1.07
139	Pneumonia	\$35,291	\$34,623	\$31,722	1.09	\$37,011	0.94	\$33,131	1.05
174	Percutaneous coronary intervention w AMI	\$84,155	\$82,241	\$79,876	1.03	\$92,807	0.89	\$92,242	0.89
175	Percutaneous coronary intervention w/o AMI	\$119,548	\$112,627	\$75,410	1.49	\$112,207	1.00	\$110,305	1.02
194	Heart Failure	\$43,188	\$40,996	\$33,627	1.22	\$43,048	0.95	\$38,512	1.06
201	Heart Abnormal Rhythm and Conduction Disorders	\$31,603	\$29,673	\$25,031	1.19	\$29,715	1.00	\$27,857	1.07
463	Kidney/Urinary Tract Infection	\$40,214	\$39,066	\$27,701	1.41	\$33,907	1.15	\$30,445	1.28
469	Acute kidney injury	\$46,692	\$44,996	\$33,591	1.34	\$43,161	1.04	\$39,232	1.15
540	Cesarean Delivery	\$30,335	\$29,599	\$24,471	1.21	\$32,532	0.91	\$31,158	0.95
560	Vaginal Delivery	\$11,141	\$11,368	\$12,893	0.88	\$17,304	0.66	\$16,019	0.71
640	Normal Newborn, Birthweight 2500g+	\$6,852	\$6,869	\$5,470	1.26	\$5,861	1.17	\$5,687	1.21
720	Blood Infection/Septicemia	\$61,156	\$56,475	\$51,287	1.10	\$62,322	0.91	\$56,342	1.00
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

039 Bellin Hospital				Hospital Type: GMS	
744 S Webster Ave				County: Brown	
Green Bay, WI 54301				Analysis Area: 4-Northeaste	ern
920-433-3500				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	10,562	Average Length of Stay (days):	4.0	Discharge Status	% Discharges
Total Patient Days:	42,714	Average Charge per Discharge:	\$34,142	Home or Self-Care Other GMS Hospital	81.8% 1.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	1,059	Percent of All Childbirths:	73.7%	Skilled Nursing Facility	8.2% 0.2%
Cesarean Childbirths:	297	Percent of All Childbirths:	20.7%	Intermediate Care Facility	0.2%
Other Childbirths:	81	Percent of All Childbirths:	5.6%	Inpatient Rehabilitation Facility Hospice	2.6%
Total Childbirths:	1,437			Other Institution	0.0%
Total Newborns:	1,534			Home Health Service	2.0%
	,			Left Against Medical Advice	0.7%
Psychiatric Utilization				Expired	1.6%
Discharges:	5	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	17	Percent of All Patient Days:	0.0%	Other	0.8%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	60	Percent of All Discharges:	0.6%	Medicare	45.6%
Patient Days:	294	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	16.1%
				Other Government	3.9%
				Commercial or Private Insurance	31.8%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	14.5%	11.1%	Male	47.6%	52.4%	Amer.Ind/Alaskan Native	e 2.1%	2.7%
Under 15	1.9%	1.3%	Female	52.4%	47.6%	Asian	1.6%	1.4%
15 - 19	0.9%	0.5%				Black/African Amer.	2.8%	2.5%
20 - 24	3.0%	1.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.1%	7.8%				White	88.6%	88.6%
35 - 44	5.7%	4.6%				Multiracial	0.0%	0.0%
45 - 54	5.6%	6.0%				Declined	0.9%	1.0%
55 - 64	12.4%	14.8%				Unavailable	3.9%	3.8%
65 - 74	19.5%	23.0%						
75 - 84	17.1%	20.2%						
85 & Over	7.2%	8.8%						

039 Bellin Hospital

Green Bay, WI 54301

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	137	3.2	3.8	0.84	5.0	0.64	4.6	0.70
133 Respiratory failure	321	4.5	4.3	1.05	4.5	1.00	4.2	1.07
137 Respiratory Infections and Inflammations	109	7.7	5.4	1.43	5.6	1.38	5.1	1.51
139 Pneumonia	129	4.0	3.7	1.08	4.1	0.98	3.9	1.03
174 Percutaneous coronary intervention w AMI	219	2.5	2.5	1.00	3.0	0.83	2.9	0.86
175 Percutaneous coronary intervention w/o AMI	313	1.4	1.9	0.74	2.5	0.56	2.5	0.56
194 Heart Failure	218	4.1	4.1	1.00	5.1	0.80	4.7	0.87
201 Heart Abnormal Rhythm and Conduction Disorders	128	3.1	2.9	1.07	3.0	1.03	2.9	1.07
463 Kidney/Urinary Tract Infection	89	3.7	3.7	1.00	4.0	0.93	3.8	0.97
469 Acute kidney injury	140	4.3	4.3	1.00	5.2	0.83	4.8	0.90
540 Cesarean Delivery	297	3.6	3.5	1.03	3.7	0.97	3.4	1.06
560 Vaginal Delivery	1,059	2.0	2.0	1.00	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,371	2.1	1.9	1.11	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	522	5.9	5.2	1.13	6.3	0.94	5.7	1.04
751 Psychoses	*	*	5.1	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$25,427	\$28,652	\$44,321	0.65	\$54,618	0.52	\$50,763	0.56
133	Respiratory failure	\$30,667	\$29,754	\$38,110	0.78	\$44,431	0.67	\$41,427	0.72
137	Respiratory Infections and Inflammations	\$35,266	\$35,471	\$41,782	0.85	\$49,624	0.71	\$44,204	0.80
139	Pneumonia	\$24,996	\$25,219	\$31,722	0.80	\$37,011	0.68	\$33,131	0.76
174	Percutaneous coronary intervention w AMI	\$74,264	\$78,935	\$79,876	0.99	\$92,807	0.85	\$92,242	0.86
175	Percutaneous coronary intervention w/o AMI	\$56,876	\$61,138	\$75,410	0.81	\$112,207	0.54	\$110,305	0.55
194	Heart Failure	\$22,245	\$23,012	\$33,627	0.68	\$43,048	0.53	\$38,512	0.60
201	Heart Abnormal Rhythm and Conduction Disorders	\$19,961	\$19,258	\$25,031	0.77	\$29,715	0.65	\$27,857	0.69
463	Kidney/Urinary Tract Infection	\$20,293	\$20,548	\$27,701	0.74	\$33,907	0.61	\$30,445	0.67
469	Acute kidney injury	\$24,797	\$24,573	\$33,591	0.73	\$43,161	0.57	\$39,232	0.63
540	Cesarean Delivery	\$16,616	\$16,262	\$24,471	0.66	\$32,532	0.50	\$31,158	0.52
560	Vaginal Delivery	\$13,515	\$13,490	\$12,893	1.05	\$17,304	0.78	\$16,019	0.84
640	Normal Newborn, Birthweight 2500g+	\$5,396	\$5,409	\$5,470	0.99	\$5,861	0.92	\$5,687	0.95
720	Blood Infection/Septicemia	\$33,606	\$35,477	\$51,287	0.69	\$62,322	0.57	\$56,342	0.63
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

041 St Mary's Hospital Med	ical Center			Hospital Type: GMS	
1726 Shawano Avenue				County: Brown	
Green Bay, WI 54303				Analysis Area: 4-Northeaste	ern
920-498-4200				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,515	Average Length of Stay (days):	4.2	Discharge Status	% Discharges
Total Patient Days:	14,933	Average Charge per Discharge:	\$43,413	Home or Self-Care Other GMS Hospital	64.3% 5.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	10.0% 1.7%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	0			Hospice	3.4%
Total Newborns:	0			Other Institution Home Health Service	0.0% 9.8%
Psychiatric Utilization				Left Against Medical Advice Expired	1.7% 1.7%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	9	Percent of All Patient Days:	0.1%	Other	1.2%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	63	Percent of All Discharges:	1.8%	Medicare	60.9%
Patient Days:	237	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	10.5%
				Other Government	8.6%
				Commercial or Private Insurance	18.0%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.2%	50.4%	Amer.Ind/Alaskan Native	e 5.7%	5.4%
Under 15	0.0%	0.0%	Female	47.8%	49.6%	Asian	0.6%	0.5%
15 - 19	0.2%	0.1%				Black/African Amer.	2.3%	2.4%
20 - 24	1.3%	0.9%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	3.4%	2.9%				White	90.1%	90.8%
35 - 44	6.9%	6.1%				Multiracial	0.5%	0.4%
45 - 54	8.3%	6.2%				Declined	0.4%	0.3%
55 - 64	17.3%	16.8%				Unavailable	0.3%	0.2%
65 - 74	25.8%	26.6%						
75 - 84	23.4%	25.0%						
85 & Over	13.5%	15.4%						

041 St Mary's Hospital Medical Center

Green Bay, WI 54303

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	55	3.1	3.8	0.82	3.9	0.79	4.6	0.67
133 Respiratory failure	103	4.8	4.3	1.12	4.2	1.14	4.2	1.14
137 Respiratory Infections and Inflammations	83	6.8	5.4	1.26	5.1	1.33	5.1	1.33
139 Pneumonia	88	4.2	3.7	1.14	4.0	1.05	3.9	1.08
194 Heart Failure	136	4.7	4.1	1.15	4.5	1.04	4.7	1.00
201 Heart Abnormal Rhythm and Conduction Disorders	90	3.4	2.9	1.17	3.0	1.13	2.9	1.17
383 Cellulitis & other skin infections	48	4.0	3.9	1.03	3.9	1.03	4.0	1.00
463 Kidney/Urinary Tract Infection	65	3.6	3.7	0.97	3.6	1.00	3.8	0.95
466 Malfunction, reaction, complic of genitourinary device or pro-	c 49	6.3	4.8	1.31	5.1	1.24	5.2	1.21
469 Acute kidney injury	62	3.9	4.3	0.91	4.6	0.85	4.8	0.81
540 Cesarean Delivery	0	N/A	3.5	N/A	2.9	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	352	5.8	5.2	1.12	5.3	1.09	5.7	1.02
775 Alcohol Abuse/Dependence	47	4.3	3.9	1.10	3.4	1.26	3.7	1.16

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$30,643	\$35,771	\$44,321	0.81	\$47,909	0.75	\$50,763	0.70
133	Respiratory failure	\$41,852	\$44,700	\$38,110	1.17	\$41,132	1.09	\$41,427	1.08
137	Respiratory Infections and Inflammations	\$53,884	\$53,258	\$41,782	1.27	\$44,693	1.19	\$44,204	1.20
139	Pneumonia	\$34,277	\$35,151	\$31,722	1.11	\$34,901	1.01	\$33,131	1.06
194	Heart Failure	\$34,245	\$34,311	\$33,627	1.02	\$36,539	0.94	\$38,512	0.89
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,190	\$23,381	\$25,031	0.93	\$27,323	0.86	\$27,857	0.84
383	Cellulitis & other skin infections	\$24,527	\$24,115	\$25,137	0.96	\$29,662	0.81	\$29,240	0.82
463	Kidney/Urinary Tract Infection	\$27,371	\$28,692	\$27,701	1.04	\$30,920	0.93	\$30,445	0.94
466	Malfunction, reaction, complic of genitourinary device or proc	\$41,074	\$38,010	\$37,254	1.02	\$41,728	0.91	\$45,131	0.84
469	Acute kidney injury	\$26,326	\$28,006	\$33,591	0.83	\$37,998	0.74	\$39,232	0.71
540	Cesarean Delivery	N/A	N/A	\$24,471	*	\$29,193	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$12,893	*	\$14,839	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,470	*	\$5,740	*	\$5,687	*
720	Blood Infection/Septicemia	\$49,847	\$55,158	\$51,287	1.08	\$52,940	1.04	\$56,342	0.98
775	Alcohol Abuse/Dependence	\$30,155	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

042 St Vincent Hospital				Hospital Type: GMS	
835 S Van Buren St				County: Brown	
Green Bay, WI 54301				Analysis Area: 4-Northeaste	ern
920-433-0111				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	11,761	Average Length of Stay (days):	5.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	60,865	Average Charge per Discharge:	\$55,075	Home or Self-Care Other GMS Hospital	68.9% 1.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1.073	Percent of All Childbirths:	75.9%	Skilled Nursing Facility	9.1%
Cesarean Childbirths:	312	Percent of All Childbirths:	22.1%	Intermediate Care Facility	0.8%
Other Childbirths:	29	Percent of All Childbirths:	2.1%	Inpatient Rehabilitation Facility	2.4%
Total Childbirths:	1,414		2.170	Hospice	2.8%
Total Official tris.	1,717			Other Institution	0.1%
Total Newborns:	1,431			Home Health Service	9.9%
Psychiatric Utilization				Left Against Medical Advice	0.9%
				Expired	2.7%
Discharges:	14	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	145	Percent of All Patient Days:	0.2%	Other	1.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	43	Percent of All Discharges:	0.4%	Medicare	42.4%
Patient Days:	126	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	17.5%
2				Other Government	4.1%
				Commercial or Private Insurance	32.3%
				Self-Pay	2.2%
				Other or Unknown Insurance	1.5%

	Age Distribution			Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	12.2%	10.3%	Male	47.3%	52.2%	Amer.Ind/Alaskan Native	e 5.7%	5.6%
Under 15	6.8%	7.3%	Female	52.7%	47.8%	Asian	1.6%	1.4%
15 - 19	2.1%	1.4%				Black/African Amer.	3.0%	2.9%
20 - 24	2.4%	1.7%				Native Hawaii/Pac.Isl.	0.2%	0.4%
25 - 34	10.6%	6.5%				White	86.8%	87.7%
35 - 44	6.1%	4.9%				Multiracial	0.8%	0.7%
45 - 54	6.1%	6.2%				Declined	1.0%	0.7%
55 - 64	11.3%	13.4%				Unavailable	1.0%	0.7%
65 - 74	17.5%	20.2%						
75 - 84	16.5%	18.7%						
85 & Over	8.4%	9.4%						

042 St Vincent Hospital

Green Bay, WI 54301

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	263	4.3	3.8	1.13	5.0	0.86	4.6	0.93
133 Respiratory failure	212	5.7	4.3	1.33	4.5	1.27	4.2	1.36
137 Respiratory Infections and Inflammations	108	5.4	5.4	1.00	5.6	0.96	5.1	1.06
139 Pneumonia	168	4.5	3.7	1.22	4.1	1.10	3.9	1.15
174 Percutaneous coronary intervention w AMI	127	2.8	2.5	1.12	3.0	0.93	2.9	0.97
175 Percutaneous coronary intervention w/o AMI	141	2.0	1.9	1.05	2.5	0.80	2.5	0.80
194 Heart Failure	180	5.2	4.1	1.27	5.1	1.02	4.7	1.11
201 Heart Abnormal Rhythm and Conduction Disorders	78	3.2	2.9	1.10	3.0	1.07	2.9	1.10
463 Kidney/Urinary Tract Infection	97	4.0	3.7	1.08	4.0	1.00	3.8	1.05
469 Acute kidney injury	138	5.2	4.3	1.21	5.2	1.00	4.8	1.08
540 Cesarean Delivery	312	4.0	3.5	1.14	3.7	1.08	3.4	1.18
560 Vaginal Delivery	1,073	2.3	2.0	1.15	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	1,268	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	718	7.0	5.2	1.35	6.3	1.11	5.7	1.23
751 Psychoses	*	*	5.1	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$45,363	\$44,569	\$44,321	1.01	\$54,618	0.82	\$50,763	0.88
133	Respiratory failure	\$54,403	\$50,522	\$38,110	1.33	\$44,431	1.14	\$41,427	1.22
137	Respiratory Infections and Inflammations	\$47,710	\$46,059	\$41,782	1.10	\$49,624	0.93	\$44,204	1.04
139	Pneumonia	\$39,152	\$37,888	\$31,722	1.19	\$37,011	1.02	\$33,131	1.14
174	Percutaneous coronary intervention w AMI	\$80,037	\$80,393	\$79,876	1.01	\$92,807	0.87	\$92,242	0.87
175	Percutaneous coronary intervention w/o AMI	\$71,291	\$69,732	\$75,410	0.92	\$112,207	0.62	\$110,305	0.63
194	Heart Failure	\$40,399	\$37,882	\$33,627	1.13	\$43,048	0.88	\$38,512	0.98
201	Heart Abnormal Rhythm and Conduction Disorders	\$27,058	\$24,582	\$25,031	0.98	\$29,715	0.83	\$27,857	0.88
463	Kidney/Urinary Tract Infection	\$29,549	\$28,833	\$27,701	1.04	\$33,907	0.85	\$30,445	0.95
469	Acute kidney injury	\$36,867	\$32,027	\$33,591	0.95	\$43,161	0.74	\$39,232	0.82
540	Cesarean Delivery	\$23,604	\$23,185	\$24,471	0.95	\$32,532	0.71	\$31,158	0.74
560	Vaginal Delivery	\$14,089	\$13,888	\$12,893	1.08	\$17,304	0.80	\$16,019	0.87
640	Normal Newborn, Birthweight 2500g+	\$5,330	\$5,163	\$5,470	0.94	\$5,861	0.88	\$5,687	0.91
720	Blood Infection/Septicemia	\$68,596	\$63,735	\$51,287	1.24	\$62,322	1.02	\$56,342	1.13
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

043 Aurora Medical Center - 1032 East Sumner Street Hartford, WI 53027 262-673-2300	Washington	County		Hospital Type: GMS County: Washington Analysis Area: 2A-Southeas Inpatient Volume Group: 4	stern
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,259	Average Length of Stay (days):	3.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	4,165	Average Charge per Discharge:	\$39,073	Home or Self-Care Other GMS Hospital	54.4% 8.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	10.1% 4.4% 0.2%
Total Childbirths:	0	-		Hospice	4.6%
Total Newborns:	0			Other Institution Home Health Service Left Against Medical Advice	0.0% 16.4% 0.8%
Psychiatric Utilization				Expired	0.5%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	12	Percent of All Patient Days:	0.3%	Other	0.4%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	23	Percent of All Discharges:	1.8%	Medicare	81.9%
Patient Days:	70	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare	7.1%
				Other Government	0.6%
				Commercial or Private Insurance	9.0%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.5%	51.1%	Amer.Ind/Alaskan Native	e 0.4%	0.2%
Under 15	0.0%	0.0%	Female	51.5%	48.9%	Asian	0.4%	0.3%
15 - 19	0.3%	0.2%				Black/African Amer.	0.7%	0.7%
20 - 24	0.6%	0.4%				Native Hawaii/Pac.Isl.	0.2%	0.3%
25 - 34	3.0%	2.3%				White	98.0%	98.3%
35 - 44	5.0%	4.3%				Multiracial	0.0%	0.0%
45 - 54	9.8%	9.3%				Declined	0.2%	0.1%
55 - 64	15.3%	13.2%				Unavailable	0 %	0 %
65 - 74	22.3%	22.2%						
75 - 84	27.3%	31.3%						
85 & Over	16.4%	16.8%						

043 Aurora Medical Center - Washington County

Hartford, WI 53027

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages	,es		
			<u>Analysis Area</u>		Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	*	*	3.8	*	3.5	*	4.6	*	
133 Respiratory failure	21	1.9	4.4	0.43	3.5	0.54	4.2	0.45	
137 Respiratory Infections and Inflammations	22	2.9	4.8	0.60	4.4	0.66	5.1	0.57	
139 Pneumonia	41	3.2	3.9	0.82	3.6	0.89	3.9	0.82	
194 Heart Failure	99	3.4	4.5	0.76	3.8	0.89	4.7	0.72	
201 Heart Abnormal Rhythm and Conduction Disorders	32	2.2	2.8	0.79	2.6	0.85	2.9	0.76	
247 Intestinal Obstruction without Surgery	27	3.2	3.4	0.94	3.0	1.07	3.4	0.94	
383 Cellulitis & other skin infections	20	3.0	3.9	0.77	4.1	0.73	4.0	0.75	
463 Kidney/Urinary Tract Infection	32	2.3	3.5	0.66	3.4	0.68	3.8	0.61	
469 Acute kidney injury	24	3.1	4.8	0.65	4.2	0.74	4.8	0.65	
540 Cesarean Delivery	0	N/A	3.1	N/A	2.7	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	233	4.1	5.2	0.79	4.5	0.91	5.7	0.72	
775 Alcohol Abuse/Dependence	19	3.4	3.1	1.10	3.9	0.87	3.7	0.92	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio	
045	Stroke and Precerebral Occlusion with Infarct	*	*	\$48,872	*	\$39,675	*	\$50,763	*	
133	Respiratory failure	\$25,929	\$27,490	\$42,864	0.64	\$36,159	0.76	\$41,427	0.66	
137	Respiratory Infections and Inflammations	\$33,644	\$36,659	\$43,676	0.84	\$36,731	1.00	\$44,204	0.83	
139	Pneumonia	\$33,549	\$29,749	\$35,485	0.84	\$28,353	1.05	\$33,131	0.90	
194	Heart Failure	\$31,081	\$32,309	\$37,494	0.86	\$30,581	1.06	\$38,512	0.84	
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,337	\$27,172	\$29,688	0.92	\$24,409	1.11	\$27,857	0.98	
247	Intestinal Obstruction without Surgery	\$28,046	\$29,317	\$29,597	0.99	\$23,588	1.24	\$27,065	1.08	
383	Cellulitis & other skin infections	\$24,471	\$24,561	\$30,428	0.81	\$26,179	0.94	\$29,240	0.84	
463	Kidney/Urinary Tract Infection	\$27,696	\$28,046	\$30,491	0.92	\$25,093	1.12	\$30,445	0.92	
469	Acute kidney injury	\$31,580	\$30,078	\$39,575	0.76	\$31,117	0.97	\$39,232	0.77	
540	Cesarean Delivery	N/A	N/A	\$34,572	*	\$26,660	*	\$31,158	*	
560	Vaginal Delivery	N/A	N/A	\$18,364	*	\$12,456	*	\$16,019	*	
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,707	*	\$5,451	*	\$5,687	*	
720	Blood Infection/Septicemia	\$38,808	\$43,916	\$54,544	0.81	\$42,902	1.02	\$56,342	0.78	
775	Alcohol Abuse/Dependence	\$38,306	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

044 Tamarack Health Hayward 11040 N State Road 77 Hayward, WI 54843 715-934-4321	d Medical C	Senter		Hospital Type: GMS County: Sawyer Analysis Area: 7-Western La Inpatient Volume Group: 3	ake Superior
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,070	Average Length of Stay (days):	2.8	Discharge Status	% Discharges
Total Patient Days:	2,973	Average Charge per Discharge:	\$12,321	Home or Self-Care Other GMS Hospital	75.6% 6.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.3%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	106 31 7	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	73.6% 21.5% 4.9%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.2% 3.0% 0.1%
Total Childbirths:	144	-		Hospice	1.1%
Total Newborns:	151			Other Institution Home Health Service Left Against Medical Advice	0.0% 0.8% 0.7%
Psychiatric Utilization				Expired	0.7%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	2.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	22	Percent of All Discharges:	2.1%	Medicare	48.4%
Patient Days:	61	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	20.2% 3.7% 18.3% 9.3%
				Other or Unknown Insurance	9.3% 0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Race	<u>e Distribution</u>	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	14.1%	8.7%	Male	43.7%	46.4%	Amer.Ind/Alaskan Native	13.6%	11.9%
Under 15	2.2%	1.7%	Female	56.3%	53.6%	Asian	0.3%	0.2%
15 - 19	1.4%	1.0%				Black/African Amer.	0.0%	0.0%
20 - 24	3.3%	3.9%				Native Hawaii/Pac.Isl.	0.4%	0.5%
25 - 34	11.5%	9.0%				White	80.1%	83.2%
35 - 44	5.1%	4.3%				Multiracial	0.6%	0.4%
45 - 54	4.5%	3.8%				Declined	1.4%	0.8%
55 - 64	8.4%	8.4%				Unavailable	3.6%	3.0%
65 - 74	16.3%	17.2%						
75 - 84	19.3%	22.9%						
85 & Over	13.9%	19.0%						

044 Tamarack Health Hayward Medical Center

Hayward, WI 54843

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	11	4.0	3.3	1.21	3.6	1.11	4.2	0.95
137 Respiratory Infections and Inflammations	36	4.5	4.9	0.92	3.7	1.22	5.1	0.88
139 Pneumonia	62	3.4	4.1	0.83	3.4	1.00	3.9	0.87
140 Chronic Obstructive Pulmonary Disease	24	3.3	3.4	0.97	3.0	1.10	3.3	1.00
194 Heart Failure	38	3.3	3.7	0.89	3.7	0.89	4.7	0.70
201 Heart Abnormal Rhythm and Conduction Disorders	12	2.7	2.8	0.96	2.7	1.00	2.9	0.93
247 Intestinal Obstruction without Surgery	20	4.1	3.2	1.28	2.8	1.46	3.4	1.21
326 Elective knee joint replacement	*	*	1.0	*	1.6	*	2.0	*
383 Cellulitis & other skin infections	30	3.1	4.0	0.78	3.8	0.82	4.0	0.78
463 Kidney/Urinary Tract Infection	40	3.2	4.0	0.80	3.3	0.97	3.8	0.84
469 Acute kidney injury	15	2.7	3.0	0.90	3.4	0.79	4.8	0.56
540 Cesarean Delivery	31	2.6	2.6	1.00	2.8	0.93	3.4	0.76
560 Vaginal Delivery	106	1.9	1.8	1.06	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	136	1.6	1.7	0.94	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	38	3.0	4.2	0.71	3.9	0.77	5.7	0.53

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	i	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$17,287	\$20,531	\$20,007	1.03	\$27,996	0.73	\$41,427	0.50
137	Respiratory Infections and Inflammations	\$20,028	\$23,119	\$22,722	1.02	\$25,863	0.89	\$44,204	0.52
139	Pneumonia	\$14,934	\$18,916	\$20,478	0.92	\$23,921	0.79	\$33,131	0.57
140	Chronic Obstructive Pulmonary Disease	\$12,999	\$15,014	\$16,367	0.92	\$20,883	0.72	\$32,611	0.46
194	Heart Failure	\$10,452	\$12,935	\$17,648	0.73	\$24,051	0.54	\$38,512	0.34
201	Heart Abnormal Rhythm and Conduction Disorders	\$9,617	\$10,513	\$12,246	0.86	\$18,840	0.56	\$27,857	0.38
247	Intestinal Obstruction without Surgery	\$14,636	\$17,215	\$14,725	1.17	\$17,509	0.98	\$27,065	0.64
326	Elective knee joint replacement	*	*	\$39,858	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$11,504	\$13,072	\$16,229	0.81	\$21,588	0.61	\$29,240	0.45
463	Kidney/Urinary Tract Infection	\$11,663	\$13,276	\$16,198	0.82	\$17,785	0.75	\$30,445	0.44
469	Acute kidney injury	\$8,896	\$13,985	\$15,237	0.92	\$22,228	0.63	\$39,232	0.36
540	Cesarean Delivery	\$24,017	\$26,815	\$25,382	1.06	\$26,138	1.03	\$31,158	0.86
560	Vaginal Delivery	\$8,345	\$8,369	\$7,868	1.06	\$12,000	0.70	\$16,019	0.52
640	Normal Newborn, Birthweight 2500g+	\$4,817	\$4,977	\$4,533	1.10	\$4,404	1.13	\$5,687	0.88
720	Blood Infection/Septicemia	\$14,911	\$23,742	\$26,033	0.91	\$33,539	0.71	\$56,342	0.42

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

rn <u>% Discharges</u> 50.0%
% Discharges
% Discharges
50.0%
13.0%
16.0%
9.0%
0.0%
0.0%
0.0%
0.0%
0.0%
0.0%
6.0%
0.0%
6.0%
tion
<u>% Discharges</u>
86.0%
3.0%
4.0%
7.0%
0.0%
]

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	42.0%	39.8%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	58.0%	60.2%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	1.0%	1.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.0%	2.0%				White	100.0%	100.0%
35 - 44	1.0%	0.7%				Multiracial	0.0%	0.0%
45 - 54	1.0%	1.0%				Declined	0.0%	0.0%
55 - 64	12.0%	10.9%				Unavailable	0 %	0 %
65 - 74	14.0%	15.5%						
75 - 84	39.0%	32.6%						
85 & Over	30.0%	36.5%						

045 Gundersen St. Joseph's Hospital and Clinics

Hillsboro, WI 54634

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group Averages			
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	9	3.2	3.6	0.89	3.0	1.07	4.2	0.76
137 Respiratory Infections and Inflammations	10	3.2	4.5	0.71	3.4	0.94	5.1	0.63
139 Pneumonia	7	3.0	3.2	0.94	3.2	0.94	3.9	0.77
140 Chronic Obstructive Pulmonary Disease	*	*	2.9	*	2.5	*	3.3	*
194 Heart Failure	6	4.2	4.0	1.05	3.2	1.31	4.7	0.89
249 Other gastroenteritis, nausea & vomiting	*	*	2.9	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.0	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	5	4.4	3.8	1.16	3.4	1.29	4.0	1.10
420 Diabetes	*	*	2.7	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.2	*	3.4	*	3.8	*
469 Acute kidney injury	5	2.6	4.2	0.62	2.6	1.00	4.8	0.54
720 Blood Infection/Septicemia	15	2.9	4.5	0.64	3.1	0.94	5.7	0.51
775 Alcohol Abuse/Dependence	0	N/A	4.7	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	*	*	6.6	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	*	*	11.5	*	13.4	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted[^])

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133 Respiratory failure	\$15,936	\$17,702	\$25,776	0.69	\$23,461	0.75	\$41,427	0.43
137 Respiratory Infections and Inflammations	\$17,841	\$21,614	\$30,904	0.70	\$26,728	0.81	\$44,204	0.49
139 Pneumonia	\$13,301	\$11,170	\$21,981	0.51	\$19,737	0.57	\$33,131	0.34
140 Chronic Obstructive Pulmonary Disease	*	*	\$20,738	*	\$14,984	*	\$32,611	*
194 Heart Failure	\$15,251	\$20,856	\$24,595	0.85	\$18,454	1.13	\$38,512	0.54
249 Other gastroenteritis, nausea & vomiting	*	*	\$18,113	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas Except Malignancy	*	*	\$19,309	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin infections	\$20,129	\$20,943	\$18,125	1.16	\$17,133	1.22	\$29,240	0.72
420 Diabetes	*	*	\$17,345	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection	*	*	\$17,248	*	\$17,003	*	\$30,445	*
469 Acute kidney injury	\$10,711	\$12,724	\$23,553	0.54	\$16,299	0.78	\$39,232	0.32
720 Blood Infection/Septicemia	\$15,091	\$28,378	\$30,431	0.93	\$27,572	1.03	\$56,342	0.50
775 Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861 Signs & Symptoms	*	*	\$27,408	*	\$22,684	*	\$36,306	*
862 Other Factors Influencing Health Status	*	*	\$38,307	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

046 Hudson Hospital & Clinics	;			Hospital Type: GMS	
405 Stageline Road				County: Saint Croix	
Hudson, WI 54016				Analysis Area: 5A-West Ce	ntral
715-531-6000				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,539	Average Length of Stay (days):	2.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,479	Average Charge per Discharge:	\$13,066	Home or Self-Care Other GMS Hospital	82.4% 6.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	339	Percent of All Childbirths:	77.0%	Skilled Nursing Facility Intermediate Care Facility	2.9% 1.1%
Cesarean Childbirths: Other Childbirths:	96 5	Percent of All Childbirths: Percent of All Childbirths:	21.8% 1.1%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	440			Hospice	1.2%
Total Newborns:	407			Other Institution Home Health Service	0.5% 2.9%
Psychiatric Utilization				Left Against Medical Advice Expired	0.5% 0.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.7%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	28	Percent of All Discharges:	1.8%	Medicare	30.4%
Patient Days:	59	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare	13.6%
				Other Government	1.5%
				Commercial or Private Insurance	54.2%
				Self-Pay	0.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	26.4%	20.3%	Male	33.7%	34.6%	Amer.Ind/Alaskan Native	e 0.3%	0.2%
Under 15	0.1%	0.1%	Female	66.3%	65.4%	Asian	0.5%	0.3%
15 - 19	0.6%	0.8%				Black/African Amer.	1.2%	1.2%
20 - 24	3.1%	2.9%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	22.5%	20.5%				White	92.9%	93.9%
35 - 44	8.6%	7.4%				Multiracial	0.0%	0.0%
45 - 54	3.3%	3.3%				Declined	1.1%	0.9%
55 - 64	6.8%	8.1%				Unavailable	4.0%	3.4%
65 - 74	9.4%	13.0%						
75 - 84	12.3%	15.6%						
85 & Over	6.7%	7.9%						

046 Hudson Hospital & Clinics

Hudson, WI 54016

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages			
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	15	3.2	4.6	0.70	3.6	0.89	4.2	0.76	
137 Respiratory Infections and Inflammations	23	3.1	4.6	0.67	3.7	0.84	5.1	0.61	
139 Pneumonia	27	3.1	3.8	0.82	3.4	0.91	3.9	0.79	
140 Chronic Obstructive Pulmonary Disease	17	3.0	3.3	0.91	3.0	1.00	3.3	0.91	
194 Heart Failure	51	4.1	4.7	0.87	3.7	1.11	4.7	0.87	
201 Heart Abnormal Rhythm and Conduction Disorders	9	1.7	2.9	0.59	2.7	0.63	2.9	0.59	
247 Intestinal Obstruction without Surgery	25	1.8	2.9	0.62	2.8	0.64	3.4	0.53	
326 Elective knee joint replacement	0	N/A	2.7	N/A	1.6	N/A	2.0	N/A	
383 Cellulitis & other skin infections	12	2.6	4.4	0.59	3.8	0.68	4.0	0.65	
463 Kidney/Urinary Tract Infection	11	2.6	3.7	0.70	3.3	0.79	3.8	0.68	
469 Acute kidney injury	23	3.1	4.5	0.69	3.4	0.91	4.8	0.65	
540 Cesarean Delivery	96	2.8	2.8	1.00	2.8	1.00	3.4	0.82	
560 Vaginal Delivery	339	1.8	2.0	0.90	1.9	0.95	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	365	1.8	1.8	1.00	1.8	1.00	1.9	0.95	
720 Blood Infection/Septicemia	102	2.7	5.3	0.51	3.9	0.69	5.7	0.47	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Facility					Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$18,753	\$22,957	\$31,031	0.74	\$27,996	0.82	\$41,427	0.55
137	Respiratory Infections and Inflammations	\$18,534	\$19,377	\$33,451	0.58	\$25,863	0.75	\$44,204	0.44
139	Pneumonia	\$15,747	\$17,846	\$24,141	0.74	\$23,921	0.75	\$33,131	0.54
140	Chronic Obstructive Pulmonary Disease	\$16,264	\$14,712	\$21,372	0.69	\$20,883	0.70	\$32,611	0.45
194	Heart Failure	\$27,143	\$33,569	\$29,089	1.15	\$24,051	1.40	\$38,512	0.87
201	Heart Abnormal Rhythm and Conduction Disorders	\$12,133	\$13,678	\$21,213	0.64	\$18,840	0.73	\$27,857	0.49
247	Intestinal Obstruction without Surgery	\$8,158	\$9,888	\$15,833	0.62	\$17,509	0.56	\$27,065	0.37
326	Elective knee joint replacement	N/A	N/A	\$44,423	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$15,802	\$19,318	\$21,652	0.89	\$21,588	0.89	\$29,240	0.66
463	Kidney/Urinary Tract Infection	\$9,521	\$10,546	\$20,430	0.52	\$17,785	0.59	\$30,445	0.35
469	Acute kidney injury	\$15,848	\$19,972	\$28,871	0.69	\$22,228	0.90	\$39,232	0.51
540	Cesarean Delivery	\$23,644	\$26,269	\$22,518	1.17	\$26,138	1.01	\$31,158	0.84
560	Vaginal Delivery	\$13,153	\$13,746	\$11,125	1.24	\$12,000	1.15	\$16,019	0.86
640	Normal Newborn, Birthweight 2500g+	\$4,004	\$4,251	\$3,955	1.07	\$4,404	0.97	\$5,687	0.75
720	Blood Infection/Septicemia	\$15,957	\$21,711	\$42,770	0.51	\$33,539	0.65	\$56,342	0.39

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

048 Mercy Health Hospital a	and Trauma C	enter - Janesville		Hospital Type: GMS	
1000 Mineral Point Ave				County: Rock	
Janesville, WI 53548				Analysis Area: 1-Southern	
608-756-6000				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	6,656	Average Length of Stay (days):	4.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	30,327	Average Charge per Discharge:	\$63,731	Home or Self-Care Other GMS Hospital	72.2% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	412	Percent of All Childbirths:	71.0%	Skilled Nursing Facility Intermediate Care Facility	9.2% 0.0%
		Percent of All Childbirths: Percent of All Childbirths:	24.7% 4.3%	Inpatient Rehabilitation Facility	1.3%
				Hospice Other Institution	2.5% 0.0%
Total Newborns:	603			Home Health Service	7.2%
Psychiatric Utilization				Left Against Medical Advice Expired	1.3% 2.9%
Discharges:	361	Percent of All Discharges:	5.4%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	1,529	Percent of All Patient Days:	5.0%	Other	1.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	135	Percent of All Discharges:	2.0%	Medicare	47.3%
Patient Days:	543	Percent of All Patient Days:	1.8%	Medicaid/BadgerCare	10.1%
				Other Government	1.8%
				Commercial or Private Insurance	39.1%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	9.1%	3.2%	Male	45.2%	47.4%	Amer.Ind/Alaskan Native	e 0.7%	0.5%
Under 15	0.5%	0.2%	Female	54.8%	52.6%	Asian	0.5%	0.6%
15 - 19	0.9%	0.6%				Black/African Amer.	4.5%	4.3%
20 - 24	3.5%	2.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.5%	6.2%				White	91.8%	93.2%
35 - 44	7.9%	6.6%				Multiracial	1.7%	1.0%
45 - 54	7.9%	8.0%				Declined	0.8%	0.6%
55 - 64	14.1%	17.5%				Unavailable	0 %	0 %
65 - 74	20.8%	24.3%						
75 - 84	16.5%	20.9%						
85 & Over	8.4%	10.4%						

048 Mercy Health Hospital and Trauma Center - Janesville

Janesville, WI 53548

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	109	4.6	4.5	1.02	5.0	0.92	4.6	1.00	
133 Respiratory failure	206	5.2	4.3	1.21	4.5	1.16	4.2	1.24	
137 Respiratory Infections and Inflammations	132	5.5	5.1	1.08	5.6	0.98	5.1	1.08	
139 Pneumonia	138	4.6	3.9	1.18	4.1	1.12	3.9	1.18	
174 Percutaneous coronary intervention w AMI	99	3.5	3.2	1.09	3.0	1.17	2.9	1.21	
175 Percutaneous coronary intervention w/o AMI	167	2.0	2.9	0.69	2.5	0.80	2.5	0.80	
194 Heart Failure	215	5.9	5.1	1.16	5.1	1.16	4.7	1.26	
201 Heart Abnormal Rhythm and Conduction Disorders	141	3.4	3.0	1.13	3.0	1.13	2.9	1.17	
463 Kidney/Urinary Tract Infection	119	4.2	3.8	1.11	4.0	1.05	3.8	1.11	
469 Acute kidney injury	102	5.7	4.8	1.19	5.2	1.10	4.8	1.19	
540 Cesarean Delivery	143	2.5	3.7	0.68	3.7	0.68	3.4	0.74	
560 Vaginal Delivery	412	1.8	2.1	0.86	2.2	0.82	2.1	0.86	
640 Normal Newborn, Birthweight 2500g+	524	1.6	2.0	0.80	2.0	0.80	1.9	0.84	
720 Blood Infection/Septicemia	313	7.3	6.1	1.20	6.3	1.16	5.7	1.28	
751 Psychoses	153	3.9	5.6	0.70	5.0	0.78	5.1	0.76	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Facility				Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$64,307	\$75,185	\$59,881	1.26	\$54,618	1.38	\$50,763	1.48
133	Respiratory failure	\$60,643	\$57,487	\$52,595	1.09	\$44,431	1.29	\$41,427	1.39
137	Respiratory Infections and Inflammations	\$62,038	\$66,913	\$54,668	1.22	\$49,624	1.35	\$44,204	1.51
139	Pneumonia	\$51,525	\$56,845	\$39,479	1.44	\$37,011	1.54	\$33,131	1.72
174	Percutaneous coronary intervention w AMI	\$140,171	\$134,425	\$104,212	1.29	\$92,807	1.45	\$92,242	1.46
175	Percutaneous coronary intervention w/o AMI	\$133,415	\$138,585	\$120,631	1.15	\$112,207	1.24	\$110,305	1.26
194	Heart Failure	\$53,118	\$55,883	\$47,309	1.18	\$43,048	1.30	\$38,512	1.45
201	Heart Abnormal Rhythm and Conduction Disorders	\$37,904	\$38,596	\$33,234	1.16	\$29,715	1.30	\$27,857	1.39
463	Kidney/Urinary Tract Infection	\$46,423	\$49,669	\$35,981	1.38	\$33,907	1.46	\$30,445	1.63
469	Acute kidney injury	\$52,921	\$57,023	\$46,091	1.24	\$43,161	1.32	\$39,232	1.45
540	Cesarean Delivery	\$48,012	\$50,562	\$36,417	1.39	\$32,532	1.55	\$31,158	1.62
560	Vaginal Delivery	\$21,813	\$21,928	\$17,782	1.23	\$17,304	1.27	\$16,019	1.37
640	Normal Newborn, Birthweight 2500g+	\$5,317	\$5,226	\$5,754	0.91	\$5,861	0.89	\$5,687	0.92
720	Blood Infection/Septicemia	\$92,287	\$86,696	\$70,715	1.23	\$62,322	1.39	\$56,342	1.54
751	Psychoses	\$13,537	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Janesville, WI 53546Analys608-373-8011Inpatient VolumeOverall Hospital UtilizationPatient VolumeTotal Discharges:3,001Average Length of Stay (days):3.1Discharge StatusTotal Patient Days:9,318Average Charge per Discharge:\$31,689Home or Self-Care Other GMS HospitalObstetrical UtilizationCritical Access HospitalCritical Access HospitalNormal Childbirths:317Percent of All Childbirths:72.5% Intermediate Care FormedNormal Childbirths:113Percent of All Childbirths:25.9%	
Janesville, WI 53546Analys608-373-8011Inpatient VolumeOverall Hospital UtilizationPatient VolumeTotal Discharges:3,001Average Length of Stay (days):3.1Discharge StatusTotal Patient Days:9,318Average Charge per Discharge:\$31,689Home or Self-Care Other GMS HospitaObstetrical UtilizationCritical Access HospitaSkilled Nursing Face Intermediate Care Formed All Childbirths:72.5%Normal Childbirths:317Percent of All Childbirths:72.5%Skilled Nursing Face Intermediate Care Formed All Childbirths:Normal Childbirths:113Percent of All Childbirths:25.9%25.9%	County: Rock
608-373-8011 Inpatient Volume Overall Hospital Utilization Patient Discharges: Total Discharges: 3,001 Average Length of Stay (days): 3.1 Discharge Status Total Patient Days: 9,318 Average Charge per Discharge: \$31,689 Home or Self-Care Obstetrical Utilization Critical Access Hosp Critical Access Hosp Normal Childbirths: 317 Percent of All Childbirths: 72.5% Cesarean Childbirths: 113 Percent of All Childbirths: 25.9%	sis Area: 1-Southern
Total Discharges:3,001Average Length of Stay (days):3.1Discharge StatusTotal Patient Days:9,318Average Charge per Discharge:\$31,689Home or Self-Care Other GMS Hospita Critical Access HospObstetrical UtilizationSkilled Nursing Faci Intermediate Care FNormal Childbirths:317Percent of All Childbirths:72.5%Skilled Nursing Faci Intermediate Care F	
Total Patient Days: 9,318 Average Charge per Discharge: \$31,689 Home or Self-Care Other GMS Hospita Obstetrical Utilization Critical Access Hospita Skilled Nursing Facility Normal Childbirths: 317 Percent of All Childbirths: 72.5% Skilled Nursing Facility Cesarean Childbirths: 113 Percent of All Childbirths: 25.9% 25.9%	atient Discharge Status
Total Patient Days: 9,318 Average Charge per Discharge: \$31,689 Other GMS Hospita Obstetrical Utilization Critical Access Hospita Normal Childbirths: 317 Percent of All Childbirths: 72.5% Skilled Nursing Factor Cessrean Childbirths: 113 Percent of All Childbirths: 25.9% Intermediate Care Factor	<u>% Discharges</u>
Normal Childbirths: 317 Percent of All Childbirths: 72.5% Skilled Nursing Facilitation Cesarean Childbirths: 113 Percent of All Childbirths: 25.9% Intermediate Care F	68.6% al 6.2%
Normal Childbirths: 317 Percent of All Childbirths: 72.5% Intermediate Care F	pital (CAH) 0.0%
	•
Other Childbirths: 7 Percent of All Childbirths: 1.6% Inpatient Rehabilitat	tion Facility 1.2% 2.8%
Total Childbirths: 437 Other Institution	2.8%
Total Newborns: 459 Home Health Service	
Psychiatric Utilization Expired	al Advice 0.6%
	Court/Law Enforcmnt 0.0%
Patient Days: 13 Percent of All Patient Days: 0.1% Other	1.6%
	ted Pay Source Distribution
AODA Utilization Primary Payer	% Discharges
Discharges: 45 Percent of All Discharges: 1.5% Medicare	47.8%
Patient Days: 161 Percent of All Patient Days: 1.7% Medicaid/BadgerCa	are 19.5%
Other Government	2.8%
Commercial or Priva	ate Insurance 27.5%
Self-Pay	2.4%
Other or Unknown I	2.770

	Age Distribution			Sex Distribution	<u>1</u>	Rac	<u>e Distribution</u>	
Age Group	% Discharges	<u>% Patient Days</u>	<u>Sex</u>	% Discharges	% Patient Days	Race	% Discharges	<u>% Patient Days</u>
Newborn	15.3%	8.7%	Male	40.3%	41.9%	Amer.Ind/Alaskan Native	.1%	0.1%
Under 15	0.7%	0.4%	Female	59.7%	58.1%	Asian	0.4%	0.4%
15 - 19	1.5%	1.0%				Black/African Amer.	2.5%	2.5%
20 - 24	3.6%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	12.6%	8.6%				White	90.4%	91.9%
35 - 44	5.7%	4.7%				Multiracial	0.5%	0.4%
45 - 54	6.0%	6.1%				Declined	0.7%	0.6%
55 - 64	9.0%	11.0%				Unavailable	5.2%	4.0%
65 - 74	15.2%	18.5%						
75 - 84	16.5%	20.3%						
85 & Over	13.7%	18.3%						

317 SSM Health St Mary's Janesville Hospital

Janesville, WI 53546

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	50	3.1	4.5	0.69	3.5	0.89	4.6	0.67
133 Respiratory failure	23	2.4	4.3	0.56	3.5	0.69	4.2	0.57
137 Respiratory Infections and Inflammations	78	4.5	5.1	0.88	4.4	1.02	5.1	0.88
139 Pneumonia	68	3.4	3.9	0.87	3.6	0.94	3.9	0.87
194 Heart Failure	166	4.1	5.1	0.80	3.8	1.08	4.7	0.87
201 Heart Abnormal Rhythm and Conduction Disorders	25	2.4	3.0	0.80	2.6	0.92	2.9	0.83
247 Intestinal Obstruction without Surgery	55	3.0	3.6	0.83	3.0	1.00	3.4	0.88
383 Cellulitis & other skin infections	46	4.2	4.2	1.00	4.1	1.02	4.0	1.05
463 Kidney/Urinary Tract Infection	54	3.2	3.8	0.84	3.4	0.94	3.8	0.84
469 Acute kidney injury	47	3.4	4.8	0.71	4.2	0.81	4.8	0.71
540 Cesarean Delivery	113	2.5	3.7	0.68	2.7	0.93	3.4	0.74
560 Vaginal Delivery	317	1.9	2.1	0.90	1.8	1.06	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	417	1.8	2.0	0.90	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	306	4.3	6.1	0.70	4.5	0.96	5.7	0.75
775 Alcohol Abuse/Dependence	38	3.6	3.8	0.95	3.9	0.92	3.7	0.97

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$49,253	\$54,127	\$59,881	0.90	\$39,675	1.36	\$50,763	1.07
133	Respiratory failure	\$34,129	\$41,645	\$52,595	0.79	\$36,159	1.15	\$41,427	1.01
137	Respiratory Infections and Inflammations	\$47,352	\$52,007	\$54,668	0.95	\$36,731	1.42	\$44,204	1.18
139	Pneumonia	\$36,379	\$37,843	\$39,479	0.96	\$28,353	1.33	\$33,131	1.14
194	Heart Failure	\$41,847	\$44,728	\$47,309	0.95	\$30,581	1.46	\$38,512	1.16
201	Heart Abnormal Rhythm and Conduction Disorders	\$32,934	\$33,366	\$33,234	1.00	\$24,409	1.37	\$27,857	1.20
247	Intestinal Obstruction without Surgery	\$26,562	\$26,157	\$32,288	0.81	\$23,588	1.11	\$27,065	0.97
383	Cellulitis & other skin infections	\$34,514	\$35,126	\$34,338	1.02	\$26,179	1.34	\$29,240	1.20
463	Kidney/Urinary Tract Infection	\$30,994	\$31,945	\$35,981	0.89	\$25,093	1.27	\$30,445	1.05
469	Acute kidney injury	\$35,748	\$38,800	\$46,091	0.84	\$31,117	1.25	\$39,232	0.99
540	Cesarean Delivery	\$28,031	\$30,179	\$36,417	0.83	\$26,660	1.13	\$31,158	0.97
560	Vaginal Delivery	\$14,763	\$15,311	\$17,782	0.86	\$12,456	1.23	\$16,019	0.96
640	Normal Newborn, Birthweight 2500g+	\$4,664	\$4,974	\$5,754	0.86	\$5,451	0.91	\$5,687	0.87
720	Blood Infection/Septicemia	\$48,668	\$54,275	\$70,715	0.77	\$42,902	1.27	\$56,342	0.96
775	Alcohol Abuse/Dependence	\$35,661	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

189 Aurora Medical Center -	Kenosha			Hospital Type: GMS	
10400 75th Avenue				County: Kenosha	
Kenosha, WI 53142				Analysis Area: 2A-Southeas	stern
262-948-5600				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	6,295	Average Length of Stay (days):	3.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	23,520	Average Charge per Discharge:	\$43,482	Home or Self-Care Other GMS Hospital	67.1% 2.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	772	Percent of All Childbirths:	71.5%	Skilled Nursing Facility	8.2%
Cesarean Childbirths:	285	Percent of All Childbirths:	26.4%	Intermediate Care Facility	1.2%
Other Childbirths:	205	Percent of All Childbirths:	20.4%	Inpatient Rehabilitation Facility	1.3%
Total Childbirths:		recent of All Childbirths.	2.170	Hospice	3.1%
Total Childbirths.	1,080			Other Institution	0.1%
Total Newborns:	1,133			Home Health Service	13.3%
–				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	1.0%
Discharges:	7	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	36	Percent of All Patient Days:	0.2%	Other	0.5%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	66	Percent of All Discharges:	1.0%	Medicare	59.4%
Patient Days:	339	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare	18.7%
		-		Other Government	2.0%
				Commercial or Private Insurance	16.0%
				Self-Pay	3.7%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	18.0%	12.4%	Male	40.1%	46.0%	Amer.Ind/Alaskan Native	e 0.2%	0.3%
Under 15	0.6%	0.6%	Female	59.9%	54.0%	Asian	1.1%	1.1%
15 - 19	1.1%	0.8%				Black/African Amer.	10.1%	10.7%
20 - 24	3.8%	2.6%				Native Hawaii/Pac.Isl.	0.5%	0.4%
25 - 34	15.0%	10.2%				White	86.1%	86.0%
35 - 44	6.5%	5.4%				Multiracial	1.5%	1.1%
45 - 54	6.2%	7.1%				Declined	0.5%	0.4%
55 - 64	11.4%	12.5%				Unavailable	0 %	0 %
65 - 74	15.5%	21.0%						
75 - 84	14.2%	17.8%						
85 & Over	7.6%	9.6%						

189 Aurora Medical Center - Kenosha

Kenosha, WI 53142

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	107	3.1	3.8	0.82	3.9	0.79	4.6	0.67
133 Respiratory failure	87	4.9	4.4	1.11	4.2	1.17	4.2	1.17
137 Respiratory Infections and Inflammations	73	4.2	4.8	0.88	5.1	0.82	5.1	0.82
139 Pneumonia	104	3.5	3.9	0.90	4.0	0.88	3.9	0.90
194 Heart Failure	209	4.4	4.5	0.98	4.5	0.98	4.7	0.94
201 Heart Abnormal Rhythm and Conduction Disorders	92	2.8	2.8	1.00	3.0	0.93	2.9	0.97
383 Cellulitis & other skin infections	54	3.9	3.9	1.00	3.9	1.00	4.0	0.98
463 Kidney/Urinary Tract Infection	97	3.2	3.5	0.91	3.6	0.89	3.8	0.84
466 Malfunction, reaction, complic of genitourinary device or pro	c 58	5.6	5.1	1.10	5.1	1.10	5.2	1.08
469 Acute kidney injury	97	6.4	4.8	1.33	4.6	1.39	4.8	1.33
540 Cesarean Delivery	285	2.8	3.1	0.90	2.9	0.97	3.4	0.82
560 Vaginal Delivery	772	2.1	2.0	1.05	1.9	1.11	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,026	1.9	1.9	1.00	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	624	5.7	5.2	1.10	5.3	1.08	5.7	1.00
775 Alcohol Abuse/Dependence	49	5.7	3.1	1.84	3.4	1.68	3.7	1.54

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge			ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$48,568	\$51,217	\$48,872	1.05	\$47,909	1.07	\$50,763	1.01
133	Respiratory failure	\$54,875	\$53,436	\$42,864	1.25	\$41,132	1.30	\$41,427	1.29
137	Respiratory Infections and Inflammations	\$50,913	\$46,776	\$43,676	1.07	\$44,693	1.05	\$44,204	1.06
139	Pneumonia	\$40,479	\$38,334	\$35,485	1.08	\$34,901	1.10	\$33,131	1.16
194	Heart Failure	\$40,871	\$38,372	\$37,494	1.02	\$36,539	1.05	\$38,512	1.00
201	Heart Abnormal Rhythm and Conduction Disorders	\$33,158	\$34,558	\$29,688	1.16	\$27,323	1.26	\$27,857	1.24
383	Cellulitis & other skin infections	\$34,782	\$33,846	\$30,428	1.11	\$29,662	1.14	\$29,240	1.16
463	Kidney/Urinary Tract Infection	\$38,161	\$35,404	\$30,491	1.16	\$30,920	1.15	\$30,445	1.16
466	Malfunction, reaction, complic of genitourinary device or proc	\$50,094	\$50,146	\$42,902	1.17	\$41,728	1.20	\$45,131	1.11
469	Acute kidney injury	\$52,692	\$43,354	\$39,575	1.10	\$37,998	1.14	\$39,232	1.11
540	Cesarean Delivery	\$32,298	\$32,209	\$34,572	0.93	\$29,193	1.10	\$31,158	1.03
560	Vaginal Delivery	\$16,392	\$15,908	\$18,364	0.87	\$14,839	1.07	\$16,019	0.99
640	Normal Newborn, Birthweight 2500g+	\$6,017	\$6,406	\$6,707	0.96	\$5,740	1.12	\$5,687	1.13
720	Blood Infection/Septicemia	\$64,466	\$59,187	\$54,544	1.09	\$52,940	1.12	\$56,342	1.05
775	Alcohol Abuse/Dependence	\$47,347	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

056 Gundersen Lutheran M	edical Center			Hospital Type: GMS	
1900 South Avenue				County: La Crosse	
La Crosse, WI 54601				Analysis Area: 5B-Southwe	stern
608-782-7300				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	17,912	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	78,543	Average Charge per Discharge:	\$38,904	Home or Self-Care Other GMS Hospital	75.4% 0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	1,251 327 83	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	75.3% 19.7% 5.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.5% 1.2% 2.5%
Total Childbirths:	1.661		0.070	Hospice	1.6%
-	,			Other Institution	0.0%
Total Newborns:	1,796			Home Health Service	3.2%
Psychiatric Utilization				Left Against Medical Advice Expired	0.5% 3.1%
Discharges:	1,332	Percent of All Discharges:	7.4%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	7,323	Percent of All Patient Days:	9.3%	Other	2.9%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	212	Percent of All Discharges:	1.2%	Medicare	51.7%
Patient Days:	1,050	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	16.0%
				Other Government	6.0%
				Commercial or Private Insurance	22.4%
				Self-Pay	3.5%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distribution	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	10.0%	7.9%	Male	47.3%	51.2%	Amer.Ind/Alaskan Native	e 0.9%	1.0%
Under 15	3.1%	3.0%	Female	52.7%	48.8%	Asian	1.7%	1.0%
15 - 19	2.6%	2.1%				Black/African Amer.	1.5%	1.6%
20 - 24	3.1%	2.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	10.7%	7.6%				White	94.1%	94.6%
35 - 44	7.3%	6.6%				Multiracial	1.1%	1.1%
45 - 54	6.8%	7.1%				Declined	0.2%	0.1%
55 - 64	12.4%	14.9%				Unavailable	0.5%	0.4%
65 - 74	19.0%	21.8%						
75 - 84	16.2%	18.1%						
85 & Over	8.9%	8.3%						

056 Gundersen Lutheran Medical Center

La Crosse, WI 54601

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			<u>Analysis Area</u>		Inpatient V	olume Group	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	200	4.2	3.7	1.14	5.0	0.84	4.6	0.91		
133 Respiratory failure	400	3.6	3.6	1.00	4.5	0.80	4.2	0.86		
137 Respiratory Infections and Inflammations	133	4.6	4.5	1.02	5.6	0.82	5.1	0.90		
139 Pneumonia	143	3.1	3.2	0.97	4.1	0.76	3.9	0.79		
174 Percutaneous coronary intervention w AMI	289	2.6	2.5	1.04	3.0	0.87	2.9	0.90		
175 Percutaneous coronary intervention w/o AMI	158	1.8	2.1	0.86	2.5	0.72	2.5	0.72		
194 Heart Failure	560	4.2	4.0	1.05	5.1	0.82	4.7	0.89		
201 Heart Abnormal Rhythm and Conduction Disorders	202	2.8	2.9	0.97	3.0	0.93	2.9	0.97		
463 Kidney/Urinary Tract Infection	117	3.1	3.2	0.97	4.0	0.78	3.8	0.82		
469 Acute kidney injury	269	4.4	4.2	1.05	5.2	0.85	4.8	0.92		
540 Cesarean Delivery	327	3.7	3.3	1.12	3.7	1.00	3.4	1.09		
560 Vaginal Delivery	1,251	2.3	2.1	1.10	2.2	1.05	2.1	1.10		
640 Normal Newborn, Birthweight 2500g+	1,528	1.7	1.7	1.00	2.0	0.85	1.9	0.89		
720 Blood Infection/Septicemia	1,047	4.7	4.5	1.04	6.3	0.75	5.7	0.82		
751 Psychoses	569	5.5	5.5	1.00	5.0	1.10	5.1	1.08		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DI	RG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratic	
	troke and Precerebral Occlusion with Infarct respiratory failure	\$30,280 \$28,422	\$30,704 \$25,736	\$32,911 \$25,776	0.93 1.00	\$54,618 \$44,431	0.56 0.58	\$50,763 \$41,427	0.60 0.62
137 R	espiratory Infections and Inflammations	\$30,787	\$30,155	\$30,904	0.98	\$49,624	0.61	\$44,204	0.68
	neumonia ercutaneous coronary intervention w AMI	\$21,633 \$55,739	\$20,630 \$57,668	\$21,981 \$60,161	0.94 0.96	\$37,011 \$92,807	0.56 0.62	\$33,131 \$92,242	0.62 0.63
175 P	ercutaneous coronary intervention w/o AMI	\$67,721	\$68,344	\$69,328	0.99	\$112,207	0.61	\$110,305	0.62
	leart Failure leart Abnormal Rhythm and Conduction Disorders	\$24,200 \$18,965	\$23,123 \$16,990	\$24,595 \$18,874	0.94 0.90	\$43,048 \$29,715	0.54 0.57	\$38,512 \$27,857	0.60 0.61
	idney/Urinary Tract Infection cute kidney injury	\$17,242 \$23,515	\$16,440 \$22,493	\$17,248 \$23,553	0.95 0.95	\$33,907 \$43,161	0.48 0.52	\$30,445 \$39,232	0.54 0.57
	esarean Delivery	\$33,572	\$33,052	\$29,602	1.12	\$32,532	1.02	\$31,158	1.06
	aginal Delivery lormal Newborn, Birthweight 2500g+	\$20,819 \$5,176	\$20,396 \$5,532	\$17,310 \$4,773	1.18 1.16	\$17,304 \$5,861	1.18 0.94	\$16,019 \$5,687	1.27 0.97
	lood Infection/Septicemia	\$30,568	\$28,316	\$30,431	0.93	\$62,322	0.45	\$56,342	0.50
751 P	sychoses	\$16,605	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

057 Mayo Clinic Health Syst	tem - La Cros	se		Hospital Type: GMS	
700 West Avenue South				County: La Crosse	
La Crosse, WI 54601				Analysis Area: 5B-Southwe	stern
608-785-0940				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	5,712	Average Length of Stay (days):	3.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	20,659	Average Charge per Discharge:	\$33,104	Home or Self-Care Other GMS Hospital	77.0% 2.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	380	Percent of All Childbirths:	73.5%	Skilled Nursing Facility	9.0% 0.1%
Cesarean Childbirths:	110	Percent of All Childbirths:	21.3%	Inpatient Rehabilitation Facility	0.1%
Other Childbirths:	27	Percent of All Childbirths:	5.2%	Hospice	2.4%
Total Childbirths:	517			Other Institution	0.0%
Total Newborns:	544			Home Health Service	2.2%
				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	1.9%
Discharges:	8	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	155	Percent of All Patient Days:	0.8%	Other	3.1%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	84	Percent of All Discharges:	1.5%	Medicare	55.0%
Patient Days:	309	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare	14.5%
-		-		Other Government	4.9%
				Commercial or Private Insurance	23.6%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	9.5%	5.4%	Male	44.6%	46.7%	Amer.Ind/Alaskan Native	e 0.6%	0.5%
Under 15	0.6%	0.5%	Female	55.4%	53.3%	Asian	1.2%	0.9%
15 - 19	1.0%	0.6%				Black/African Amer.	2.0%	1.6%
20 - 24	2.6%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.1%	5.2%				White	91.9%	93.8%
35 - 44	6.1%	4.7%				Multiracial	0.4%	0.4%
45 - 54	7.2%	7.4%				Declined	0.6%	0.4%
55 - 64	13.8%	15.8%				Unavailable	3.1%	2.3%
65 - 74	19.9%	23.1%						
75 - 84	21.0%	23.9%						
85 & Over	10.1%	11.8%						

057 Mayo Clinic Health System - La Crosse

La Crosse, WI 54601

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	All GMS H	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	111	3.0	3.7	0.81	3.9	0.77	4.6	0.65		
133 Respiratory failure	75	3.9	3.6	1.08	4.2	0.93	4.2	0.93		
137 Respiratory Infections and Inflammations	101	5.0	4.5	1.11	5.1	0.98	5.1	0.98		
139 Pneumonia	102	3.4	3.2	1.06	4.0	0.85	3.9	0.87		
194 Heart Failure	299	4.1	4.0	1.03	4.5	0.91	4.7	0.87		
201 Heart Abnormal Rhythm and Conduction Disorders	117	3.1	2.9	1.07	3.0	1.03	2.9	1.07		
383 Cellulitis & other skin infections	72	3.6	3.8	0.95	3.9	0.92	4.0	0.90		
463 Kidney/Urinary Tract Infection	63	3.6	3.2	1.13	3.6	1.00	3.8	0.95		
466 Malfunction, reaction, complic of genitourinary device or pro	c 65	5.7	4.5	1.27	5.1	1.12	5.2	1.10		
469 Acute kidney injury	129	4.4	4.2	1.05	4.6	0.96	4.8	0.92		
540 Cesarean Delivery	110	2.8	3.3	0.85	2.9	0.97	3.4	0.82		
560 Vaginal Delivery	380	2.0	2.1	0.95	1.9	1.05	2.1	0.95		
640 Normal Newborn, Birthweight 2500g+	487	1.8	1.7	1.06	1.8	1.00	1.9	0.95		
720 Blood Infection/Septicemia	590	4.9	4.5	1.09	5.3	0.92	5.7	0.86		
775 Alcohol Abuse/Dependence	71	3.7	4.7	0.79	3.4	1.09	3.7	1.00		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
 045 Stroke and Precerebral Occlusion with Infarct 133 Respiratory failure 137 Respiratory Infections and Inflammations 	\$38,043	\$38,044	\$32,911	1.16	\$47,909	0.79	\$50,763	0.75
	\$33,213	\$29,280	\$25,776	1.14	\$41,132	0.71	\$41,427	0.71
	\$39,958	\$38,589	\$30,904	1.25	\$44,693	0.86	\$44,204	0.87
139 Pneumonia 194 Heart Failure	\$39,950 \$27,146 \$30,487	\$25,936 \$29,867	\$21,981 \$24,595	1.18 1.21	\$34,901 \$36,539	0.74 0.82	\$33,131 \$38,512	0.78 0.78
201 Heart Abnormal Rhythm and Conduction Disorders383 Cellulitis & other skin infections	\$27,405	\$23,396	\$18,874	1.24	\$27,323	0.86	\$27,857	0.84
	\$22,800	\$20,422	\$18,125	1.13	\$29,662	0.69	\$29,240	0.70
 463 Kidney/Urinary Tract Infection 466 Malfunction, reaction, complic of genitourinary device or processor 460 A sute hide availables 	\$24,567	\$23,767	\$17,248	1.38	\$30,920	0.77	\$30,445	0.78
	\$33,248	\$30,403	\$24,883	1.22	\$41,728	0.73	\$45,131	0.67
469 Acute kidney injury540 Cesarean Delivery560 Vaginal Delivery	\$29,671	\$27,523	\$23,553	1.17	\$37,998	0.72	\$39,232	0.70
	\$23,620	\$23,215	\$29,602	0.78	\$29,193	0.80	\$31,158	0.75
	\$14,736	\$14,331	\$17,310	0.83	\$14,839	0.97	\$16,019	0.89
640 Normal Newborn, Birthweight 2500g+720 Blood Infection/Septicemia	\$3,533	\$3,449	\$4,773	0.72	\$5,740	0.60	\$5,687	0.61
	\$37,185	\$35,311	\$30,431	1.16	\$52,940	0.67	\$56,342	0.63
775 Alcohol Abuse/Dependence	\$24,932	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

058 Marshfield Medical Cent	ter - Ladysm	ith		Hospital Type: GMS	
1200 Port Arthur Road				County: Rusk	
Ladysmith, WI 54848				Analysis Area: 5A-West Cer	ntral
715-532-5561				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	274	Average Length of Stay (days):	5.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,488	Average Charge per Discharge:	\$14,166	Home or Self-Care Other GMS Hospital	37.6% 6.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	12.4% 3.3% 0.0%
Total Childbirths:	0	r crocht of / in Officialities.	0.070	Hospice	8.0%
-				Other Institution	0.0%
Total Newborns:	0			Home Health Service	18.2%
Psychiatric Utilization				Left Against Medical Advice Expired	3.3% 4.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.4%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	5.8%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	79.6%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	4.0%
				Other Government	5.5%
				Commercial or Private Insurance	6.9%
				Self-Pay	4.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	51.8%	58.1%	Amer.Ind/Alaskan Native	e 2.2%	1.1%
Under 15	0.0%	0.0%	Female	48.2%	41.9%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.4%	0.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.4%	0.2%				White	97.4%	98.7%
35 - 44	3.6%	2.2%				Multiracial	0.0%	0.0%
45 - 54	5.8%	3.2%				Declined	0.4%	0.3%
55 - 64	10.6%	12.2%				Unavailable	0 %	0 %
65 - 74	22.6%	21.5%						
75 - 84	29.2%	36.0%						
85 & Over	27.4%	24.5%						

058 Marshfield Medical Center - Ladysmith

Ladysmith, WI 54848

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	5	2.0	4.6	0.43	3.5	0.57	4.2	0.48
137 Respiratory Infections and Inflammations	12	3.9	4.6	0.85	3.9	1.00	5.1	0.76
139 Pneumonia	22	3.8	3.8	1.00	3.6	1.06	3.9	0.97
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	3.5	*	3.3	*
194 Heart Failure	22	3.8	4.7	0.81	3.6	1.06	4.7	0.81
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.9	*	2.6	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	2.9	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	8	2.9	4.4	0.66	3.8	0.76	4.0	0.73
463 Kidney/Urinary Tract Infection	11	4.4	3.7	1.19	3.5	1.26	3.8	1.16
469 Acute kidney injury	6	6.0	4.5	1.33	3.1	1.94	4.8	1.25
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	35	4.0	5.3	0.75	3.7	1.08	5.7	0.70
861 Signs & Symptoms	7	6.7	5.5	1.22	6.9	0.97	5.8	1.16
862 Other Factors Influencing Health Status	23	11.7	10.8	1.08	11.6	1.01	l 7.9	1.48

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$8,201	\$13,554	\$31,031	0.44	\$26,133	0.52	\$41,427	0.33
137	Respiratory Infections and Inflammations	\$10,711	\$12,865	\$33,451	0.38	\$25,355	0.51	\$44,204	0.29
139	Pneumonia	\$11,527	\$12,018	\$24,141	0.50	\$23,433	0.51	\$33,131	0.36
140	Chronic Obstructive Pulmonary Disease	*	*	\$21,372	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$10,719	\$12,081	\$29,089	0.42	\$23,717	0.51	\$38,512	0.31
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$21,213	*	\$17,441	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$15,833	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$11,337	\$11,541	\$21,652	0.53	\$19,976	0.58	\$29,240	0.39
463	Kidney/Urinary Tract Infection	\$11,469	\$11,912	\$20,430	0.58	\$21,286	0.56	\$30,445	0.39
469	Acute kidney injury	\$16,876	\$22,896	\$28,871	0.79	\$22,049	1.04	\$39,232	0.58
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$15,002	\$18,660	\$42,770	0.44	\$33,506	0.56	\$56,342	0.33
861	Signs & Symptoms	\$11,761	\$11,870	\$21,215	0.56	\$20,582	0.58	\$36,306	0.33
862	Other Factors Influencing Health Status	\$21,631	\$21,661	\$18,785	1.15	\$19,795	1.09	\$31,921	0.68

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

309 Mercyhealth Hospital and	d Medical C	enter - Walworth		Hospital Type: GMS	
N 2950 State Road 67				County: Walworth	
Lake Geneva, WI 53147				Analysis Area: 2A-Southeas	stern
262-245-0535				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,087	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,958	Average Charge per Discharge:	\$32,809	Home or Self-Care	66.1%
-				Other GMS Hospital	4.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	69	Percent of All Childbirths:	71.9%	Skilled Nursing Facility	14.6%
Cesarean Childbirths:	24	Percent of All Childbirths:	25.0%	Intermediate Care Facility	0.1%
Other Childbirths:	3	Percent of All Childbirths:	3.1%	Inpatient Rehabilitation Facility	1.6%
Total Childbirths:	96			Hospice	1.7%
				Other Institution	0.0%
Total Newborns:	84			Home Health Service	8.8%
Bayabiatria Utilization				Left Against Medical Advice	0.6%
Psychiatric Utilization				Expired	1.2%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	0.7%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	12	Percent of All Discharges:	1.1%	Medicare	55.0%
Patient Days:	28	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	6.2%
,				Other Government	2.6%
				Commercial or Private Insurance	35.2%
				Self-Pay	1.0%
				Other or Unknown Insurance	0.0%
					0.0%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.7%	4.1%	Male	43.5%	46.6%	Amer.Ind/Alaskan Native	e 0.5%	0.3%
Under 15	0.4%	0.1%	Female	56.5%	53.4%	Asian	0.5%	0.3%
15 - 19	0.8%	0.6%				Black/African Amer.	0.6%	0.7%
20 - 24	0.8%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	7.8%	6.0%				White	97.5%	97.8%
35 - 44	3.9%	2.8%				Multiracial	0.4%	0.3%
45 - 54	6.8%	6.1%				Declined	0.6%	0.5%
55 - 64	14.4%	11.8%				Unavailable	0 %	0 %
65 - 74	20.3%	21.2%						
75 - 84	19.8%	24.3%						
85 & Over	17.3%	22.6%						

309 Mercyhealth Hospital and Medical Center - Walworth

Lake Geneva, WI 53147

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	23	3.6	4.4	0.82	3.6	1.00	4.2	0.86
137 Respiratory Infections and Inflammations	35	3.1	4.8	0.65	3.7	0.84	5.1	0.61
139 Pneumonia	42	3.4	3.9	0.87	3.4	1.00	3.9	0.87
140 Chronic Obstructive Pulmonary Disease	29	3.4	3.4	1.00	3.0	1.13	3.3	1.03
194 Heart Failure	70	3.5	4.5	0.78	3.7	0.95	4.7	0.74
201 Heart Abnormal Rhythm and Conduction Disorders	26	2.3	2.8	0.82	2.7	0.85	2.9	0.79
247 Intestinal Obstruction without Surgery	25	2.0	3.4	0.59	2.8	0.71	3.4	0.59
326 Elective knee joint replacement	61	1.2	1.8	0.67	1.6	0.75	2.0	0.60
383 Cellulitis & other skin infections	32	3.5	3.9	0.90	3.8	0.92	4.0	0.88
463 Kidney/Urinary Tract Infection	26	4.4	3.5	1.26	3.3	1.33	3.8	1.16
469 Acute kidney injury	27	2.7	4.8	0.56	3.4	0.79	4.8	0.56
540 Cesarean Delivery	24	2.5	3.1	0.81	2.8	0.89	3.4	0.74
560 Vaginal Delivery	69	1.7	2.0	0.85	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	81	1.4	1.9	0.74	1.8	0.78	1.9	0.74
720 Blood Infection/Septicemia	42	3.6	5.2	0.69	3.9	0.92	5.7	0.63

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$27,732	\$32,567	\$42,864	0.76	\$27,996	1.16	\$41,427	0.79
137	Respiratory Infections and Inflammations	\$26,129	\$32,119	\$43,676	0.74	\$25,863	1.24	\$44,204	0.73
139	Pneumonia	\$28,832	\$32,731	\$35,485	0.92	\$23,921	1.37	\$33,131	0.99
140	Chronic Obstructive Pulmonary Disease	\$24,613	\$26,560	\$33,454	0.79	\$20,883	1.27	\$32,611	0.81
194	Heart Failure	\$26,078	\$30,926	\$37,494	0.82	\$24,051	1.29	\$38,512	0.80
201	Heart Abnormal Rhythm and Conduction Disorders	\$19,613	\$22,272	\$29,688	0.75	\$18,840	1.18	\$27,857	0.80
247	Intestinal Obstruction without Surgery	\$17,787	\$22,703	\$29,597	0.77	\$17,509	1.30	\$27,065	0.84
326	Elective knee joint replacement	\$70,754	\$72,152	\$74,635	0.97	\$53,216	1.36	\$65,010	1.11
383	Cellulitis & other skin infections	\$25,740	\$29,663	\$30,428	0.97	\$21,588	1.37	\$29,240	1.01
463	Kidney/Urinary Tract Infection	\$28,239	\$32,597	\$30,491	1.07	\$17,785	1.83	\$30,445	1.07
469	Acute kidney injury	\$21,826	\$31,286	\$39,575	0.79	\$22,228	1.41	\$39,232	0.80
540	Cesarean Delivery	\$41,355	\$42,616	\$34,572	1.23	\$26,138	1.63	\$31,158	1.37
560	Vaginal Delivery	\$20,630	\$21,083	\$18,364	1.15	\$12,000	1.76	\$16,019	1.32
640	Normal Newborn, Birthweight 2500g+	\$5,044	\$5,396	\$6,707	0.80	\$4,404	1.23	\$5,687	0.95
720	Blood Infection/Septicemia	\$34,310	\$46,245	\$54,544	0.85	\$33,539	1.38	\$56,342	0.82

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

059 Grant Regional Health Cen				Hospital Type: GMS	
507 South Monroe Street				County: Grant	
Lancaster, WI 53813				Analysis Area: 1-Southern	
608-723-2143				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	I <u>S</u>
Total Discharges:	648	Average Length of Stay (days):	4.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,770	Average Charge per Discharge:	\$15,066	Home or Self-Care Other GMS Hospital	74.7% 1.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.9%
Normal Childbirths:	80	Percent of All Childbirths:	69.0%	Skilled Nursing Facility	7.9%
Cesarean Childbirths:	31	Percent of All Childbirths:	26.7%	Intermediate Care Facility	0.6%
Other Childbirths:	5	Percent of All Childbirths:	4.3%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	116			Hospice	0.9%
	404			Other Institution	0.2%
Total Newborns:	121			Home Health Service	1.1%
Psychiatric Utilization				Left Against Medical Advice Expired	0.2% 2.0%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	5	Percent of All Patient Days:	0.2%	Other	9.9%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.2%	Medicare	47.7%
Patient Days:	3	Percent of All Patient Days:	0.1%	Medicaid/BadgerCare	16.8%
-		-		Other Government	1.9%
				Commercial or Private Insurance	30.2%
				Self-Pay	3.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	18.7%	7.7%	Male	39.2%	41.9%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.5%	0.2%	Female	60.8%	58.1%	Asian	0.2%	0.0%
15 - 19	0.8%	0.5%				Black/African Amer.	0.2%	0.0%
20 - 24	3.5%	1.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	13.7%	7.3%				White	97.2%	98.4%
35 - 44	3.4%	2.3%				Multiracial	0.3%	0.5%
45 - 54	1.4%	0.9%				Declined	0.0%	0.0%
55 - 64	6.5%	5.4%				Unavailable	2.2%	1.0%
65 - 74	17.4%	22.5%						
75 - 84	20.1%	30.3%						
85 & Over	14.0%	21.3%						

059 Grant Regional Health Center

Lancaster, WI 53813

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	35	3.5	4.3	0.81	3.5	1.00	4.2	0.83
137 Respiratory Infections and Inflammations	8	3.0	5.1	0.59	3.9	0.77	5.1	0.59
139 Pneumonia	51	4.5	3.9	1.15	3.6	1.25	3.9	1.15
140 Chronic Obstructive Pulmonary Disease	16	3.8	3.4	1.12	3.5	1.09	3.3	1.15
194 Heart Failure	14	5.2	5.1	1.02	3.6	1.44	4.7	1.11
201 Heart Abnormal Rhythm and Conduction Disorders	9	3.9	3.0	1.30	2.6	1.50	2.9	1.34
247 Intestinal Obstruction without Surgery	15	2.7	3.6	0.75	3.0	0.90	3.4	0.79
383 Cellulitis & other skin infections	21	4.3	4.2	1.02	3.8	1.13	4.0	1.08
463 Kidney/Urinary Tract Infection	15	4.1	3.8	1.08	3.5	1.17	3.8	1.08
469 Acute kidney injury	*	*	4.8	*	3.1	*	4.8	*
560 Vaginal Delivery	80	2.1	2.1	1.00	1.8	1.17	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	110	1.8	2.0	0.90	1.6	1.13	1.9	0.95
720 Blood Infection/Septicemia	7	3.6	6.1	0.59	3.7	0.97	5.7	0.63
861 Signs & Symptoms	20	7.3	4.9	1.49	6.9	1.06	5.8	1.26
862 Other Factors Influencing Health Status	43	13.8	5.0	2.76	11.6	1.19	7.9	1.75

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	Average Ave		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	\$17,144	\$21,252	\$52,595	0.40	\$26,133	0.81	\$41,427	0.51
137	Respiratory Infections and Inflammations	\$17,427	\$21,089	\$54,668	0.39	\$25,355	0.83	\$44,204	0.48
139	Pneumonia	\$17,461	\$22,263	\$39,479	0.56	\$23,433	0.95	\$33,131	0.67
140	Chronic Obstructive Pulmonary Disease	\$18,887	\$19,262	\$37,773	0.51	\$23,153	0.83	\$32,611	0.59
194	Heart Failure	\$18,409	\$22,817	\$47,309	0.48	\$23,717	0.96	\$38,512	0.59
201	Heart Abnormal Rhythm and Conduction Disorders	\$18,858	\$14,910	\$33,234	0.45	\$17,441	0.85	\$27,857	0.54
247	Intestinal Obstruction without Surgery	\$13,082	\$12,547	\$32,288	0.39	\$19,525	0.64	\$27,065	0.46
383	Cellulitis & other skin infections	\$18,251	\$18,914	\$34,338	0.55	\$19,976	0.95	\$29,240	0.65
463	Kidney/Urinary Tract Infection	\$14,333	\$14,213	\$35,981	0.40	\$21,286	0.67	\$30,445	0.47
469	Acute kidney injury	*	*	\$46,091	*	\$22,049	*	\$39,232	*
560	Vaginal Delivery	\$7,219	\$7,622	\$17,782	0.43	\$9,420	0.81	\$16,019	0.48
640	Normal Newborn, Birthweight 2500g+	\$3,024	\$3,441	\$5,754	0.60	\$3,997	0.86	\$5,687	0.61
720	Blood Infection/Septicemia	\$22,360	\$38,026	\$70,715	0.54	\$33,506	1.13	\$56,342	0.67
861	Signs & Symptoms	\$13,549	\$17,045	\$34,410	0.50	\$20,582	0.83	\$36,306	0.47
862	Other Factors Influencing Health Status	\$22,704	\$23,261	\$21,380	1.09	\$19,795	1.18	\$31,921	0.73

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

063 SSM Health St Mary's H 700 South Park Street Madison, WI 53715	ospital			Hospital Type: GMS County: Dane Analysis Area: 1-Southern	
608-251-6100				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	19,930	Average Length of Stay (days):	4.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	93,424	Average Charge per Discharge:	\$57,956	Home or Self-Care Other GMS Hospital	71.9% 0.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1,068	Percent of All Childbirths:	64.5%	Skilled Nursing Facility Intermediate Care Facility	8.4% 0.4%
Cesarean Childbirths: Other Childbirths:	461 127	Percent of All Childbirths: Percent of All Childbirths:	27.8% 7.7%	Inpatient Rehabilitation Facility	1.9%
Total Childbirths:	1,656			Hospice Other Institution	3.2% 0.1%
Total Newborns:	1,804			Home Health Service	9.5%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 2.1%
Discharges:	909	Percent of All Discharges:	4.6%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	4,837	Percent of All Patient Days:	5.2%	Other	1.1%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	243	Percent of All Discharges:	1.2%	Medicare	50.5%
Patient Days:	886	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	14.2%
				Other Government	1.7%
				Commercial or Private Insurance	31.9%
				Self-Pay	1.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	9.1%	8.4%	Male	44.3%	48.0%	Amer.Ind/Alaskan Native	e 0.5%	0.5%
Under 15	1.5%	2.0%	Female	55.7%	52.0%	Asian	1.5%	1.1%
15 - 19	0.9%	0.7%				Black/African Amer.	4.3%	4.2%
20 - 24	2.7%	2.0%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	9.8%	7.7%				White	81.3%	82.2%
35 - 44	8.1%	6.8%				Multiracial	0.3%	0.3%
45 - 54	7.6%	6.9%				Declined	1.4%	1.1%
55 - 64	13.1%	14.8%				Unavailable	10.7%	10.6%
65 - 74	17.9%	20.1%						
75 - 84	18.9%	19.8%						
85 & Over	10.5%	10.7%						

063 SSM Health St Mary's Hospital

Madison, WI 53715

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	451	4.4	4.5	0.98	5.0	0.88	4.6	0.96
133 Respiratory failure	139	3.7	4.3	0.86	4.5	0.82	4.2	0.88
137 Respiratory Infections and Inflammations	258	5.7	5.1	1.12	5.6	1.02	5.1	1.12
139 Pneumonia	180	4.1	3.9	1.05	4.1	1.00	3.9	1.05
174 Percutaneous coronary intervention w AMI	285	2.8	3.2	0.88	3.0	0.93	2.9	0.97
175 Percutaneous coronary intervention w/o AMI	251	2.5	2.9	0.86	2.5	1.00	2.5	1.00
194 Heart Failure	565	5.2	5.1	1.02	5.1	1.02	4.7	1.11
201 Heart Abnormal Rhythm and Conduction Disorders	221	2.9	3.0	0.97	3.0	0.97	2.9	1.00
463 Kidney/Urinary Tract Infection	209	3.7	3.8	0.97	4.0	0.93	3.8	0.97
469 Acute kidney injury	218	4.3	4.8	0.90	5.2	0.83	4.8	0.90
540 Cesarean Delivery	461	4.6	3.7	1.24	3.7	1.24	3.4	1.35
560 Vaginal Delivery	1,068	2.3	2.1	1.10	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	1,532	2.1	2.0	1.05	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	1,104	6.5	6.1	1.07	6.3	1.03	5.7	1.14
751 Psychoses	294	5.4	5.6	0.96	5.0	1.08	5.1	1.06

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$53,757	\$54,347	\$59,881	0.91	\$54,618	1.00	\$50,763	1.07
133	Respiratory failure	\$43,415	\$44,180	\$52,595	0.84	\$44,431	0.99	\$41,427	1.07
137	Respiratory Infections and Inflammations	\$52,329	\$53,280	\$54,668	0.97	\$49,624	1.07	\$44,204	1.21
139	Pneumonia	\$43,004	\$42,341	\$39,479	1.07	\$37,011	1.14	\$33,131	1.28
174	Percutaneous coronary intervention w AMI	\$75,811	\$78,491	\$104,212	0.75	\$92,807	0.85	\$92,242	0.85
175	Percutaneous coronary intervention w/o AMI	\$101,494	\$102,440	\$120,631	0.85	\$112,207	0.91	\$110,305	0.93
194	Heart Failure	\$44,376	\$45,041	\$47,309	0.95	\$43,048	1.05	\$38,512	1.17
201	Heart Abnormal Rhythm and Conduction Disorders	\$31,898	\$33,352	\$33,234	1.00	\$29,715	1.12	\$27,857	1.20
463	Kidney/Urinary Tract Infection	\$30,845	\$32,461	\$35,981	0.90	\$33,907	0.96	\$30,445	1.07
469	Acute kidney injury	\$44,431	\$44,001	\$46,091	0.95	\$43,161	1.02	\$39,232	1.12
540	Cesarean Delivery	\$44,196	\$42,822	\$36,417	1.18	\$32,532	1.32	\$31,158	1.37
560	Vaginal Delivery	\$21,433	\$20,540	\$17,782	1.16	\$17,304	1.19	\$16,019	1.28
640	Normal Newborn, Birthweight 2500g+	\$6,930	\$6,703	\$5,754	1.16	\$5,861	1.14	\$5,687	1.18
720	Blood Infection/Septicemia	\$69,693	\$69,018	\$70,715	0.98	\$62,322	1.11	\$56,342	1.22
751	Psychoses	\$21,094	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

061 UnityPoint Health - Merite 202 South Park Street Madison, WI 53715 608-417-6000	r			Hospital Type: GMS County: Dane Analysis Area: 1-Southern Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	
Total Discharges:	21.604	Average Length of Stay (days):	4.3	Discharge Status	% Discharges
C C	,			Home or Self-Care	82.4%
Total Patient Days:	92,272	Average Charge per Discharge:	\$41,027	Other GMS Hospital	1.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
	0.070		co. 0%/	Skilled Nursing Facility	4.9%
Normal Childbirths:	2,972	Percent of All Childbirths:	63.9%	Intermediate Care Facility	0.0%
Cesarean Childbirths: Other Childbirths:	1,269	Percent of All Childbirths: Percent of All Childbirths:	27.3%	Inpatient Rehabilitation Facility	1.8%
	408	Percent of All Childbirths.	8.8%	Hospice	0.7%
Total Childbirths:	4,649			Other Institution	0.4%
Total Newborns:	4,992			Home Health Service	6.0%
				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	1.1%
Discharges:	1,340	Percent of All Discharges:	6.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	7,809	Percent of All Patient Days:	8.5%	Other	0.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	471	Percent of All Discharges:	2.2%	Medicare	28.9%
Patient Days:	1,934	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	21.5%
	, -	-		Other Government	0.6%
				Commercial or Private Insurance	47.4%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	23.1%	20.4%	Male	36.7%	41.4%	Amer.Ind/Alaskan Native	e 0.7%	0.8%
Under 15	2.4%	4.0%	Female	63.3%	58.6%	Asian	4.1%	3.0%
15 - 19	2.3%	2.6%				Black/African Amer.	9.6%	10.0%
20 - 24	3.7%	2.9%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	18.8%	13.0%				White	79.5%	81.0%
35 - 44	10.7%	9.1%				Multiracial	0.5%	0.4%
45 - 54	5.4%	6.6%				Declined	1.5%	1.5%
55 - 64	8.3%	10.2%				Unavailable	3.9%	3.1%
65 - 74	11.0%	13.7%						
75 - 84	8.6%	10.6%						
85 & Over	5.6%	6.8%						

061 UnityPoint Health - Meriter

Madison, WI 53715

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	169	4.6	4.5	1.02	5.0	0.92	4.6	1.00
133 Respiratory failure	239	5.5	4.3	1.28	4.5	1.22	4.2	1.31
137 Respiratory Infections and Inflammations	229	6.0	5.1	1.18	5.6	1.07	5.1	1.18
139 Pneumonia	173	4.6	3.9	1.18	4.1	1.12	3.9	1.18
174 Percutaneous coronary intervention w AMI	63	2.7	3.2	0.84	3.0	0.90	2.9	0.93
175 Percutaneous coronary intervention w/o AMI	51	3.2	2.9	1.10	2.5	1.28	2.5	1.28
194 Heart Failure	504	5.6	5.1	1.10	5.1	1.10	4.7	1.19
201 Heart Abnormal Rhythm and Conduction Disorders	257	3.2	3.0	1.07	3.0	1.07	2.9	1.10
463 Kidney/Urinary Tract Infection	174	3.6	3.8	0.95	4.0	0.90	3.8	0.95
469 Acute kidney injury	194	5.6	4.8	1.17	5.2	1.08	4.8	1.17
540 Cesarean Delivery	1,269	4.0	3.7	1.08	3.7	1.08	3.4	1.18
560 Vaginal Delivery	2,972	2.3	2.1	1.10	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	4,196	2.1	2.0	1.05	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	982	6.4	6.1	1.05	6.3	1.02	5.7	1.12
751 Psychoses	633	5.6	5.6	1.00	5.0	1.12	5.1	1.10

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # a	and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Ho</u> Average Charge	ospitals Ratio
	nd Precerebral Occlusion with Infarct	\$47,235	\$49,707	\$59,881	0.83	\$54,618	0.91	\$50,763	0.98
	ory failure	\$73,658	\$72,052	\$52,595	1.37	\$44,431	1.62	\$41,427	1.74
137 Respirate	ory Infections and Inflammations	\$61,701	\$61,186	\$54,668	1.12	\$49,624	1.23	\$44,204	1.38
139 Pneumo	nia	\$51,464	\$49,446	\$39,479	1.25	\$37,011	1.34	\$33,131	1.49
	neous coronary intervention w AMI	\$103,707	\$112,587	\$104,212	1.08	\$92,807	1.21	\$92,242	1.22
	neous coronary intervention w/o AMI	\$101,741	\$104,355	\$120,631	0.87	\$112,207	0.93	\$110,305	0.95
194 Heart Fa	ilure	\$52,216	\$53,312	\$47,309	1.13	\$43,048	1.24	\$38,512	1.38
201 Heart Ab	normal Rhythm and Conduction Disorders	\$33,217	\$33,952	\$33,234	1.02	\$29,715	1.14	\$27,857	1.22
-	Jrinary Tract Infection	\$33,545	\$36,552	\$35,981	1.02	\$33,907	1.08	\$30,445	1.20
	dney injury	\$49,554	\$49,349	\$46,091	1.07	\$43,161	1.14	\$39,232	1.26
	n Delivery	\$36,484 \$19,048	\$35,754 \$19,032	\$36,417 \$17,782	0.98 1.07	\$32,532 \$17,304	1.10 1.10	\$31,158 \$16,019	1.15 1.19
640 Normal N	Newborn, Birthweight 2500g+	\$5,873	\$5,753	\$5,754	1.00	\$5,861	0.98	\$5,687	1.01
	fection/Septicemia	\$74,865	\$72,651	\$70,715	1.03	\$62,322	1.17	\$56,342	1.29
751 Psychos	•	\$28,031	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

064 UW Hospital and Clinic	s Authority			Hospital Type: GMS	
600 Highland Avenue				County: Dane	
Madison, WI 53792				Analysis Area: 1-Southern	
608-263-6400				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	30,722	Average Length of Stay (days):	6.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	200,323	Average Charge per Discharge:	\$122,859	Home or Self-Care	71.1%
-	,	5 5 1 5	· ,	Other GMS Hospital	0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	7.7%
Cesarean Childbirths:	8	Percent of All Childbirths:	100.0%	Intermediate Care Facility	1.6%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	3.3%
Total Childbirths:	8			Hospice	1.7%
-	-			Other Institution	0.0%
Total Newborns:	8			Home Health Service	8.2%
Psychiatric Utilization				Left Against Medical Advice	0.7%
				Expired	2.8%
Discharges:	976	Percent of All Discharges:	3.2%	Discharge/Tran to Court/Law Enforcmnt	0.6%
Patient Days:	5,130	Percent of All Patient Days:	2.6%	Other	1.6%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	446	Percent of All Discharges:	1.5%	Medicare	47.9%
Patient Days:	1,704	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	13.5%
-		-		Other Government	3.0%
				Commercial or Private Insurance	33.4%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.1%	Male	52.0%	54.6%	Amer.Ind/Alaskan Native	e 0.7%	0.8%
Under 15	9.9%	11.8%	Female	47.9%	45.3%	Asian	2.1%	2.5%
15 - 19	3.0%	2.7%				Black/African Amer.	6.9%	7.5%
20 - 24	2.6%	2.1%				Native Hawaii/Pac.Isl.	0.2%	0.3%
25 - 34	6.0%	5.3%				White	87.5%	85.8%
35 - 44	8.4%	7.7%				Multiracial	1.2%	1.3%
45 - 54	10.5%	10.1%				Declined	1.1%	1.6%
55 - 64	16.8%	18.2%				Unavailable	0.3%	0.2%
65 - 74	22.1%	22.4%						
75 - 84	14.5%	13.7%						
85 & Over	6.2%	5.8%						

064 UW Hospital and Clinics Authority

Madison, WI 53792

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	359	5.7	4.5	1.27	5.0	1.14	4.6	1.24
133 Respiratory failure	500	4.5	4.3	1.05	4.5	1.00	4.2	1.07
137 Respiratory Infections and Inflammations	503	5.8	5.1	1.14	5.6	1.04	5.1	1.14
139 Pneumonia	370	4.0	3.9	1.03	4.1	0.98	3.9	1.03
174 Percutaneous coronary intervention w AMI	331	3.4	3.2	1.06	3.0	1.13	2.9	1.17
175 Percutaneous coronary intervention w/o AMI	247	3.7	2.9	1.28	2.5	1.48	2.5	1.48
194 Heart Failure	679	6.3	5.1	1.24	5.1	1.24	4.7	1.34
201 Heart Abnormal Rhythm and Conduction Disorders	232	3.4	3.0	1.13	3.0	1.13	2.9	1.17
463 Kidney/Urinary Tract Infection	329	4.6	3.8	1.21	4.0	1.15	3.8	1.21
469 Acute kidney injury	375	5.7	4.8	1.19	5.2	1.10	4.8	1.19
540 Cesarean Delivery	8	6.5	3.7	1.76	3.7	1.76	3.4	1.91
560 Vaginal Delivery	0	N/A	2.1	N/A	2.2	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	31	1.7	2.0	0.85	2.0	0.85	1.9	0.89
720 Blood Infection/Septicemia	1,655	7.7	6.1	1.26	6.3	1.22	5.7	1.35
751 Psychoses	245	4.9	5.6	0.88	5.0	0.98	5.1	0.96

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge			<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$87,823	\$80,596	\$59,881	1.35	\$54,618	1.48	\$50,763	1.59
133	Respiratory failure	\$62,912	\$59,570	\$52,595	1.13	\$44,431	1.34	\$41,427	1.44
137	Respiratory Infections and Inflammations	\$67,694	\$65,786	\$54,668	1.20	\$49,624	1.33	\$44,204	1.49
139	Pneumonia	\$45,428	\$42,370	\$39,479	1.07	\$37,011	1.14	\$33,131	1.28
174	Percutaneous coronary intervention w AMI	\$111,803	\$107,563	\$104,212	1.03	\$92,807	1.16	\$92,242	1.17
175	Percutaneous coronary intervention w/o AMI	\$136,724	\$128,834	\$120,631	1.07	\$112,207	1.15	\$110,305	1.17
194	Heart Failure	\$63,145	\$58,328	\$47,309	1.23	\$43,048	1.35	\$38,512	1.51
201	Heart Abnormal Rhythm and Conduction Disorders	\$46,635	\$39,216	\$33,234	1.18	\$29,715	1.32	\$27,857	1.41
463	Kidney/Urinary Tract Infection	\$47,919	\$45,817	\$35,981	1.27	\$33,907	1.35	\$30,445	1.50
469	Acute kidney injury	\$58,507	\$52,880	\$46,091	1.15	\$43,161	1.23	\$39,232	1.35
540	Cesarean Delivery	\$126,842	\$94,973	\$36,417	2.61	\$32,532	2.92	\$31,158	3.05
560	Vaginal Delivery	N/A	N/A	\$17,782	*	\$17,304	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	\$19,119	\$13,286	\$5,754	2.31	\$5,861	2.27	\$5,687	2.34
720	Blood Infection/Septicemia	\$100,493	\$86,571	\$70,715	1.22	\$62,322	1.39	\$56,342	1.54
751	Psychoses	\$22,269	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

178 Froedtert Holy Family Me	emorial			Hospital Type: GMS	
2300 Western Ave				County: Manitowoc	
Manitowoc, WI 54220				Analysis Area: 4-Northeaste	ern
920-320-2011				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,580	Average Length of Stay (days):	4.1	Discharge Status	% Discharges
Total Patient Days:	6,540	Average Charge per Discharge:	\$43,641	Home or Self-Care Other GMS Hospital	41.7% 3.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	20.9% 1.8%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.0%
Total Childbirths:	0			Hospice	5.2%
Total Newborns:	0			Other Institution Home Health Service	0.0% 21.1%
Psychiatric Utilization				Left Against Medical Advice Expired	1.9% 1.3%
Discharges:	3	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	10	Percent of All Patient Days:	0.2%	Other	0.9%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	28	Percent of All Discharges:	1.8%	Medicare	76.4%
Patient Days:	194	Percent of All Patient Days:	3.0%	Medicaid/BadgerCare	8.2%
				Other Government	2.3%
				Commercial or Private Insurance	11.6%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	46.9%	48.9%	Amer.Ind/Alaskan Native	e 1.0%	1.2%
Under 15	0.0%	0.0%	Female	53.1%	51.1%	Asian	1.3%	1.8%
15 - 19	0.5%	0.3%				Black/African Amer.	1.4%	2.1%
20 - 24	0.7%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.5%	1.9%				White	95.8%	94.4%
35 - 44	4.1%	3.2%				Multiracial	0.0%	0.0%
45 - 54	6.8%	6.2%				Declined	0.4%	0.6%
55 - 64	13.8%	16.1%				Unavailable	0 %	0 %
65 - 74	24.0%	22.4%						
75 - 84	27.0%	28.6%						
85 & Over	20.6%	20.8%						

178 Froedtert Holy Family Memorial

Manitowoc, WI 54220

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	31	4.0	3.8	1.05	3.5	1.14	4.6	0.87
133 Respiratory failure	44	4.6	4.3	1.07	3.5	1.31	4.2	1.10
137 Respiratory Infections and Inflammations	46	5.3	5.4	0.98	4.4	1.20	5.1	1.04
139 Pneumonia	59	3.6	3.7	0.97	3.6	1.00	3.9	0.92
194 Heart Failure	112	3.9	4.1	0.95	3.8	1.03	4.7	0.83
201 Heart Abnormal Rhythm and Conduction Disorders	41	2.2	2.9	0.76	2.6	0.85	2.9	0.76
247 Intestinal Obstruction without Surgery	18	3.4	3.1	1.10	3.0	1.13	3.4	1.00
383 Cellulitis & other skin infections	34	4.3	3.9	1.10	4.1	1.05	4.0	1.08
463 Kidney/Urinary Tract Infection	53	3.7	3.7	1.00	3.4	1.09	3.8	0.97
469 Acute kidney injury	43	3.7	4.3	0.86	4.2	0.88	4.8	0.77
540 Cesarean Delivery	0	N/A	3.5	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	131	6.0	5.2	1.15	4.5	1.33	5.7	1.05
775 Alcohol Abuse/Dependence	13	9.5	3.9	2.44	3.9	2.44	3.7	2.57

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	ty Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	i <u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$41,515	\$44,870	\$44,321	1.01	\$39,675	1.13	\$50,763	0.88
133	Respiratory failure	\$42,717	\$42,151	\$38,110	1.11	\$36,159	1.17	\$41,427	1.02
137	Respiratory Infections and Inflammations	\$42,293	\$39,601	\$41,782	0.95	\$36,731	1.08	\$44,204	0.90
139	Pneumonia	\$28,406	\$28,646	\$31,722	0.90	\$28,353	1.01	\$33,131	0.86
194	Heart Failure	\$30,571	\$29,723	\$33,627	0.88	\$30,581	0.97	\$38,512	0.77
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,638	\$23,637	\$25,031	0.94	\$24,409	0.97	\$27,857	0.85
247	Intestinal Obstruction without Surgery	\$25,957	\$23,279	\$23,712	0.98	\$23,588	0.99	\$27,065	0.86
383	Cellulitis & other skin infections	\$26,720	\$26,015	\$25,137	1.03	\$26,179	0.99	\$29,240	0.89
463	Kidney/Urinary Tract Infection	\$22,754	\$21,251	\$27,701	0.77	\$25,093	0.85	\$30,445	0.70
469	Acute kidney injury	\$24,044	\$24,848	\$33,591	0.74	\$31,117	0.80	\$39,232	0.63
540	Cesarean Delivery	N/A	N/A	\$24,471	*	\$26,660	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$12,893	*	\$12,456	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,470	*	\$5,451	*	\$5,687	*
720	Blood Infection/Septicemia	\$54,048	\$52,186	\$51,287	1.02	\$42,902	1.22	\$56,342	0.93
775	Alcohol Abuse/Dependence	\$67,299	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

067 Aurora Medical Center - I	Bay Area			Hospital Type: GMS	
3003 University Drive				County: Marinette	
Marinette, WI 54143				Analysis Area: 4-Northeaste	ern
715-735-6621				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,710	Average Length of Stay (days):	3.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	8,904	Average Charge per Discharge:	\$36,772	Home or Self-Care Other GMS Hospital	54.7% 4.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	124	Percent of All Childbirths:	72.9%	Skilled Nursing Facility Intermediate Care Facility	14.7% 2.5%
Cesarean Childbirths:	42	Percent of All Childbirths:	24.7%	Inpatient Rehabilitation Facility	0.3%
Other Childbirths:	4	Percent of All Childbirths:	2.4%	Hospice	3.4%
Total Childbirths:	170			Other Institution	0.0%
Total Newborns:	178			Home Health Service	15.4%
Psychiatric Utilization				Left Against Medical Advice Expired	2.0% 1.7%
Discharges:	9	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	88	Percent of All Patient Days:	1.0%	Other	0.3%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	87	Percent of All Discharges:	3.2%	Medicare	78.5%
Patient Days:	253	Percent of All Patient Days:	2.8%	Medicaid/BadgerCare	12.6%
				Other Government	1.8%
				Commercial or Private Insurance	4.6%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	6.6%	3.7%	Male	46.9%	49.6%	Amer.Ind/Alaskan Native	e 0.6%	0.5%
Under 15	0.0%	0.0%	Female	53.1%	50.4%	Asian	0.3%	0.2%
15 - 19	0.9%	1.5%				Black/African Amer.	0.4%	0.2%
20 - 24	2.1%	1.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	5.6%	3.2%				White	98.0%	98.7%
35 - 44	4.6%	3.7%				Multiracial	0.4%	0.2%
45 - 54	4.6%	4.5%				Declined	0.1%	0.0%
55 - 64	13.4%	12.7%				Unavailable	0 %	0 %
65 - 74	20.8%	22.2%						
75 - 84	25.5%	29.7%						
85 & Over	15.9%	17.4%						

067 Aurora Medical Center - Bay Area

Marinette, WI 54143

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	53	3.0	3.8	0.79	3.5	0.86	4.6	0.65
133 Respiratory failure	90	3.3	4.3	0.77	3.5	0.94	4.2	0.79
137 Respiratory Infections and Inflammations	60	4.8	5.4	0.89	4.4	1.09	5.1	0.94
139 Pneumonia	97	3.7	3.7	1.00	3.6	1.03	3.9	0.95
194 Heart Failure	214	3.1	4.1	0.76	3.8	0.82	4.7	0.66
201 Heart Abnormal Rhythm and Conduction Disorders	72	2.6	2.9	0.90	2.6	1.00	2.9	0.90
247 Intestinal Obstruction without Surgery	25	2.4	3.1	0.77	3.0	0.80	3.4	0.71
383 Cellulitis & other skin infections	31	3.1	3.9	0.79	4.1	0.76	4.0	0.78
463 Kidney/Urinary Tract Infection	53	2.5	3.7	0.68	3.4	0.74	3.8	0.66
469 Acute kidney injury	90	4.0	4.3	0.93	4.2	0.95	4.8	0.83
540 Cesarean Delivery	42	2.7	3.5	0.77	2.7	1.00	3.4	0.79
560 Vaginal Delivery	124	1.8	2.0	0.90	1.8	1.00	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	164	1.7	1.9	0.89	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	491	4.0	5.2	0.77	4.5	0.89	5.7	0.70
775 Alcohol Abuse/Dependence	68	3.2	3.9	0.82	3.9	0.82	3.7	0.86

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio
045 133	Stroke and Precerebral Occlusion with Infarct Respiratory failure	\$43,467 \$37,453	\$43,653 \$38,284	\$44,321 \$38,110	0.98 1.00	\$39,675 \$36,159	1.10 1.06	\$50,763 \$41,427	0.86 0.92
137	Respiratory Infections and Inflammations	\$44,120	\$41,731	\$41,782	1.00	\$36,731	1.14	\$44,204	0.94
139	Pneumonia	\$38,668	\$33,091	\$31,722	1.04	\$28,353	1.17	\$33,131	1.00
194	Heart Failure	\$36,579	\$34,992	\$33,627	1.04	\$30,581	1.14	\$38,512	0.91
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,383	\$27,171	\$25,031	1.09	\$24,409	1.11	\$27,857	0.98
247	Intestinal Obstruction without Surgery	\$27,969	\$26,689	\$23,712	1.13	\$23,588	1.13	\$27,065	0.99
383	Cellulitis & other skin infections	\$26,215	\$25,908	\$25,137	1.03	\$26,179	0.99	\$29,240	0.89
463	Kidney/Urinary Tract Infection	\$29,761	\$28,401	\$27,701	1.03	\$25,093	1.13	\$30,445	0.93
469	Acute kidney injury	\$36,461	\$43,472	\$33,591	1.29	\$31,117	1.40	\$39,232	1.11
540	Cesarean Delivery	\$31,721	\$29,448	\$24,471	1.20	\$26,660	1.10	\$31,158	0.95
560	Vaginal Delivery	\$11,974	\$12,183	\$12,893	0.94	\$12,456	0.98	\$16,019	0.76
640	Normal Newborn, Birthweight 2500g+	\$4,864	\$4,801	\$5,470	0.88	\$5,451	0.88	\$5,687	0.84
720	Blood Infection/Septicemia	\$45,745	\$46,633	\$51,287	0.91	\$42,902	1.09	\$56,342	0.83
775	Alcohol Abuse/Dependence	\$32,322	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

069 Marshfield Medical Cent	ter			Hospital Type: GMS	
611 St Joseph Avenue				County: Wood	
Marshfield, WI 54449				Analysis Area: 6-North Cen	tral
715-387-1713				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	14,163	Average Length of Stay (days):	5.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	72,256	Average Charge per Discharge:	\$55,644	Home or Self-Care Other GMS Hospital	70.3% 0.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	550	Percent of All Childbirths:	64.3%	Skilled Nursing Facility Intermediate Care Facility	9.4% 1.3%
Cesarean Childbirths: Other Childbirths:	245 61	Percent of All Childbirths: Percent of All Childbirths:	28.6% 7.1%	Inpatient Rehabilitation Facility	1.8%
Total Childbirths:	856			Hospice Other Institution	1.5% 0.0%
Total Newborns:	927			Home Health Service	9.7%
Psychiatric Utilization				Left Against Medical Advice	1.0% 2.8%
Discharges:	60	Percent of All Discharges:	0.4%	Expired Discharge/Tran to Court/Law Enforcmnt	2.8% 0.1%
Patient Days:	432	Percent of All Patient Days:	0.6%	Other	1.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	158	Percent of All Discharges:	1.1%	Medicare	51.5%
Patient Days:	520	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	16.5%
				Other Government	3.8%
				Commercial or Private Insurance	24.6%
				Self-Pay	3.4%
				Other or Unknown Insurance	0.3%

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	6.5%	8.3%	Male	49.2%	52.2%	Amer.Ind/Alaskan Native	e 1.8%	1.8%
Under 15	9.0%	8.1%	Female	50.7%	47.8%	Asian	1.0%	1.2%
15 - 19	2.0%	1.6%				Black/African Amer.	0.8%	0.8%
20 - 24	2.1%	1.3%				Native Hawaii/Pac.Isl.	0.1%	0.2%
25 - 34	6.7%	4.8%				White	93.7%	93.6%
35 - 44	5.4%	4.5%				Multiracial	0.0%	0.0%
45 - 54	6.1%	5.9%				Declined	0.7%	0.5%
55 - 64	12.6%	13.5%				Unavailable	1.9%	1.9%
65 - 74	19.8%	21.3%						
75 - 84	19.6%	20.4%						
85 & Over	10.2%	10.3%						

069 Marshfield Medical Center

Marshfield, WI 54449

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	227	4.8	4.4	1.09	5.0	0.96	4.6	1.04		
133 Respiratory failure	285	3.7	4.1	0.90	4.5	0.82	4.2	0.88		
137 Respiratory Infections and Inflammations	165	4.9	5.1	0.96	5.6	0.88	5.1	0.96		
139 Pneumonia	254	3.8	4.0	0.95	4.1	0.93	3.9	0.97		
174 Percutaneous coronary intervention w AMI	210	3.3	3.0	1.10	3.0	1.10	2.9	1.14		
175 Percutaneous coronary intervention w/o AMI	243	3.0	2.5	1.20	2.5	1.20	2.5	1.20		
194 Heart Failure	337	4.9	4.6	1.07	5.1	0.96	4.7	1.04		
201 Heart Abnormal Rhythm and Conduction Disorders	262	3.0	2.8	1.07	3.0	1.00	2.9	1.03		
463 Kidney/Urinary Tract Infection	159	3.4	3.9	0.87	4.0	0.85	3.8	0.89		
469 Acute kidney injury	152	4.9	4.8	1.02	5.2	0.94	4.8	1.02		
540 Cesarean Delivery	245	4.6	3.5	1.31	3.7	1.24	3.4	1.35		
560 Vaginal Delivery	550	2.5	2.0	1.25	2.2	1.14	2.1	1.19		
640 Normal Newborn, Birthweight 2500g+	730	2.2	1.9	1.16	2.0	1.10	1.9	1.16		
720 Blood Infection/Septicemia	900	6.3	5.6	1.13	6.3	1.00	5.7	1.11		
751 Psychoses	*	*	4.0	*	5.0	*	5.1	*		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$41,537	\$39,549	\$41,794	0.95	\$54,618	0.72	\$50,763	0.78
133	Respiratory failure	\$27,852	\$32,539	\$37,801	0.86	\$44,431	0.73	\$41,427	0.79
137	Respiratory Infections and Inflammations	\$39,848	\$39,293	\$37,786	1.04	\$49,624	0.79	\$44,204	0.89
139	Pneumonia	\$28,948	\$29,242	\$30,317	0.96	\$37,011	0.79	\$33,131	0.88
174	Percutaneous coronary intervention w AMI	\$75,920	\$75,862	\$74,905	1.01	\$92,807	0.82	\$92,242	0.82
175	Percutaneous coronary intervention w/o AMI	\$87,755	\$85,644	\$80,668	1.06	\$112,207	0.76	\$110,305	0.78
194	Heart Failure	\$37,490	\$36,215	\$34,805	1.04	\$43,048	0.84	\$38,512	0.94
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,705	\$24,266	\$24,857	0.98	\$29,715	0.82	\$27,857	0.87
463	Kidney/Urinary Tract Infection	\$25,605	\$27,323	\$28,365	0.96	\$33,907	0.81	\$30,445	0.90
469	Acute kidney injury	\$41,125	\$43,654	\$36,852	1.18	\$43,161	1.01	\$39,232	1.11
540	Cesarean Delivery	\$32,650	\$30,216	\$27,634	1.09	\$32,532	0.93	\$31,158	0.97
560	Vaginal Delivery	\$16,696	\$16,146	\$12,421	1.30	\$17,304	0.93	\$16,019	1.01
640	Normal Newborn, Birthweight 2500g+	\$8,945	\$8,558	\$7,016	1.22	\$5,861	1.46	\$5,687	1.50
720	Blood Infection/Septicemia	\$57,667	\$53,634	\$48,275	1.11	\$62,322	0.86	\$56,342	0.95
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

070 Mile Bluff Medical Center 1050 Division Street Mauston, WI 53948 608-847-6161				Hospital Type: GMS County: Juneau Analysis Area: 6-North Cent Inpatient Volume Group: 2	tral
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	801	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,286	Average Charge per Discharge:	\$31,951	Home or Self-Care Other GMS Hospital	75.8% 6.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	86	Percent of All Childbirths:	71.1%	Skilled Nursing Facility	9.2%
Cesarean Childbirths:	26	Percent of All Childbirths:	21.5%	Intermediate Care Facility	0.1%
Other Childbirths:	-0	Percent of All Childbirths:	7.4%	Inpatient Rehabilitation Facility	3.2%
Total Childbirths:	121			Hospice	0.7%
				Other Institution	0.0%
Total Newborns:	128			Home Health Service	0.5%
Psychiatric Utilization				Left Against Medical Advice	0.2%
			0.40/	Expired	1.1%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt Other	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	-	3.0%
				Expected Pay Source Distrib	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	0.6%	Medicare	49.7%
Patient Days:	8	Percent of All Patient Days:	0.3%	Medicaid/BadgerCare	22.8%
				Other Government	2.5%
				Commercial or Private Insurance	22.2%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	16.0%	8.4%	Male	44.8%	47.3%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.9%	0.6%	Female	55.2%	52.7%	Asian	0.1%	0.0%
15 - 19	0.9%	0.6%				Black/African Amer.	1.4%	1.0%
20 - 24	5.1%	3.2%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	11.1%	7.3%				White	95.4%	96.0%
35 - 44	4.4%	3.6%				Multiracial	0.0%	0.0%
45 - 54	3.6%	3.3%				Declined	0.0%	0.0%
55 - 64	12.2%	12.8%				Unavailable	2.9%	2.8%
65 - 74	16.2%	19.1%						
75 - 84	17.1%	23.7%						
85 & Over	12.5%	17.2%						

070 Mile Bluff Medical Center

Mauston, WI 53948

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	13	3.1	4.1	0.76	3.5	0.89	4.2	0.74		
137 Respiratory Infections and Inflammations	26	4.1	5.1	0.80	3.9	1.05	5.1	0.80		
139 Pneumonia	45	3.2	4.0	0.80	3.6	0.89	3.9	0.82		
140 Chronic Obstructive Pulmonary Disease	13	4.2	3.5	1.20	3.5	1.20	3.3	1.27		
194 Heart Failure	27	3.7	4.6	0.80	3.6	1.03	4.7	0.79		
201 Heart Abnormal Rhythm and Conduction Disorders	12	2.1	2.8	0.75	2.6	0.81	2.9	0.72		
247 Intestinal Obstruction without Surgery	11	2.8	3.2	0.88	3.0	0.93	3.4	0.82		
383 Cellulitis & other skin infections	10	3.8	4.1	0.93	3.8	1.00	4.0	0.95		
463 Kidney/Urinary Tract Infection	16	3.4	3.9	0.87	3.5	0.97	3.8	0.89		
469 Acute kidney injury	6	2.2	4.8	0.46	3.1	0.71	4.8	0.46		
560 Vaginal Delivery	86	1.6	2.0	0.80	1.8	0.89	2.1	0.76		
640 Normal Newborn, Birthweight 2500g+	121	1.5	1.9	0.79	1.6	0.94	1.9	0.79		
720 Blood Infection/Septicemia	103	3.7	5.6	0.66	3.7	1.00	5.7	0.65		
861 Signs & Symptoms	*	*	6.7	*	6.9	*	5.8	*		
862 Other Factors Influencing Health Status	0	N/A	9.2	N/A	11.6	N/A	7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	olume Group Ratio	All GMS Hospitals Average Charge Rat	
133	Respiratory failure	\$42,277	\$46,274	\$37,801	1.22	\$26,133	1.77	\$41,427	1.12
137	Respiratory Infections and Inflammations	\$51,692	\$50,805	\$37,786	1.34	\$25,355	2.00	\$44,204	1.15
139	Pneumonia	\$41,484	\$42,207	\$30,317	1.39	\$23,433	1.80	\$33,131	1.27
140	Chronic Obstructive Pulmonary Disease	\$48,619	\$40,126	\$32,438	1.24	\$23,153	1.73	\$32,611	1.23
194	Heart Failure	\$45,934	\$42,797	\$34,805	1.23	\$23,717	1.80	\$38,512	1.11
201	Heart Abnormal Rhythm and Conduction Disorders	\$28,408	\$28,302	\$24,857	1.14	\$17,441	1.62	\$27,857	1.02
247	Intestinal Obstruction without Surgery	\$31,307	\$33,985	\$21,658	1.57	\$19,525	1.74	\$27,065	1.26
383	Cellulitis & other skin infections	\$37,699	\$39,300	\$25,899	1.52	\$19,976	1.97	\$29,240	1.34
463	Kidney/Urinary Tract Infection	\$42,625	\$43,471	\$28,365	1.53	\$21,286	2.04	\$30,445	1.43
469	Acute kidney injury	\$30,470	\$39,103	\$36,852	1.06	\$22,049	1.77	\$39,232	1.00
560	Vaginal Delivery	\$12,694	\$13,146	\$12,421	1.06	\$9,420	1.40	\$16,019	0.82
640	Normal Newborn, Birthweight 2500g+	\$3,405	\$3,329	\$7,016	0.47	\$3,997	0.83	\$5,687	0.59
720	Blood Infection/Septicemia	\$43,897	\$54,995	\$48,275	1.14	\$33,506	1.64	\$56,342	0.98
861	Signs & Symptoms	*	*	\$35,451	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$40,395	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

071 Aspirus Medford Hospita	al & Clinics,	Inc		Hospital Type: GMS	
135 S Gibson Street				County: Taylor	
Medford, WI 54451				Analysis Area: 6-North Cen	tral
715-748-8100				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	1,072	Average Length of Stay (days):	3.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,248	Average Charge per Discharge:	\$23,634	Home or Self-Care Other GMS Hospital	62.2% 7.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	87	Percent of All Childbirths:	66.9%	Skilled Nursing Facility Intermediate Care Facility	7.3% 1.3%
Cesarean Childbirths: Other Childbirths:	36 7	Percent of All Childbirths: Percent of All Childbirths:	27.7% 5.4%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	130			Hospice Other Institution	1.7% 0.1%
Total Newborns:	132			Home Health Service	13.2%
Psychiatric Utilization				Left Against Medical Advice Expired	0.5% 1.8%
Discharges:	2	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	5	Percent of All Patient Days:	0.2%	Other	4.3%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	14	Percent of All Discharges:	1.3%	Medicare	52.6%
Patient Days:	28	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	17.4%
				Other Government	5.0%
				Commercial or Private Insurance	24.9%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	12.3%	7.7%	Male	42.8%	44.3%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.2%	0.2%	Female	57.2%	55.7%	Asian	0.1%	0.1%
15 - 19	0.8%	0.7%				Black/African Amer.	0.6%	0.4%
20 - 24	4.4%	3.1%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	9.4%	7.4%				White	99.1%	99.3%
35 - 44	4.2%	3.8%				Multiracial	0.2%	0.2%
45 - 54	6.3%	6.0%				Declined	0.0%	0.0%
55 - 64	10.4%	11.5%				Unavailable	0 %	0 %
65 - 74	18.8%	21.5%						
75 - 84	18.7%	21.6%						
85 & Over	14.4%	16.3%						

071 Aspirus Medford Hospital & Clinics, Inc

Medford, WI 54451

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity	Group Averages						
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	42	3.4	4.1	0.83	3.6	0.94	4.2	0.81	
137 Respiratory Infections and Inflammations	25	3.2	5.1	0.63	3.7	0.86	5.1	0.63	
139 Pneumonia	38	4.1	4.0	1.03	3.4	1.21	3.9	1.05	
140 Chronic Obstructive Pulmonary Disease	17	2.7	3.5	0.77	3.0	0.90	3.3	0.82	
194 Heart Failure	59	3.0	4.6	0.65	3.7	0.81	4.7	0.64	
201 Heart Abnormal Rhythm and Conduction Disorders	17	3.1	2.8	1.11	2.7	1.15	2.9	1.07	
247 Intestinal Obstruction without Surgery	19	2.0	3.2	0.63	2.8	0.71	3.4	0.59	
326 Elective knee joint replacement	0	N/A	2.5	N/A	1.6	N/A	2.0	N/A	
383 Cellulitis & other skin infections	9	3.7	4.1	0.90	3.8	0.97	4.0	0.93	
463 Kidney/Urinary Tract Infection	24	3.6	3.9	0.92	3.3	1.09	3.8	0.95	
469 Acute kidney injury	24	3.5	4.8	0.73	3.4	1.03	4.8	0.73	
540 Cesarean Delivery	36	2.9	3.5	0.83	2.8	1.04	3.4	0.85	
560 Vaginal Delivery	87	2.2	2.0	1.10	1.9	1.16	2.1	1.05	
640 Normal Newborn, Birthweight 2500g+	119	2.0	1.9	1.05	1.8	1.11	1.9	1.05	
720 Blood Infection/Septicemia	102	3.6	5.6	0.64	3.9	0.92	5.7	0.63	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$29,865	\$37,748	\$37,801	1.00	\$27,996	1.35	\$41,427	0.91
137	Respiratory Infections and Inflammations	\$23,196	\$25,273	\$37,786	0.67	\$25,863	0.98	\$44,204	0.57
139	Pneumonia	\$30,677	\$33,034	\$30,317	1.09	\$23,921	1.38	\$33,131	1.00
140	Chronic Obstructive Pulmonary Disease	\$22,385	\$23,426	\$32,438	0.72	\$20,883	1.12	\$32,611	0.72
194	Heart Failure	\$21,116	\$24,762	\$34,805	0.71	\$24,051	1.03	\$38,512	0.64
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,584	\$19,475	\$24,857	0.78	\$18,840	1.03	\$27,857	0.70
247	Intestinal Obstruction without Surgery	\$15,545	\$20,249	\$21,658	0.93	\$17,509	1.16	\$27,065	0.75
326	Elective knee joint replacement	N/A	N/A	\$57,200	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$24,723	\$25,528	\$25,899	0.99	\$21,588	1.18	\$29,240	0.87
463	Kidney/Urinary Tract Infection	\$25,033	\$26,938	\$28,365	0.95	\$17,785	1.51	\$30,445	0.88
469	Acute kidney injury	\$21,683	\$24,893	\$36,852	0.68	\$22,228	1.12	\$39,232	0.63
540	Cesarean Delivery	\$26,977	\$27,872	\$27,634	1.01	\$26,138	1.07	\$31,158	0.89
560	Vaginal Delivery	\$11,785	\$12,267	\$12,421	0.99	\$12,000	1.02	\$16,019	0.77
640	Normal Newborn, Birthweight 2500g+	\$6,247	\$6,439	\$7,016	0.92	\$4,404	1.46	\$5,687	1.13
720	Blood Infection/Septicemia	\$29,341	\$36,790	\$48,275	0.76	\$33,539	1.10	\$56,342	0.65

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

328 Ascension Wisconsin He N88W14275 Main Street, Sui Menomonee Falls, WI 53051 262-415-2001	•	nomonee Falls		Hospital Type: GMS County: Waukesha Analysis Area: 2A-Southeas Inpatient Volume Group: 1	stern
Overall Hospital Utilization				Patient Discharge Statu	 IS
Total Discharges:	111	Average Length of Stay (days):	2.6	Discharge Status	% Discharges
Total Patient Days:	293	Average Charge per Discharge:	\$16,906	Home or Self-Care Other GMS Hospital	68.5% 13.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths: Total Childbirths: Total Newborns: Psychiatric Utilization Discharges:	0 0 0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths: Percent of All Discharges:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other Institution Home Health Service Left Against Medical Advice Expired Discharge/Tran to Court/Law Enforcmnt	3.6% 0.0% 0.0% 0.0% 13.5% 0.9% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.9%	Medicare	14.4%
Patient Days:	3	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare Other Government	2.7% 0.0%
				Commercial or Private Insurance Self-Pay	75.7% 7.2%

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Race	Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	36.0%	37.5%	Amer.Ind/Alaskan Native	0.0%	0.0%
Under 15	0.0%	0.0%	Female	64.0%	62.5%	Asian	1.8%	2.4%
15 - 19	2.7%	2.0%				Black/African Amer.	62.2%	57.3%
20 - 24	3.6%	2.4%				Native Hawaii/Pac.Isl.	7.2%	6.1%
25 - 34	12.6%	10.2%				White	27.0%	32.1%
35 - 44	13.5%	15.4%				Multiracial	0.0%	0.0%
45 - 54	11.7%	8.9%				Declined	0.9%	1.0%
55 - 64	18.9%	16.0%				Unavailable	0.9%	1.0%
65 - 74	17.1%	19.5%						
75 - 84	15.3%	18.8%						
85 & Over	4.5%	6.8%						

Other or Unknown Insurance

0.0%

328 Ascension Wisconsin Hospital - Menomonee Falls

Menomonee Falls, WI 53051

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	11	3.3	4.4	0.75	3.0	1.10	4.2	0.79
137 Respiratory Infections and Inflammations	*	*	4.8	*	3.4	*	5.1	*
139 Pneumonia	12	2.6	3.9	0.67	3.2	0.81	3.9	0.67
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*
194 Heart Failure	7	2.1	4.5	0.47	3.2	0.66	4.7	0.45
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	11	2.3	3.9	0.59	2.4	0.96	3.9	0.59
383 Cellulitis & other skin infections	*	*	3.9	*	3.4	*	4.0	*
420 Diabetes	10	1.5	3.2	0.47	2.9	0.52	3.3	0.45
463 Kidney/Urinary Tract Infection	5	4.0	3.5	1.14	3.4	1.18	3.8	1.05
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	24	3.0	5.2	0.58	3.1	0.97	5.7	0.53
775 Alcohol Abuse/Dependence	*	*	3.1	*	3.1	*	3.7	*
861 Signs & Symptoms	0	N/A	4.2	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	5.6	N/A	13.4	N/A	l 7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR-DR0	G # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Res	spiratory failure	\$19,728	\$29,251	\$42,864	0.68	\$23,461	1.25	\$41,427	0.71
137 Res	piratory Infections and Inflammations	*	*	\$43,676	*	\$26,728	*	\$44,204	*
139 Pne	eumonia	\$18,683	\$23,198	\$35,485	0.65	\$19,737	1.18	\$33,131	0.70
140 Chr	onic Obstructive Pulmonary Disease	*	*	\$33,454	*	\$14,984	*	\$32,611	*
194 Hea	art Failure	\$15,887	\$22,527	\$37,494	0.60	\$18,454	1.22	\$38,512	0.58
249 Oth	er gastroenteritis, nausea & vomiting	*	*	\$31,380	*	\$14,692	*	\$30,820	*
282 Disc	orders of Pancreas Except Malignancy	\$12,097	\$17,421	\$37,597	0.46	\$18,126	0.96	\$35,124	0.50
383 Cell	lulitis & other skin infections	*	*	\$30,428	*	\$17,133	*	\$29,240	*
420 Diat	betes	\$11,298	\$14,739	\$31,276	0.47	\$16,894	0.87	\$30,138	0.49
463 Kidr	ney/Urinary Tract Infection	\$17,609	\$19,840	\$30,491	0.65	\$17,003	1.17	\$30,445	0.65
469 Acu	ite kidney injury	*	*	\$39,575	*	\$16,299	*	\$39,232	*
720 Bloc	od Infection/Septicemia	\$17,813	\$32,134	\$54,544	0.59	\$27,572	1.17	\$56,342	0.57
775 Alco	phol Abuse/Dependence	*	#	#	*	#	*	#	*
861 Sigr	ns & Symptoms	N/A	N/A	\$34,568	*	\$22,684	*	\$36,306	*
862 Oth	er Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

072 Froedtert Menomonee I W180 N8085 Town Hall Roa Menomonee Falls, WI 53057 262-251-1000	d	I		Hospital Type: GMS County: Waukesha Analysis Area: 2A-Southeas Inpatient Volume Group: 6	stern
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	8,287	Average Length of Stay (days):	4.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	33,283	Average Charge per Discharge:	\$50,772	Home or Self-Care Other GMS Hospital	55.5% 2.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	99 47 7	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	64.7% 30.7% 4.6%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	14.7% 2.7% 2.1%
Total Childbirths:	153	-		Hospice	4.1%
Total Newborns:	163			Other Institution Home Health Service	0.0% 15.9% 1.2%
Psychiatric Utilization				Left Against Medical Advice Expired	1.2%
Discharges:	17	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	51	Percent of All Patient Days:	0.2%	Other	0.5%
-		-		Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	144	Percent of All Discharges:	1.7%	Medicare	71.0%
Patient Days:	448	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	7.8%
				Other Government	0.6%
				Commercial or Private Insurance	19.1%
				Self-Pay	1.4%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	2.0%	1.0%	Male	45.1%	45.1%	Amer.Ind/Alaskan Nativ	e 0.3%	0.4%
Under 15	0.0%	0.0%	Female	54.9%	54.9%	Asian	2.1%	1.5%
15 - 19	0.3%	0.2%				Black/African Amer.	15.8%	16.4%
20 - 24	1.1%	0.7%				Native Hawaii/Pac.Isl.	0.1%	0.2%
25 - 34	4.1%	2.8%				White	79.8%	79.8%
35 - 44	5.6%	4.2%				Multiracial	0.0%	0.0%
45 - 54	7.1%	6.5%				Declined	1.8%	1.6%
55 - 64	13.8%	13.7%				Unavailable	0.1%	0.1%
65 - 74	23.8%	23.9%						
75 - 84	24.3%	26.1%						
85 & Over	17.8%	20.9%						

072 Froedtert Menomonee Falls Hospital

Menomonee Falls, WI 53051

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	216	4.1	3.8	1.08	5.0	0.82	4.6	0.89
133 Respiratory failure	186	4.6	4.4	1.05	4.5	1.02	4.2	1.10
137 Respiratory Infections and Inflammations	182	4.8	4.8	1.00	5.6	0.86	5.1	0.94
139 Pneumonia	149	4.0	3.9	1.03	4.1	0.98	3.9	1.03
174 Percutaneous coronary intervention w AMI	86	2.3	2.6	0.88	3.0	0.77	2.9	0.79
175 Percutaneous coronary intervention w/o AMI	58	2.9	2.3	1.26	2.5	1.16	2.5	1.16
194 Heart Failure	478	4.5	4.5	1.00	5.1	0.88	4.7	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	238	2.9	2.8	1.04	3.0	0.97	2.9	1.00
463 Kidney/Urinary Tract Infection	186	3.2	3.5	0.91	4.0	0.80	3.8	0.84
469 Acute kidney injury	196	5.0	4.8	1.04	5.2	0.96	4.8	1.04
540 Cesarean Delivery	47	3.0	3.1	0.97	3.7	0.81	3.4	0.88
560 Vaginal Delivery	99	2.0	2.0	1.00	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	146	1.9	1.9	1.00	2.0	0.95	1.9	1.00
720 Blood Infection/Septicemia	735	5.5	5.2	1.06	6.3	0.87	5.7	0.96
751 Psychoses	*	*	5.0	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted[^])

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$46,957	\$47,721	\$48,872	0.98	\$54,618	0.87	\$50,763	0.94
133	Respiratory failure	\$35,948	\$36,484	\$42,864	0.85	\$44,431	0.82	\$41,427	0.88
137	Respiratory Infections and Inflammations	\$41,707	\$41,017	\$43,676	0.94	\$49,624	0.83	\$44,204	0.93
139	Pneumonia	\$33,395	\$32,479	\$35,485	0.92	\$37,011	0.88	\$33,131	0.98
174	Percutaneous coronary intervention w AMI	\$90,615	\$91,427	\$94,522	0.97	\$92,807	0.99	\$92,242	0.99
175	Percutaneous coronary intervention w/o AMI	\$89,423	\$88,950	\$109,972	0.81	\$112,207	0.79	\$110,305	0.81
194	Heart Failure	\$36,664	\$36,333	\$37,494	0.97	\$43,048	0.84	\$38,512	0.94
201	Heart Abnormal Rhythm and Conduction Disorders	\$28,820	\$29,843	\$29,688	1.01	\$29,715	1.00	\$27,857	1.07
463	Kidney/Urinary Tract Infection	\$29,376	\$28,300	\$30,491	0.93	\$33,907	0.83	\$30,445	0.93
469	Acute kidney injury	\$40,848	\$37,859	\$39,575	0.96	\$43,161	0.88	\$39,232	0.97
540	Cesarean Delivery	\$31,822	\$33,080	\$34,572	0.96	\$32,532	1.02	\$31,158	1.06
560	Vaginal Delivery	\$20,826	\$21,022	\$18,364	1.14	\$17,304	1.21	\$16,019	1.31
640	Normal Newborn, Birthweight 2500g+	\$4,476	\$4,302	\$6,707	0.64	\$5,861	0.73	\$5,687	0.76
720	Blood Infection/Septicemia	\$53,255	\$52,616	\$54,544	0.96	\$62,322	0.84	\$56,342	0.93
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

073 Mayo Clinic Health Syst	tem - Red Ce	dar in Menomonie		Hospital Type: GMS	
2321 Stout Road				County: Dunn	
Menomonie, WI 54751				Analysis Area: 5A-West Cer	ntral
715-235-5531				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,024	Average Length of Stay (days):	3.5	Discharge Status	% Discharges
Total Patient Days:	3,548	Average Charge per Discharge:	\$17,584	Home or Self-Care Other GMS Hospital	51.5% 4.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	7.1% 3.4% 0.2%
Total Childbirths:	0	-		Hospice	1.6%
Total Newborns:	0			Other Institution Home Health Service	0.0% 9.8%
Psychiatric Utilization				Left Against Medical Advice Expired	1.0% 0.9%
Discharges:	3	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt Other	0.1%
Patient Days:	15	Percent of All Patient Days:	0.4%	-	20.1%
AODA Utilization				Expected Pay Source Distri	bution
<u>AODA Otilization</u>				Primary Payer	<u>% Discharges</u>
Discharges:	21	Percent of All Discharges:	2.1%	Medicare	75.3%
Patient Days:	68	Percent of All Patient Days:	1.9%	Medicaid/BadgerCare	8.3%
				Other Government	5.9%
				Commercial or Private Insurance	9.9%
				Self-Pay	0.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
Age Group	% Discharges	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.0%	48.2%	Amer.Ind/Alaskan Native	e 0.3%	0.4%
Under 15	0.0%	0.0%	Female	51.0%	51.8%	Asian	1.2%	1.0%
15 - 19	0.2%	0.1%				Black/African Amer.	0.3%	0.4%
20 - 24	0.9%	0.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.7%	1.4%				White	97.2%	97.3%
35 - 44	4.2%	3.6%				Multiracial	0.2%	0.1%
45 - 54	7.1%	6.3%				Declined	0.5%	0.4%
55 - 64	14.4%	13.6%				Unavailable	0.4%	0.4%
65 - 74	21.9%	21.4%						
75 - 84	27.1%	27.5%						
85 & Over	22.6%	25.5%						

073 Mayo Clinic Health System - Red Cedar in Menomonie

Menomonie, WI 54751

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	18	3.4	4.6	0.74	3.6	0.94	4.2	0.81
137 Respiratory Infections and Inflammations	61	3.7	4.6	0.80	3.7	1.00	5.1	0.73
139 Pneumonia	69	3.5	3.8	0.92	3.4	1.03	3.9	0.90
140 Chronic Obstructive Pulmonary Disease	31	3.0	3.3	0.91	3.0	1.00	3.3	0.91
194 Heart Failure	90	4.0	4.7	0.85	3.7	1.08	4.7	0.85
201 Heart Abnormal Rhythm and Conduction Disorders	15	4.0	2.9	1.38	2.7	1.48	2.9	1.38
247 Intestinal Obstruction without Surgery	18	3.8	2.9	1.31	2.8	1.36	3.4	1.12
326 Elective knee joint replacement	8	2.0	2.7	0.74	1.6	1.25	2.0	1.00
383 Cellulitis & other skin infections	36	3.3	4.4	0.75	3.8	0.87	4.0	0.83
463 Kidney/Urinary Tract Infection	55	3.2	3.7	0.86	3.3	0.97	3.8	0.84
469 Acute kidney injury	46	3.7	4.5	0.82	3.4	1.09	4.8	0.77
540 Cesarean Delivery	0	N/A	2.8	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.0	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	96	3.6	5.3	0.68	3.9	0.92	5.7	0.63

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$18,340	\$20,062	\$31,031	0.65	\$27,996	0.72	\$41,427	0.48
137	Respiratory Infections and Inflammations	\$20,960	\$22,690	\$33,451	0.68	\$25,863	0.88	\$44,204	0.51
139	Pneumonia	\$17,909	\$18,344	\$24,141	0.76	\$23,921	0.77	\$33,131	0.55
140	Chronic Obstructive Pulmonary Disease	\$15,788	\$16,668	\$21,372	0.78	\$20,883	0.80	\$32,611	0.51
194	Heart Failure	\$18,853	\$21,341	\$29,089	0.73	\$24,051	0.89	\$38,512	0.55
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,086	\$19,520	\$21,213	0.92	\$18,840	1.04	\$27,857	0.70
247	Intestinal Obstruction without Surgery	\$13,553	\$12,846	\$15,833	0.81	\$17,509	0.73	\$27,065	0.47
326	Elective knee joint replacement	\$36,394	\$39,306	\$44,423	0.88	\$53,216	0.74	\$65,010	0.60
383	Cellulitis & other skin infections	\$15,470	\$15,491	\$21,652	0.72	\$21,588	0.72	\$29,240	0.53
463	Kidney/Urinary Tract Infection	\$13,127	\$13,842	\$20,430	0.68	\$17,785	0.78	\$30,445	0.45
469	Acute kidney injury	\$15,625	\$18,707	\$28,871	0.65	\$22,228	0.84	\$39,232	0.48
540	Cesarean Delivery	N/A	N/A	\$22,518	*	\$26,138	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$12,000	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$4,404	*	\$5,687	*
720	Blood Infection/Septicemia	\$19,670	\$27,231	\$42,770	0.64	\$33,539	0.81	\$56,342	0.48

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

110 Ascension Columbia St.	. Mary's Hos	pital Ozaukee		Hospital Type: GMS	
13111 N Port Washington Ro	d -			County: Ozaukee	
Mequon, WI 53097				Analysis Area: 2A-Southeas	stern
262-243-7300				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	4,034	Average Length of Stay (days):	4.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	18,220	Average Charge per Discharge:	\$40,925	Home or Self-Care Other GMS Hospital	67.1% 1.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	199	Percent of All Childbirths:	64.0%	Skilled Nursing Facility	12.8%
Cesarean Childbirths:	90	Percent of All Childbirths:	28.9%	Intermediate Care Facility	0.2%
Other Childbirths:	22	Percent of All Childbirths:	7.1%	Inpatient Rehabilitation Facility	3.7%
Total Childbirths:	311		7.170	Hospice	3.3%
Total Childbirths.	511			Other Institution	0.0%
Total Newborns:	283			Home Health Service	8.6%
Povobiotrio Utilization				Left Against Medical Advice	1.0%
Psychiatric Utilization				Expired	1.5%
Discharges:	457	Percent of All Discharges:	11.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2,357	Percent of All Patient Days:	12.9%	Other	0.6%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	260	Percent of All Discharges:	6.4%	Medicare	53.9%
Patient Days:	971	Percent of All Patient Days:	5.3%	Medicaid/BadgerCare	16.1%
-		-		Other Government	1.1%
				Commercial or Private Insurance	27.4%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race	<u>e Distribution</u>	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.0%	3.1%	Male	41.5%	43.3%	Amer.Ind/Alaskan Native	0.3%	0.3%
Under 15	0.0%	0.0%	Female	58.5%	56.7%	Asian	2.2%	1.3%
15 - 19	0.4%	0.3%				Black/African Amer.	18.1%	19.3%
20 - 24	2.7%	2.2%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	10.9%	7.3%				White	74.8%	75.6%
35 - 44	9.3%	6.7%				Multiracial	0.9%	0.6%
45 - 54	8.1%	6.9%				Declined	3.6%	2.8%
55 - 64	11.3%	12.3%				Unavailable	0 %	0 %
65 - 74	15.3%	18.9%						
75 - 84	18.9%	23.9%						
85 & Over	16.1%	18.6%						

110 Ascension Columbia St. Mary's Hospital Ozaukee

Mequon, WI 53097

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	58	3.3	3.8	0.87	3.9	0.85	4.6	0.72
133 Respiratory failure	53	6.1	4.4	1.39	4.2	1.45	4.2	1.45
137 Respiratory Infections and Inflammations	89	4.9	4.8	1.02	5.1	0.96	5.1	0.96
139 Pneumonia	94	4.7	3.9	1.21	4.0	1.18	3.9	1.21
194 Heart Failure	168	4.9	4.5	1.09	4.5	1.09	4.7	1.04
201 Heart Abnormal Rhythm and Conduction Disorders	67	3.2	2.8	1.14	3.0	1.07	2.9	1.10
383 Cellulitis & other skin infections	63	4.7	3.9	1.21	3.9	1.21	4.0	1.18
463 Kidney/Urinary Tract Infection	84	4.8	3.5	1.37	3.6	1.33	3.8	1.26
466 Malfunction, reaction, complic of genitourinary device or proc	c 36	7.1	5.1	1.39	5.1	1.39	5.2	1.37
469 Acute kidney injury	84	5.7	4.8	1.19	4.6	1.24	4.8	1.19
540 Cesarean Delivery	90	3.0	3.1	0.97	2.9	1.03	3.4	0.88
560 Vaginal Delivery	199	2.1	2.0	1.05	1.9	1.11	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	258	1.9	1.9	1.00	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	215	6.8	5.2	1.31	5.3	1.28	5.7	1.19
775 Alcohol Abuse/Dependence	50	4.0	3.1	1.29	3.4	1.18	3.7	1.08

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$42,461	\$44,664	\$48,872	0.91	\$47,909	0.93	\$50,763	0.88
133	Respiratory failure	\$60,617	\$55,815	\$42,864	1.30	\$41,132	1.36	\$41,427	1.35
137	Respiratory Infections and Inflammations	\$43,468	\$43,690	\$43,676	1.00	\$44,693	0.98	\$44,204	0.99
139	Pneumonia	\$43,474	\$43,665	\$35,485	1.23	\$34,901	1.25	\$33,131	1.32
194	Heart Failure	\$36,922	\$39,011	\$37,494	1.04	\$36,539	1.07	\$38,512	1.01
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,568	\$29,733	\$29,688	1.00	\$27,323	1.09	\$27,857	1.07
383	Cellulitis & other skin infections	\$28,935	\$30,201	\$30,428	0.99	\$29,662	1.02	\$29,240	1.03
463	Kidney/Urinary Tract Infection	\$32,566	\$31,353	\$30,491	1.03	\$30,920	1.01	\$30,445	1.03
466	Malfunction, reaction, complic of genitourinary device or proc	\$47,714	\$47,402	\$42,902	1.10	\$41,728	1.14	\$45,131	1.05
469	Acute kidney injury	\$45,717	\$48,003	\$39,575	1.21	\$37,998	1.26	\$39,232	1.22
540	Cesarean Delivery	\$28,695	\$30,796	\$34,572	0.89	\$29,193	1.05	\$31,158	0.99
560	Vaginal Delivery	\$11,457	\$11,578	\$18,364	0.63	\$14,839	0.78	\$16,019	0.72
640	Normal Newborn, Birthweight 2500g+	\$6,443	\$6,597	\$6,707	0.98	\$5,740	1.15	\$5,687	1.16
720	Blood Infection/Septicemia	\$65,004	\$64,130	\$54,544	1.18	\$52,940	1.21	\$56,342	1.14
775	Alcohol Abuse/Dependence	\$20,629	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

333 Froedtert Community Hos	pital - Meq	Juon		Hospital Type: GMS	
11421 N Port Washington Rd				County: Ozaukee	
Mequon, WI 53092				Analysis Area: 2A-Southeas	stern
				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	107	Average Length of Stay (days):	2.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	238	Average Charge per Discharge:	\$13,415	Home or Self-Care	72.9%
Total Fation Days.	200	Average onarge per Discharge.	ψ10,+10	Other GMS Hospital	12.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	1.9%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0	r crocht of All Officialities.	0.070	Hospice	0.0%
Total Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.5%
				Left Against Medical Advice	3.7%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	64.5%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	10.3%
-				Other Government	0.0%
				Commercial or Private Insurance	22.4%
				Self-Pay	2.8%

	Age Distribution	L		Sex Distribution	<u>n</u>	Race Distribution			
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>	
Newborn	0.0%	0.0%	Male	28.0%	28.6%	Amer.Ind/Alaskan Nativ	e 0.0%	0.0%	
Under 15	0.0%	0.0%	Female	72.0%	71.4%	Asian	1.9%	2.9%	
15 - 19	0.9%	0.4%				Black/African Amer.	15.0%	13.9%	
20 - 24	3.7%	2.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%	
25 - 34	4.7%	4.6%				White	83.2%	83.2%	
35 - 44	9.3%	8.0%				Multiracial	0.0%	0.0%	
45 - 54	11.2%	10.5%				Declined	0.0%	0.0%	
55 - 64	9.3%	8.8%				Unavailable	0 %	0 %	
65 - 74	24.3%	21.4%							
75 - 84	17.8%	16.4%							
85 & Over	18.7%	26.9%							

Other or Unknown Insurance

0.0%

333 Froedtert Community Hospital - Mequon

Mequon, WI 53092

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	6	2.5	4.8	0.52	3.4	0.74	5.1	0.49
139 Pneumonia	12	1.8	3.9	0.46	3.2	0.56	3.9	0.46
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*
194 Heart Failure	5	3.6	4.5	0.80	3.2	1.13	4.7	0.77
249 Other gastroenteritis, nausea & vomiting	6	1.5	3.1	0.48	2.4	0.63	3.3	0.45
282 Disorders of Pancreas Except Malignancy	*	*	3.9	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	*	*	3.9	*	3.4	*	4.0	*
420 Diabetes	0	N/A	3.2	N/A	2.9	N/A	3.3	N/A
463 Kidney/Urinary Tract Infection	11	2.5	3.5	0.71	3.4	0.74	3.8	0.66
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	16	2.5	5.2	0.48	3.1	0.81	5.7	0.44
775 Alcohol Abuse/Dependence	0	N/A	3.1	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	0	N/A	4.2	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	5.6	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	*	*	\$42,864	*	\$23,461	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$18,700	\$21,544	\$43,676	0.49	\$26,728	0.81	\$44,204	0.49
139	Pneumonia	\$10,059	\$11,902	\$35,485	0.34	\$19,737	0.60	\$33,131	0.36
140	Chronic Obstructive Pulmonary Disease	*	*	\$33,454	*	\$14,984	*	\$32,611	*
194	Heart Failure	\$16,320	\$15,663	\$37,494	0.42	\$18,454	0.85	\$38,512	0.41
249	Other gastroenteritis, nausea & vomiting	\$10,248	\$12,083	\$31,380	0.39	\$14,692	0.82	\$30,820	0.39
282	Disorders of Pancreas Except Malignancy	*	*	\$37,597	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	*	*	\$30,428	*	\$17,133	*	\$29,240	*
420	Diabetes	N/A	N/A	\$31,276	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$14,563	\$16,479	\$30,491	0.54	\$17,003	0.97	\$30,445	0.54
469	Acute kidney injury	*	*	\$39,575	*	\$16,299	*	\$39,232	*
	Blood Infection/Septicemia	\$15,348	\$24,662	\$54,544	0.45	\$27,572	0.89	\$56,342	0.44
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861	Signs & Symptoms	N/A	N/A	\$34,568	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

074 Aspirus Merrill Hospital				Hospital Type: GMS	
601 Center Avenue South				County: Lincoln	
Merrill, WI 54452				Analysis Area: 6-North Cent	tral
715-536-5511				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	512	Average Length of Stay (days):	3.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,970	Average Charge per Discharge:	\$24,922	Home or Self-Care Other GMS Hospital	41.6% 7.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	16.0% 2.3% 0.8%
Total Childbirths:	0		0.070	Hospice	2.9%
Total Newborns:	0			Other Institution Home Health Service	0.0% 18.9%
Psychiatric Utilization				Left Against Medical Advice Expired	1.4% 3.1%
Discharges: Patient Days:	1 1	Percent of All Discharges: Percent of All Patient Days:	0.2% 0.1%	Discharge/Tran to Court/Law Enforcmnt Other	0.2% 5.3%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	12	Percent of All Discharges:	2.3%	Medicare	74.0%
Patient Days:	48	Percent of All Patient Days:	2.4%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	8.4% 5.9% 11.5%
				Self-Pay Other or Unknown Insurance	0.0% 0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.6%	47.3%	Amer.Ind/Alaskan Native	e 0.4%	0.5%
Under 15	0.0%	0.0%	Female	50.4%	52.7%	Asian	0.2%	0.2%
15 - 19	0.2%	0.1%				Black/African Amer.	0.4%	0.2%
20 - 24	0.4%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.3%	1.2%				White	97.7%	97.9%
35 - 44	5.1%	3.5%				Multiracial	1.0%	1.1%
45 - 54	6.1%	6.5%				Declined	0.4%	0.2%
55 - 64	15.8%	16.9%				Unavailable	0 %	0 %
65 - 74	21.1%	20.1%						
75 - 84	27.5%	29.5%						
85 & Over	21.5%	21.9%						

074 Aspirus Merrill Hospital Merrill, WI 54452

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	19	3.8	4.1	0.93	3.5	1.09	4.2	0.90
137 Respiratory Infections and Inflammations	38	3.9	5.1	0.76	3.9	1.00	5.1	0.76
139 Pneumonia	33	4.0	4.0	1.00	3.6	1.11	3.9	1.03
140 Chronic Obstructive Pulmonary Disease	5	2.4	3.5	0.69	3.5	0.69	3.3	0.73
194 Heart Failure	53	4.5	4.6	0.98	3.6	1.25	4.7	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	9	2.7	2.8	0.96	2.6	1.04	2.9	0.93
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	25	4.3	4.1	1.05	3.8	1.13	4.0	1.08
463 Kidney/Urinary Tract Infection	27	3.9	3.9	1.00	3.5	1.11	3.8	1.03
469 Acute kidney injury	16	4.3	4.8	0.90	3.1	1.39	4.8	0.90
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	73	3.9	5.6	0.70	3.7	1.05	5.7	0.68
861 Signs & Symptoms	8	4.9	6.7	0.73	6.9	0.71	5.8	0.84
862 Other Factors Influencing Health Status	*	*	9.2	*	11.6	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	\$26,892	\$35,675	\$37,801	0.94	\$26,133	1.37	\$41,427	0.86
137	Respiratory Infections and Inflammations	\$25,143	\$29,564	\$37,786	0.78	\$25,355	1.17	\$44,204	0.67
139	Pneumonia	\$26,658	\$29,004	\$30,317	0.96	\$23,433	1.24	\$33,131	0.88
140	Chronic Obstructive Pulmonary Disease	\$21,338	\$25,735	\$32,438	0.79	\$23,153	1.11	\$32,611	0.79
194	Heart Failure	\$27,756	\$28,912	\$34,805	0.83	\$23,717	1.22	\$38,512	0.75
201	Heart Abnormal Rhythm and Conduction Disorders	\$22,204	\$25,137	\$24,857	1.01	\$17,441	1.44	\$27,857	0.90
247	Intestinal Obstruction without Surgery	*	*	\$21,658	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$25,478	\$27,283	\$25,899	1.05	\$19,976	1.37	\$29,240	0.93
463	Kidney/Urinary Tract Infection	\$21,635	\$23,016	\$28,365	0.81	\$21,286	1.08	\$30,445	0.76
469	Acute kidney injury	\$25,719	\$35,031	\$36,852	0.95	\$22,049	1.59	\$39,232	0.89
560	Vaginal Delivery	N/A	N/A	\$12,421	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$7,016	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$28,194	\$37,646	\$48,275	0.78	\$33,506	1.12	\$56,342	0.67
861	Signs & Symptoms	\$23,644	\$26,304	\$35,451	0.74	\$20,582	1.28	\$36,306	0.72
862	Other Factors Influencing Health Status	*	*	\$40,395	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

316 Ascension Columbia S 2301 N. Lake Drive Milwaukee, WI 53211 414-961-3300	t. Mary's Hos	pital Milwaukee		Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 6	ee County
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	10,176	Average Length of Stay (days):	5.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	54,142	Average Charge per Discharge:	\$65,647	Home or Self-Care Other GMS Hospital	74.4% 1.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1,306	Percent of All Childbirths:	75.3%	Skilled Nursing Facility	7.2%
Cesarean Childbirths:	361	Percent of All Childbirths:	20.8%	Intermediate Care Facility	0.1%
Other Childbirths:	68	Percent of All Childbirths:	3.9%	Inpatient Rehabilitation Facility	3.2%
Total Childbirths:	1,735			Hospice Other Institution	2.0% 0.0%
Total Newborns:	1,757			Home Health Service	6.8%
	.,			Left Against Medical Advice	1.7%
Psychiatric Utilization				Expired	2.6%
Discharges:	14	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	116	Percent of All Patient Days:	0.2%	Other	0.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	99	Percent of All Discharges:	1.0%	Medicare	37.9%
Patient Days:	494	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	35.7%
				Other Government	0.6%
				Commercial or Private Insurance	23.0%
				Self-Pay	2.8%

	Age Distribution	<u> </u>		Sex Distribution	<u>1</u>	Race	Race Distribution			
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>		
Newborn	17.3%	11.8%	Male	40.9%	47.0%	Amer.Ind/Alaskan Native	0.4%	0.3%		
Under 15	0.1%	0.2%	Female	59.1%	53.0%	Asian	1.9%	1.7%		
15 - 19	1.6%	0.8%				Black/African Amer.	37.7%	42.2%		
20 - 24	4.9%	2.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%		
25 - 34	13.0%	7.4%				White	48.8%	46.1%		
35 - 44	9.1%	7.6%				Multiracial	1.1%	0.9%		
45 - 54	7.4%	9.0%				Declined	9.9%	8.6%		
55 - 64	12.6%	17.2%				Unavailable	0.1%	0.1%		
65 - 74	15.7%	19.7%								
75 - 84	11.7%	15.5%								
85 & Over	6.6%	8.3%								

Other or Unknown Insurance

0.0%

** In 2010, Columbia St Mary's Inc - Columbia Campus, Milwaukee (076) and Columbia St Mary's Inc - Milwaukee Campus, Milwaukee (089) merged to form Columbia St. Mary's Hospital Milwaukee, Milwaukee (316). 2010 data reported under all three facility numbers was combined into the (316) number for this report.

316 Ascension Columbia St. Mary's Hospital Milwaukee

Milwaukee, WI 53211

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	193	5.7	6.5	0.88	5.0	1.14	4.6	1.24
133 Respiratory failure	149	5.7	4.4	1.30	4.5	1.27	4.2	1.36
137 Respiratory Infections and Inflammations	103	6.6	5.6	1.18	5.6	1.18	5.1	1.29
139 Pneumonia	141	4.4	4.1	1.07	4.1	1.07	3.9	1.13
174 Percutaneous coronary intervention w AMI	118	3.2	3.6	0.89	3.0	1.07	2.9	1.10
175 Percutaneous coronary intervention w/o AMI	151	3.6	3.1	1.16	2.5	1.44	2.5	1.44
194 Heart Failure	309	6.9	5.3	1.30	5.1	1.35	4.7	1.47
201 Heart Abnormal Rhythm and Conduction Disorders	150	3.2	3.3	0.97	3.0	1.07	2.9	1.10
463 Kidney/Urinary Tract Infection	93	5.2	4.3	1.21	4.0	1.30	3.8	1.37
469 Acute kidney injury	134	7.0	5.6	1.25	5.2	1.35	4.8	1.46
540 Cesarean Delivery	361	3.6	3.7	0.97	3.7	0.97	3.4	1.06
560 Vaginal Delivery	1,306	2.1	2.2	0.95	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,512	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	349	9.0	6.8	1.32	6.3	1.43	5.7	1.58
751 Psychoses	*	*	5.2	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$67,366	\$60,532	\$66,752	0.91	\$54,618	1.11	\$50,763	1.19
133	Respiratory failure	\$64,582	\$52,988	\$45,892	1.15	\$44,431	1.19	\$41,427	1.28
137	Respiratory Infections and Inflammations	\$59,311	\$56,557	\$54,053	1.05	\$49,624	1.14	\$44,204	1.28
139	Pneumonia	\$43,475	\$40,032	\$38,942	1.03	\$37,011	1.08	\$33,131	1.21
174	Percutaneous coronary intervention w AMI	\$127,569	\$124,618	\$126,749	0.98	\$92,807	1.34	\$92,242	1.35
175	Percutaneous coronary intervention w/o AMI	\$149,248	\$148,420	\$158,168	0.94	\$112,207	1.32	\$110,305	1.35
194	Heart Failure	\$55,438	\$51,988	\$48,131	1.08	\$43,048	1.21	\$38,512	1.35
201	Heart Abnormal Rhythm and Conduction Disorders	\$34,843	\$33,599	\$34,368	0.98	\$29,715	1.13	\$27,857	1.21
463	Kidney/Urinary Tract Infection	\$38,103	\$36,563	\$38,452	0.95	\$33,907	1.08	\$30,445	1.20
469	Acute kidney injury	\$55,567	\$50,658	\$49,167	1.03	\$43,161	1.17	\$39,232	1.29
540	Cesarean Delivery	\$33,235	\$32,840	\$35,225	0.93	\$32,532	1.01	\$31,158	1.05
560	Vaginal Delivery	\$12,951	\$13,110	\$19,729	0.66	\$17,304	0.76	\$16,019	0.82
640	Normal Newborn, Birthweight 2500g+	\$7,362	\$7,498	\$6,018	1.25	\$5,861	1.28	\$5,687	1.32
720	Blood Infection/Septicemia	\$98,414	\$78,955	\$73,707	1.07	\$62,322	1.27	\$56,342	1.40
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

086 Ascension SE Wiscons	in Hospital -	St. Joseph Campus		Hospital Type: GMS	
5000 West Chambers Street	t			County: Milwaukee	
Milwaukee, WI 53210				Analysis Area: 2B-Milwauke	e County
414-447-2000				Inpatient Volume Group: 5	-
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	5,202	Average Length of Stay (days):	4.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	21,285	Average Charge per Discharge:	\$29,742	Home or Self-Care Other GMS Hospital	84.5% 1.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	958	Percent of All Childbirths:	72.0%	Skilled Nursing Facility	1.7% 0.0%
Cesarean Childbirths: Other Childbirths:	330 42	Percent of All Childbirths: Percent of All Childbirths:	24.8% 3.2%	Inpatient Rehabilitation Facility	1.2%
Total Childbirths:	1,330	-	0.270	Hospice	1.4%
-				Other Institution	0.1%
Total Newborns:	1,321			Home Health Service	3.4%
Psychiatric Utilization				Left Against Medical Advice Expired	3.3% 2.0%
Discharges:	5	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	76	Percent of All Patient Days:	0.4%	Other	0.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	80	Percent of All Discharges:	1.5%	Medicare	22.3%
Patient Days:	411	Percent of All Patient Days:	1.9%	Medicaid/BadgerCare	58.0%
				Other Government	0.4%
				Commercial or Private Insurance	17.5%
				Self-Pay	1.8%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	25.4%	27.5%	Male	37.9%	43.4%	Amer.Ind/Alaskan Native	e 0.2%	0.3%
Under 15	0.2%	0.9%	Female	62.1%	56.6%	Asian	4.5%	3.0%
15 - 19	2.4%	1.3%				Black/African Amer.	70.5%	71.5%
20 - 24	7.2%	4.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	18.1%	11.7%				White	20.9%	22.0%
35 - 44	10.1%	7.6%				Multiracial	0.9%	0.8%
45 - 54	7.9%	8.7%				Declined	3.0%	2.3%
55 - 64	12.2%	14.4%				Unavailable	0 %	0 %
65 - 74	10.2%	13.5%						
75 - 84	4.5%	7.4%						
85 & Over	1.7%	2.6%						

086 Ascension SE Wisconsin Hospital - St. Joseph Campus

Milwaukee, WI 53210

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	74	7.0	6.5	1.08	3.9	1.79	4.6	1.52
133 Respiratory failure	137	3.4	4.4	0.77	4.2	0.81	4.2	0.81
137 Respiratory Infections and Inflammations	48	4.5	5.6	0.80	5.1	0.88	5.1	0.88
139 Pneumonia	64	3.2	4.1	0.78	4.0	0.80	3.9	0.82
194 Heart Failure	184	3.8	5.3	0.72	4.5	0.84	4.7	0.81
201 Heart Abnormal Rhythm and Conduction Disorders	29	3.6	3.3	1.09	3.0	1.20	2.9	1.24
383 Cellulitis & other skin infections	23	3.3	4.1	0.80	3.9	0.85	4.0	0.83
463 Kidney/Urinary Tract Infection	33	2.6	4.3	0.60	3.6	0.72	3.8	0.68
466 Malfunction, reaction, complic of genitourinary device or pro	c 19	4.6	5.6	0.82	5.1	0.90	5.2	0.88
469 Acute kidney injury	66	4.7	5.6	0.84	4.6	1.02	4.8	0.98
540 Cesarean Delivery	330	3.5	3.7	0.95	2.9	1.21	3.4	1.03
560 Vaginal Delivery	958	2.0	2.2	0.91	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,082	2.0	1.9	1.05	1.8	1.11	1.9	1.05
720 Blood Infection/Septicemia	172	7.3	6.8	1.07	5.3	1.38	5.7	1.28
775 Alcohol Abuse/Dependence	32	3.0	3.6	0.83	3.4	0.88	3.7	0.81

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$35,762	\$36,524	\$66,752	0.55	\$47,909	0.76	\$50,763	0.72
133	Respiratory failure	\$33,334	\$25,515	\$45,892	0.56	\$41,132	0.62	\$41,427	0.62
137	Respiratory Infections and Inflammations	\$35,811	\$34,265	\$54,053	0.63	\$44,693	0.77	\$44,204	0.78
139	Pneumonia	\$24,720	\$22,355	\$38,942	0.57	\$34,901	0.64	\$33,131	0.67
194	Heart Failure	\$27,145	\$26,585	\$48,131	0.55	\$36,539	0.73	\$38,512	0.69
201	Heart Abnormal Rhythm and Conduction Disorders	\$35,814	\$26,774	\$34,368	0.78	\$27,323	0.98	\$27,857	0.96
383	Cellulitis & other skin infections	\$17,886	\$18,269	\$37,141	0.49	\$29,662	0.62	\$29,240	0.62
463	Kidney/Urinary Tract Infection	\$17,917	\$17,189	\$38,452	0.45	\$30,920	0.56	\$30,445	0.56
466	Malfunction, reaction, complic of genitourinary device or proc	\$28,697	\$27,555	\$54,393	0.51	\$41,728	0.66	\$45,131	0.61
469	Acute kidney injury	\$30,833	\$27,302	\$49,167	0.56	\$37,998	0.72	\$39,232	0.70
540	Cesarean Delivery	\$29,852	\$28,616	\$35,225	0.81	\$29,193	0.98	\$31,158	0.92
560	Vaginal Delivery	\$15,597	\$15,318	\$19,729	0.78	\$14,839	1.03	\$16,019	0.96
640	Normal Newborn, Birthweight 2500g+	\$7,233	\$7,192	\$6,018	1.20	\$5,740	1.25	\$5,687	1.26
720	Blood Infection/Septicemia	\$58,160	\$44,267	\$73,707	0.60	\$52,940	0.84	\$56,342	0.79
775	Alcohol Abuse/Dependence	\$23,122	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

085 Ascension St. Francis H 3237 South 16th Street	lospital			Hospital Type: GMS County: Milwaukee	
Milwaukee, WI 53215				Analysis Area: 2B-Milwauke	e County
414-647-5000				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,051	Average Length of Stay (days):	4.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	9,868	Average Charge per Discharge:	\$29,340	Home or Self-Care Other GMS Hospital	71.1% 2.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	7.2% 0.0%
Cesarean Childbirths: Other Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.6%
	0	Fercent of All Childbirths.	0.0%	Hospice	1.9%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.6%
Psychiatric Utilization				Left Against Medical Advice Expired	5.1% 1.7%
Discharges:	405	Percent of All Discharges:	19.7%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2,057	Percent of All Patient Days:	20.8%	Other	1.9%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	270	Percent of All Discharges:	13.2%	Medicare	41.0%
Patient Days:	941	Percent of All Patient Days:	9.5%	Medicaid/BadgerCare	33.7%
-		-		Other Government	1.0%
				Commercial or Private Insurance	14.7%
				Self-Pay	9.5%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.6%	51.4%	Amer.Ind/Alaskan Native	e 0.6%	0.6%
Under 15	0.0%	0.0%	Female	47.3%	48.5%	Asian	1.5%	1.1%
15 - 19	1.1%	0.8%				Black/African Amer.	17.6%	17.8%
20 - 24	3.3%	2.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	11.3%	9.2%				White	61.9%	62.0%
35 - 44	15.8%	13.8%				Multiracial	0.4%	1.0%
45 - 54	17.8%	17.4%				Declined	17.7%	17.3%
55 - 64	19.5%	20.0%				Unavailable	0.1%	0.1%
65 - 74	14.9%	17.8%						
75 - 84	10.7%	12.4%						
85 & Over	5.8%	6.4%						

085 Ascension St. Francis Hospital

Milwaukee, WI 53215

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	27	3.6	6.5	0.55	3.5	1.03	4.6	0.78
133 Respiratory failure	41	5.4	4.4	1.23	3.5	1.54	4.2	1.29
137 Respiratory Infections and Inflammations	40	5.1	5.6	0.91	4.4	1.16	5.1	1.00
139 Pneumonia	59	4.8	4.1	1.17	3.6	1.33	3.9	1.23
194 Heart Failure	89	5.0	5.3	0.94	3.8	1.32	4.7	1.06
201 Heart Abnormal Rhythm and Conduction Disorders	17	5.1	3.3	1.55	2.6	1.96	2.9	1.76
247 Intestinal Obstruction without Surgery	23	3.0	4.0	0.75	3.0	1.00	3.4	0.88
383 Cellulitis & other skin infections	44	5.0	4.1	1.22	4.1	1.22	4.0	1.25
463 Kidney/Urinary Tract Infection	34	3.4	4.3	0.79	3.4	1.00	3.8	0.89
469 Acute kidney injury	54	4.6	5.6	0.82	4.2	1.10	4.8	0.96
540 Cesarean Delivery	0	N/A	3.7	N/A	2.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A
720 Blood Infection/Septicemia	141	6.9	6.8	1.01	4.5	1.53	5.7	1.21
775 Alcohol Abuse/Dependence	53	3.3	3.6	0.92	3.9	0.85	3.7	0.89

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages							
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$35,399	\$37,289	\$66,752	0.56	\$39,675	0.94	\$50,763	0.73		
133	Respiratory failure	\$39,330	\$39,164	\$45,892	0.85	\$36,159	1.08	\$41,427	0.95		
137	Respiratory Infections and Inflammations	\$35,599	\$32,422	\$54,053	0.60	\$36,731	0.88	\$44,204	0.73		
139	Pneumonia	\$31,560	\$32,603	\$38,942	0.84	\$28,353	1.15	\$33,131	0.98		
194	Heart Failure	\$29,591	\$28,770	\$48,131	0.60	\$30,581	0.94	\$38,512	0.75		
201	Heart Abnormal Rhythm and Conduction Disorders	\$36,856	\$31,255	\$34,368	0.91	\$24,409	1.28	\$27,857	1.12		
247	Intestinal Obstruction without Surgery	\$17,992	\$17,773	\$35,055	0.51	\$23,588	0.75	\$27,065	0.66		
383	Cellulitis & other skin infections	\$27,890	\$29,050	\$37,141	0.78	\$26,179	1.11	\$29,240	0.99		
463	Kidney/Urinary Tract Infection	\$23,082	\$24,386	\$38,452	0.63	\$25,093	0.97	\$30,445	0.80		
469	Acute kidney injury	\$30,566	\$31,439	\$49,167	0.64	\$31,117	1.01	\$39,232	0.80		
540	Cesarean Delivery	N/A	N/A	\$35,225	*	\$26,660	*	\$31,158	*		
560	Vaginal Delivery	N/A	N/A	\$19,729	*	\$12,456	*	\$16,019	*		
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,018	*	\$5,451	*	\$5,687	*		
720	Blood Infection/Septicemia	\$49,557	\$50,608	\$73,707	0.69	\$42,902	1.18	\$56,342	0.90		
775	Alcohol Abuse/Dependence	\$17,542	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

329 Ascension Wisconsin Hos 4935 S 76th Street, Suite 100 Milwaukee, WI 53220 414-567-3211	pital - Gre	enfield		Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 1	e County
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	122	Average Length of Stay (days):	2.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	287	Average Charge per Discharge:	\$15,506	Home or Self-Care Other GMS Hospital	67.2% 10.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	6.6% 0.0%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	2.5% 0.0%
Total Newborns:	0			Home Health Service	12.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.8% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	6	Percent of All Discharges:	4.9%	Medicare	18.9%
Patient Days:	16	Percent of All Patient Days:	5.6%	Medicaid/BadgerCare	0.8%
				Other Government	0.0%
				Commercial or Private Insurance	77.0%
				Self-Pay	3.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	43.4%	42.2%	Amer.Ind/Alaskan Native	e 0.8%	0.3%
Under 15	0.0%	0.0%	Female	55.7%	56.8%	Asian	0.0%	0.0%
15 - 19	2.5%	1.4%				Black/African Amer.	21.3%	17.1%
20 - 24	8.2%	5.9%				Native Hawaii/Pac.Isl.	22.1%	23.3%
25 - 34	8.2%	5.9%				White	53.3%	57.5%
35 - 44	9.0%	7.3%				Multiracial	0.0%	0.0%
45 - 54	11.5%	11.1%				Declined	0.0%	0.0%
55 - 64	15.6%	14.6%				Unavailable	2.5%	1.7%
65 - 74	18.0%	18.5%						
75 - 84	15.6%	16.4%						
85 & Over	11.5%	18.8%						

329 Ascension Wisconsin Hospital - Greenfield

Milwaukee, WI 53220

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	8	2.0	4.4	0.45	3.0	0.67	4.2	0.48
137 Respiratory Infections and Inflammations	9	3.3	5.6	0.59	3.4	0.97	5.1	0.65
139 Pneumonia	8	2.9	4.1	0.71	3.2	0.91	3.9	0.74
140 Chronic Obstructive Pulmonary Disease	5	2.0	3.3	0.61	2.5	0.80	3.3	0.61
194 Heart Failure	8	1.9	5.3	0.36	3.2	0.59	4.7	0.40
249 Other gastroenteritis, nausea & vomiting	*	*	3.6	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	7	2.0	4.2	0.48	2.4	0.83	3.9	0.51
383 Cellulitis & other skin infections	*	*	4.1	*	3.4	*	4.0	*
420 Diabetes	13	1.2	3.7	0.32	2.9	0.41	3.3	0.36
463 Kidney/Urinary Tract Infection	6	2.8	4.3	0.65	3.4	0.82	3.8	0.74
469 Acute kidney injury	*	*	5.6	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	17	2.1	6.8	0.31	3.1	0.68	5.7	0.37
775 Alcohol Abuse/Dependence	5	2.6	3.6	0.72	3.1	0.84	3.7	0.70
861 Signs & Symptoms	0	N/A	7.1	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	7.7	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	\$16,029	\$25,340	\$45,892	0.55	\$23,461	1.08	\$41,427	0.61
137	Respiratory Infections and Inflammations	\$21,431	\$22,993	\$54,053	0.43	\$26,728	0.86	\$44,204	0.52
139	Pneumonia	\$18,800	\$24,797	\$38,942	0.64	\$19,737	1.26	\$33,131	0.75
140	Chronic Obstructive Pulmonary Disease	\$10,886	\$13,640	\$40,616	0.34	\$14,984	0.91	\$32,611	0.42
194	Heart Failure	\$14,679	\$19,553	\$48,131	0.41	\$18,454	1.06	\$38,512	0.51
249	Other gastroenteritis, nausea & vomiting	*	*	\$35,283	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	\$9,641	\$11,306	\$42,714	0.26	\$18,126	0.62	\$35,124	0.32
383	Cellulitis & other skin infections	*	*	\$37,141	*	\$17,133	*	\$29,240	*
420	Diabetes	\$13,175	\$17,115	\$33,836	0.51	\$16,894	1.01	\$30,138	0.57
463	Kidney/Urinary Tract Infection	\$17,318	\$21,499	\$38,452	0.56	\$17,003	1.26	\$30,445	0.71
469	Acute kidney injury	*	*	\$49,167	*	\$16,299	*	\$39,232	*
720	Blood Infection/Septicemia	\$13,408	\$25,806	\$73,707	0.35	\$27,572	0.94	\$56,342	0.46
775	Alcohol Abuse/Dependence	\$11,644	#	#	#	#	#	#	#
861	Signs & Symptoms	N/A	N/A	\$49,821	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$53,600	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

168 Aurora Sinai Medical Cer	nter			Hospital Type: GMS	
945 N 12th Street, PO Box 34	2			County: Milwaukee	
Milwaukee, WI 53233				Analysis Area: 2B-Milwauke	e County
414-219-2000				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	I <u>S</u>
Total Discharges:	9,402	Average Length of Stay (days):	4.5	Discharge Status	% Discharges
Total Patient Days:	42,449	Average Charge per Discharge:	\$48,046	Home or Self-Care Other GMS Hospital	79.3% 0.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1,650	Percent of All Childbirths:	72.6%	Skilled Nursing Facility Intermediate Care Facility	2.7% 0.5%
Cesarean Childbirths:	478	Percent of All Childbirths:	21.0%		0.5%
Other Childbirths:	146	Percent of All Childbirths:	6.4%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	2,274			Hospice Other Institution	0.8%
Total Newborns:	2,385			Home Health Service	9.9%
iotal newborns.	2,000			Left Against Medical Advice	4.0%
Psychiatric Utilization				Expired	0.6%
Discharges:	24	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.8%
Patient Days:	251	Percent of All Patient Days:	0.6%	Other	0.3%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	95	Percent of All Discharges:	1.0%	Medicare	32.5%
Patient Days:	267	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	54.7%
				Other Government	0.6%
				Commercial or Private Insurance	7.9%
				Self-Pay	4.4%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	25.4%	26.9%	Male	34.9%	43.8%	Amer.Ind/Alaskan Native	e 0.5%	0.3%
Under 15	0.6%	1.6%	Female	65.1%	56.2%	Asian	4.8%	3.5%
15 - 19	2.5%	1.6%				Black/African Amer.	53.4%	57.3%
20 - 24	7.3%	4.5%				Native Hawaii/Pac.Isl.	1.2%	0.9%
25 - 34	18.5%	12.8%				White	30.4%	31.7%
35 - 44	10.8%	8.2%				Multiracial	1.0%	0.7%
45 - 54	7.8%	7.6%				Declined	0.6%	0.6%
55 - 64	11.2%	12.9%				Unavailable	8.0%	5.0%
65 - 74	9.1%	14.4%						
75 - 84	4.6%	6.7%						
85 & Over	2.2%	2.8%						

168 Aurora Sinai Medical Center

Milwaukee, WI 53233

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Faci	lity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	96	6.3	6.5	0.97	5.0	1.26	4.6	1.37
133 Respiratory failure	111	3.5	4.4	0.80	4.5	0.78	4.2	0.83
137 Respiratory Infections and Inflammations	49	4.8	5.6	0.86	5.6	0.86	5.1	0.94
139 Pneumonia	55	3.1	4.1	0.76	4.1	0.76	3.9	0.79
174 Percutaneous coronary intervention w AMI	25	3.2	3.6	0.89	3.0	1.07	2.9	1.10
175 Percutaneous coronary intervention w/o AMI	8	3.1	3.1	1.00	2.5	1.24	2.5	1.24
194 Heart Failure	399	4.9	5.3	0.92	5.1	0.96	4.7	1.04
201 Heart Abnormal Rhythm and Conduction Disorders	68	3.4	3.3	1.03	3.0	1.13	2.9	1.17
463 Kidney/Urinary Tract Infection	54	3.4	4.3	0.79	4.0	0.85	3.8	0.89
469 Acute kidney injury	136	6.4	5.6	1.14	5.2	1.23	4.8	1.33
540 Cesarean Delivery	478	4.2	3.7	1.14	3.7	1.14	3.4	1.24
560 Vaginal Delivery	1,650	2.5	2.2	1.14	2.2	1.14	2.1	1.19
640 Normal Newborn, Birthweight 2500g+	1,905	2.0	1.9	1.05	2.0	1.00	1.9	1.05
720 Blood Infection/Septicemia	493	5.8	6.8	0.85	6.3	0.92	5.7	1.02
751 Psychoses	7	2.4	5.2	0.46	5.0	0.48	5.1	0.47

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$78,902	\$78,485	\$66,752	1.18	\$54,618	1.44	\$50,763	1.55
133	Respiratory failure	\$47,329	\$46,380	\$45,892	1.01	\$44,431	1.04	\$41,427	1.12
137	Respiratory Infections and Inflammations	\$58,169	\$50,941	\$54,053	0.94	\$49,624	1.03	\$44,204	1.15
139	Pneumonia	\$39,369	\$40,282	\$38,942	1.03	\$37,011	1.09	\$33,131	1.22
174	Percutaneous coronary intervention w AMI	\$129,853	\$132,516	\$126,749	1.05	\$92,807	1.43	\$92,242	1.44
175	Percutaneous coronary intervention w/o AMI	\$156,343	\$138,006	\$158,168	0.87	\$112,207	1.23	\$110,305	1.25
194	Heart Failure	\$49,827	\$51,718	\$48,131	1.07	\$43,048	1.20	\$38,512	1.34
201	Heart Abnormal Rhythm and Conduction Disorders	\$43,045	\$37,908	\$34,368	1.10	\$29,715	1.28	\$27,857	1.36
463	Kidney/Urinary Tract Infection	\$42,949	\$40,288	\$38,452	1.05	\$33,907	1.19	\$30,445	1.32
469	Acute kidney injury	\$53,204	\$57,537	\$49,167	1.17	\$43,161	1.33	\$39,232	1.47
540	Cesarean Delivery	\$43,113	\$38,263	\$35,225	1.09	\$32,532	1.18	\$31,158	1.23
560	Vaginal Delivery	\$24,013	\$22,505	\$19,729	1.14	\$17,304	1.30	\$16,019	1.40
640	Normal Newborn, Birthweight 2500g+	\$6,881	\$6,404	\$6,018	1.06	\$5,861	1.09	\$5,687	1.13
720	Blood Infection/Septicemia	\$69,626	\$76,959	\$73,707	1.04	\$62,322	1.23	\$56,342	1.37
751	Psychoses	\$35,615	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

087 Aurora St Luke's Medica 2900 W Oklahoma Avenue Milwaukee, WI 53215 414-649-6000	al Center			Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 6	ee County
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	26,836	Average Length of Stay (days):	6.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	182,460	Average Charge per Discharge:	\$122,184	Home or Self-Care Other GMS Hospital	54.3% 1.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	4	Percent of All Childbirths:	66.7%	Skilled Nursing Facility Intermediate Care Facility	9.7% 1.7%
Cesarean Childbirths:	2	Percent of All Childbirths:	33.3%	Inpatient Rehabilitation Facility	3.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	2.7%
Total Childbirths:	6			Other Institution	0.0%
Total Newborns:	2			Home Health Service	21.5%
Psychiatric Utilization				Left Against Medical Advice	2.0%
				Expired	2.4%
Discharges:	66	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	394	Percent of All Patient Days:	0.2%	Other	0.5%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	179	Percent of All Discharges:	0.7%	Medicare	75.5%
Patient Days:	695	Percent of All Patient Days:	0.4%	Medicaid/BadgerCare	12.9%
				Other Government	0.5%
				Commercial or Private Insurance	8.2%
				Self-Pay	2.7%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.3%	53.5%	Amer.Ind/Alaskan Native	e 0.6%	0.6%
Under 15	0.0%	0.0%	Female	47.7%	46.5%	Asian	2.2%	2.3%
15 - 19	0.3%	0.2%				Black/African Amer.	14.6%	15.6%
20 - 24	0.8%	0.7%				Native Hawaii/Pac.Isl.	0.4%	0.4%
25 - 34	3.5%	2.9%				White	81.2%	79.9%
35 - 44	6.3%	5.6%				Multiracial	0.5%	0.6%
45 - 54	10.8%	10.5%				Declined	0.4%	0.5%
55 - 64	20.5%	21.2%				Unavailable	0.1%	0.1%
65 - 74	28.0%	28.9%						
75 - 84	20.2%	20.7%						
85 & Over	9.7%	9.2%						

087 Aurora St Luke's Medical Center

Milwaukee, WI 53215

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	464	7.6	6.5	1.17	5.0	1.52	4.6	1.65
133 Respiratory failure	293	5.6	4.4	1.27	4.5	1.24	4.2	1.33
137 Respiratory Infections and Inflammations	249	6.3	5.6	1.13	5.6	1.13	5.1	1.24
139 Pneumonia	220	5.6	4.1	1.37	4.1	1.37	3.9	1.44
174 Percutaneous coronary intervention w AMI	450	4.1	3.6	1.14	3.0	1.37	2.9	1.41
175 Percutaneous coronary intervention w/o AMI	705	3.3	3.1	1.06	2.5	1.32	2.5	1.32
194 Heart Failure	1,396	6.1	5.3	1.15	5.1	1.20	4.7	1.30
201 Heart Abnormal Rhythm and Conduction Disorders	631	3.0	3.3	0.91	3.0	1.00	2.9	1.03
463 Kidney/Urinary Tract Infection	326	4.9	4.3	1.14	4.0	1.23	3.8	1.29
469 Acute kidney injury	416	6.0	5.6	1.07	5.2	1.15	4.8	1.25
540 Cesarean Delivery	*	*	3.7	*	3.7	*	3.4	*
560 Vaginal Delivery	*	*	2.2	*	2.2	*	2.1	*
640 Normal Newborn, Birthweight 2500g+	*	*	1.9	*	2.0	*	1.9	*
720 Blood Infection/Septicemia	1,631	7.5	6.8	1.10	6.3	1.19	5.7	1.32
751 Psychoses	5	7.2	5.2	1.38	5.0	1.44	5.1	1.41

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$89,637	\$79,180	\$66,752	1.19	\$54,618	1.45	\$50,763	1.56
133	Respiratory failure	\$70,268	\$59,071	\$45,892	1.29	\$44,431	1.33	\$41,427	1.43
137	Respiratory Infections and Inflammations	\$71,508	\$66,500	\$54,053	1.23	\$49,624	1.34	\$44,204	1.50
139	Pneumonia	\$63,589	\$55,593	\$38,942	1.43	\$37,011	1.50	\$33,131	1.68
174	Percutaneous coronary intervention w AMI	\$151,906	\$142,720	\$126,749	1.13	\$92,807	1.54	\$92,242	1.55
175	Percutaneous coronary intervention w/o AMI	\$179,663	\$176,791	\$158,168	1.12	\$112,207	1.58	\$110,305	1.60
194	Heart Failure	\$61,707	\$59,446	\$48,131	1.24	\$43,048	1.38	\$38,512	1.54
201	Heart Abnormal Rhythm and Conduction Disorders	\$35,950	\$36,671	\$34,368	1.07	\$29,715	1.23	\$27,857	1.32
463	Kidney/Urinary Tract Infection	\$53,693	\$50,417	\$38,452	1.31	\$33,907	1.49	\$30,445	1.66
469	Acute kidney injury	\$66,363	\$61,424	\$49,167	1.25	\$43,161	1.42	\$39,232	1.57
540	Cesarean Delivery	*	*	\$35,225	*	\$32,532	*	\$31,158	*
560	Vaginal Delivery	*	*	\$19,729	*	\$17,304	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	*	*	\$6,018	*	\$5,861	*	\$5,687	*
720	Blood Infection/Septicemia	\$94,298	\$87,242	\$73,707	1.18	\$62,322	1.40	\$56,342	1.55
751	Psychoses	\$46,504	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Risk-Adjusted Charges not calculated using 3MTM APR DRG Software licensed through 3M Health Information Systems. # Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

075 Children's Wisconsin-N 9000 W Wisconsin Ave Milwaukee, WI 53226 414-266-2000	/lilwaukee Ho	spital		Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 6	ee County
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	10,213	Average Length of Stay (days):	6.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	70,870	Average Charge per Discharge:	\$86,549	Home or Self-Care Other GMS Hospital	92.5% 0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	0.0% 0.0% 0.1%
Total Childbirths:	0		0.070	Hospice	0.3%
Total Newborns:	0			Other Institution Home Health Service Left Against Medical Advice	0.4% 3.6% 0.1%
Psychiatric Utilization				Expired	0.8%
Discharges:	157	Percent of All Discharges:	1.5%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	1,342	Percent of All Patient Days:	1.9%	Other	1.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	9	Percent of All Discharges:	0.1%	Medicare	0.4%
Patient Days:	26	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	54.4%
				Other Government	0.9%
				Commercial or Private Insurance	42.5%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.6%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	53.8%	54.9%	Amer.Ind/Alaskan Native	e 0.5%	0.7%
Under 15	81.3%	85.0%	Female	46.2%	45.1%	Asian	4.0%	3.6%
15 - 19	17.0%	13.4%				Black/African Amer.	25.4%	26.1%
20 - 24	1.1%	1.0%				Native Hawaii/Pac.Isl.	0.1%	0.3%
25 - 34	0.5%	0.5%				White	63.8%	59.3%
35 - 44	0.1%	0.1%				Multiracial	0.0%	0.0%
45 - 54	0.0%	0.0%				Declined	2.4%	2.3%
55 - 64	0.0%	0.0%				Unavailable	3.7%	7.7%
65 - 74	0.0%	0.0%						
75 - 84	0.0%	0.0%						
85 & Over	0.0%	0.0%						

075 Children's Wisconsin-Milwaukee Hospital

Milwaukee, WI 53226

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	7	8.0	6.5	1.23	5.0	1.60	4.6	1.74
133 Respiratory failure	761	3.4	4.4	0.77	4.5	0.76	4.2	0.81
137 Respiratory Infections and Inflammations	94	3.7	5.6	0.66	5.6	0.66	5.1	0.73
139 Pneumonia	259	3.1	4.1	0.76	4.1	0.76	3.9	0.79
174 Percutaneous coronary intervention w AMI	0	N/A	3.6	N/A	3.0	N/A	2.9	N/A
175 Percutaneous coronary intervention w/o AMI	7	4.9	3.1	1.58	2.5	1.96	2.5	1.96
194 Heart Failure	9	7.4	5.3	1.40	5.1	1.45	4.7	1.57
201 Heart Abnormal Rhythm and Conduction Disorders	31	6.9	3.3	2.09	3.0	2.30	2.9	2.38
463 Kidney/Urinary Tract Infection	109	4.2	4.3	0.98	4.0	1.05	3.8	1.11
469 Acute kidney injury	48	6.5	5.6	1.16	5.2	1.25	4.8	1.35
540 Cesarean Delivery	0	N/A	3.7	N/A	3.7	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	2.2	N/A	2.2	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	241	2.1	1.9	1.11	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	192	10.0	6.8	1.47	6.3	1.59	5.7	1.75
751 Psychoses	*	*	5.2	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$104,071	\$104,724	\$66,752	1.57	\$54,618	1.92	\$50,763	2.06
133	Respiratory failure	\$34,597	\$43,248	\$45,892	0.94	\$44,431	0.97	\$41,427	1.04
137	Respiratory Infections and Inflammations	\$42,204	\$46,147	\$54,053	0.85	\$49,624	0.93	\$44,204	1.04
139	Pneumonia	\$25,931	\$31,073	\$38,942	0.80	\$37,011	0.84	\$33,131	0.94
174	Percutaneous coronary intervention w AMI	N/A	N/A	\$126,749	*	\$92,807	*	\$92,242	*
175	Percutaneous coronary intervention w/o AMI	\$108,649	\$95,188	\$158,168	0.60	\$112,207	0.85	\$110,305	0.86
194	Heart Failure	\$102,377	\$80,981	\$48,131	1.68	\$43,048	1.88	\$38,512	2.10
201	Heart Abnormal Rhythm and Conduction Disorders	\$78,228	\$64,728	\$34,368	1.88	\$29,715	2.18	\$27,857	2.32
463	Kidney/Urinary Tract Infection	\$36,399	\$37,440	\$38,452	0.97	\$33,907	1.10	\$30,445	1.23
469	Acute kidney injury	\$80,255	\$72,349	\$49,167	1.47	\$43,161	1.68	\$39,232	1.84
540	Cesarean Delivery	N/A	N/A	\$35,225	*	\$32,532	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$19,729	*	\$17,304	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	\$17,453	\$13,810	\$6,018	2.29	\$5,861	2.36	\$5,687	2.43
720	Blood Infection/Septicemia	\$134,349	\$114,718	\$73,707	1.56	\$62,322	1.84	\$56,342	2.04
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

079 Froedtert Hospital 9200 W Wisconsin Ave, PO Milwaukee, WI 53226 414-805-3000) Box 26099			Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 6	e County
Overall Hospital Utilization	1			Patient Discharge Statu	IS
Total Discharges:	43,163	Average Length of Stay (days):	5.5	Discharge Status	% Discharges
Total Patient Days:	236,193	Average Charge per Discharge:	\$84,885	Home or Self-Care Other GMS Hospital	67.6% 0.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	2,575 1,056 203	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	67.2% 27.5% 5.3%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	8.2% 1.0% 2.8%
Total Childbirths:	3,834		0.070	Hospice	2.1%
Total Newborns:	4,093			Other Institution Home Health Service Left Against Medical Advice	1.2% 11.8% 1.4%
Psychiatric Utilization				Expired	2.3%
Discharges:	230	Percent of All Discharges:	0.5%	Discharge/Tran to Court/Law Enforcmnt	0.4%
Patient Days:	1,402	Percent of All Patient Days:	0.6%	Other	0.9%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	455	Percent of All Discharges:	1.1%	Medicare	45.7%
Patient Days:	1,597	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	19.4%
				Other Government	1.6%
				Commercial or Private Insurance	29.4%
				Self-Pay	3.9%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	9.5%	3.1%	Male	46.1%	51.4%	Amer.Ind/Alaskan Native	e 0.5%	0.6%
Under 15	0.2%	0.1%	Female	53.9%	48.6%	Asian	2.4%	1.8%
15 - 19	1.0%	1.0%				Black/African Amer.	26.5%	27.7%
20 - 24	3.1%	2.3%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	12.2%	8.2%				White	62.3%	63.9%
35 - 44	10.3%	9.5%				Multiracial	0.0%	0.0%
45 - 54	9.7%	10.5%				Declined	4.7%	4.8%
55 - 64	15.4%	19.4%				Unavailable	3.5%	1.1%
65 - 74	19.6%	23.9%						
75 - 84	12.9%	15.4%						
85 & Over	6.0%	6.4%						

079 Froedtert Hospital

Milwaukee, WI 53226

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	is Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	546	6.9	6.5	1.06	5.0	1.38	4.6	1.50
133 Respiratory failure	593	5.2	4.4	1.18	4.5	1.16	4.2	1.24
137 Respiratory Infections and Inflammations	506	6.4	5.6	1.14	5.6	1.14	5.1	1.25
139 Pneumonia	439	4.2	4.1	1.02	4.1	1.02	3.9	1.08
174 Percutaneous coronary intervention w AMI	143	2.9	3.6	0.81	3.0	0.97	2.9	1.00
175 Percutaneous coronary intervention w/o AMI	227	2.1	3.1	0.68	2.5	0.84	2.5	0.84
194 Heart Failure	1,081	5.2	5.3	0.98	5.1	1.02	4.7	1.11
201 Heart Abnormal Rhythm and Conduction Disorders	465	3.4	3.3	1.03	3.0	1.13	2.9	1.17
463 Kidney/Urinary Tract Infection	422	4.5	4.3	1.05	4.0	1.13	3.8	1.18
469 Acute kidney injury	663	5.2	5.6	0.93	5.2	1.00	4.8	1.08
540 Cesarean Delivery	1,056	3.7	3.7	1.00	3.7	1.00	3.4	1.09
560 Vaginal Delivery	2,575	2.1	2.2	0.95	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	3,311	1.8	1.9	0.95	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	1,633	7.4	6.8	1.09	6.3	1.17	5.7	1.30
751 Psychoses	29	6.9	5.2	1.33	5.0	1.38	5.1	1.35

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$73,932	\$63,582	\$66,752	0.95	\$54,618	1.16	\$50,763	1.25
133	Respiratory failure	\$57,325	\$45,297	\$45,892	0.99	\$44,431	1.02	\$41,427	1.09
137	Respiratory Infections and Inflammations	\$61,408	\$55,268	\$54,053	1.02	\$49,624	1.11	\$44,204	1.25
139	Pneumonia	\$41,722	\$37,174	\$38,942	0.95	\$37,011	1.00	\$33,131	1.12
174	Percutaneous coronary intervention w AMI	\$112,683	\$106,511	\$126,749	0.84	\$92,807	1.15	\$92,242	1.15
175	Percutaneous coronary intervention w/o AMI	\$129,508	\$124,820	\$158,168	0.79	\$112,207	1.11	\$110,305	1.13
194	Heart Failure	\$44,562	\$41,981	\$48,131	0.87	\$43,048	0.98	\$38,512	1.09
201	Heart Abnormal Rhythm and Conduction Disorders	\$32,784	\$31,310	\$34,368	0.91	\$29,715	1.05	\$27,857	1.12
463	Kidney/Urinary Tract Infection	\$38,803	\$35,505	\$38,452	0.92	\$33,907	1.05	\$30,445	1.17
469	Acute kidney injury	\$47,991	\$43,573	\$49,167	0.89	\$43,161	1.01	\$39,232	1.11
540	Cesarean Delivery	\$41,061	\$39,866	\$35,225	1.13	\$32,532	1.23	\$31,158	1.28
560	Vaginal Delivery	\$22,082	\$21,695	\$19,729	1.10	\$17,304	1.25	\$16,019	1.35
640	Normal Newborn, Birthweight 2500g+	\$4,213	\$4,004	\$6,018	0.67	\$5,861	0.68	\$5,687	0.70
720	Blood Infection/Septicemia	\$81,812	\$67,979	\$73,707	0.92	\$62,322	1.09	\$56,342	1.21
751	Psychoses	\$41,983	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

323 Marshfield Medical Cen	ter - Minocqu	Ja		Hospital Type: GMS	
9576 Highway 70				County: Oneida	
Minocqua, WI 54548				Analysis Area: 6-North Cent	tral
				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,267	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,683	Average Charge per Discharge:	\$19,062	Home or Self-Care	72.9%
Total Fatient Days.	5,005	Average Charge per Discharge.	ψ19,002	Other GMS Hospital	3.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	129	Percent of All Childbirths:	66.2%	Skilled Nursing Facility	4.6%
Cesarean Childbirths:	50	Percent of All Childbirths:	25.6%	Intermediate Care Facility	1.1%
Other Childbirths:	50 16	Percent of All Childbirths:	25.6% 8.2%	Inpatient Rehabilitation Facility	1.1%
Total Childbirths:		recent of Air Childbirths.	0.270	Hospice	2.7%
Total Childbirths:	195			Other Institution	0.0%
Total Newborns:	204			Home Health Service	12.1%
				Left Against Medical Advice	0.6%
Psychiatric Utilization				Expired	1.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.2%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	20	Percent of All Discharges:	1.6%	Medicare	44.8%
Patient Days:	52	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare	21.2%
-		-		Other Government	4.5%
				Commercial or Private Insurance	27.6%
				Self-Pay	1.9%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	16.1%	9.9%	Male	40.7%	43.7%	Amer.Ind/Alaskan Native	e 8.9%	8.2%
Under 15	0.3%	0.2%	Female	59.3%	56.3%	Asian	0.5%	0.7%
15 - 19	0.6%	0.4%				Black/African Amer.	0.3%	0.3%
20 - 24	3.0%	2.5%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	12.7%	9.3%				White	87.8%	88.8%
35 - 44	6.3%	4.8%				Multiracial	0.0%	0.0%
45 - 54	5.1%	4.8%				Declined	0.7%	0.9%
55 - 64	9.6%	11.3%				Unavailable	1.4%	1.0%
65 - 74	16.2%	19.8%						
75 - 84	16.2%	19.3%						
85 & Over	14.0%	17.6%						

Other or Unknown Insurance

0.0%

323 Marshfield Medical Center - Minocqua

Minocqua, WI 54548

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	is Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	33	2.8	4.1	0.68	3.6	0.78	4.2	0.67
137 Respiratory Infections and Inflammations	24	3.8	5.1	0.75	3.7	1.03	5.1	0.75
139 Pneumonia	38	2.8	4.0	0.70	3.4	0.82	3.9	0.72
140 Chronic Obstructive Pulmonary Disease	7	2.9	3.5	0.83	3.0	0.97	3.3	0.88
194 Heart Failure	109	3.3	4.6	0.72	3.7	0.89	4.7	0.70
201 Heart Abnormal Rhythm and Conduction Disorders	22	2.4	2.8	0.86	2.7	0.89	2.9	0.83
247 Intestinal Obstruction without Surgery	20	2.5	3.2	0.78	2.8	0.89	3.4	0.74
326 Elective knee joint replacement	0	N/A	2.5	N/A	1.6	N/A	2.0	N/A
383 Cellulitis & other skin infections	16	3.7	4.1	0.90	3.8	0.97	4.0	0.93
463 Kidney/Urinary Tract Infection	20	2.7	3.9	0.69	3.3	0.82	3.8	0.71
469 Acute kidney injury	17	5.5	4.8	1.15	3.4	1.62	4.8	1.15
540 Cesarean Delivery	50	2.7	3.5	0.77	2.8	0.96	3.4	0.79
560 Vaginal Delivery	129	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	186	1.8	1.9	0.95	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	121	3.6	5.6	0.64	3.9	0.92	5.7	0.63

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$21,329	\$25,265	\$37,801	0.67	\$27,996	0.90	\$41,427	0.61
137	Respiratory Infections and Inflammations	\$24,997	\$25,231	\$37,786	0.67	\$25,863	0.98	\$44,204	0.57
139	Pneumonia	\$17,908	\$17,313	\$30,317	0.57	\$23,921	0.72	\$33,131	0.52
140	Chronic Obstructive Pulmonary Disease	\$20,186	\$18,871	\$32,438	0.58	\$20,883	0.90	\$32,611	0.58
194	Heart Failure	\$18,431	\$19,505	\$34,805	0.56	\$24,051	0.81	\$38,512	0.51
201	Heart Abnormal Rhythm and Conduction Disorders	\$14,085	\$15,534	\$24,857	0.62	\$18,840	0.82	\$27,857	0.56
247	Intestinal Obstruction without Surgery	\$12,640	\$12,643	\$21,658	0.58	\$17,509	0.72	\$27,065	0.47
326	Elective knee joint replacement	N/A	N/A	\$57,200	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$18,660	\$18,519	\$25,899	0.72	\$21,588	0.86	\$29,240	0.63
463	Kidney/Urinary Tract Infection	\$17,693	\$18,155	\$28,365	0.64	\$17,785	1.02	\$30,445	0.60
469	Acute kidney injury	\$24,803	\$29,684	\$36,852	0.81	\$22,228	1.34	\$39,232	0.76
540	Cesarean Delivery	\$20,201	\$20,690	\$27,634	0.75	\$26,138	0.79	\$31,158	0.66
560	Vaginal Delivery	\$9,760	\$9,762	\$12,421	0.79	\$12,000	0.81	\$16,019	0.61
640	Normal Newborn, Birthweight 2500g+	\$5,045	\$4,990	\$7,016	0.71	\$4,404	1.13	\$5,687	0.88
720	Blood Infection/Septicemia	\$23,277	\$27,278	\$48,275	0.57	\$33,539	0.81	\$56,342	0.48

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

091 SSM Health Monroe Hosp	oital			Hospital Type: GMS	
515 22nd Ave				County: Green	
Monroe, WI 53566				Analysis Area: 1-Southern	
608-324-1000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,073	Average Length of Stay (days):	3.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	9,740	Average Charge per Discharge:	\$35,115	Home or Self-Care Other GMS Hospital	71.6% 4.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	272	Percent of All Childbirths:	70.5%	Skilled Nursing Facility	11.2%
Cesarean Childbirths:	107	Percent of All Childbirths:	27.7%	Intermediate Care Facility	0.5%
Other Childbirths:	7	Percent of All Childbirths:	1.8%	Inpatient Rehabilitation Facility	0.6%
Total Childbirths:	386		1.070	Hospice	3.2%
	500			Other Institution	0.1%
Total Newborns:	419			Home Health Service	5.2%
Psychiatric Utilization				Left Against Medical Advice	0.8%
<u>r sychiatric Othization</u>				Expired	1.4%
Discharges:	5	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	11	Percent of All Patient Days:	0.1%	Other	0.7%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	31	Percent of All Discharges:	1.0%	Medicare	53.5%
Patient Days:	101	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	15.0%
-		-		Other Government	1.5%
				Commercial or Private Insurance	27.5%
				Self-Pay	2.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	13.6%	6.8%	Male	42.6%	44.2%	Amer.Ind/Alaskan Native	e 0.1%	0.0%
Under 15	0.7%	0.5%	Female	57.4%	55.8%	Asian	0.3%	0.2%
15 - 19	1.3%	0.9%				Black/African Amer.	1.7%	1.4%
20 - 24	3.2%	2.1%				Native Hawaii/Pac.Isl.	0.2%	0.3%
25 - 34	10.5%	6.7%				White	88.7%	92.7%
35 - 44	4.8%	3.9%				Multiracial	0.2%	0.1%
45 - 54	5.2%	5.6%				Declined	1.6%	1.5%
55 - 64	11.1%	12.9%				Unavailable	7.3%	3.8%
65 - 74	17.0%	21.2%						
75 - 84	19.6%	23.7%						
85 & Over	12.8%	15.7%						

091 SSM Health Monroe Hospital

Monroe, WI 53566

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	33	3.6	4.5	0.80	3.9	0.92	4.6	0.78
133 Respiratory failure	43	3.1	4.3	0.72	4.2	0.74	4.2	0.74
137 Respiratory Infections and Inflammations	70	3.9	5.1	0.76	5.1	0.76	5.1	0.76
139 Pneumonia	101	3.8	3.9	0.97	4.0	0.95	3.9	0.97
194 Heart Failure	116	4.0	5.1	0.78	4.5	0.89	4.7	0.85
201 Heart Abnormal Rhythm and Conduction Disorders	45	2.5	3.0	0.83	3.0	0.83	2.9	0.86
383 Cellulitis & other skin infections	41	4.0	4.2	0.95	3.9	1.03	4.0	1.00
463 Kidney/Urinary Tract Infection	57	2.8	3.8	0.74	3.6	0.78	3.8	0.74
466 Malfunction, reaction, complic of genitourinary device or pro	oc 14	3.6	5.5	0.65	5.1	0.71	5.2	0.69
469 Acute kidney injury	62	3.8	4.8	0.79	4.6	0.83	4.8	0.79
540 Cesarean Delivery	107	2.5	3.7	0.68	2.9	0.86	3.4	0.74
560 Vaginal Delivery	272	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	386	1.6	2.0	0.80	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	266	4.5	6.1	0.74	5.3	0.85	5.7	0.79
775 Alcohol Abuse/Dependence	26	3.3	3.8	0.87	3.4	0.97	3.7	0.89

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045 133	Stroke and Precerebral Occlusion with Infarct Respiratory failure	\$45,834 \$47,282	\$43,701 \$47,889	\$59,881 \$52,595	0.73 0.91	\$47,909 \$41,132	0.91 1.16	\$50,763 \$41,427	0.86 1.16
137	Respiratory Infections and Inflammations	\$41,764	\$40,988	\$54,668	0.75	\$44,693	0.92	\$44,204	0.93
139	Pneumonia	\$36,436	\$37,805	\$39,479	0.96	\$34,901	1.08	\$33,131	1.14
194	Heart Failure	\$35,643	\$36,428	\$47,309	0.77	\$36,539	1.00	\$38,512	0.95
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,812	\$25,920	\$33,234	0.78	\$27,323	0.95	\$27,857	0.93
383	Cellulitis & other skin infections	\$32,093	\$33,542	\$34,338	0.98	\$29,662	1.13	\$29,240	1.15
463	Kidney/Urinary Tract Infection	\$29,817	\$30,533	\$35,981	0.85	\$30,920	0.99	\$30,445	1.00
466	Malfunction, reaction, complic of genitourinary device or proc	\$38,450	\$35,984	\$57,360	0.63	\$41,728	0.86	\$45,131	0.80
469	Acute kidney injury	\$32,225	\$35,356	\$46,091	0.77	\$37,998	0.93	\$39,232	0.90
540	Cesarean Delivery	\$35,888	\$40,019	\$36,417	1.10	\$29,193	1.37	\$31,158	1.28
560	Vaginal Delivery	\$16,179	\$17,186	\$17,782	0.97	\$14,839	1.16	\$16,019	1.07
640	Normal Newborn, Birthweight 2500g+	\$3,633	\$3,903	\$5,754	0.68	\$5,740	0.68	\$5,687	0.69
720	Blood Infection/Septicemia	\$49,833	\$54,746	\$70,715	0.77	\$52,940	1.03	\$56,342	0.97
775	Alcohol Abuse/Dependence	\$25,795	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

331 Aurora Medical Center -	Mount Pleas	sant		Hospital Type: GMS	
13250 Washington Avenue				County: Racine	
Mount Pleasant, WI 53177				Analysis Area: 2A-Southeas	stern
·				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	3,139	Average Length of Stay (days):	4.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	14,177	Average Charge per Discharge:	\$54,985	Home or Self-Care	47.1%
Total Fallent Days.	14,177	Average Charge per Discharge.	ψ04,900	Other GMS Hospital	4.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	2	Percent of All Childbirths:	100.0%	Skilled Nursing Facility	11.4%
Cesarean Childbirths:	2	Percent of All Childbirths:	0.0%	Intermediate Care Facility	5.7%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.7%
		Fercent of All Childbirths.	0.0%	Hospice	3.9%
Total Childbirths:	2			Other Institution	0.0%
Total Newborns:	0			Home Health Service	19.3%
				Left Against Medical Advice	1.9%
Psychiatric Utilization				Expired	1.3%
Discharges:	2	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	1.9%
Patient Days:	6	Percent of All Patient Days:	0.0%	Other	1.7%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	60	Percent of All Discharges:	1.9%	Medicare	77.8%
Patient Days:	182	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	8.9%
				Other Government	1.1%
				Commercial or Private Insurance	9.4%
				Self-Pay	2.2%

	Age Distribution	L		Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	% Discharges	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.8%	51.0%	Amer.Ind/Alaskan Native	e 0.2%	0.4%
Under 15	0.0%	0.0%	Female	51.2%	49.0%	Asian	0.4%	0.6%
15 - 19	0.4%	0.2%				Black/African Amer.	12.7%	14.9%
20 - 24	1.2%	0.7%				Native Hawaii/Pac.Isl.	0.3%	0.2%
25 - 34	4.1%	3.4%				White	85.2%	82.9%
35 - 44	6.0%	7.3%				Multiracial	0.7%	0.5%
45 - 54	10.6%	9.7%				Declined	0.4%	0.5%
55 - 64	17.2%	17.3%				Unavailable	0.1%	0.1%
65 - 74	23.8%	25.1%						
75 - 84	23.6%	23.4%						
85 & Over	13.1%	12.9%						

Other or Unknown Insurance

0.6%

331 Aurora Medical Center - Mount Pleasant

Mount Pleasant, WI 53177

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity		Group Averages					
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	55	3.6	3.8	0.95	3.9	0.92	4.6	0.78	
133 Respiratory failure	85	5.1	4.4	1.16	4.2	1.21	4.2	1.21	
137 Respiratory Infections and Inflammations	85	5.7	4.8	1.19	5.1	1.12	5.1	1.12	
139 Pneumonia	112	4.6	3.9	1.18	4.0	1.15	3.9	1.18	
194 Heart Failure	178	5.0	4.5	1.11	4.5	1.11	4.7	1.06	
201 Heart Abnormal Rhythm and Conduction Disorders	45	3.3	2.8	1.18	3.0	1.10	2.9	1.14	
383 Cellulitis & other skin infections	51	3.5	3.9	0.90	3.9	0.90	4.0	0.88	
463 Kidney/Urinary Tract Infection	67	3.1	3.5	0.89	3.6	0.86	3.8	0.82	
466 Malfunction, reaction, complic of genitourinary device or pro	c 82	4.5	5.1	0.88	5.1	0.88	5.2	0.87	
469 Acute kidney injury	95	4.8	4.8	1.00	4.6	1.04	4.8	1.00	
540 Cesarean Delivery	0	N/A	3.1	N/A	2.9	N/A	3.4	N/A	
560 Vaginal Delivery	*	*	2.0	*	1.9	*	2.1	*	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	483	5.2	5.2	1.00	5.3	0.98	5.7	0.91	
775 Alcohol Abuse/Dependence	49	3.1	3.1	1.00	3.4	0.91	3.7	0.84	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$53,799	\$56,130	\$48,872	1.15	\$47,909	1.17	\$50,763	1.11	
133	Respiratory failure	\$50,830	\$50,183	\$42,864	1.17	\$41,132	1.22	\$41,427	1.21	
137	Respiratory Infections and Inflammations	\$54,292	\$53,518	\$43,676	1.23	\$44,693	1.20	\$44,204	1.21	
139	Pneumonia	\$47,928	\$41,366	\$35,485	1.17	\$34,901	1.19	\$33,131	1.25	
194	Heart Failure	\$44,516	\$42,133	\$37,494	1.12	\$36,539	1.15	\$38,512	1.09	
201	Heart Abnormal Rhythm and Conduction Disorders	\$35,378	\$32,392	\$29,688	1.09	\$27,323	1.19	\$27,857	1.16	
383	Cellulitis & other skin infections	\$31,698	\$30,212	\$30,428	0.99	\$29,662	1.02	\$29,240	1.03	
463	Kidney/Urinary Tract Infection	\$34,522	\$31,661	\$30,491	1.04	\$30,920	1.02	\$30,445	1.04	
466	Malfunction, reaction, complic of genitourinary device or proc	\$45,211	\$43,682	\$42,902	1.02	\$41,728	1.05	\$45,131	0.97	
469	Acute kidney injury	\$46,265	\$44,711	\$39,575	1.13	\$37,998	1.18	\$39,232	1.14	
540	Cesarean Delivery	N/A	N/A	\$34,572	*	\$29,193	*	\$31,158	*	
560	Vaginal Delivery	*	*	\$18,364	*	\$14,839	*	\$16,019	*	
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,707	*	\$5,740	*	\$5,687	*	
720	Blood Infection/Septicemia	\$56,369	\$57,108	\$54,544	1.05	\$52,940	1.08	\$56,342	1.01	
775	Alcohol Abuse/Dependence	\$36,020	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

334 ProHealth Care Waukesh	na Memorial	Hospital - Mukwonago		Hospital Type: GMS	
240 Maple Avenue				County: Waukesha	
Mukwonago, WI 53149				Analysis Area: 2A-Southeas	stern
262-363-1901				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	536	Average Length of Stay (days):	2.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,378	Average Charge per Discharge:	\$31,203	Home or Self-Care Other GMS Hospital	71.8% 0.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:0Percent of All Childbirths:Cesarean Childbirths:0Percent of All Childbirths:Other Childbirths:0Percent of All Childbirths:		Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	5.4% 1.5% 4.7%
		Percent of All Childbirths:	0.0%	Hospice	1.5%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	14.2%
Psychiatric Utilization				Left Against Medical Advice Expired	0.2% 0.2%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	15	Percent of All Discharges:	2.8%	Medicare	72.9%
Patient Days:	19	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare	4.1%
				Other Government	0.2%
				Commercial or Private Insurance	21.6%
				Self-Pay	1.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	41.6%	41.5%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.0%	0.0%	Female	58.4%	58.5%	Asian	0.0%	0.0%
15 - 19	0.2%	0.4%				Black/African Amer.	1.1%	2.3%
20 - 24	1.1%	1.5%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	3.7%	4.7%				White	97.4%	95.8%
35 - 44	5.6%	4.1%				Multiracial	0.2%	0.1%
45 - 54	6.5%	5.2%				Declined	0.2%	0.6%
55 - 64	12.3%	13.5%				Unavailable	0.7%	1.0%
65 - 74	24.6%	21.6%						
75 - 84	29.9%	32.3%						
85 & Over	16.0%	16.8%						

334 ProHealth Care Waukesha Memorial Hospital - Mukwonago

Mukwonago, WI 53149

APR-DRG Specific Data - Average Length of Stay (ALOS)

		This Facil	ity			Group	Averages		
				Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR	-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133	Respiratory failure	0	N/A	4.4	N/A	3.5	N/A	4.2	N/A
137	Respiratory Infections and Inflammations	26	3.6	4.8	0.75	3.9	0.92	5.1	0.71
139	Pneumonia	35	2.4	3.9	0.62	3.6	0.67	3.9	0.62
140	Chronic Obstructive Pulmonary Disease	21	2.5	3.4	0.74	3.5	0.71	3.3	0.76
194	Heart Failure	37	2.6	4.5	0.58	3.6	0.72	4.7	0.55
201	Heart Abnormal Rhythm and Conduction Disorders	5	2.6	2.8	0.93	2.6	1.00	2.9	0.90
247	Intestinal Obstruction without Surgery	25	2.8	3.4	0.82	3.0	0.93	3.4	0.82
383	Cellulitis & other skin infections	13	2.3	3.9	0.59	3.8	0.61	4.0	0.58
463	Kidney/Urinary Tract Infection	24	2.5	3.5	0.71	3.5	0.71	3.8	0.66
469	Acute kidney injury	11	2.9	4.8	0.60	3.1	0.94	4.8	0.60
560	Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640	Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720	Blood Infection/Septicemia	51	2.3	5.2	0.44	3.7	0.62	5.7	0.40
861	Signs & Symptoms	*	*	4.2	*	6.9	*	5.8	*
862	Other Factors Influencing Health Status	0	N/A	5.6	N/A	l 11.6	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	N/A	N/A	\$42,864	*	\$26,133	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$33,238	\$38,498	\$43,676	0.88	\$25,355	1.52	\$44,204	0.87
139	Pneumonia	\$25,665	\$30,002	\$35,485	0.85	\$23,433	1.28	\$33,131	0.91
140	Chronic Obstructive Pulmonary Disease	\$29,044	\$32,677	\$33,454	0.98	\$23,153	1.41	\$32,611	1.00
194	Heart Failure	\$24,772	\$30,121	\$37,494	0.80	\$23,717	1.27	\$38,512	0.78
201	Heart Abnormal Rhythm and Conduction Disorders	\$21,194	\$22,380	\$29,688	0.75	\$17,441	1.28	\$27,857	0.80
247	Intestinal Obstruction without Surgery	\$27,576	\$31,471	\$29,597	1.06	\$19,525	1.61	\$27,065	1.16
383	Cellulitis & other skin infections	\$22,228	\$26,432	\$30,428	0.87	\$19,976	1.32	\$29,240	0.90
463	Kidney/Urinary Tract Infection	\$22,933	\$26,231	\$30,491	0.86	\$21,286	1.23	\$30,445	0.86
469	Acute kidney injury	\$26,555	\$32,878	\$39,575	0.83	\$22,049	1.49	\$39,232	0.84
560	Vaginal Delivery	N/A	N/A	\$18,364	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$6,707	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$24,970	\$39,328	\$54,544	0.72	\$33,506	1.17	\$56,342	0.70
861	Signs & Symptoms	*	*	\$34,568	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

194 Children's Wisconsin-Fo 130 Second Street, PO Box 4	•	spital		Hospital Type: GMS County: Winnebago	
Neenah, WI 54956				Analysis Area: 3-Lake Winn	lebago
920-969-7900				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	674	Average Length of Stay (days):	9.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	6,538	Average Charge per Discharge:	\$53,082	Home or Self-Care Other GMS Hospital	87.2% 8.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	0.0%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		01070	Hospice	0.0%
-				Other Institution	1.2%
Total Newborns:	23			Home Health Service	0.3%
Psychiatric Utilization				Left Against Medical Advice	0.0% 1.0%
Discharges:	0	Percent of All Discharges:	0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	1.0% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.2%
·		-		Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	39.3%
				Other Government	1.3%
				Commercial or Private Insurance	57.3%
				Self-Pay	2.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	3.4%	4.3%	Male	55.2%	57.5%	Amer.Ind/Alaskan Native	e 0.9%	0.2%
Under 15	93.3%	95.0%	Female	44.8%	42.5%	Asian	3.6%	4.6%
15 - 19	3.3%	0.7%				Black/African Amer.	4.5%	2.8%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	0.0%	0.0%				White	73.0%	72.4%
35 - 44	0.0%	0.0%				Multiracial	0.0%	0.0%
45 - 54	0.0%	0.0%				Declined	0.9%	0.7%
55 - 64	0.0%	0.0%				Unavailable	17.1%	19.2%
65 - 74	0.0%	0.0%						
75 - 84	0.0%	0.0%						
85 & Over	0.0%	0.0%						

194 Children's Wisconsin-Fox Valley Hospital

Neenah, WI 54956

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	26	2.9	3.7	0.78	3.6	0.81	4.2	0.69
137 Respiratory Infections and Inflammations	6	3.0	5.0	0.60	3.7	0.81	5.1	0.59
139 Pneumonia	25	2.4	3.7	0.65	3.4	0.71	3.9	0.62
140 Chronic Obstructive Pulmonary Disease	0	N/A	2.8	N/A	3.0	N/A	3.3	N/A
194 Heart Failure	*	*	4.1	*	3.7	*	4.7	*
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.5	*	2.7	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	3.3	*	2.8	*	3.4	*
326 Elective knee joint replacement	0	N/A	1.8	N/A	1.6	N/A	2.0	N/A
383 Cellulitis & other skin infections	*	*	3.7	*	3.8	*	4.0	*
463 Kidney/Urinary Tract Infection	8	2.3	3.4	0.68	3.3	0.70	3.8	0.61
469 Acute kidney injury	0	N/A	4.1	N/A	3.4	N/A	4.8	N/A
540 Cesarean Delivery	0	N/A	3.1	N/A	2.8	N/A	3.4	N/A
560 Vaginal Delivery	0	N/A	1.9	N/A	1.9	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	74	3.5	1.9	1.84	1.8	1.94	1.9	1.84
720 Blood Infection/Septicemia	7	3.4	5.1	0.67	3.9	0.87	5.7	0.60

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$12,190	\$17,329	\$29,067	0.60	\$27,996	0.62	\$41,427	0.42
137	Respiratory Infections and Inflammations	\$10,005	\$12,017	\$31,076	0.39	\$25,863	0.46	\$44,204	0.27
139	Pneumonia	\$9,017	\$12,196	\$25,465	0.48	\$23,921	0.51	\$33,131	0.37
140	Chronic Obstructive Pulmonary Disease	N/A	N/A	\$23,561	*	\$20,883	*	\$32,611	*
194	Heart Failure	*	*	\$26,437	*	\$24,051	*	\$38,512	*
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$19,751	*	\$18,840	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$18,938	*	\$17,509	*	\$27,065	*
326	Elective knee joint replacement	N/A	N/A	\$44,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	*	*	\$21,780	*	\$21,588	*	\$29,240	*
463	Kidney/Urinary Tract Infection	\$8,137	\$11,101	\$22,229	0.50	\$17,785	0.62	\$30,445	0.36
469	Acute kidney injury	N/A	N/A	\$26,749	*	\$22,228	*	\$39,232	*
540	Cesarean Delivery	N/A	N/A	\$20,549	*	\$26,138	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$12,000	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	\$15,832	\$9,500	\$4,293	2.21	\$4,404	2.16	\$5,687	1.67
720	Blood Infection/Septicemia	\$15,737	\$27,905	\$38,002	0.73	\$33,539	0.83	\$56,342	0.50

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

092 ThedaCare Regional Mec 130 Second Street, PO Box 2 Neenah, WI 54956 920-729-3100		- Neenah		Hospital Type: GMS County: Winnebago Analysis Area: 3-Lake Winn Inpatient Volume Group: 6	ebago
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	11,482	Average Length of Stay (days):	3.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	40,670	Average Charge per Discharge:	\$30,911	Home or Self-Care Other GMS Hospital	69.7% 3.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	1,063 481 65	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	66.1% 29.9% 4.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	9.7% 1.0% 1.2%
Total Childbirths:	1,609			Hospice	2.9%
Total Newborns:	1,827			Other Institution Home Health Service	0.1% 7.9%
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 1.0%
Discharges:	724	Percent of All Discharges:	6.3%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	3,306	Percent of All Patient Days:	8.1%	Other	1.4%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	267	Percent of All Discharges:	2.3%	Medicare	38.1%
Patient Days:	838	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	15.0% 2.3% 40.3% 3.7%
				Other or Unknown Insurance	0.5%

	Age Distribution			Sex Distribution	<u>n</u>	Race	<u>e Distribution</u>	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	15.9%	7.9%	Male	43.0%	47.2%	Amer.Ind/Alaskan Native	2.1%	2.4%
Under 15	0.2%	0.1%	Female	57.0%	52.8%	Asian	1.7%	1.6%
15 - 19	1.3%	1.5%				Black/African Amer.	2.0%	1.8%
20 - 24	3.8%	3.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	15.7%	12.7%				White	89.8%	90.8%
35 - 44	9.6%	9.1%				Multiracial	0.8%	0.5%
45 - 54	7.4%	8.1%				Declined	1.7%	1.4%
55 - 64	12.3%	14.6%				Unavailable	1.9%	1.5%
65 - 74	15.6%	20.7%						
75 - 84	11.8%	14.4%						
85 & Over	6.4%	7.5%						

092 ThedaCare Regional Medical Center - Neenah

Neenah, WI 54956

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	252	4.1	4.0	1.03	5.0	0.82	4.6	0.89
133 Respiratory failure	91	3.8	3.7	1.03	4.5	0.84	4.2	0.90
137 Respiratory Infections and Inflammations	80	3.9	5.0	0.78	5.6	0.70	5.1	0.76
139 Pneumonia	63	3.9	3.7	1.05	4.1	0.95	3.9	1.00
174 Percutaneous coronary intervention w AMI	15	2.3	2.7	0.85	3.0	0.77	2.9	0.79
175 Percutaneous coronary intervention w/o AMI	7	3.1	2.2	1.41	2.5	1.24	2.5	1.24
194 Heart Failure	203	4.0	4.1	0.98	5.1	0.78	4.7	0.85
201 Heart Abnormal Rhythm and Conduction Disorders	79	2.6	2.5	1.04	3.0	0.87	2.9	0.90
463 Kidney/Urinary Tract Infection	82	2.9	3.4	0.85	4.0	0.73	3.8	0.76
469 Acute kidney injury	100	4.3	4.1	1.05	5.2	0.83	4.8	0.90
540 Cesarean Delivery	481	3.3	3.1	1.06	3.7	0.89	3.4	0.97
560 Vaginal Delivery	1,063	2.1	1.9	1.11	2.2	0.95	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	1,475	1.8	1.9	0.95	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	540	4.8	5.1	0.94	6.3	0.76	5.7	0.84
751 Psychoses	311	4.3	4.3	1.00	5.0	0.86	5.1	0.84

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	3		<u>ospitals</u> Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$33,530	\$32,871	\$35,316	0.93	\$54,618	0.60	\$50,763	0.65
133 Respiratory failure	\$30,774	\$25,961	\$29,067	0.89	\$44,431	0.58	\$41,427	0.63
137 Respiratory Infections and Inflammations	\$26,183	\$25,828	\$31,076	0.83	\$49,624	0.52	\$44,204	0.58
139 Pneumonia	\$28,641	\$29,599	\$25,465	1.16	\$37,011	0.80	\$33,131	0.89
174 Percutaneous coronary intervention w AMI	\$70,506	\$77,693	\$80,761	0.96	\$92,807	0.84	\$92,242	0.84
175 Percutaneous coronary intervention w/o AMI	\$90,544	\$92,706	\$96,138	0.96	\$112,207	0.83	\$110,305	0.84
194 Heart Failure	\$26,908	\$25,725	\$26,437	0.97	\$43,048	0.60	\$38,512	0.67
201 Heart Abnormal Rhythm and Conduction Disorders	\$20,211	\$19,127	\$19,751	0.97	\$29,715	0.64	\$27,857	0.69
463 Kidney/Urinary Tract Infection	\$20,484	\$20,581	\$22,229	0.93	\$33,907	0.61	\$30,445	0.68
469 Acute kidney injury	\$25,466	\$27,167	\$26,749	1.02	\$43,161	0.63	\$39,232	0.69
540 Cesarean Delivery	\$21,552	\$21,882	\$20,549	1.06	\$32,532	0.67	\$31,158	0.70
560 Vaginal Delivery	\$10,791	\$10,734	\$9,705	1.11	\$17,304	0.62	\$16,019	0.67
640 Normal Newborn, Birthweight 2500g+	\$3,580	\$3,332	\$4,293	0.78	\$5,861	0.57	\$5,687	0.59
720 Blood Infection/Septicemia	\$36,123	\$36,140	\$38,002	0.95	\$62,322	0.58	\$56,342	0.64
751 Psychoses	\$12,809	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

093 Marshfield Medical Cen	ter - Neillsvil	le		Hospital Type: GMS	
N3708 River Avenue				County: Clark	
Neillsville, WI 54456				Analysis Area: 5A-West Ce	ntral
715-743-3101				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	221	Average Length of Stay (days):	5.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,257	Average Charge per Discharge:	\$16,261	Home or Self-Care Other GMS Hospital	58.8% 9.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	3.6% 7.7%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0% 3.6%
Total Childbirths:	0			Hospice Other Institution	0.0%
Total Newborns:	0			Home Health Service	11.8%
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 1.4%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.5%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	2.7%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	1.4%	Medicare	86.4%
Patient Days:	7	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	2.7%
				Other Government	2.7%
				Commercial or Private Insurance	7.2%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u> </u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	39.8%	49.1%	Amer.Ind/Alaskan Native	e 0.9%	0.8%
Under 15	0.0%	0.0%	Female	60.2%	50.9%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.8%	2.1%				White	97.3%	96.6%
35 - 44	1.8%	1.0%				Multiracial	0.0%	0.0%
45 - 54	3.6%	1.8%				Declined	0.9%	2.3%
55 - 64	11.8%	7.8%				Unavailable	0.9%	0.3%
65 - 74	24.9%	23.9%						
75 - 84	29.0%	39.7%						
85 & Over	27.1%	23.8%						

093 Marshfield Medical Center - Neillsville

Neillsville, WI 54456

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.6	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	6	3.0	4.6	0.65	3.4	0.88	5.1	0.59
139 Pneumonia	18	3.4	3.8	0.89	3.2	1.06	3.9	0.87
140 Chronic Obstructive Pulmonary Disease	11	1.9	3.3	0.58	2.5	0.76	3.3	0.58
194 Heart Failure	6	2.0	4.7	0.43	3.2	0.63	4.7	0.43
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.7	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	11	3.0	4.4	0.68	3.4	0.88	4.0	0.75
420 Diabetes	*	*	3.2	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	9	2.7	3.7	0.73	3.4	0.79	3.8	0.71
469 Acute kidney injury	7	2.3	4.5	0.51	2.6	0.88	4.8	0.48
720 Blood Infection/Septicemia	15	3.1	5.3	0.58	3.1	1.00	5.7	0.54
775 Alcohol Abuse/Dependence	*	*	4.0	*	3.1	*	3.7	*
861 Signs & Symptoms	30	10.4	5.5	1.89	9.1	1.14	5.8	1.79
862 Other Factors Influencing Health Status	20	13.9	10.8	1.29	13.4	1.04	7.9	1.76

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospital</u> Average Charge Rat	
133	Respiratory failure	*	*	\$31,031	*	\$23,461	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$11,223	\$11,641	\$33,451	0.35	\$26,728	0.44	\$44,204	0.26
139	Pneumonia	\$12,400	\$14,712	\$24,141	0.61	\$19,737	0.75	\$33,131	0.44
140	Chronic Obstructive Pulmonary Disease	\$9,304	\$10,484	\$21,372	0.49	\$14,984	0.70	\$32,611	0.32
194	Heart Failure	\$7,242	\$8,006	\$29,089	0.28	\$18,454	0.43	\$38,512	0.21
249	Other gastroenteritis, nausea & vomiting	*	*	\$21,698	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$25,997	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	\$13,990	\$15,994	\$21,652	0.74	\$17,133	0.93	\$29,240	0.55
420	Diabetes	*	*	\$22,704	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$8,511	\$10,394	\$20,430	0.51	\$17,003	0.61	\$30,445	0.34
469	Acute kidney injury	\$8,714	\$11,996	\$28,871	0.42	\$16,299	0.74	\$39,232	0.31
720	Blood Infection/Septicemia	\$14,438	\$19,690	\$42,770	0.46	\$27,572	0.71	\$56,342	0.35
775	Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861	Signs & Symptoms	\$21,532	\$21,483	\$21,215	1.01	\$22,684	0.95	\$36,306	0.59
862	Other Factors Influencing Health Status	\$27,006	\$26,398	\$18,785	1.41	\$24,289	1.09	\$31,921	0.83

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

325 Froedtert Community Hos 4805 S Moorland	pital - New	/ Berlin		Hospital Type: GMS County: Waukesha	
New Berlin, WI 53151				Analysis Area: 2A-Southeas	stern
262-796-0001				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	156	Average Length of Stay (days):	2.1	Discharge Status	% Discharges
Total Patient Days:	334	Average Charge per Discharge:	\$15,086	Home or Self-Care Other GMS Hospital	82.7% 11.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	1.9% 0.0%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	0.0% 0.0%
Total Newborns:	0			Home Health Service	3.8%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	67.3%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	7.1%
				Other Government	0.6%
				Commercial or Private Insurance	23.7%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	35.9%	35.0%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	64.1%	65.0%	Asian	1.9%	1.5%
15 - 19	0.0%	0.0%				Black/African Amer.	6.4%	6.3%
20 - 24	2.6%	2.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.6%	1.8%				White	89.7%	90.1%
35 - 44	9.0%	8.1%				Multiracial	0.0%	0.0%
45 - 54	7.1%	6.3%				Declined	1.9%	2.1%
55 - 64	17.9%	19.2%				Unavailable	0 %	0 %
65 - 74	21.8%	20.4%						
75 - 84	21.8%	23.4%						
85 & Over	17.3%	18.9%						

325 Froedtert Community Hospital - New Berlin

New Berlin, WI 53151

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	9	2.1	4.4	0.48	3.0	0.70	4.2	0.50
137 Respiratory Infections and Inflammations	8	1.8	4.8	0.38	3.4	0.53	5.1	0.35
139 Pneumonia	21	2.8	3.9	0.72	3.2	0.88	3.9	0.72
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*
194 Heart Failure	11	2.0	4.5	0.44	3.2	0.63	4.7	0.43
249 Other gastroenteritis, nausea & vomiting	7	2.0	3.1	0.65	2.4	0.83	3.3	0.61
282 Disorders of Pancreas Except Malignancy	7	1.9	3.9	0.49	2.4	0.79	3.9	0.49
383 Cellulitis & other skin infections	11	1.8	3.9	0.46	3.4	0.53	4.0	0.45
420 Diabetes	*	*	3.2	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.5	*	3.4	*	3.8	*
469 Acute kidney injury	11	1.5	4.8	0.31	2.6	0.58	4.8	0.31
720 Blood Infection/Septicemia	29	2.6	5.2	0.50	3.1	0.84	5.7	0.46
775 Alcohol Abuse/Dependence	0	N/A	3.1	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	0	N/A	4.2	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	5.6	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$16,520	\$23,453	\$42,864	0.55	\$23,461	1.00	\$41,427	0.57
137	Respiratory Infections and Inflammations	\$15,660	\$17,143	\$43,676	0.39	\$26,728	0.64	\$44,204	0.39
139	Pneumonia	\$17,213	\$18,053	\$35,485	0.51	\$19,737	0.91	\$33,131	0.54
140	Chronic Obstructive Pulmonary Disease	*	*	\$33,454	*	\$14,984	*	\$32,611	*
194	Heart Failure	\$14,940	\$16,793	\$37,494	0.45	\$18,454	0.91	\$38,512	0.44
249	Other gastroenteritis, nausea & vomiting	\$14,248	\$16,501	\$31,380	0.53	\$14,692	1.12	\$30,820	0.54
282	Disorders of Pancreas Except Malignancy	\$15,535	\$21,936	\$37,597	0.58	\$18,126	1.21	\$35,124	0.62
383	Cellulitis & other skin infections	\$11,723	\$14,728	\$30,428	0.48	\$17,133	0.86	\$29,240	0.50
420	Diabetes	*	*	\$31,276	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	*	*	\$30,491	*	\$17,003	*	\$30,445	*
469	Acute kidney injury	\$12,688	\$16,170	\$39,575	0.41	\$16,299	0.99	\$39,232	0.41
720	Blood Infection/Septicemia	\$18,143	\$29,591	\$54,544	0.54	\$27,572	1.07	\$56,342	0.53
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861	Signs & Symptoms	N/A	N/A	\$34,568	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

094 ThedaCare Medical Cer 1405 Mill Street, PO Box 30 New London, WI 54961 920-982-5330		ndon		Hospital Type: GMS County: Outagamie Analysis Area: 3-Lake Winn Inpatient Volume Group: 2	ebago
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	520	Average Length of Stay (days):	2.5	Discharge Status	% Discharges
Total Patient Days:	1,286	Average Charge per Discharge:	\$16,494	Home or Self-Care Other GMS Hospital	56.0% 7.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	13.7% 2.7% 0.2%
Total Childbirths:	0		0.070	Hospice	3.5%
Total Newborns:	0			Other Institution Home Health Service	0.0% 9.8% 0.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.4%
Discharges:	1	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	2	Percent of All Patient Days:	0.2%	Other	5.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	1.0%	Medicare	73.5%
Patient Days:	10	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare Other Government	8.1% 1.7%
				Commercial or Private Insurance	13.3%
				Self-Pav	3.3%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	46.3%	47.0%	Amer.Ind/Alaskan Native	e 1.2%	0.9%
Under 15	0.0%	0.0%	Female	53.7%	53.0%	Asian	0.2%	0.3%
15 - 19	0.6%	0.2%				Black/African Amer.	0.4%	0.2%
20 - 24	1.0%	0.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.7%	1.4%				White	98.1%	98.5%
35 - 44	5.6%	4.0%				Multiracial	0.0%	0.0%
45 - 54	7.9%	8.1%				Declined	0.0%	0.0%
55 - 64	14.2%	13.8%				Unavailable	0.2%	0.2%
65 - 74	24.8%	23.3%						
75 - 84	24.2%	24.8%						
85 & Over	19.0%	23.5%						

094 ThedaCare Medical Center - New London

New London, WI 54961

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	10	2.4	3.7	0.65	3.5	0.69	4.2	0.57		
137 Respiratory Infections and Inflammations	12	2.3	5.0	0.46	3.9	0.59	5.1	0.45		
139 Pneumonia	20	2.6	3.7	0.70	3.6	0.72	3.9	0.67		
140 Chronic Obstructive Pulmonary Disease	8	2.4	2.8	0.86	3.5	0.69	3.3	0.73		
194 Heart Failure	31	2.6	4.1	0.63	3.6	0.72	4.7	0.55		
201 Heart Abnormal Rhythm and Conduction Disorders	21	1.9	2.5	0.76	2.6	0.73	2.9	0.66		
247 Intestinal Obstruction without Surgery	15	2.3	3.3	0.70	3.0	0.77	3.4	0.68		
383 Cellulitis & other skin infections	17	2.0	3.7	0.54	3.8	0.53	4.0	0.50		
463 Kidney/Urinary Tract Infection	12	2.6	3.4	0.76	3.5	0.74	3.8	0.68		
469 Acute kidney injury	26	2.6	4.1	0.63	3.1	0.84	4.8	0.54		
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A		
720 Blood Infection/Septicemia	83	2.7	5.1	0.53	3.7	0.73	5.7	0.47		
861 Signs & Symptoms	*	*	4.6	*	6.9	*	5.8	*		
862 Other Factors Influencing Health Status	0	N/A	5.0	N/A	11.6	N/A	7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Rati	
133	Respiratory failure	\$15,594	\$25,774	\$29,067	0.89	\$26,133	0.99	\$41,427	0.62
137	Respiratory Infections and Inflammations	\$13,882	\$16,326	\$31,076	0.53	\$25,355	0.64	\$44,204	0.37
139	Pneumonia	\$16,967	\$20,938	\$25,465	0.82	\$23,433	0.89	\$33,131	0.63
140	Chronic Obstructive Pulmonary Disease	\$13,954	\$15,876	\$23,561	0.67	\$23,153	0.69	\$32,611	0.49
194	Heart Failure	\$14,917	\$18,535	\$26,437	0.70	\$23,717	0.78	\$38,512	0.48
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,378	\$16,370	\$19,751	0.83	\$17,441	0.94	\$27,857	0.59
247	Intestinal Obstruction without Surgery	\$15,161	\$15,366	\$18,938	0.81	\$19,525	0.79	\$27,065	0.57
383	Cellulitis & other skin infections	\$12,258	\$13,439	\$21,780	0.62	\$19,976	0.67	\$29,240	0.46
463	Kidney/Urinary Tract Infection	\$14,989	\$16,785	\$22,229	0.76	\$21,286	0.79	\$30,445	0.55
469	Acute kidney injury	\$15,441	\$19,476	\$26,749	0.73	\$22,049	0.88	\$39,232	0.50
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$18,207	\$24,628	\$38,002	0.65	\$33,506	0.74	\$56,342	0.44
861	Signs & Symptoms	*	*	\$24,875	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$15,253	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

095 Westfields Hospital & Clir	nic			Hospital Type: GMS	
535 Hospital Road				County: Saint Croix	
New Richmond, WI 54017				Analysis Area: 5A-West Cer	ntral
715-243-2600				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	943	Average Length of Stay (days):	2.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,487	Average Charge per Discharge:	\$13,757	Home or Self-Care Other GMS Hospital	66.5% 8.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	51	Percent of All Childbirths:	55.4%	Skilled Nursing Facility Intermediate Care Facility	5.5% 5.5%
Cesarean Childbirths: Other Childbirths:	38 3	Percent of All Childbirths: Percent of All Childbirths:	41.3% 3.3%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	92			Hospice	2.2%
-				Other Institution	0.2%
Total Newborns:	83			Home Health Service	5.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 1.6%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.1%	Other	3.9%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	39	Percent of All Discharges:	4.1%	Medicare	53.6%
Patient Days:	66	Percent of All Patient Days:	2.7%	Medicaid/BadgerCare	10.7%
				Other Government	2.9%
				Commercial or Private Insurance	32.4%
				Self-Pay	0.2%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	8.8%	6.2%	Male	46.4%	44.8%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.1%	0.1%	Female	53.6%	55.2%	Asian	0.3%	0.2%
15 - 19	0.6%	0.4%				Black/African Amer.	0.8%	0.6%
20 - 24	1.5%	1.2%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.3%	7.1%				White	93.3%	95.5%
35 - 44	7.6%	5.5%				Multiracial	0.0%	0.0%
45 - 54	7.4%	6.5%				Declined	1.2%	1.1%
55 - 64	11.7%	13.1%				Unavailable	4.1%	2.5%
65 - 74	21.6%	26.5%						
75 - 84	17.9%	18.7%						
85 & Over	12.4%	14.6%						

095 Westfields Hospital & Clinic

New Richmond, WI 54017

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	15	3.9	4.6	0.85	3.6	1.08	4.2	0.93
137 Respiratory Infections and Inflammations	18	3.8	4.6	0.83	3.7	1.03	5.1	0.75
139 Pneumonia	20	6.4	3.8	1.68	3.4	1.88	3.9	1.64
140 Chronic Obstructive Pulmonary Disease	34	2.4	3.3	0.73	3.0	0.80	3.3	0.73
194 Heart Failure	41	4.1	4.7	0.87	3.7	1.11	4.7	0.87
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.2	2.9	0.76	2.7	0.81	2.9	0.76
247 Intestinal Obstruction without Surgery	27	2.3	2.9	0.79	2.8	0.82	3.4	0.68
326 Elective knee joint replacement	*	*	2.7	*	1.6	*	2.0	*
383 Cellulitis & other skin infections	7	3.0	4.4	0.68	3.8	0.79	4.0	0.75
463 Kidney/Urinary Tract Infection	26	2.6	3.7	0.70	3.3	0.79	3.8	0.68
469 Acute kidney injury	14	2.2	4.5	0.49	3.4	0.65	4.8	0.46
540 Cesarean Delivery	38	2.4	2.8	0.86	2.8	0.86	3.4	0.71
560 Vaginal Delivery	51	1.7	2.0	0.85	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	79	1.9	1.8	1.06	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	79	3.1	5.3	0.58	3.9	0.79	5.7	0.54

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	Average Ave		olume Group Ratio	<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$18,434	\$20,822	\$31,031	0.67	\$27,996	0.74	\$41,427	0.50
137	Respiratory Infections and Inflammations	\$13,505	\$15,204	\$33,451	0.45	\$25,863	0.59	\$44,204	0.34
139	Pneumonia	\$22,406	\$25,842	\$24,141	1.07	\$23,921	1.08	\$33,131	0.78
140	Chronic Obstructive Pulmonary Disease	\$10,695	\$11,527	\$21,372	0.54	\$20,883	0.55	\$32,611	0.35
194	Heart Failure	\$16,979	\$18,253	\$29,089	0.63	\$24,051	0.76	\$38,512	0.47
201	Heart Abnormal Rhythm and Conduction Disorders	\$10,138	\$9,657	\$21,213	0.46	\$18,840	0.51	\$27,857	0.35
247	Intestinal Obstruction without Surgery	\$8,446	\$8,997	\$15,833	0.57	\$17,509	0.51	\$27,065	0.33
326	Elective knee joint replacement	*	*	\$44,423	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$15,621	\$13,453	\$21,652	0.62	\$21,588	0.62	\$29,240	0.46
463	Kidney/Urinary Tract Infection	\$9,503	\$10,630	\$20,430	0.52	\$17,785	0.60	\$30,445	0.35
469	Acute kidney injury	\$9,326	\$13,627	\$28,871	0.47	\$22,228	0.61	\$39,232	0.35
540	Cesarean Delivery	\$23,259	\$23,755	\$22,518	1.05	\$26,138	0.91	\$31,158	0.76
560	Vaginal Delivery	\$11,375	\$11,723	\$11,125	1.05	\$12,000	0.98	\$16,019	0.73
640	Normal Newborn, Birthweight 2500g+	\$3,201	\$2,979	\$3,955	0.75	\$4,404	0.68	\$5,687	0.52
720	Blood Infection/Septicemia	\$16,529	\$21,539	\$42,770	0.50	\$33,539	0.64	\$56,342	0.38

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

332 Froedtert Community Hos	pital - Oak	Creek		Hospital Type: GMS	
7901 S 6th Street				County: Milwaukee	
Oak Creek, WI 53154				Analysis Area: 2B-Milwauke	e County
· · ·				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	91	Average Length of Stay (days):	2.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	211	Average Charge per Discharge:	\$16,067	Home or Self-Care Other GMS Hospital	79.1% 12.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice	3.3% 0.0% 0.0% 0.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	4.4%
Psychiatric Utilization				Left Against Medical Advice Expired	1.1% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	61.5%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	15.4%
				Other Government	1.1%
				Commercial or Private Insurance Self-Pay	17.6% 4.4%
				<i>y</i>	1.170

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	35.2%	34.6%	Amer.Ind/Alaskan Native	e 4.4%	2.8%
Under 15	0.0%	0.0%	Female	64.8%	65.4%	Asian	3.3%	3.8%
15 - 19	1.1%	0.5%				Black/African Amer.	12.1%	10.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	8.8%	7.6%				White	71.4%	76.8%
35 - 44	11.0%	8.5%				Multiracial	0.0%	0.0%
45 - 54	7.7%	7.1%				Declined	8.8%	6.6%
55 - 64	12.1%	12.3%				Unavailable	0 %	0 %
65 - 74	22.0%	26.1%						
75 - 84	20.9%	19.0%						
85 & Over	16.5%	19.0%						

Other or Unknown Insurance

0.0%

332 Froedtert Community Hospital - Oak Creek

Oak Creek, WI 53154

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	8	2.3	5.6	0.41	3.4	0.68	5.1	0.45
139 Pneumonia	*	*	4.1	*	3.2	*	3.9	*
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	2.5	*	3.3	*
194 Heart Failure	5	1.6	5.3	0.30	3.2	0.50	4.7	0.34
249 Other gastroenteritis, nausea & vomiting	5	1.2	3.6	0.33	2.4	0.50	3.3	0.36
282 Disorders of Pancreas Except Malignancy	6	2.2	4.2	0.52	2.4	0.92	3.9	0.56
383 Cellulitis & other skin infections	*	*	4.1	*	3.4	*	4.0	*
420 Diabetes	*	*	3.7	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	5	3.0	4.3	0.70	3.4	0.88	3.8	0.79
469 Acute kidney injury	5	1.8	5.6	0.32	2.6	0.69	4.8	0.38
720 Blood Infection/Septicemia	18	2.9	6.8	0.43	3.1	0.94	5.7	0.51
775 Alcohol Abuse/Dependence	0	N/A	3.6	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	0	N/A	7.1	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	7.7	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	*	*	\$45,892	*	\$23,461	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$26,357	\$30,365	\$54,053	0.56	\$26,728	1.14	\$44,204	0.69
139	Pneumonia	*	*	\$38,942	*	\$19,737	*	\$33,131	*
140	Chronic Obstructive Pulmonary Disease	*	*	\$40,616	*	\$14,984	*	\$32,611	*
194	Heart Failure	\$10,186	\$13,963	\$48,131	0.29	\$18,454	0.76	\$38,512	0.36
249	Other gastroenteritis, nausea & vomiting	\$11,018	\$11,278	\$35,283	0.32	\$14,692	0.77	\$30,820	0.37
282	Disorders of Pancreas Except Malignancy	\$17,164	\$24,951	\$42,714	0.58	\$18,126	1.38	\$35,124	0.71
383	Cellulitis & other skin infections	*	*	\$37,141	*	\$17,133	*	\$29,240	*
420	Diabetes	*	*	\$33,836	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$15,865	\$19,454	\$38,452	0.51	\$17,003	1.14	\$30,445	0.64
469	Acute kidney injury	\$13,278	\$21,311	\$49,167	0.43	\$16,299	1.31	\$39,232	0.54
720	Blood Infection/Septicemia	\$17,424	\$25,116	\$73,707	0.34	\$27,572	0.91	\$56,342	0.45
775	Alcohol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861	Signs & Symptoms	N/A	N/A	\$49,821	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$53,600	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

098 ProHealth Oconomowoo	: Memorial H	lospital		Hospital Type: GMS	
791 Summit Avenue				County: Waukesha	
Oconomowoc, WI 53066				Analysis Area: 2A-Southeas	stern
262-569-9400				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	3,320	Average Length of Stay (days):	3.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	9,946	Average Charge per Discharge:	\$39,487	Home or Self-Care Other GMS Hospital	65.6% 2.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths:	306 77	Percent of All Childbirths: Percent of All Childbirths:	75.7% 19.1%	Skilled Nursing Facility Intermediate Care Facility	8.5% 0.8%
Other Childbirths:	21	Percent of All Childbirths:	5.2%	Inpatient Rehabilitation Facility	5.2%
Total Childbirths:	404			Hospice	3.0%
Total Newborns:	420			Other Institution Home Health Service	0.0% 11.9%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 0.5%
Discharges:	3	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	9	Percent of All Patient Days:	0.1%	Other	1.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	117	Percent of All Discharges:	3.5%	Medicare	53.6%
Patient Days:	222	Percent of All Patient Days:	2.2%	Medicaid/BadgerCare	8.4%
				Other Government	0.9%
				Commercial or Private Insurance	33.5%
				Self-Pay	3.6%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	12.7%	8.6%	Male	41.2%	43.2%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.3%	0.4%	Female	58.8%	56.8%	Asian	0.6%	0.5%
15 - 19	0.2%	0.2%				Black/African Amer.	0.6%	0.6%
20 - 24	2.0%	1.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	12.0%	8.7%				White	96.3%	96.5%
35 - 44	6.1%	4.6%				Multiracial	0.3%	0.3%
45 - 54	5.9%	5.6%				Declined	0.4%	0.5%
55 - 64	9.6%	9.8%				Unavailable	1.7%	1.5%
65 - 74	17.9%	21.1%						
75 - 84	19.6%	23.6%						
85 & Over	13.8%	15.8%						

098 ProHealth Oconomowoc Memorial Hospital

Oconomowoc, WI 53066

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	43	3.0	3.8	0.79	3.9	0.77	4.6	0.65
133 Respiratory failure	19	3.1	4.4	0.70	4.2	0.74	4.2	0.74
137 Respiratory Infections and Inflammations	64	4.0	4.8	0.83	5.1	0.78	5.1	0.78
139 Pneumonia	89	2.6	3.9	0.67	4.0	0.65	3.9	0.67
194 Heart Failure	134	4.2	4.5	0.93	4.5	0.93	4.7	0.89
201 Heart Abnormal Rhythm and Conduction Disorders	59	2.3	2.8	0.82	3.0	0.77	2.9	0.79
383 Cellulitis & other skin infections	55	3.0	3.9	0.77	3.9	0.77	4.0	0.75
463 Kidney/Urinary Tract Infection	74	2.7	3.5	0.77	3.6	0.75	3.8	0.71
466 Malfunction, reaction, complic of genitourinary device or proc	21	4.5	5.1	0.88	5.1	0.88	5.2	0.87
469 Acute kidney injury	42	4.3	4.8	0.90	4.6	0.93	4.8	0.90
540 Cesarean Delivery	77	3.0	3.1	0.97	2.9	1.03	3.4	0.88
560 Vaginal Delivery	306	2.0	2.0	1.00	1.9	1.05	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	394	1.8	1.9	0.95	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	249	4.5	5.2	0.87	5.3	0.85	5.7	0.79
775 Alcohol Abuse/Dependence	82	1.7	3.1	0.55	3.4	0.50	3.7	0.46

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$47,244	\$53,958	\$48,872	1.10	\$47,909	1.13	\$50,763	1.06
133	Respiratory failure	\$42,698	\$41,680	\$42,864	0.97	\$41,132	1.01	\$41,427	1.01
137	Respiratory Infections and Inflammations	\$40,721	\$41,473	\$43,676	0.95	\$44,693	0.93	\$44,204	0.94
139	Pneumonia	\$28,979	\$34,745	\$35,485	0.98	\$34,901	1.00	\$33,131	1.05
194	Heart Failure	\$39,963	\$40,209	\$37,494	1.07	\$36,539	1.10	\$38,512	1.04
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,901	\$27,992	\$29,688	0.94	\$27,323	1.02	\$27,857	1.00
383	Cellulitis & other skin infections	\$24,484	\$25,279	\$30,428	0.83	\$29,662	0.85	\$29,240	0.86
463	Kidney/Urinary Tract Infection	\$25,884	\$27,413	\$30,491	0.90	\$30,920	0.89	\$30,445	0.90
466	Malfunction, reaction, complic of genitourinary device or proc	\$46,647	\$47,553	\$42,902	1.11	\$41,728	1.14	\$45,131	1.05
469	Acute kidney injury	\$39,744	\$38,861	\$39,575	0.98	\$37,998	1.02	\$39,232	0.99
540	Cesarean Delivery	\$38,286	\$40,219	\$34,572	1.16	\$29,193	1.38	\$31,158	1.29
560	Vaginal Delivery	\$22,890	\$22,913	\$18,364	1.25	\$14,839	1.54	\$16,019	1.43
640	Normal Newborn, Birthweight 2500g+	\$7,918	\$8,571	\$6,707	1.28	\$5,740	1.49	\$5,687	1.51
720	Blood Infection/Septicemia	\$49,261	\$52,178	\$54,544	0.96	\$52,940	0.99	\$56,342	0.93
775	Alcohol Abuse/Dependence	\$15,874	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

306 Bellin Health Oconto Hos	spital			Hospital Type: GMS	
820 Arbutus Avenue				County: Oconto	
Oconto, WI 54153				Analysis Area: 4-Northeaste	ern
920-835-1100				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	195	Average Length of Stay (days):	9.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,816	Average Charge per Discharge:	\$19,726	Home or Self-Care Other GMS Hospital	71.3% 6.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0	Percent of All Childbirths: Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	7.7% 1.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility Hospice	0.0% 2.1%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	4.6%
Psychiatric Utilization				Left Against Medical Advice Expired	0.0% 0.0%
Discharges:	1	Percent of All Discharges:	0.5%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	3	Percent of All Patient Days:	0.2%	Other	6.7%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.5%	Medicare	85.1%
Patient Days:	5	Percent of All Patient Days:	0.3%	Medicaid/BadgerCare	2.6%
				Other Government	2.1%
				Commercial or Private Insurance	7.2%
				Self-Pay	3.1%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u> </u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	45.6%	53.4%	Amer.Ind/Alaskan Native	e 0.5%	0.8%
Under 15	0.0%	0.0%	Female	54.4%	46.6%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.5%	0.4%				White	98.5%	97.9%
35 - 44	1.0%	0.2%				Multiracial	0.0%	0.0%
45 - 54	3.1%	3.4%				Declined	0.0%	0.0%
55 - 64	13.8%	21.5%				Unavailable	1.0%	1.3%
65 - 74	32.8%	27.6%						
75 - 84	31.8%	32.0%						
85 & Over	15.9%	14.9%						

306 Bellin Health Oconto Hospital

Oconto, WI 54153

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	6	3.7	4.3	0.86	3.0	1.23	4.2	0.88
137 Respiratory Infections and Inflammations	*	*	5.4	*	3.4	*	5.1	*
139 Pneumonia	10	2.9	3.7	0.78	3.2	0.91	3.9	0.74
140 Chronic Obstructive Pulmonary Disease	19	2.8	3.3	0.85	2.5	1.12	3.3	0.85
194 Heart Failure	14	4.9	4.1	1.20	3.2	1.53	4.7	1.04
249 Other gastroenteritis, nausea & vomiting	0	N/A	3.0	N/A	2.4	N/A	3.3	N/A
282 Disorders of Pancreas Except Malignancy	*	*	3.5	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	14	5.2	3.9	1.33	3.4	1.53	4.0	1.30
420 Diabetes	*	*	2.9	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	15	6.4	3.7	1.73	3.4	1.88	3.8	1.68
469 Acute kidney injury	*	*	4.3	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	*	*	5.2	*	3.1	*	5.7	*
775 Alcohol Abuse/Dependence	*	*	3.9	*	3.1	*	3.7	*
861 Signs & Symptoms	34	14.1	5.8	2.43	9.1	1.55	5.8	2.43
862 Other Factors Influencing Health Status	29	16.9	11.2	1.51	13.4	1.26	7.9	2.14

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$12,183	\$18,362	\$38,110	0.48	\$23,461	0.78	\$41,427	0.44
137	Respiratory Infections and Inflammations	*	*	\$41,782	*	\$26,728	*	\$44,204	*
139	Pneumonia	\$12,811	\$16,905	\$31,722	0.53	\$19,737	0.86	\$33,131	0.51
140	Chronic Obstructive Pulmonary Disease	\$12,139	\$13,370	\$31,861	0.42	\$14,984	0.89	\$32,611	0.41
194	Heart Failure	\$15,523	\$22,323	\$33,627	0.66	\$18,454	1.21	\$38,512	0.58
249	Other gastroenteritis, nausea & vomiting	N/A	N/A	\$26,431	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$30,912	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	\$10,895	\$11,845	\$25,137	0.47	\$17,133	0.69	\$29,240	0.41
420	Diabetes	*	*	\$26,220	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$13,193	\$13,807	\$27,701	0.50	\$17,003	0.81	\$30,445	0.45
469	Acute kidney injury	*	*	\$33,591	*	\$16,299	*	\$39,232	*
720	Blood Infection/Septicemia	*	*	\$51,287	*	\$27,572	*	\$56,342	*
775	Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861	Signs & Symptoms	\$21,013	\$22,465	\$29,736	0.76	\$22,684	0.99	\$36,306	0.62
862	Other Factors Influencing Health Status	\$26,877	\$28,654	\$36,466	0.79	\$24,289	1.18	\$31,921	0.90

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

101 St Clare Memorial Hospital				Hospital Type: GMS	
855 South Main Street				County: Oconto	
Oconto Falls, WI 54154				Analysis Area: 4-Northeaste	ern
920-846-3444				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	156	Average Length of Stay (days):	3.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	474	Average Charge per Discharge:	\$23,191	Home or Self-Care Other GMS Hospital	54.5% 10.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	6.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	3.8%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0		0.070	Hospice	5.1%
Total Childbirths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	7.7%
Developedate Utilization				Left Against Medical Advice	0.6%
Psychiatric Utilization				Expired	1.9%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	9.0%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	63.5%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	9.6%
-		-		Other Government	10.9%
				Commercial or Private Insurance	14.1%
				Self-Pay	1.9%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	53.8%	59.7%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	46.2%	40.3%	Asian	0.0%	0.0%
15 - 19	0.6%	0.6%				Black/African Amer.	0.0%	0.0%
20 - 24	0.6%	0.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.6%	0.4%				White	98.7%	98.5%
35 - 44	3.2%	2.7%				Multiracial	0.0%	0.0%
45 - 54	7.7%	7.6%				Declined	0.0%	0.0%
55 - 64	18.6%	19.0%				Unavailable	1.3%	1.5%
65 - 74	22.4%	23.2%						
75 - 84	32.1%	32.9%						
85 & Over	14.1%	12.9%						

101 St Clare Memorial Hospital

Oconto Falls, WI 54154

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	17	3.6	4.3	0.84	3.0	1.20	4.2	0.86
137 Respiratory Infections and Inflammations	7	3.6	5.4	0.67	3.4	1.06	5.1	0.71
139 Pneumonia	*	*	3.7	*	3.2	*	3.9	*
140 Chronic Obstructive Pulmonary Disease	6	1.3	3.3	0.39	2.5	0.52	3.3	0.39
194 Heart Failure	10	3.6	4.1	0.88	3.2	1.13	4.7	0.77
249 Other gastroenteritis, nausea & vomiting	*	*	3.0	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.5	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	*	*	3.9	*	3.4	*	4.0	*
420 Diabetes	0	N/A	2.9	N/A	2.9	N/A	3.3	N/A
463 Kidney/Urinary Tract Infection	10	2.8	3.7	0.76	3.4	0.82	3.8	0.74
469 Acute kidney injury	5	2.4	4.3	0.56	2.6	0.92	4.8	0.50
720 Blood Infection/Septicemia	24	2.9	5.2	0.56	3.1	0.94	5.7	0.51
775 Alcohol Abuse/Dependence	0	N/A	3.9	N/A	3.1	N/A	3.7	N/A
861 Signs & Symptoms	0	N/A	5.8	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	*	*	11.2	*	13.4	*	7.9	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG	i # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133 Resp	piratory failure	\$22,859	\$23,108	\$38,110	0.61	\$23,461	0.98	\$41,427	0.56
137 Resp	piratory Infections and Inflammations	\$26,400	\$30,414	\$41,782	0.73	\$26,728	1.14	\$44,204	0.69
139 Pneu	umonia	*	*	\$31,722	*	\$19,737	*	\$33,131	*
140 Chroi	nic Obstructive Pulmonary Disease	\$9,788	\$10,176	\$31,861	0.32	\$14,984	0.68	\$32,611	0.31
194 Hear	t Failure	\$19,260	\$20,971	\$33,627	0.62	\$18,454	1.14	\$38,512	0.54
249 Other	r gastroenteritis, nausea & vomiting	*	*	\$26,431	*	\$14,692	*	\$30,820	*
282 Disor	rders of Pancreas Except Malignancy	*	*	\$30,912	*	\$18,126	*	\$35,124	*
383 Cellu	Ilitis & other skin infections	*	*	\$25,137	*	\$17,133	*	\$29,240	*
420 Diabe	etes	N/A	N/A	\$26,220	*	\$16,894	*	\$30,138	*
463 Kidne	ey/Urinary Tract Infection	\$17,195	\$16,409	\$27,701	0.59	\$17,003	0.97	\$30,445	0.54
469 Acute	e kidney injury	\$12,156	\$18,355	\$33,591	0.55	\$16,299	1.13	\$39,232	0.47
720 Blood	d Infection/Septicemia	\$19,166	\$29,459	\$51,287	0.57	\$27,572	1.07	\$56,342	0.52
775 Alcoh	hol Abuse/Dependence	N/A	#	#	*	#	*	#	*
861 Signs	s & Symptoms	N/A	N/A	\$29,736	*	\$22,684	*	\$36,306	*
862 Other	r Factors Influencing Health Status	*	*	\$36,466	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

102 Osceola Medical Center				Hospital Type: GMS	
2600 65th Avenue, PO Box 218				County: Polk	
Osceola, WI 54020				Analysis Area: 5A-West Cer	ntral
715-294-2111				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	514	Average Length of Stay (days):	5.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,590	Average Charge per Discharge:	\$16,819	Home or Self-Care Other GMS Hospital	61.9% 7.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths:	61	Percent of All Childbirths:	80.3%	Skilled Nursing Facility Intermediate Care Facility	2.1% 1.2%
Cesarean Childbirths: Other Childbirths:	14 1	Percent of All Childbirths: Percent of All Childbirths:	18.4% 1.3%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	76			Hospice Other Institution	0.8% 0.0%
Total Newborns:	85			Home Health Service	11.3%
Psychiatric Utilization				Left Against Medical Advice	2.1%
Discharges:	0	Percent of All Discharges:	0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	0.4% 0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	12.6%
		-		Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	5	Percent of All Discharges:	1.0%	Medicare	51.6%
Patient Days:	15	Percent of All Patient Days:	0.6%	Medicaid/BadgerCare	11.7%
				Other Government	2.9%
				Commercial or Private Insurance	28.6%
				Self-Pay	5.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	16.5%	5.1%	Male	33.7%	40.5%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	1.0%	0.3%	Female	66.3%	59.5%	Asian	1.0%	0.3%
15 - 19	0.8%	0.4%				Black/African Amer.	0.6%	0.3%
20 - 24	1.9%	0.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	12.5%	4.6%				White	94.6%	94.0%
35 - 44	4.3%	2.8%				Multiracial	0.0%	0.0%
45 - 54	5.1%	4.2%				Declined	2.5%	3.0%
55 - 64	6.6%	14.0%				Unavailable	1.4%	2.4%
65 - 74	15.0%	18.4%						
75 - 84	22.8%	26.4%						
85 & Over	13.6%	22.9%						

102 Osceola Medical Center

Osceola, WI 54020

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	5	3.4	4.6	0.74	3.5	0.97	4.2	0.81		
137 Respiratory Infections and Inflammations	9	4.3	4.6	0.93	3.9	1.10	5.1	0.84		
139 Pneumonia	16	5.1	3.8	1.34	3.6	1.42	3.9	1.31		
140 Chronic Obstructive Pulmonary Disease	11	4.5	3.3	1.36	3.5	1.29	3.3	1.36		
194 Heart Failure	22	6.4	4.7	1.36	3.6	1.78	4.7	1.36		
201 Heart Abnormal Rhythm and Conduction Disorders	6	2.7	2.9	0.93	2.6	1.04	2.9	0.93		
247 Intestinal Obstruction without Surgery	7	3.6	2.9	1.24	3.0	1.20	3.4	1.06		
383 Cellulitis & other skin infections	10	6.7	4.4	1.52	3.8	1.76	4.0	1.68		
463 Kidney/Urinary Tract Infection	12	3.7	3.7	1.00	3.5	1.06	3.8	0.97		
469 Acute kidney injury	7	3.7	4.5	0.82	3.1	1.19	4.8	0.77		
560 Vaginal Delivery	61	1.7	2.0	0.85	1.8	0.94	2.1	0.81		
640 Normal Newborn, Birthweight 2500g+	80	1.6	1.8	0.89	1.6	1.00	1.9	0.84		
720 Blood Infection/Septicemia	9	4.1	5.3	0.77	3.7	1.11	5.7	0.72		
861 Signs & Symptoms	35	7.9	5.5	1.44	6.9	1.14	5.8	1.36		
862 Other Factors Influencing Health Status	36	16.5	10.8	1.53	11.6	1.42	7.9	2.09		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio	
133	Respiratory failure	\$18,127	\$28,657	\$31,031	0.92	\$26,133	1.10	\$41,427	0.69	
137	Respiratory Infections and Inflammations	\$26,110	\$31,813	\$33,451	0.95	\$25,355	1.25	\$44,204	0.72	
139	Pneumonia	\$18,345	\$25,580	\$24,141	1.06	\$23,433	1.09	\$33,131	0.77	
140	Chronic Obstructive Pulmonary Disease	\$19,718	\$21,881	\$21,372	1.02	\$23,153	0.95	\$32,611	0.67	
194	Heart Failure	\$20,277	\$28,245	\$29,089	0.97	\$23,717	1.19	\$38,512	0.73	
201	Heart Abnormal Rhythm and Conduction Disorders	\$10,673	\$13,853	\$21,213	0.65	\$17,441	0.79	\$27,857	0.50	
247	Intestinal Obstruction without Surgery	\$14,236	\$18,229	\$15,833	1.15	\$19,525	0.93	\$27,065	0.67	
383	Cellulitis & other skin infections	\$20,876	\$27,259	\$21,652	1.26	\$19,976	1.36	\$29,240	0.93	
463	Kidney/Urinary Tract Infection	\$18,889	\$21,452	\$20,430	1.05	\$21,286	1.01	\$30,445	0.70	
469	Acute kidney injury	\$17,700	\$26,403	\$28,871	0.91	\$22,049	1.20	\$39,232	0.67	
560	Vaginal Delivery	\$7,876	\$7,982	\$11,125	0.72	\$9,420	0.85	\$16,019	0.50	
640	Normal Newborn, Birthweight 2500g+	\$3,729	\$3,692	\$3,955	0.93	\$3,997	0.92	\$5,687	0.65	
720	Blood Infection/Septicemia	\$26,800	\$50,914	\$42,770	1.19	\$33,506	1.52	\$56,342	0.90	
861	Signs & Symptoms	\$20,919	\$27,886	\$21,215	1.31	\$20,582	1.35	\$36,306	0.77	
862	Other Factors Influencing Health Status	\$21,321	\$22,991	\$18,785	1.22	\$19,795	1.16	\$31,921	0.72	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

103 Ascension NE Wiscons	sin - Mercy Ca	ampus		Hospital Type: GMS	
500 S Oakwood Rd				County: Winnebago	
Oshkosh, WI 54904				Analysis Area: 3-Lake Winr	lebago
920-223-0501				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	2,460	Average Length of Stay (days):	4.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	11,992	Average Charge per Discharge:	\$25,821	Home or Self-Care Other GMS Hospital	50.6% 2.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	13.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	0.1%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	1.1%
Total Childbirths:	0			Hospice	4.3%
				Other Institution	0.0%
Total Newborns:	0			Home Health Service	16.8%
Psychiatric Utilization				Left Against Medical Advice	3.5% 4.1%
Discharges:	317	Percent of All Discharges:	12.9%	Expired Discharge/Tran to Court/Law Enforcmnt	4.1%
Patient Days:	1,665	Percent of All Patient Days:	13.9%	Other	1.8%
·		-		Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	166	Percent of All Discharges:	6.7%	Medicare	58.0%
Patient Days:	513	Percent of All Patient Days:	4.3%	Medicaid/BadgerCare	13.2%
-		-		Other Government	7.6%
				Commercial or Private Insurance	19.8%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	52.7%	53.2%	Amer.Ind/Alaskan Native	e 0.9%	1.1%
Under 15	0.0%	0.0%	Female	47.3%	46.8%	Asian	1.3%	1.2%
15 - 19	1.2%	0.9%				Black/African Amer.	3.5%	3.3%
20 - 24	2.8%	2.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	5.9%	5.3%				White	92.6%	92.3%
35 - 44	9.6%	8.1%				Multiracial	0.6%	0.3%
45 - 54	9.0%	8.6%				Declined	1.2%	1.7%
55 - 64	15.6%	17.6%				Unavailable	0 %	0 %
65 - 74	19.8%	20.4%						
75 - 84	21.2%	21.4%						
85 & Over	14.9%	15.2%						

103 Ascension NE Wisconsin - Mercy Campus

Oshkosh, WI 54904

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	49	3.9	4.0	0.98	3.5	1.11	4.6	0.85		
133 Respiratory failure	23	3.3	3.7	0.89	3.5	0.94	4.2	0.79		
137 Respiratory Infections and Inflammations	33	4.7	5.0	0.94	4.4	1.07	5.1	0.92		
139 Pneumonia	80	4.3	3.7	1.16	3.6	1.19	3.9	1.10		
194 Heart Failure	144	4.0	4.1	0.98	3.8	1.05	4.7	0.85		
201 Heart Abnormal Rhythm and Conduction Disorders	40	3.4	2.5	1.36	2.6	1.31	2.9	1.17		
247 Intestinal Obstruction without Surgery	31	3.6	3.3	1.09	3.0	1.20	3.4	1.06		
383 Cellulitis & other skin infections	38	4.3	3.7	1.16	4.1	1.05	4.0	1.08		
463 Kidney/Urinary Tract Infection	44	3.7	3.4	1.09	3.4	1.09	3.8	0.97		
469 Acute kidney injury	78	6.4	4.1	1.56	4.2	1.52	4.8	1.33		
540 Cesarean Delivery	0	N/A	3.1	N/A	2.7	N/A	3.4	N/A		
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A		
720 Blood Infection/Septicemia	219	6.2	5.1	1.22	4.5	1.38	5.7	1.09		
775 Alcohol Abuse/Dependence	49	3.5	3.3	1.06	3.9	0.90	3.7	0.95		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages							
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$26,010	\$27,597	\$35,316	0.78	\$39,675	0.70	\$50,763	0.54		
133	Respiratory failure	\$22,265	\$25,454	\$29,067	0.88	\$36,159	0.70	\$41,427	0.61		
137	Respiratory Infections and Inflammations	\$21,458	\$20,703	\$31,076	0.67	\$36,731	0.56	\$44,204	0.47		
139	Pneumonia	\$19,804	\$20,170	\$25,465	0.79	\$28,353	0.71	\$33,131	0.61		
194	Heart Failure	\$18,246	\$18,744	\$26,437	0.71	\$30,581	0.61	\$38,512	0.49		
201	Heart Abnormal Rhythm and Conduction Disorders	\$15,443	\$15,012	\$19,751	0.76	\$24,409	0.62	\$27,857	0.54		
247	Intestinal Obstruction without Surgery	\$14,534	\$14,965	\$18,938	0.79	\$23,588	0.63	\$27,065	0.55		
383	Cellulitis & other skin infections	\$16,392	\$16,958	\$21,780	0.78	\$26,179	0.65	\$29,240	0.58		
463	Kidney/Urinary Tract Infection	\$16,414	\$17,170	\$22,229	0.77	\$25,093	0.68	\$30,445	0.56		
469	Acute kidney injury	\$19,434	\$20,826	\$26,749	0.78	\$31,117	0.67	\$39,232	0.53		
540	Cesarean Delivery	N/A	N/A	\$20,549	*	\$26,660	*	\$31,158	*		
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$12,456	*	\$16,019	*		
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$5,451	*	\$5,687	*		
720	Blood Infection/Septicemia	\$31,854	\$29,124	\$38,002	0.77	\$42,902	0.68	\$56,342	0.52		
775	Alcohol Abuse/Dependence	\$12,785	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

303 Aurora Medical Center - C	Dshkosh			Hospital Type: GMS	
855 N Westhaven Drive				County: Winnebago	
Oshkosh, WI 54904				Analysis Area: 3-Lake Winn	lebago
920-456-6000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	4,735	Average Length of Stay (days):	3.4	Discharge Status	% Discharges
Total Patient Days:	15,903	Average Charge per Discharge:	\$35,051	Home or Self-Care Other GMS Hospital	67.5% 3.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	462	Percent of All Childbirths:	67.0%	Skilled Nursing Facility	9.9%
Cesarean Childbirths:	190	Percent of All Childbirths:	27.5%	Intermediate Care Facility	1.4%
Other Childbirths:	38	Percent of All Childbirths:	5.5%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	690		0.070	Hospice	2.0%
Total Childbirths.	090			Other Institution	0.1%
Total Newborns:	728			Home Health Service	11.8%
Povehistria Utilization				Left Against Medical Advice	1.3%
Psychiatric Utilization				Expired	1.4%
Discharges:	6	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.6%
Patient Days:	19	Percent of All Patient Days:	0.1%	Other	0.4%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	72	Percent of All Discharges:	1.5%	Medicare	64.5%
Patient Days:	248	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare	15.8%
-		-		Other Government	2.4%
				Commercial or Private Insurance	13.3%
				Self-Pay	3.6%
				Other or Unknown Insurance	0.3%

	Age Distribution	<u>l</u>		Sex Distributio	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	15.4%	10.8%	Male	42.4%	45.2%	Amer.Ind/Alaskan Native	e 0.4%	0.6%
Under 15	0.4%	1.5%	Female	57.6%	54.8%	Asian	2.5%	1.5%
15 - 19	0.8%	0.7%				Black/African Amer.	4.8%	4.5%
20 - 24	3.1%	2.1%				Native Hawaii/Pac.Isl.	0.5%	0.5%
25 - 34	12.9%	8.6%				White	88.8%	90.2%
35 - 44	6.7%	5.6%				Multiracial	1.3%	1.1%
45 - 54	6.4%	6.8%				Declined	0.4%	0.4%
55 - 64	11.6%	13.7%				Unavailable	1.3%	1.2%
65 - 74	19.6%	22.5%						
75 - 84	14.8%	18.0%						
85 & Over	8.3%	10.0%						

303 Aurora Medical Center - Oshkosh

Oshkosh, WI 54904

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	76	3.5	4.0	0.88	3.9	0.90	4.6	0.76		
133 Respiratory failure	67	2.9	3.7	0.78	4.2	0.69	4.2	0.69		
137 Respiratory Infections and Inflammations	55	4.3	5.0	0.86	5.1	0.84	5.1	0.84		
139 Pneumonia	71	3.4	3.7	0.92	4.0	0.85	3.9	0.87		
194 Heart Failure	195	3.8	4.1	0.93	4.5	0.84	4.7	0.81		
201 Heart Abnormal Rhythm and Conduction Disorders	100	2.3	2.5	0.92	3.0	0.77	2.9	0.79		
383 Cellulitis & other skin infections	37	3.1	3.7	0.84	3.9	0.79	4.0	0.78		
463 Kidney/Urinary Tract Infection	72	2.9	3.4	0.85	3.6	0.81	3.8	0.76		
466 Malfunction, reaction, complic of genitourinary device or pro	c 55	4.3	4.7	0.91	5.1	0.84	5.2	0.83		
469 Acute kidney injury	95	4.1	4.1	1.00	4.6	0.89	4.8	0.85		
540 Cesarean Delivery	190	2.6	3.1	0.84	2.9	0.90	3.4	0.76		
560 Vaginal Delivery	462	1.9	1.9	1.00	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	663	1.9	1.9	1.00	1.8	1.06	1.9	1.00		
720 Blood Infection/Septicemia	416	4.6	5.1	0.90	5.3	0.87	5.7	0.81		
775 Alcohol Abuse/Dependence	49	4.3	3.3	1.30	3.4	1.26	3.7	1.16		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages							
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio		
045	Stroke and Precerebral Occlusion with Infarct	\$47,592	\$48,613	\$35,316	1.38	\$47,909	1.01	\$50,763	0.96		
133	Respiratory failure	\$35,296	\$34,084	\$29,067	1.17	\$41,132	0.83	\$41,427	0.82		
137	Respiratory Infections and Inflammations	\$45,388	\$42,815	\$31,076	1.38	\$44,693	0.96	\$44,204	0.97		
139	Pneumonia	\$36,541	\$31,990	\$25,465	1.26	\$34,901	0.92	\$33,131	0.97		
194	Heart Failure	\$34,775	\$32,923	\$26,437	1.25	\$36,539	0.90	\$38,512	0.85		
201	Heart Abnormal Rhythm and Conduction Disorders	\$21,011	\$20,976	\$19,751	1.06	\$27,323	0.77	\$27,857	0.75		
383	Cellulitis & other skin infections	\$29,292	\$29,428	\$21,780	1.35	\$29,662	0.99	\$29,240	1.01		
463	Kidney/Urinary Tract Infection	\$28,106	\$27,952	\$22,229	1.26	\$30,920	0.90	\$30,445	0.92		
466	Malfunction, reaction, complic of genitourinary device or proc	\$38,096	\$37,283	\$28,878	1.29	\$41,728	0.89	\$45,131	0.83		
469	Acute kidney injury	\$39,675	\$38,403	\$26,749	1.44	\$37,998	1.01	\$39,232	0.98		
540	Cesarean Delivery	\$21,008	\$21,002	\$20,549	1.02	\$29,193	0.72	\$31,158	0.67		
560	Vaginal Delivery	\$10,038	\$10,148	\$9,705	1.05	\$14,839	0.68	\$16,019	0.63		
640	Normal Newborn, Birthweight 2500g+	\$5,903	\$5,948	\$4,293	1.39	\$5,740	1.04	\$5,687	1.05		
720	Blood Infection/Septicemia	\$47,956	\$48,467	\$38,002	1.28	\$52,940	0.92	\$56,342	0.86		
775	Alcohol Abuse/Dependence	\$31,354	#	#	#	#	#	#	#		

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

104 Mayo Clinic Health Systen	n - Oakridg	ge in Osseo		Hospital Type: GMS	
13025 Eighth Street, PO Box 7	0	-		County: Trempealeau	J
Osseo, WI 54758				Analysis Area: 5B-Southwe	
715-597-3121				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	301	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	881	Average Charge per Discharge:	\$15,895	Home or Self-Care Other GMS Hospital	47.5% 8.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	9.0% 2.7% 0.0%
Total Childbirths:	0		0.070	Hospice	1.3%
Total Newborns:	0			Other Institution Home Health Service Left Against Medical Advice	0.0% 3.7% 0.3%
Psychiatric Utilization				Expired	1.0%
Discharges:	0	Percent of All Discharges:	0.0% 0.0%	Discharge/Tran to Court/Law Enforcmnt Other	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%		
AODA Utilization				Expected Pay Source Distri	
Discharges:	0	Percent of All Discharges:	0.0%	<u>Primary Payer</u> Medicare	<u>% Discharges</u>
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	74.8%
Patient Days.	0	Percent of All Patient Days.	0.0%	Other Government	4.3% 6.3%
				Commercial or Private Insurance	13.3%
				Self-Pav	
				Sell-Pay Other or Unknown Insurance	1.3% 0.0%
					0.070

	Age Distribution			Sex Distribution	<u>n</u>	Race	Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	43.5%	42.5%	Amer.Ind/Alaskan Native	0.7%	0.6%
Under 15	0.0%	0.0%	Female	56.5%	57.5%	Asian	0.0%	0.0%
15 - 19	0.3%	0.2%				Black/African Amer.	0.0%	0.0%
20 - 24	0.7%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.0%	0.6%				White	98.7%	99.0%
35 - 44	6.0%	4.3%				Multiracial	0.0%	0.0%
45 - 54	3.7%	3.2%				Declined	0.3%	0.2%
55 - 64	15.6%	16.9%				Unavailable	0.3%	0.2%
65 - 74	19.9%	20.4%						
75 - 84	23.6%	23.7%						
85 & Over	29.2%	30.3%						

104 Mayo Clinic Health System - Oakridge in Osseo

Osseo, WI 54758

APR-DRG Specific Data - Average Length of Stay (ALOS)

		This Facil	ity	Group Averages						
				Analys	sis Area	Inpatient V	/olume Group	<u>All GMS H</u>	lospitals	
APR-DRG # and Description		Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure		7	2.9	3.6	0.81	3.5	0.83	4.2	0.69	
137 Respiratory Infections a	nd Inflammations	21	3.4	4.5	0.76	3.9	0.87	5.1	0.67	
139 Pneumonia		25	2.8	3.2	0.88	3.6	0.78	3.9	0.72	
140 Chronic Obstructive Pul	nonary Disease	17	2.9	2.9	1.00	3.5	0.83	3.3	0.88	
194 Heart Failure		30	3.4	4.0	0.85	3.6	0.94	4.7	0.72	
201 Heart Abnormal Rhythm	and Conduction Disorders	*	*	2.9	*	2.6	*	2.9	*	
247 Intestinal Obstruction wi	thout Surgery	*	*	2.7	*	3.0	*	3.4	*	
383 Cellulitis & other skin inf	ections	19	3.4	3.8	0.89	3.8	0.89	4.0	0.85	
463 Kidney/Urinary Tract Infe	ection	13	2.6	3.2	0.81	3.5	0.74	3.8	0.68	
469 Acute kidney injury		5	2.8	4.2	0.67	3.1	0.90	4.8	0.58	
560 Vaginal Delivery		0	N/A	2.1	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthw	eight 2500g+	0	N/A	1.7	N/A	1.6	N/A	1.9	N/A	
720 Blood Infection/Septicen	nia	26	3.1	4.5	0.69	3.7	0.84	5.7	0.54	
861 Signs & Symptoms		*	*	6.6	*	6.9	*	5.8	*	
862 Other Factors Influencin	g Health Status	0	N/A	11.5	N/A	11.6	N/A	7.9	N/A	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		All GMS Hospitals Average Charge Ratio		
133	Respiratory failure	\$20,157	\$24,284	\$25,776	0.94	\$26,133	0.93	\$41,427	0.59	
137	Respiratory Infections and Inflammations	\$22,084	\$22,584	\$30,904	0.73	\$25,355	0.89	\$44,204	0.51	
139	Pneumonia	\$16,345	\$17,866	\$21,981	0.81	\$23,433	0.76	\$33,131	0.54	
140	Chronic Obstructive Pulmonary Disease	\$15,780	\$16,208	\$20,738	0.78	\$23,153	0.70	\$32,611	0.50	
194	Heart Failure	\$17,954	\$21,287	\$24,595	0.87	\$23,717	0.90	\$38,512	0.55	
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$18,874	*	\$17,441	*	\$27,857	*	
247	Intestinal Obstruction without Surgery	*	*	\$16,242	*	\$19,525	*	\$27,065	*	
383	Cellulitis & other skin infections	\$17,352	\$16,224	\$18,125	0.90	\$19,976	0.81	\$29,240	0.55	
463	Kidney/Urinary Tract Infection	\$11,999	\$12,339	\$17,248	0.72	\$21,286	0.58	\$30,445	0.41	
469	Acute kidney injury	\$13,795	\$17,188	\$23,553	0.73	\$22,049	0.78	\$39,232	0.44	
560	Vaginal Delivery	N/A	N/A	\$17,310	*	\$9,420	*	\$16,019	*	
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,773	*	\$3,997	*	\$5,687	*	
720	Blood Infection/Septicemia	\$18,674	\$25,904	\$30,431	0.85	\$33,506	0.77	\$56,342	0.46	
861	Signs & Symptoms	*	*	\$27,408	*	\$20,582	*	\$36,306	*	
862	Other Factors Influencing Health Status	N/A	N/A	\$38,307	*	\$19,795	*	\$31,921	*	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

106 Marshfield Medical Cent	er - Park Fal	lls		Hospital Type: GMS	
98 Sherry Avenue, PO Box 3	10			County: Price	
Park Falls, WI 54552				Analysis Area: 7-Western L	ake Superior
715-762-7505				Inpatient Volume Group: 2	•
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	422	Average Length of Stay (days):	4.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,903	Average Charge per Discharge:	\$17,282	Home or Self-Care Other GMS Hospital	39.3% 7.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	19.7% 4.7%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	1.4%
Total Newborns:	0			Home Health Service	0.0% 18.7%
Psychiatric Utilization				Left Against Medical Advice Expired	2.1% 3.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	2.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	87.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	4.0%
				Other Government	4.3%
				Commercial or Private Insurance	4.7%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	42.2%	41.8%	Amer.Ind/Alaskan Native	e 1.4%	2.0%
Under 15	0.0%	0.0%	Female	57.8%	58.2%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.5%	0.3%
20 - 24	0.2%	0.1%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	0.7%	0.8%				White	97.4%	97.5%
35 - 44	2.4%	1.7%				Multiracial	0.0%	0.0%
45 - 54	2.6%	1.5%				Declined	0.2%	0.1%
55 - 64	10.2%	7.5%				Unavailable	0.2%	0.1%
65 - 74	22.0%	23.0%						
75 - 84	32.9%	32.1%						
85 & Over	28.9%	33.3%						

106 Marshfield Medical Center - Park Falls

Park Falls, WI 54552

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	21	3.0	3.3	0.91	3.5	0.86	4.2	0.71	
137 Respiratory Infections and Inflammations	20	4.8	4.9	0.98	3.9	1.23	5.1	0.94	
139 Pneumonia	53	5.0	4.1	1.22	3.6	1.39	3.9	1.28	
140 Chronic Obstructive Pulmonary Disease	10	4.4	3.4	1.29	3.5	1.26	3.3	1.33	
194 Heart Failure	34	4.9	3.7	1.32	3.6	1.36	4.7	1.04	
201 Heart Abnormal Rhythm and Conduction Disorders	13	2.7	2.8	0.96	2.6	1.04	2.9	0.93	
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*	
383 Cellulitis & other skin infections	24	4.9	4.0	1.23	3.8	1.29	4.0	1.23	
463 Kidney/Urinary Tract Infection	14	4.9	4.0	1.23	3.5	1.40	3.8	1.29	
469 Acute kidney injury	*	*	3.0	*	3.1	*	4.8	*	
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.7	N/A	1.6	N/A	1.9	N/A	
720 Blood Infection/Septicemia	63	5.2	4.2	1.24	3.7	1.41	5.7	0.91	
861 Signs & Symptoms	*	*	5.3	*	6.9	*	5.8	*	
862 Other Factors Influencing Health Status	*	*	6.8	*	11.6	*	7.9	*	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio		
133	Respiratory failure	\$10,327	\$15,779	\$20,007	0.79	\$26,133	0.60	\$41,427	0.38	
137	Respiratory Infections and Inflammations	\$20,293	\$21,992	\$22,722	0.97	\$25,355	0.87	\$44,204	0.50	
139	Pneumonia	\$20,307	\$22,104	\$20,478	1.08	\$23,433	0.94	\$33,131	0.67	
140	Chronic Obstructive Pulmonary Disease	\$16,239	\$18,230	\$16,367	1.11	\$23,153	0.79	\$32,611	0.56	
194	Heart Failure	\$19,032	\$21,956	\$17,648	1.24	\$23,717	0.93	\$38,512	0.57	
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,103	\$12,517	\$12,246	1.02	\$17,441	0.72	\$27,857	0.45	
247	Intestinal Obstruction without Surgery	*	*	\$14,725	*	\$19,525	*	\$27,065	*	
383	Cellulitis & other skin infections	\$17,623	\$17,407	\$16,229	1.07	\$19,976	0.87	\$29,240	0.60	
463	Kidney/Urinary Tract Infection	\$16,856	\$19,491	\$16,198	1.20	\$21,286	0.92	\$30,445	0.64	
469	Acute kidney injury	*	*	\$15,237	*	\$22,049	*	\$39,232	*	
560	Vaginal Delivery	N/A	N/A	\$7,868	*	\$9,420	*	\$16,019	*	
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,533	*	\$3,997	*	\$5,687	*	
720	Blood Infection/Septicemia	\$21,604	\$27,718	\$26,033	1.06	\$33,506	0.83	\$56,342	0.49	
861	Signs & Symptoms	*	*	\$18,814	*	\$20,582	*	\$36,306	*	
862	Other Factors Influencing Health Status	*	*	\$15,162	*	\$19,795	*	\$31,921	*	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

326 Froedtert Community Hos	spital - Pew	vaukee		Hospital Type: GMS	
209 Pewaukee Road				County: Waukesha	
Pewaukee, WI 53072				Analysis Area: 2A-Southeas	stern
262-956-6150				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	88	Average Length of Stay (days):	2.0	Discharge Status	<u>% Discharges</u>
Total Patient Days:	173	Average Charge per Discharge:	\$12,513	Home or Self-Care Other GMS Hospital	87.5% 4.5%
Obstatrical Utilization				Critical Access Hospital (CAH)	4.5% 0.0%
Obstetrical Utilization				Skilled Nursing Facility	2.3%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	1.1%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	0.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	2.3%
	Ū.			Left Against Medical Advice	2.3%
Psychiatric Utilization				Expired	0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	1.1%	Medicare	53.4%
Patient Days:	2	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	14.8%
-		-		Other Government	0.0%
				Commercial or Private Insurance	29.5%
				Self-Pay	2.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	47.7%	42.8%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	52.3%	57.2%	Asian	2.3%	3.5%
15 - 19	0.0%	0.0%				Black/African Amer.	9.1%	9.8%
20 - 24	1.1%	1.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.2%	7.5%				White	88.6%	86.7%
35 - 44	13.6%	16.8%				Multiracial	0.0%	0.0%
45 - 54	8.0%	6.4%				Declined	0.0%	0.0%
55 - 64	14.8%	13.9%				Unavailable	0 %	0 %
65 - 74	31.8%	32.9%						
75 - 84	10.2%	7.5%						
85 & Over	10.2%	13.3%						

326 Froedtert Community Hospital - Pewaukee

Pewaukee, WI 53072

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	7	1.3	4.4	0.30	3.0	0.43	4.2	0.31	
137 Respiratory Infections and Inflammations	*	*	4.8	*	3.4	*	5.1	*	
139 Pneumonia	7	2.9	3.9	0.74	3.2	0.91	3.9	0.74	
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*	
194 Heart Failure	*	*	4.5	*	3.2	*	4.7	*	
249 Other gastroenteritis, nausea & vomiting	6	1.3	3.1	0.42	2.4	0.54	3.3	0.39	
282 Disorders of Pancreas Except Malignancy	6	1.5	3.9	0.38	2.4	0.63	3.9	0.38	
383 Cellulitis & other skin infections	7	2.0	3.9	0.51	3.4	0.59	4.0	0.50	
420 Diabetes	0	N/A	3.2	N/A	2.9	N/A	3.3	N/A	
463 Kidney/Urinary Tract Infection	5	2.0	3.5	0.57	3.4	0.59	3.8	0.53	
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*	
720 Blood Infection/Septicemia	16	2.3	5.2	0.44	3.1	0.74	5.7	0.40	
775 Alcohol Abuse/Dependence	*	*	3.1	*	3.1	*	3.7	*	
861 Signs & Symptoms	0	N/A	4.2	N/A	9.1	N/A	5.8	N/A	
862 Other Factors Influencing Health Status	0	N/A	5.6	N/A	13.4	N/A	7.9	N/A	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	i <u>s Area</u> Ratio	<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133 Respiratory failure	\$9,935	\$14,226	\$42,864	0.33	\$23,461	0.61	\$41,427	0.34
137 Respiratory Infections and Inflammations	*	*	\$43,676	*	\$26,728	*	\$44,204	*
139 Pneumonia	\$15,751	\$17,629	\$35,485	0.50	\$19,737	0.89	\$33,131	0.53
140 Chronic Obstructive Pulmonary Disease	*	*	\$33,454	*	\$14,984	*	\$32,611	*
194 Heart Failure	*	*	\$37,494	*	\$18,454	*	\$38,512	*
249 Other gastroenteritis, nausea & vomiting	\$9,254	\$13,683	\$31,380	0.44	\$14,692	0.93	\$30,820	0.44
282 Disorders of Pancreas Except Malignancy	\$15,133	\$19,049	\$37,597	0.51	\$18,126	1.05	\$35,124	0.54
383 Cellulitis & other skin infections	\$9,750	\$11,159	\$30,428	0.37	\$17,133	0.65	\$29,240	0.38
420 Diabetes	N/A	N/A	\$31,276	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection	\$14,897	\$18,965	\$30,491	0.62	\$17,003	1.12	\$30,445	0.62
469 Acute kidney injury	*	*	\$39,575	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia	\$13,526	\$21,612	\$54,544	0.40	\$27,572	0.78	\$56,342	0.38
775 Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861 Signs & Symptoms	N/A	N/A	\$34,568	*	\$22,684	*	\$36,306	*
862 Other Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

108 Southwest Health				Hospital Type: GMS	
1400 Eastside Road				County: Grant	
Platteville, WI 53818				Analysis Area: 1-Southern	
608-348-2331				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	I <u>S</u>
Total Discharges:	1,101	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,202	Average Charge per Discharge:	\$23,493	Home or Self-Care Other GMS Hospital	82.3% 4.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths:	163	Percent of All Childbirths:	83.2%	Skilled Nursing Facility Intermediate Care Facility	6.5% 0.3%
Cesarean Childbirths:	28	Percent of All Childbirths:	14.3%	-	
Other Childbirths:	5	Percent of All Childbirths:	2.6%	Inpatient Rehabilitation Facility Hospice	0.2% 0.7%
Total Childbirths:	196			Other Institution	0.7%
Total Newborns:	213			Home Health Service	1.1%
Iotal Newborns.	215			Left Against Medical Advice	0.1%
Psychiatric Utilization				Expired	1.0%
Discharges:	27	Percent of All Discharges:	2.5%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	655	Percent of All Patient Days:	20.5%	Other	3.4%
				Expected Pay Source Distri	oution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	4	Percent of All Discharges:	0.4%	Medicare	45.0%
Patient Days:	68	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	13.9%
				Other Government	0.7%
				Commercial or Private Insurance	32.7%
				Self-Pay	7.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	19.3%	9.8%	Male	38.2%	39.9%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.1%	0.0%	Female	61.8%	60.1%	Asian	0.1%	0.1%
15 - 19	1.1%	0.6%				Black/African Amer.	1.5%	1.2%
20 - 24	3.6%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	13.9%	9.1%				White	91.6%	94.4%
35 - 44	5.3%	4.2%				Multiracial	0.2%	0.1%
45 - 54	4.0%	3.0%				Declined	0.0%	0.0%
55 - 64	9.6%	12.6%				Unavailable	6.5%	4.1%
65 - 74	18.7%	24.5%						
75 - 84	15.6%	20.3%						
85 & Over	8.7%	13.5%						

108 Southwest Health

Platteville, WI 53818

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	24	2.9	4.3	0.67	3.6	0.81	4.2	0.69
137 Respiratory Infections and Inflammations	13	3.5	5.1	0.69	3.7	0.95	5.1	0.69
139 Pneumonia	25	3.1	3.9	0.79	3.4	0.91	3.9	0.79
140 Chronic Obstructive Pulmonary Disease	12	3.3	3.4	0.97	3.0	1.10	3.3	1.00
194 Heart Failure	13	2.1	5.1	0.41	3.7	0.57	4.7	0.45
201 Heart Abnormal Rhythm and Conduction Disorders	13	2.8	3.0	0.93	2.7	1.04	2.9	0.97
247 Intestinal Obstruction without Surgery	12	4.8	3.6	1.33	2.8	1.71	3.4	1.41
326 Elective knee joint replacement	144	1.0	2.0	0.50	1.6	0.63	2.0	0.50
383 Cellulitis & other skin infections	8	3.5	4.2	0.83	3.8	0.92	4.0	0.88
463 Kidney/Urinary Tract Infection	10	3.2	3.8	0.84	3.3	0.97	3.8	0.84
469 Acute kidney injury	6	3.7	4.8	0.77	3.4	1.09	4.8	0.77
540 Cesarean Delivery	28	2.8	3.7	0.76	2.8	1.00	3.4	0.82
560 Vaginal Delivery	163	1.8	2.1	0.86	1.9	0.95	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	197	1.5	2.0	0.75	1.8	0.83	1.9	0.79
720 Blood Infection/Septicemia	13	4.0	6.1	0.66	3.9	1.03	5.7	0.70

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	Ū		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$21,506	\$25,489	\$52,595	0.48	\$27,996	0.91	\$41,427	0.62
137	Respiratory Infections and Inflammations	\$21,377	\$26,104	\$54,668	0.48	\$25,863	1.01	\$44,204	0.59
139	Pneumonia	\$22,260	\$23,321	\$39,479	0.59	\$23,921	0.97	\$33,131	0.70
140	Chronic Obstructive Pulmonary Disease	\$20,106	\$20,466	\$37,773	0.54	\$20,883	0.98	\$32,611	0.63
194	Heart Failure	\$16,932	\$21,343	\$47,309	0.45	\$24,051	0.89	\$38,512	0.55
201	Heart Abnormal Rhythm and Conduction Disorders	\$16,522	\$18,413	\$33,234	0.55	\$18,840	0.98	\$27,857	0.66
247	Intestinal Obstruction without Surgery	\$21,118	\$25,994	\$32,288	0.81	\$17,509	1.48	\$27,065	0.96
326	Elective knee joint replacement	\$43,917	\$48,013	\$59,463	0.81	\$53,216	0.90	\$65,010	0.74
383	Cellulitis & other skin infections	\$20,274	\$19,628	\$34,338	0.57	\$21,588	0.91	\$29,240	0.67
463	Kidney/Urinary Tract Infection	\$16,712	\$16,516	\$35,981	0.46	\$17,785	0.93	\$30,445	0.54
469	Acute kidney injury	\$19,905	\$31,147	\$46,091	0.68	\$22,228	1.40	\$39,232	0.79
540	Cesarean Delivery	\$28,998	\$30,552	\$36,417	0.84	\$26,138	1.17	\$31,158	0.98
560	Vaginal Delivery	\$10,671	\$11,375	\$17,782	0.64	\$12,000	0.95	\$16,019	0.71
640	Normal Newborn, Birthweight 2500g+	\$3,051	\$3,231	\$5,754	0.56	\$4,404	0.73	\$5,687	0.57
720	Blood Infection/Septicemia	\$23,068	\$37,220	\$70,715	0.53	\$33,539	1.11	\$56,342	0.66

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

305 Froedtert South – Froedte	ert Pleasan	t Prairie		Hospital Type: GMS	
9555 76th Street				County: Kenosha	
Pleasant Prairie. WI 53158				Analysis Area: 2A-Southeas	stern
262-656-3011				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	5,240	Average Length of Stay (days):	4.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	22,548	Average Charge per Discharge:	\$51,976	Home or Self-Care Other GMS Hospital	63.2% 1.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	248 103	Percent of All Childbirths: Percent of All Childbirths:	68.7% 28.5%	Skilled Nursing Facility Intermediate Care Facility	13.3% 0.0%
Other Childbirths:	10	Percent of All Childbirths:	2.8%	Inpatient Rehabilitation Facility	4.1%
Total Childbirths:	361			Hospice Other Institution	3.4% 0.1%
Total Newborns:	374			Home Health Service	8.5%
Psychiatric Utilization				Left Against Medical Advice Expired	1.2% 3.2%
Discharges:	10	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.6%
Patient Days:	42	Percent of All Patient Days:	0.2%	Other	1.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	62	Percent of All Discharges:	1.2%	Medicare	54.5%
Patient Days:	270	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	16.5%
				Other Government	3.4%
				Commercial or Private Insurance	23.6%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.1%	3.3%	Male	45.0%	47.0%	Amer.Ind/Alaskan Native	e 0.1%	0.0%
Under 15	0.1%	0.0%	Female	55.0%	53.0%	Asian	1.0%	0.7%
15 - 19	1.0%	0.7%				Black/African Amer.	9.8%	9.4%
20 - 24	2.1%	1.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	7.5%	4.7%				White	83.4%	84.8%
35 - 44	7.2%	5.9%				Multiracial	0.0%	0.0%
45 - 54	8.3%	9.0%				Declined	5.4%	5.0%
55 - 64	15.7%	18.6%				Unavailable	0.2%	0.2%
65 - 74	21.1%	24.3%						
75 - 84	19.6%	21.6%						
85 & Over	10.4%	10.8%						

305 Froedtert South – Froedtert Pleasant Prairie

Pleasant Prairie, WI 53158

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient Volume Group		<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	121	4.2	3.8	1.11	3.9	1.08	4.6	0.91
133 Respiratory failure	117	5.4	4.4	1.23	4.2	1.29	4.2	1.29
137 Respiratory Infections and Inflammations	87	5.4	4.8	1.13	5.1	1.06	5.1	1.06
139 Pneumonia	127	4.6	3.9	1.18	4.0	1.15	3.9	1.18
194 Heart Failure	170	4.1	4.5	0.91	4.5	0.91	4.7	0.87
201 Heart Abnormal Rhythm and Conduction Disorders	82	3.5	2.8	1.25	3.0	1.17	2.9	1.21
383 Cellulitis & other skin infections	97	5.0	3.9	1.28	3.9	1.28	4.0	1.25
463 Kidney/Urinary Tract Infection	154	4.0	3.5	1.14	3.6	1.11	3.8	1.05
466 Malfunction, reaction, complic of genitourinary device or prod	63	4.8	5.1	0.94	5.1	0.94	5.2	0.92
469 Acute kidney injury	92	4.8	4.8	1.00	4.6	1.04	4.8	1.00
540 Cesarean Delivery	103	2.6	3.1	0.84	2.9	0.90	3.4	0.76
560 Vaginal Delivery	248	1.7	2.0	0.85	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	346	1.7	1.9	0.89	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	321	6.1	5.2	1.17	5.3	1.15	5.7	1.07
775 Alcohol Abuse/Dependence	46	4.5	3.1	1.45	3.4	1.32	3.7	1.22

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	6	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$49,444	\$49,247	\$48,872	1.01	\$47,909	1.03	\$50,763	0.97
133	Respiratory failure	\$51,599	\$47,541	\$42,864	1.11	\$41,132	1.16	\$41,427	1.15
137	Respiratory Infections and Inflammations	\$49,106	\$49,332	\$43,676	1.13	\$44,693	1.10	\$44,204	1.12
139	Pneumonia	\$40,734	\$40,016	\$35,485	1.13	\$34,901	1.15	\$33,131	1.21
194	Heart Failure	\$35,864	\$35,271	\$37,494	0.94	\$36,539	0.97	\$38,512	0.92
201	Heart Abnormal Rhythm and Conduction Disorders	\$34,832	\$33,681	\$29,688	1.13	\$27,323	1.23	\$27,857	1.21
383	Cellulitis & other skin infections	\$38,133	\$37,573	\$30,428	1.23	\$29,662	1.27	\$29,240	1.28
463	Kidney/Urinary Tract Infection	\$32,043	\$31,156	\$30,491	1.02	\$30,920	1.01	\$30,445	1.02
466	Malfunction, reaction, complic of genitourinary device or proc	\$42,725	\$43,411	\$42,902	1.01	\$41,728	1.04	\$45,131	0.96
469	Acute kidney injury	\$38,593	\$38,648	\$39,575	0.98	\$37,998	1.02	\$39,232	0.99
540	Cesarean Delivery	\$32,522	\$35,315	\$34,572	1.02	\$29,193	1.21	\$31,158	1.13
560	Vaginal Delivery	\$15,785	\$16,321	\$18,364	0.89	\$14,839	1.10	\$16,019	1.02
640	Normal Newborn, Birthweight 2500g+	\$5,231	\$5,694	\$6,707	0.85	\$5,740	0.99	\$5,687	1.00
720	Blood Infection/Septicemia	\$61,493	\$59,039	\$54,544	1.08	\$52,940	1.12	\$56,342	1.05
775	Alcohol Abuse/Dependence	\$33,431	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

111 Aspirus Divine Savior Ho	ospital & Cli	nics		Hospital Type: GMS	
2817 New Pinery Road				County: Columbia	
Portage, WI 53901				Analysis Area: 1-Southern	
608-742-4131				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,297	Average Length of Stay (days):	3.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	4,131	Average Charge per Discharge:	\$26,536	Home or Self-Care Other GMS Hospital	51.3% 7.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	70	Percent of All Childbirths:	76.9%	Skilled Nursing Facility Intermediate Care Facility	13.7% 4.2%
Cesarean Childbirths: Other Childbirths:	18 3	Percent of All Childbirths: Percent of All Childbirths:	19.8% 3.3%	Inpatient Rehabilitation Facility	0.5%
Total Childbirths:	91			Hospice	3.2%
Total Newborns:	95			Other Institution Home Health Service	0.2% 14.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 1.9%
Discharges:	7	Percent of All Discharges:	0.5%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	45	Percent of All Patient Days:	1.1%	Other	1.0%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	42	Percent of All Discharges:	3.2%	Medicare	62.1%
Patient Days:	176	Percent of All Patient Days:	4.3%	Medicaid/BadgerCare	13.0%
				Other Government	4.2%
				Commercial or Private Insurance	20.2%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.5%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.3%	3.7%	Male	45.4%	46.0%	Amer.Ind/Alaskan Native	e 0.8%	0.6%
Under 15	0.2%	0.1%	Female	54.5%	54.0%	Asian	0.3%	0.1%
15 - 19	0.7%	0.4%				Black/African Amer.	1.8%	1.3%
20 - 24	2.4%	1.7%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	6.9%	4.2%				White	96.3%	97.3%
35 - 44	6.2%	5.2%				Multiracial	0.2%	0.1%
45 - 54	3.5%	3.4%				Declined	0.5%	0.3%
55 - 64	11.5%	11.9%				Unavailable	0 %	0 %
65 - 74	21.1%	24.1%						
75 - 84	22.3%	24.5%						
85 & Over	17.7%	20.7%						

111 Aspirus Divine Savior Hospital & Clinics

Portage, WI 53901

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	35	3.5	4.5	0.78	3.5	1.00	4.6	0.76
133 Respiratory failure	47	2.7	4.3	0.63	3.5	0.77	4.2	0.64
137 Respiratory Infections and Inflammations	30	3.6	5.1	0.71	4.4	0.82	5.1	0.71
139 Pneumonia	28	2.9	3.9	0.74	3.6	0.81	3.9	0.74
194 Heart Failure	105	4.0	5.1	0.78	3.8	1.05	4.7	0.85
201 Heart Abnormal Rhythm and Conduction Disorders	36	1.7	3.0	0.57	2.6	0.65	2.9	0.59
247 Intestinal Obstruction without Surgery	19	2.4	3.6	0.67	3.0	0.80	3.4	0.71
383 Cellulitis & other skin infections	17	3.2	4.2	0.76	4.1	0.78	4.0	0.80
463 Kidney/Urinary Tract Infection	24	3.1	3.8	0.82	3.4	0.91	3.8	0.82
469 Acute kidney injury	31	3.4	4.8	0.71	4.2	0.81	4.8	0.71
540 Cesarean Delivery	18	2.4	3.7	0.65	2.7	0.89	3.4	0.71
560 Vaginal Delivery	70	2.0	2.1	0.95	1.8	1.11	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	91	1.6	2.0	0.80	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	155	3.6	6.1	0.59	4.5	0.80	5.7	0.63
775 Alcohol Abuse/Dependence	34	3.8	3.8	1.00	3.9	0.97	3.7	1.03

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$33,912	\$33,481	\$59,881	0.56	\$39,675	0.84	\$50,763	0.66
133	Respiratory failure	\$24,824	\$27,783	\$52,595	0.53	\$36,159	0.77	\$41,427	0.67
137	Respiratory Infections and Inflammations	\$26,957	\$27,356	\$54,668	0.50	\$36,731	0.74	\$44,204	0.62
139	Pneumonia	\$24,906	\$25,765	\$39,479	0.65	\$28,353	0.91	\$33,131	0.78
194	Heart Failure	\$28,103	\$28,880	\$47,309	0.61	\$30,581	0.94	\$38,512	0.75
201	Heart Abnormal Rhythm and Conduction Disorders	\$18,102	\$21,157	\$33,234	0.64	\$24,409	0.87	\$27,857	0.76
247	Intestinal Obstruction without Surgery	\$17,427	\$21,761	\$32,288	0.67	\$23,588	0.92	\$27,065	0.80
383	Cellulitis & other skin infections	\$20,482	\$20,754	\$34,338	0.60	\$26,179	0.79	\$29,240	0.71
463	Kidney/Urinary Tract Infection	\$24,620	\$24,440	\$35,981	0.68	\$25,093	0.97	\$30,445	0.80
469	Acute kidney injury	\$23,774	\$23,489	\$46,091	0.51	\$31,117	0.75	\$39,232	0.60
540	Cesarean Delivery	\$26,058	\$28,878	\$36,417	0.79	\$26,660	1.08	\$31,158	0.93
560	Vaginal Delivery	\$12,493	\$13,092	\$17,782	0.74	\$12,456	1.05	\$16,019	0.82
640	Normal Newborn, Birthweight 2500g+	\$5,675	\$6,258	\$5,754	1.09	\$5,451	1.15	\$5,687	1.10
720	Blood Infection/Septicemia	\$30,131	\$34,977	\$70,715	0.49	\$42,902	0.82	\$56,342	0.62
775	Alcohol Abuse/Dependence	\$27,775	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

112 Crossing Rivers Health 37868 US Highway 18 Prairie du Chien, WI 53821 608-357-2000				Hospital Type: GMS County: Crawford Analysis Area: 5B-Southwe Inpatient Volume Group: 2	stern
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	421	Average Length of Stay (days):	2.8	Discharge Status	% Discharges
Total Patient Days:	1,168	Average Charge per Discharge:	\$18,611	Home or Self-Care Other GMS Hospital	69.4% 7.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	74	Percent of All Childbirths:	71.2%	Skilled Nursing Facility Intermediate Care Facility	8.1% 0.0%
Cesarean Childbirths:	19	Percent of All Childbirths:	18.3%	Inpatient Rehabilitation Facility	0.0%
Other Childbirths:	11	Percent of All Childbirths:	10.6%	Hospice	0.7%
Total Childbirths:	104			Other Institution	0.0%
Total Newborns:	12			Home Health Service	0.0%
				Left Against Medical Advice	1.4%
Psychiatric Utilization				Expired	3.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	9.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	56.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	13.1%
-		-		Other Government	2.6%
				Commercial or Private Insurance	23.5%
				Self-Pay	4.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	2.9%	1.6%	Male	33.3%	34.6%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.5%	0.2%	Female	66.7%	65.4%	Asian	0.2%	0.3%
15 - 19	2.1%	1.7%				Black/African Amer.	0.0%	0.0%
20 - 24	3.6%	2.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	18.8%	15.1%				White	99.5%	99.5%
35 - 44	6.4%	4.8%				Multiracial	0.0%	0.0%
45 - 54	5.0%	6.6%				Declined	0.2%	0.3%
55 - 64	7.6%	7.4%				Unavailable	0 %	0 %
65 - 74	14.7%	13.8%						
75 - 84	19.2%	23.2%						
85 & Over	19.2%	23.2%						

112 Crossing Rivers Health

Prairie du Chien, WI 53821

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient Volume Group		<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	18	3.2	3.6	0.89	3.5	0.91	4.2	0.76	
137 Respiratory Infections and Inflammations	7	3.1	4.5	0.69	3.9	0.79	5.1	0.61	
139 Pneumonia	9	3.8	3.2	1.19	3.6	1.06	3.9	0.97	
140 Chronic Obstructive Pulmonary Disease	*	*	2.9	*	3.5	*	3.3	*	
194 Heart Failure	25	3.2	4.0	0.80	3.6	0.89	4.7	0.68	
201 Heart Abnormal Rhythm and Conduction Disorders	12	1.8	2.9	0.62	2.6	0.69	2.9	0.62	
247 Intestinal Obstruction without Surgery	*	*	2.7	*	3.0	*	3.4	*	
383 Cellulitis & other skin infections	6	3.7	3.8	0.97	3.8	0.97	4.0	0.93	
463 Kidney/Urinary Tract Infection	7	3.3	3.2	1.03	3.5	0.94	3.8	0.87	
469 Acute kidney injury	*	*	4.2	*	3.1	*	4.8	*	
560 Vaginal Delivery	74	1.7	2.1	0.81	1.8	0.94	2.1	0.81	
640 Normal Newborn, Birthweight 2500g+	13	1.5	1.7	0.88	1.6	0.94	1.9	0.79	
720 Blood Infection/Septicemia	75	3.2	4.5	0.71	3.7	0.86	5.7	0.56	
861 Signs & Symptoms	*	*	6.6	*	6.9	*	5.8	*	
862 Other Factors Influencing Health Status	0	N/A	11.5	N/A	11.6	N/A	7.9	N/A	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		ility	Risk Adjusted Group Averages							
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio	
133	Respiratory failure	\$24,511	\$29,542	\$25,776	1.15	\$26,133	1.13	\$41,427	0.71	
137	Respiratory Infections and Inflammations	\$25,197	\$21,427	\$30,904	0.69	\$25,355	0.85	\$44,204	0.48	
139	Pneumonia	\$22,252	\$23,776	\$21,981	1.08	\$23,433	1.01	\$33,131	0.72	
140	Chronic Obstructive Pulmonary Disease	*	*	\$20,738	*	\$23,153	*	\$32,611	*	
194	Heart Failure	\$17,438	\$18,751	\$24,595	0.76	\$23,717	0.79	\$38,512	0.49	
201	Heart Abnormal Rhythm and Conduction Disorders	\$12,128	\$14,024	\$18,874	0.74	\$17,441	0.80	\$27,857	0.50	
247	Intestinal Obstruction without Surgery	*	*	\$16,242	*	\$19,525	*	\$27,065	*	
383	Cellulitis & other skin infections	\$23,484	\$25,802	\$18,125	1.42	\$19,976	1.29	\$29,240	0.88	
463	Kidney/Urinary Tract Infection	\$15,883	\$13,762	\$17,248	0.80	\$21,286	0.65	\$30,445	0.45	
469	Acute kidney injury	*	*	\$23,553	*	\$22,049	*	\$39,232	*	
560	Vaginal Delivery	\$9,755	\$10,175	\$17,310	0.59	\$9,420	1.08	\$16,019	0.64	
640	Normal Newborn, Birthweight 2500g+	\$4,285	\$4,728	\$4,773	0.99	\$3,997	1.18	\$5,687	0.83	
720	Blood Infection/Septicemia	\$20,655	\$27,643	\$30,431	0.91	\$33,506	0.83	\$56,342	0.49	
861	Signs & Symptoms	*	*	\$27,408	*	\$20,582	*	\$36,306	*	
862	Other Factors Influencing Health Status	N/A	N/A	\$38,307	*	\$19,795	*	\$31,921	*	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

n
<u></u>
<u>itus</u>
<u>% Discharges</u>
77.5% 2.8%
0.0%
10.3%
1.5%
0.5%
0.8%
0.3%
4.5%
0.2%
1.0%
0.0%
0.6%
tribution
<u>% Discharges</u>
38.4%
12.0%
1.7%
47.2%
0.8%
0.0%
<u>t</u>

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	23.8%	17.0%	Male	37.5%	39.3%	Amer.Ind/Alaskan Native	e 0.6%	0.7%
Under 15	0.1%	0.0%	Female	62.5%	60.7%	Asian	0.5%	0.5%
15 - 19	0.5%	0.5%				Black/African Amer.	0.9%	0.6%
20 - 24	2.3%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	19.4%	15.7%				White	96.7%	97.3%
35 - 44	5.8%	4.2%				Multiracial	0.1%	0.1%
45 - 54	2.8%	2.9%				Declined	0.9%	0.5%
55 - 64	7.2%	8.8%				Unavailable	0.1%	0.1%
65 - 74	13.2%	15.0%						
75 - 84	14.3%	19.0%						
85 & Over	10.6%	15.0%						

113 Sauk Prairie Healthcare

Prairie du Sac, WI 53578

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			<u>Analysis Area</u>		Inpatient V	<u>'olume Group</u>	All GMS Hospitals			
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	25	2.7	4.5	0.60	3.5	0.77	4.6	0.59		
133 Respiratory failure	9	3.7	4.3	0.86	3.5	1.06	4.2	0.88		
137 Respiratory Infections and Inflammations	20	4.5	5.1	0.88	4.4	1.02	5.1	0.88		
139 Pneumonia	22	3.3	3.9	0.85	3.6	0.92	3.9	0.85		
194 Heart Failure	37	3.2	5.1	0.63	3.8	0.84	4.7	0.68		
201 Heart Abnormal Rhythm and Conduction Disorders	28	2.4	3.0	0.80	2.6	0.92	2.9	0.83		
247 Intestinal Obstruction without Surgery	18	3.1	3.6	0.86	3.0	1.03	3.4	0.91		
383 Cellulitis & other skin infections	17	2.9	4.2	0.69	4.1	0.71	4.0	0.73		
463 Kidney/Urinary Tract Infection	11	3.1	3.8	0.82	3.4	0.91	3.8	0.82		
469 Acute kidney injury	20	4.5	4.8	0.94	4.2	1.07	4.8	0.94		
540 Cesarean Delivery	89	2.6	3.7	0.70	2.7	0.96	3.4	0.76		
560 Vaginal Delivery	254	1.8	2.1	0.86	1.8	1.00	2.1	0.86		
640 Normal Newborn, Birthweight 2500g+	351	1.8	2.0	0.90	1.8	1.00	1.9	0.95		
720 Blood Infection/Septicemia	159	3.6	6.1	0.59	4.5	0.80	5.7	0.63		
775 Alcohol Abuse/Dependence	8	2.9	3.8	0.76	3.9	0.74	3.7	0.78		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		ility			Risk Adjusted	Group Averages			
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 R	troke and Precerebral Occlusion with Infarct	\$44,543	\$51,002	\$59,881	0.85	\$39,675	1.29	\$50,763	1.00
	respiratory failure	\$37,366	\$47,530	\$52,595	0.90	\$36,159	1.31	\$41,427	1.15
139 P	espiratory Infections and Inflammations	\$42,237	\$50,517	\$54,668	0.92	\$36,731	1.38	\$44,204	1.14
	neumonia	\$37,712	\$37,628	\$39,479	0.95	\$28,353	1.33	\$33,131	1.14
	leart Failure	\$33,093	\$36,878	\$47,309	0.78	\$30,581	1.21	\$38,512	0.96
	leart Abnormal Rhythm and Conduction Disorders	\$27,917	\$31,642	\$33,234	0.95	\$24,409	1.30	\$27,857	1.14
	ntestinal Obstruction without Surgery	\$33,119	\$39,245	\$32,288	1.22	\$23,588	1.66	\$27,065	1.45
463 K	ellulitis & other skin infections idney/Urinary Tract Infection	\$26,385 \$34,068	\$30,220 \$37,174	\$34,338 \$35,981	0.88	\$26,179 \$25,093	1.15 1.48	\$29,240 \$30,445	1.03 1.22
540 C	cute kidney injury	\$36,828	\$46,788	\$46,091	1.02	\$31,117	1.50	\$39,232	1.19
	esarean Delivery	\$21,184	\$23,228	\$36,417	0.64	\$26,660	0.87	\$31,158	0.75
	aginal Delivery	\$11,272	\$12,039	\$17,782	0.68	\$12,456	0.97	\$16,019	0.75
640 N	lormal Newborn, Birthweight 2500g+	\$4,349	\$4,479	\$5,754	0.78	\$5,451	0.82	\$5,687	0.79
	lood Infection/Septicemia	\$38,004	\$52,585	\$70,715	0.74	\$42,902	1.23	\$56,342	0.93
775 A	Icohol Abuse/Dependence	\$28,964	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

302 Ascension All Saints Hos	pital			Hospital Type: GMS	
3801 Spring Street				County: Racine	
Racine, WI 53405				Analysis Area: 2A-Southeas	stern
262-687-4011				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	8,222	Average Length of Stay (days):	4.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	38,592	Average Charge per Discharge:	\$32,424	Home or Self-Care Other GMS Hospital	67.3% 1.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	623	Percent of All Childbirths:	63.2%	Skilled Nursing Facility	8.8%
Cesarean Childbirths:	335	Percent of All Childbirths:	34.0%	Intermediate Care Facility	0.1%
Other Childbirths:	28	Percent of All Childbirths:	2.8%	Inpatient Rehabilitation Facility	2.7%
Total Childbirths:	986			Hospice	3.0%
-				Other Institution	0.0%
Total Newborns:	947			Home Health Service	11.5%
Psychiatric Utilization				Left Against Medical Advice	1.6%
	638	Dereent of All Discharges	7.8%	Expired Discharge/Tran to Court/Law Enforcmnt	2.6% 0.4%
Discharges: Patient Days:	3,496	Percent of All Discharges: Percent of All Patient Days:	9.1%	Other	0.4%
	0,100		••••	Expected Pay Source Distri	
AODA Utilization				Primary Payer	% Discharges
Discharges:	225	Percent of All Discharges:	2.7%	Medicare	46.2%
Patient Days:	792	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	29.9%
	-	-		Other Government	1.7%
				Commercial or Private Insurance	19.7%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.5%	9.2%	Male	41.1%	43.4%	Amer.Ind/Alaskan Native	e 0.3%	0.3%
Under 15	1.5%	2.0%	Female	58.9%	56.6%	Asian	0.7%	1.0%
15 - 19	2.9%	2.8%				Black/African Amer.	21.9%	22.8%
20 - 24	4.1%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	11.1%	7.6%				White	71.5%	71.1%
35 - 44	8.1%	6.4%				Multiracial	1.8%	1.4%
45 - 54	7.4%	7.7%				Declined	3.6%	3.3%
55 - 64	13.1%	14.6%				Unavailable	0 %	0 %
65 - 74	16.4%	19.2%						
75 - 84	13.8%	16.5%						
85 & Over	10.2%	11.4%						

302 Ascension All Saints Hospital

Racine, WI 53405

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	157	5.4	3.8	1.42	5.0	1.08	4.6	1.17	
133 Respiratory failure	134	4.8	4.4	1.09	4.5	1.07	4.2	1.14	
137 Respiratory Infections and Inflammations	130	5.9	4.8	1.23	5.6	1.05	5.1	1.16	
139 Pneumonia	192	4.9	3.9	1.26	4.1	1.20	3.9	1.26	
174 Percutaneous coronary intervention w AMI	90	2.5	2.6	0.96	3.0	0.83	2.9	0.86	
175 Percutaneous coronary intervention w/o AMI	39	3.3	2.3	1.43	2.5	1.32	2.5	1.32	
194 Heart Failure	295	5.3	4.5	1.18	5.1	1.04	4.7	1.13	
201 Heart Abnormal Rhythm and Conduction Disorders	109	3.4	2.8	1.21	3.0	1.13	2.9	1.17	
463 Kidney/Urinary Tract Infection	169	3.8	3.5	1.09	4.0	0.95	3.8	1.00	
469 Acute kidney injury	155	6.6	4.8	1.38	5.2	1.27	4.8	1.38	
540 Cesarean Delivery	335	3.3	3.1	1.06	3.7	0.89	3.4	0.97	
560 Vaginal Delivery	623	2.2	2.0	1.10	2.2	1.00	2.1	1.05	
640 Normal Newborn, Birthweight 2500g+	818	2.0	1.9	1.05	2.0	1.00	1.9	1.05	
720 Blood Infection/Septicemia	446	6.6	5.2	1.27	6.3	1.05	5.7	1.16	
751 Psychoses	283	5.2	5.0	1.04	5.0	1.04	5.1	1.02	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac			Risk Adjusted	Group Averages			
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio
133 F	Stroke and Precerebral Occlusion with Infarct	\$41,908	\$42,682	\$48,872	0.87	\$54,618	0.78	\$50,763	0.84
	Respiratory failure	\$36,353	\$35,433	\$42,864	0.83	\$44,431	0.80	\$41,427	0.86
	Respiratory Infections and Inflammations	\$35,495	\$35,487	\$43,676	0.81	\$49.624	0.72	\$44,204	0.80
139 F	Pneumonia	\$32,616	\$30,317	\$35,485	0.85	\$37,011	0.82	\$33,131	0.92
	Percutaneous coronary intervention w AMI	\$70,243	\$74,298	\$94,522	0.79	\$92,807	0.80	\$92,242	0.81
194 H	Percutaneous coronary intervention w/o AMI	\$67,267	\$67,884	\$109,972	0.62	\$112,207	0.60	\$110,305	0.62
	Heart Failure	\$31,993	\$31,330	\$37,494	0.84	\$43,048	0.73	\$38,512	0.81
463 k	Heart Abnormal Rhythm and Conduction Disorders	\$25,401	\$24,932	\$29,688	0.84	\$29,715	0.84	\$27,857	0.89
	Kidney/Urinary Tract Infection	\$23,416	\$23,530	\$30,491	0.77	\$33,907	0.69	\$30,445	0.77
	Acute kidney injury	\$37,853	\$34,853	\$39,575	0.88	\$43,161	0.81	\$39,232	0.89
540 C	Cesarean Delivery	\$26,199	\$26,765	\$34,572	0.77	\$32,532	0.82	\$31,158	0.86
	/aginal Delivery	\$14,235	\$14,373	\$18,364	0.78	\$17,304	0.83	\$16,019	0.90
720 E	Normal Newborn, Birthweight 2500g+	\$7,433	\$7,867	\$6,707	1.17	\$5,861	1.34	\$5,687	1.38
	Blood Infection/Septicemia	\$49,518	\$44,474	\$54,544	0.82	\$62,322	0.71	\$56,342	0.79
	Psychoses	\$10,601	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

117 Reedsburg Area Medical 0 2000 North Dewey Street Reedsburg, WI 53959	Center			Hospital Type: GMS County: Sauk Analysis Area: 1-Southern	
608-524-6487				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	
Total Discharges:	1,075	Average Length of Stay (days):	2.9	Discharge Status	% Discharges
Total Patient Days:	3,101	Average Charge per Discharge:	\$15,167	Home or Self-Care Other GMS Hospital	71.6% 3.3%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	159 34 7	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	79.5% 17.0% 3.5%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	10.6% 2.8% 0.3%
Total Childbirths:	200		0.077	Hospice	2.5%
Total Newborns:	210			Other Institution Home Health Service Left Against Medical Advice	0.1% 3.8% 0.9%
Psychiatric Utilization				Expired	2.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	1.9%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	0.3%	Medicare	39.2%
Patient Days:	5	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	21.4%
				Other Government	2.1%
				Commercial or Private Insurance	34.0%
				Self-Pay	3.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	19.5%	12.8%	Male	38.2%	40.9%	Amer.Ind/Alaskan Native	e 2.6%	3.5%
Under 15	0.3%	0.1%	Female	61.8%	59.1%	Asian	0.5%	0.3%
15 - 19	0.7%	0.5%				Black/African Amer.	1.5%	1.0%
20 - 24	4.0%	3.1%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	13.8%	10.1%				White	93.6%	93.8%
35 - 44	5.6%	4.2%				Multiracial	0.7%	0.5%
45 - 54	4.5%	3.5%				Declined	0.1%	0.1%
55 - 64	10.9%	15.9%				Unavailable	1.0%	0.8%
65 - 74	12.7%	15.9%						
75 - 84	15.7%	19.4%						
85 & Over	12.4%	14.4%						

117 Reedsburg Area Medical Center

Reedsburg, WI 53959

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analysis Area		Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	71	3.0	4.3	0.70	3.6	0.83	4.2	0.71	
137 Respiratory Infections and Inflammations	23	3.6	5.1	0.71	3.7	0.97	5.1	0.71	
139 Pneumonia	12	2.3	3.9	0.59	3.4	0.68	3.9	0.59	
140 Chronic Obstructive Pulmonary Disease	15	2.4	3.4	0.71	3.0	0.80	3.3	0.73	
194 Heart Failure	39	3.5	5.1	0.69	3.7	0.95	4.7	0.74	
201 Heart Abnormal Rhythm and Conduction Disorders	18	1.9	3.0	0.63	2.7	0.70	2.9	0.66	
247 Intestinal Obstruction without Surgery	12	3.7	3.6	1.03	2.8	1.32	3.4	1.09	
326 Elective knee joint replacement	8	2.8	2.0	1.40	1.6	1.75	2.0	1.40	
383 Cellulitis & other skin infections	15	3.9	4.2	0.93	3.8	1.03	4.0	0.98	
463 Kidney/Urinary Tract Infection	17	3.2	3.8	0.84	3.3	0.97	3.8	0.84	
469 Acute kidney injury	12	3.9	4.8	0.81	3.4	1.15	4.8	0.81	
540 Cesarean Delivery	34	3.3	3.7	0.89	2.8	1.18	3.4	0.97	
560 Vaginal Delivery	159	1.9	2.1	0.90	1.9	1.00	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	203	1.9	2.0	0.95	1.8	1.06	1.9	1.00	
720 Blood Infection/Septicemia	79	4.2	6.1	0.69	3.9	1.08	5.7	0.74	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$15,395	\$21,629	\$52,595	0.41	\$27,996	0.77	\$41,427	0.52
137	Respiratory Infections and Inflammations	\$18,678	\$17,697	\$54,668	0.32	\$25,863	0.68	\$44,204	0.40
139	Pneumonia	\$14,132	\$17,974	\$39,479	0.46	\$23,921	0.75	\$33,131	0.54
140	Chronic Obstructive Pulmonary Disease	\$12,257	\$12,344	\$37,773	0.33	\$20,883	0.59	\$32,611	0.38
194	Heart Failure	\$16,201	\$18,600	\$47,309	0.39	\$24,051	0.77	\$38,512	0.48
201	Heart Abnormal Rhythm and Conduction Disorders	\$10,155	\$10,156	\$33,234	0.31	\$18,840	0.54	\$27,857	0.36
247	Intestinal Obstruction without Surgery	\$14,376	\$12,913	\$32,288	0.40	\$17,509	0.74	\$27,065	0.48
326	Elective knee joint replacement	\$79,742	\$77,571	\$59,463	1.30	\$53,216	1.46	\$65,010	1.19
383	Cellulitis & other skin infections	\$16,096	\$17,555	\$34,338	0.51	\$21,588	0.81	\$29,240	0.60
463	Kidney/Urinary Tract Infection	\$10,102	\$11,070	\$35,981	0.31	\$17,785	0.62	\$30,445	0.36
469	Acute kidney injury	\$13,718	\$18,492	\$46,091	0.40	\$22,228	0.83	\$39,232	0.47
540	Cesarean Delivery	\$23,751	\$23,736	\$36,417	0.65	\$26,138	0.91	\$31,158	0.76
560	Vaginal Delivery	\$10,812	\$10,902	\$17,782	0.61	\$12,000	0.91	\$16,019	0.68
640	Normal Newborn, Birthweight 2500g+	\$3,265	\$3,590	\$5,754	0.62	\$4,404	0.82	\$5,687	0.63
720	Blood Infection/Septicemia	\$20,647	\$25,918	\$70,715	0.37	\$33,539	0.77	\$56,342	0.46

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

118 Aspirus Rhinelander Ho	ospital			Hospital Type: GMS	
2251 North Shore Dr				County: Oneida	
Rhinelander, WI 54501				Analysis Area: 6-North Cen	tral
715-361-2000				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	2,676	Average Length of Stay (days):	4.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	11,068	Average Charge per Discharge:	\$31,128	Home or Self-Care Other GMS Hospital	63.6% 5.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	158 40	Percent of All Childbirths: Percent of All Childbirths:	79.0% 20.0%	Skilled Nursing Facility Intermediate Care Facility	11.7% 0.6%
Other Childbirths:	40	Percent of All Childbirths:	20.0%	Inpatient Rehabilitation Facility	0.3%
Total Childbirths:	200		1.070	Hospice	2.5%
				Other Institution	0.0%
Total Newborns:	203			Home Health Service	10.1%
Psychiatric Utilization				Left Against Medical Advice Expired	1.2% 1.9%
Discharges:	374	Percent of All Discharges:	14.0%	Discharge/Tran to Court/Law Enforcmnt	0.3%
Patient Days:	2,165	Percent of All Patient Days:	19.6%	Other	2.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	121	Percent of All Discharges:	4.5%	Medicare	49.6%
Patient Days:	557	Percent of All Patient Days:	5.0%	Medicaid/BadgerCare	16.8%
				Other Government	5.2%
				Commercial or Private Insurance	28.2%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.6%	3.1%	Male	45.6%	48.9%	Amer.Ind/Alaskan Native	e 3.8%	5.3%
Under 15	0.2%	0.1%	Female	54.4%	51.1%	Asian	0.2%	0.2%
15 - 19	1.6%	1.3%				Black/African Amer.	0.7%	0.8%
20 - 24	4.8%	3.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	10.1%	7.9%				White	93.6%	91.4%
35 - 44	9.8%	10.3%				Multiracial	0.6%	1.0%
45 - 54	7.7%	8.8%				Declined	1.0%	1.2%
55 - 64	12.4%	13.3%				Unavailable	0 %	0 %
65 - 74	18.5%	19.2%						
75 - 84	17.3%	19.0%						
85 & Over	10.1%	13.3%						

118 Aspirus Rhinelander Hospital

Rhinelander, WI 54501

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analysis Area		Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	49	3.2	4.4	0.73	3.5	0.91	4.6	0.70		
133 Respiratory failure	63	3.7	4.1	0.90	3.5	1.06	4.2	0.88		
137 Respiratory Infections and Inflammations	34	6.0	5.1	1.18	4.4	1.36	5.1	1.18		
139 Pneumonia	40	4.4	4.0	1.10	3.6	1.22	3.9	1.13		
194 Heart Failure	128	4.5	4.6	0.98	3.8	1.18	4.7	0.96		
201 Heart Abnormal Rhythm and Conduction Disorders	52	2.4	2.8	0.86	2.6	0.92	2.9	0.83		
247 Intestinal Obstruction without Surgery	57	2.9	3.2	0.91	3.0	0.97	3.4	0.85		
383 Cellulitis & other skin infections	15	8.2	4.1	2.00	4.1	2.00	4.0	2.05		
463 Kidney/Urinary Tract Infection	21	3.6	3.9	0.92	3.4	1.06	3.8	0.95		
469 Acute kidney injury	27	4.7	4.8	0.98	4.2	1.12	4.8	0.98		
540 Cesarean Delivery	40	3.0	3.5	0.86	2.7	1.11	3.4	0.88		
560 Vaginal Delivery	158	1.8	2.0	0.90	1.8	1.00	2.1	0.86		
640 Normal Newborn, Birthweight 2500g+	194	1.7	1.9	0.89	1.8	0.94	1.9	0.89		
720 Blood Infection/Septicemia	145	5.0	5.6	0.89	4.5	1.11	5.7	0.88		
775 Alcohol Abuse/Dependence	89	4.5	3.7	1.22	3.9	1.15	3.7	1.22		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	5	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge	8		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$34,809	\$41,401	\$41,794	0.99	\$39,675	1.04	\$50,763	0.82
133	Respiratory failure	\$37,148	\$48,873	\$37,801	1.29	\$36,159	1.35	\$41,427	1.18
137	Respiratory Infections and Inflammations	\$41,494	\$42,434	\$37,786	1.12	\$36,731	1.16	\$44,204	0.96
139	Pneumonia	\$41,044	\$38,354	\$30,317	1.27	\$28,353	1.35	\$33,131	1.16
194	Heart Failure	\$38,932	\$39,767	\$34,805	1.14	\$30,581	1.30	\$38,512	1.03
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,359	\$26,258	\$24,857	1.06	\$24,409	1.08	\$27,857	0.94
247	Intestinal Obstruction without Surgery	\$19,701	\$20,803	\$21,658	0.96	\$23,588	0.88	\$27,065	0.77
383	Cellulitis & other skin infections	\$36,979	\$41,671	\$25,899	1.61	\$26,179	1.59	\$29,240	1.43
463	Kidney/Urinary Tract Infection	\$29,203	\$29,935	\$28,365	1.06	\$25,093	1.19	\$30,445	0.98
469	Acute kidney injury	\$35,153	\$40,423	\$36,852	1.10	\$31,117	1.30	\$39,232	1.03
540	Cesarean Delivery	\$27,114	\$27,799	\$27,634	1.01	\$26,660	1.04	\$31,158	0.89
560	Vaginal Delivery	\$11,146	\$11,450	\$12,421	0.92	\$12,456	0.92	\$16,019	0.71
640	Normal Newborn, Birthweight 2500g+	\$5,553	\$6,199	\$7,016	0.88	\$5,451	1.14	\$5,687	1.09
720	Blood Infection/Septicemia	\$46,734	\$49,932	\$48,275	1.03	\$42,902	1.16	\$56,342	0.89
775	Alcohol Abuse/Dependence	\$32,116	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Risk-Adjusted Charges not calculated using SMM APR DRG Software licensed tinough SM Health Information Systems. # Risk-Adjusted Charges not calculated for APR-DRGs related to Mental Diseases/Disorders and/or Alcohol/Drug Use/Abuse/Dependence.

119 Marshfield Medical Cente	er – Rice La	ke		Hospital Type: GMS	
1700 West Stout Street				County: Barron	
Rice Lake, WI 54868				Analysis Area: 5A-West Cer	ntral
715-234-1515				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,519	Average Length of Stay (days):	3.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	5,331	Average Charge per Discharge:	\$19,743	Home or Self-Care Other GMS Hospital	67.4% 5.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	72 28	Percent of All Childbirths: Percent of All Childbirths:	63.7% 24.8%	Skilled Nursing Facility Intermediate Care Facility	10.3% 3.4%
Other Childbirths:	13	Percent of All Childbirths:	11.5%	Inpatient Rehabilitation Facility	0.1%
Total Childbirths:	113			Hospice Other Institution	3.1%
Total Newborns:	123			Home Health Service	0.0% 6.3%
Psychiatric Utilization				Left Against Medical Advice Expired	1.2% 1.9%
Discharges:	6	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	20	Percent of All Patient Days:	0.4%	Other	0.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	25	Percent of All Discharges:	1.6%	Medicare	59.1%
Patient Days:	82	Percent of All Patient Days:	1.5%	Medicaid/BadgerCare	13.6%
				Other Government	5.4%
				Commercial or Private Insurance	19.4%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	8.1%	4.2%	Male	44.0%	45.8%	Amer.Ind/Alaskan Native	e 1.4%	0.8%
Under 15	0.0%	0.0%	Female	56.0%	54.2%	Asian	0.9%	0.9%
15 - 19	0.8%	0.4%				Black/African Amer.	1.0%	0.6%
20 - 24	2.2%	1.5%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	6.9%	4.6%				White	95.3%	96.4%
35 - 44	5.4%	4.4%				Multiracial	0.0%	0.0%
45 - 54	5.4%	5.1%				Declined	0.5%	0.6%
55 - 64	11.3%	13.0%				Unavailable	0.8%	0.7%
65 - 74	20.0%	21.3%						
75 - 84	25.0%	28.7%						
85 & Over	14.8%	16.6%						

119 Marshfield Medical Center – Rice Lake

Rice Lake, WI 54868

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			<u>Analysis Area</u>		Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
045 Stroke and Precerebral Occlusion with Infarct	28	4.5	4.6	0.98	3.5	1.29	4.6	0.98		
133 Respiratory failure	32	4.1	4.6	0.89	3.5	1.17	4.2	0.98		
137 Respiratory Infections and Inflammations	40	4.4	4.6	0.96	4.4	1.00	5.1	0.86		
139 Pneumonia	69	3.2	3.8	0.84	3.6	0.89	3.9	0.82		
194 Heart Failure	123	4.1	4.7	0.87	3.8	1.08	4.7	0.87		
201 Heart Abnormal Rhythm and Conduction Disorders	68	2.7	2.9	0.93	2.6	1.04	2.9	0.93		
247 Intestinal Obstruction without Surgery	27	3.3	2.9	1.14	3.0	1.10	3.4	0.97		
383 Cellulitis & other skin infections	22	3.3	4.4	0.75	4.1	0.80	4.0	0.83		
463 Kidney/Urinary Tract Infection	33	3.2	3.7	0.86	3.4	0.94	3.8	0.84		
469 Acute kidney injury	35	5.1	4.5	1.13	4.2	1.21	4.8	1.06		
540 Cesarean Delivery	28	3.1	2.8	1.11	2.7	1.15	3.4	0.91		
560 Vaginal Delivery	72	2.0	2.0	1.00	1.8	1.11	2.1	0.95		
640 Normal Newborn, Birthweight 2500g+	104	1.8	1.8	1.00	1.8	1.00	1.9	0.95		
720 Blood Infection/Septicemia	210	4.2	5.3	0.79	4.5	0.93	5.7	0.74		
775 Alcohol Abuse/Dependence	20	3.6	4.0	0.90	3.9	0.92	3.7	0.97		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages	;	
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient V</u> Average Charge			<u>ospitals</u> Ratio
045 Stroke and Precerebral Occlusion with Infarct	\$28,335	\$26,778	\$36,020	0.74	\$39,675	0.67	\$50,763	0.53
133 Respiratory failure	\$20,758	\$24,946	\$31,031	0.80	\$36,159	0.69	\$41,427	0.60
137 Respiratory Infections and Inflammations139 Pneumonia	\$26,262	\$26,768	\$33,451	0.80	\$36,731	0.73	\$44,204	0.61
	\$20,513	\$21,827	\$24,141	0.90	\$28,353	0.77	\$33,131	0.66
194 Heart Failure201 Heart Abnormal Rhythm and Conduction Disorders	\$20,186	\$21,376	\$29,089	0.73	\$30,581	0.70	\$38,512	0.56
	\$13,834	\$15,966	\$21,213	0.75	\$24,409	0.65	\$27,857	0.57
247 Intestinal Obstruction without Surgery	\$15,473	\$16,845	\$15,833	1.06	\$23,588	0.71	\$27,065	0.62
383 Cellulitis & other skin infections463 Kidney/Urinary Tract Infection	\$17,243	\$16,898	\$21,652	0.78	\$26,179	0.65	\$29,240	0.58
	\$16,089	\$16,672	\$20,430	0.82	\$25,093	0.66	\$30,445	0.55
469 Acute kidney injury	\$21,075	\$24,440	\$28,871	0.85	\$31,117	0.79	\$39,232	0.62
540 Cesarean Delivery	\$20,304	\$19,564	\$22,518	0.87	\$26,660	0.73	\$31,158	0.63
560 Vaginal Delivery	\$9,076	\$9,312	\$11,125	0.84	\$12,456	0.75	\$16,019	0.58
640 Normal Newborn, Birthweight 2500g+	\$4,131	\$3,922	\$3,955	0.99	\$5,451	0.72	\$5,687	0.69
720 Blood Infection/Septicemia 775 Alcohol Abuse/Dependence	\$24,706 \$17,293	\$30,745 #	\$42,770 #	0.55 0.72 #	\$42,902 #	0.72	\$56,342	0.55 #

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

120 The Richland Hospital Inc				Hospital Type: GMS	
333 East Second Street				County: Richland	
Richland Center, WI 53581				Analysis Area: 1-Southern	
608-647-6321				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	I <u>S</u>
Total Discharges:	1,087	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,706	Average Charge per Discharge:	\$26,209	Home or Self-Care Other GMS Hospital	70.7% 4.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.8%
Normal Childbirths:	117	Percent of All Childbirths:	79.6%	Skilled Nursing Facility	8.6%
Cesarean Childbirths:	27	Percent of All Childbirths:	18.4%	Intermediate Care Facility	0.0%
Other Childbirths:	27	Percent of All Childbirths:	2.0%	Inpatient Rehabilitation Facility	0.4%
Total Childbirths:	147	r crocht of All Offidbirths.	2.070	Hospice	0.6%
Total Childbirths.	147			Other Institution	0.0%
Total Newborns:	149			Home Health Service	1.0%
				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	1.8%
Discharges:	8	Percent of All Discharges:	0.7%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	16	Percent of All Patient Days:	0.4%	Other	10.9%
				Expected Pay Source Distril	oution
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	0.9%	Medicare	54.4%
Patient Days:	17	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	18.7%
-		-		Other Government	1.5%
				Commercial or Private Insurance	23.0%
				Self-Pay	2.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	13.7%	6.6%	Male	40.4%	43.5%	Amer.Ind/Alaskan Native	e 0.1%	0.0%
Under 15	0.6%	0.3%	Female	59.6%	56.5%	Asian	0.3%	0.2%
15 - 19	0.9%	0.5%				Black/African Amer.	0.4%	0.3%
20 - 24	3.9%	2.3%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	9.4%	5.3%				White	98.4%	99.0%
35 - 44	4.3%	3.3%				Multiracial	0.0%	0.0%
45 - 54	5.0%	4.5%				Declined	0.6%	0.4%
55 - 64	8.8%	11.3%				Unavailable	0 %	0 %
65 - 74	20.3%	26.3%						
75 - 84	18.9%	22.6%						
85 & Over	14.2%	17.0%						

120 The Richland Hospital Inc

Richland Center, WI 53581

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	39	4.4	4.3	1.02	3.6	1.22	4.2	1.05
137 Respiratory Infections and Inflammations	13	3.8	5.1	0.75	3.7	1.03	5.1	0.75
139 Pneumonia	30	3.6	3.9	0.92	3.4	1.06	3.9	0.92
140 Chronic Obstructive Pulmonary Disease	26	3.3	3.4	0.97	3.0	1.10	3.3	1.00
194 Heart Failure	29	3.8	5.1	0.75	3.7	1.03	4.7	0.81
201 Heart Abnormal Rhythm and Conduction Disorders	39	3.2	3.0	1.07	2.7	1.19	2.9	1.10
247 Intestinal Obstruction without Surgery	19	4.2	3.6	1.17	2.8	1.50	3.4	1.24
326 Elective knee joint replacement	0	N/A	2.0	N/A	1.6	N/A	2.0	N/A
383 Cellulitis & other skin infections	18	3.9	4.2	0.93	3.8	1.03	4.0	0.98
463 Kidney/Urinary Tract Infection	28	3.4	3.8	0.89	3.3	1.03	3.8	0.89
469 Acute kidney injury	31	4.6	4.8	0.96	3.4	1.35	4.8	0.96
540 Cesarean Delivery	27	2.6	3.7	0.70	2.8	0.93	3.4	0.76
560 Vaginal Delivery	117	1.7	2.1	0.81	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	149	1.6	2.0	0.80	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	63	3.9	6.1	0.64	3.9	1.00	5.7	0.68

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$36,583	\$40,810	\$52,595	0.78	\$27,996	1.46	\$41,427	0.99
137	Respiratory Infections and Inflammations	\$29,859	\$35,748	\$54,668	0.65	\$25,863	1.38	\$44,204	0.81
139	Pneumonia	\$30,858	\$38,285	\$39,479	0.97	\$23,921	1.60	\$33,131	1.16
140	Chronic Obstructive Pulmonary Disease	\$26,446	\$27,110	\$37,773	0.72	\$20,883	1.30	\$32,611	0.83
194	Heart Failure	\$27,381	\$32,469	\$47,309	0.69	\$24,051	1.35	\$38,512	0.84
201	Heart Abnormal Rhythm and Conduction Disorders	\$24,731	\$25,955	\$33,234	0.78	\$18,840	1.38	\$27,857	0.93
247	Intestinal Obstruction without Surgery	\$34,922	\$38,649	\$32,288	1.20	\$17,509	2.21	\$27,065	1.43
326	Elective knee joint replacement	N/A	N/A	\$59,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$25,113	\$29,553	\$34,338	0.86	\$21,588	1.37	\$29,240	1.01
463	Kidney/Urinary Tract Infection	\$24,234	\$21,686	\$35,981	0.60	\$17,785	1.22	\$30,445	0.71
469	Acute kidney injury	\$29,677	\$29,786	\$46,091	0.65	\$22,228	1.34	\$39,232	0.76
540	Cesarean Delivery	\$24,317	\$24,995	\$36,417	0.69	\$26,138	0.96	\$31,158	0.80
560	Vaginal Delivery	\$12,429	\$12,898	\$17,782	0.73	\$12,000	1.07	\$16,019	0.81
640	Normal Newborn, Birthweight 2500g+	\$3,577	\$3,935	\$5,754	0.68	\$4,404	0.89	\$5,687	0.69
720	Blood Infection/Septicemia	\$33,175	\$48,622	\$70,715	0.69	\$33,539	1.45	\$56,342	0.86

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

121 SSM Health Ripon Comn	nunity Hosp	ital		Hospital Type: GMS	
845 Parkside Street				County: Fond du Lac	
Ripon, WI 54971				Analysis Area: 3-Lake Winn	ebago
920-748-3101				Inpatient Volume Group: 2	Ũ
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	469	Average Length of Stay (days):	3.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,682	Average Charge per Discharge:	\$27,896	Home or Self-Care Other GMS Hospital	48.0% 5.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	22.6% 2.1% 0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	6.8%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	11.9%
Psychiatric Utilization				Left Against Medical Advice Expired	1.3% 1.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.2%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	5	Percent of All Discharges:	1.1%	Medicare	80.2%
Patient Days:	22	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	4.9%
				Other Government	3.4%
				Commercial or Private Insurance	10.2%
				Self-Pay	1.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	45.8%	48.3%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	54.2%	51.7%	Asian	0.2%	0.4%
15 - 19	0.0%	0.0%				Black/African Amer.	1.3%	1.1%
20 - 24	0.6%	0.4%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	1.5%	0.8%				White	97.7%	98.0%
35 - 44	3.6%	2.7%				Multiracial	0.0%	0.0%
45 - 54	4.9%	3.6%				Declined	0.0%	0.0%
55 - 64	10.9%	14.1%				Unavailable	0.6%	0.4%
65 - 74	26.4%	26.0%						
75 - 84	26.4%	26.7%						
85 & Over	25.6%	25.7%						

121 SSM Health Ripon Community Hospital

Ripon, WI 54971

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	10	2.6	3.7	0.70	3.5	0.74	4.2	0.62
137 Respiratory Infections and Inflammations	24	3.3	5.0	0.66	3.9	0.85	5.1	0.65
139 Pneumonia	26	3.5	3.7	0.95	3.6	0.97	3.9	0.90
140 Chronic Obstructive Pulmonary Disease	15	3.8	2.8	1.36	3.5	1.09	3.3	1.15
194 Heart Failure	29	3.7	4.1	0.90	3.6	1.03	4.7	0.79
201 Heart Abnormal Rhythm and Conduction Disorders	6	3.2	2.5	1.28	2.6	1.23	2.9	1.10
247 Intestinal Obstruction without Surgery	10	2.9	3.3	0.88	3.0	0.97	3.4	0.85
383 Cellulitis & other skin infections	14	3.2	3.7	0.86	3.8	0.84	4.0	0.80
463 Kidney/Urinary Tract Infection	17	3.6	3.4	1.06	3.5	1.03	3.8	0.95
469 Acute kidney injury	34	3.2	4.1	0.78	3.1	1.03	4.8	0.67
560 Vaginal Delivery	0	N/A	1.9	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	42	3.2	5.1	0.63	3.7	0.86	5.7	0.56
861 Signs & Symptoms	*	*	4.6	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	5	1.4	5.0	0.28	11.6	0.12	7.9	0.18

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$22,602	\$31,188	\$29,067	1.07	\$26,133	1.19	\$41,427	0.75
137	Respiratory Infections and Inflammations	\$23,131	\$26,804	\$31,076	0.86	\$25,355	1.06	\$44,204	0.61
139	Pneumonia	\$24,123	\$24,993	\$25,465	0.98	\$23,433	1.07	\$33,131	0.75
140	Chronic Obstructive Pulmonary Disease	\$26,480	\$27,828	\$23,561	1.18	\$23,153	1.20	\$32,611	0.85
194	Heart Failure	\$28,693	\$30,909	\$26,437	1.17	\$23,717	1.30	\$38,512	0.80
201	Heart Abnormal Rhythm and Conduction Disorders	\$25,312	\$20,012	\$19,751	1.01	\$17,441	1.15	\$27,857	0.72
247	Intestinal Obstruction without Surgery	\$15,992	\$20,073	\$18,938	1.06	\$19,525	1.03	\$27,065	0.74
383	Cellulitis & other skin infections	\$19,030	\$19,676	\$21,780	0.90	\$19,976	0.98	\$29,240	0.67
463	Kidney/Urinary Tract Infection	\$23,297	\$22,467	\$22,229	1.01	\$21,286	1.06	\$30,445	0.74
469	Acute kidney injury	\$22,948	\$26,660	\$26,749	1.00	\$22,049	1.21	\$39,232	0.68
560	Vaginal Delivery	N/A	N/A	\$9,705	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,293	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$26,498	\$31,947	\$38,002	0.84	\$33,506	0.95	\$56,342	0.57
861	Signs & Symptoms	*	*	\$24,875	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	\$11,437	\$13,411	\$15,253	0.88	\$19,795	0.68	\$31,921	0.42

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

122 River Falls Area Hospital				Hospital Type: GMS	
1629 East Division Street				County: Saint Croix	
River Falls, WI 54022				Analysis Area: 5A-West Ce	ntral
715-425-6155				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	530	Average Length of Stay (days):	6.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,357	Average Charge per Discharge:	\$18,986	Home or Self-Care Other GMS Hospital	43.4% 6.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.6%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	16.8%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	2.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	0		0.070	Hospice	1.9%
	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	17.7%
				Left Against Medical Advice	0.4%
Psychiatric Utilization				Expired	3.2%
Discharges:	2	Percent of All Discharges:	0.4%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	10	Percent of All Patient Days:	0.3%	Other	7.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	4	Percent of All Discharges:	0.8%	Medicare	84.3%
Patient Days:	13	Percent of All Patient Days:	0.4%	Medicaid/BadgerCare	3.6%
-		-		Other Government	1.7%
				Commercial or Private Insurance	9.4%
				Self-Pay	0.9%
				Other or Unknown Insurance	0.0%
					0.070

	Age Distribution	<u>l</u>		Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.4%	55.5%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	50.6%	44.5%	Asian	0.2%	0.0%
15 - 19	0.2%	0.0%				Black/African Amer.	0.8%	0.8%
20 - 24	0.6%	0.1%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.4%	0.6%				White	98.3%	98.8%
35 - 44	1.7%	0.7%				Multiracial	0.0%	0.0%
45 - 54	5.1%	7.1%				Declined	0.8%	0.4%
55 - 64	10.2%	18.1%				Unavailable	0 %	0 %
65 - 74	24.5%	23.2%						
75 - 84	33.0%	32.3%						
85 & Over	24.3%	17.8%						

122 River Falls Area Hospital

River Falls, WI 54022

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	15	9.6	4.6	2.09	3.5	2.74	4.2	2.29
137 Respiratory Infections and Inflammations	20	5.3	4.6	1.15	3.9	1.36	5.1	1.04
139 Pneumonia	23	3.4	3.8	0.89	3.6	0.94	3.9	0.87
140 Chronic Obstructive Pulmonary Disease	15	3.5	3.3	1.06	3.5	1.00	3.3	1.06
194 Heart Failure	42	3.3	4.7	0.70	3.6	0.92	4.7	0.70
201 Heart Abnormal Rhythm and Conduction Disorders	5	2.6	2.9	0.90	2.6	1.00	2.9	0.90
247 Intestinal Obstruction without Surgery	16	2.4	2.9	0.83	3.0	0.80	3.4	0.71
383 Cellulitis & other skin infections	7	6.1	4.4	1.39	3.8	1.61	4.0	1.53
463 Kidney/Urinary Tract Infection	14	2.9	3.7	0.78	3.5	0.83	3.8	0.76
469 Acute kidney injury	7	6.4	4.5	1.42	3.1	2.06	4.8	1.33
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	101	3.7	5.3	0.70	3.7	1.00	5.7	0.65
861 Signs & Symptoms	*	*	5.5	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	38	17.4	10.8	1.61	11.6	1.50	7.9	2.20

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$30,097	\$32,342	\$31,031	1.04	\$26,133	1.24	\$41,427	0.78
137	Respiratory Infections and Inflammations	\$12,278	\$13,264	\$33,451	0.40	\$25,355	0.52	\$44,204	0.30
139	Pneumonia	\$14,235	\$14,830	\$24,141	0.61	\$23,433	0.63	\$33,131	0.45
140	Chronic Obstructive Pulmonary Disease	\$13,219	\$14,676	\$21,372	0.69	\$23,153	0.63	\$32,611	0.45
194	Heart Failure	\$13,206	\$14,954	\$29,089	0.51	\$23,717	0.63	\$38,512	0.39
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,632	\$11,947	\$21,213	0.56	\$17,441	0.68	\$27,857	0.43
247	Intestinal Obstruction without Surgery	\$10,903	\$10,378	\$15,833	0.66	\$19,525	0.53	\$27,065	0.38
383	Cellulitis & other skin infections	\$23,874	\$22,566	\$21,652	1.04	\$19,976	1.13	\$29,240	0.77
463	Kidney/Urinary Tract Infection	\$8,549	\$10,009	\$20,430	0.49	\$21,286	0.47	\$30,445	0.33
469	Acute kidney injury	\$14,789	\$16,097	\$28,871	0.56	\$22,049	0.73	\$39,232	0.41
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$17,147	\$21,114	\$42,770	0.49	\$33,506	0.63	\$56,342	0.37
861	Signs & Symptoms	*	*	\$21,215	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	\$26,626	\$23,774	\$18,785	1.27	\$19,795	1.20	\$31,921	0.74

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

123 ThedaCare Medical Cen	iter - Shawan	0		Hospital Type: GMS					
100 County Road B				County: Shawano					
Shawano, WI 54166				Analysis Area: 4-Northeaste	ern				
715-526-2111				Inpatient Volume Group: 4					
Overall Hospital Utilization			Patient Discharge Status						
Total Discharges:	1,568	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>				
Total Patient Days:	4,257	Average Charge per Discharge:	\$19,447	Home or Self-Care Other GMS Hospital	63.2% 5.5%				
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%				
Normal Childbirths:	128	Percent of All Childbirths:	71.1%	Skilled Nursing Facility Intermediate Care Facility	11.4% 2.4%				
Cesarean Childbirths:34Percent of All Childbirths:Other Childbirths:18Percent of All Childbirths:		18.9% 10.0%	Inpatient Rehabilitation Facility Hospice	0.6% 4.0%					
Total Childbirths:	180			Other Institution	4.0 <i>%</i> 0.1%				
Total Newborns:	196			Home Health Service	10.5%				
Psychiatric Utilization				Left Against Medical Advice Expired	1.2% 0.3%				
Discharges:	4	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.1%				
Patient Days:	19	Percent of All Patient Days:	0.4%	Other	0.7%				
				Expected Pay Source Distri	bution				
AODA Utilization				Primary Payer	<u>% Discharges</u>				
Discharges:	48	Percent of All Discharges:	3.1%	Medicare	55.5%				
Patient Days:	162	Percent of All Patient Days:	3.8%	Medicaid/BadgerCare	21.6%				
				Other Government	2.4%				
				Commercial or Private Insurance	17.0%				
				Self-Pay	3.4%				
				Other or Unknown Insurance	0.1%				

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	12.5%	8.0%	Male	41.5%	42.5%	Amer.Ind/Alaskan Native	e 28.1%	27.7%
Under 15	0.6%	0.4%	Female	58.5%	57.5%	Asian	0.4%	0.4%
15 - 19	1.5%	1.1%				Black/African Amer.	0.4%	0.2%
20 - 24	3.6%	2.9%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.8%	6.8%				White	68.4%	69.6%
35 - 44	5.8%	6.0%				Multiracial	0.6%	0.7%
45 - 54	5.0%	6.3%				Declined	0.6%	0.4%
55 - 64	10.4%	11.9%				Unavailable	1.3%	0.8%
65 - 74	17.4%	19.7%						
75 - 84	21.4%	22.2%						
85 & Over	12.8%	14.7%						

123 ThedaCare Medical Center - Shawano

Shawano, WI 54166

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analysis Area		Inpatient V	olume Group	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	22	2.5	3.8	0.66	3.5	0.71	4.6	0.54
133 Respiratory failure	36	2.9	4.3	0.67	3.5	0.83	4.2	0.69
137 Respiratory Infections and Inflammations	51	3.2	5.4	0.59	4.4	0.73	5.1	0.63
139 Pneumonia	70	2.9	3.7	0.78	3.6	0.81	3.9	0.74
194 Heart Failure	74	3.2	4.1	0.78	3.8	0.84	4.7	0.68
201 Heart Abnormal Rhythm and Conduction Disorders	30	2.2	2.9	0.76	2.6	0.85	2.9	0.76
247 Intestinal Obstruction without Surgery	34	2.7	3.1	0.87	3.0	0.90	3.4	0.79
383 Cellulitis & other skin infections	51	3.4	3.9	0.87	4.1	0.83	4.0	0.85
463 Kidney/Urinary Tract Infection	45	2.6	3.7	0.70	3.4	0.76	3.8	0.68
469 Acute kidney injury	55	2.7	4.3	0.63	4.2	0.64	4.8	0.56
540 Cesarean Delivery	34	2.7	3.5	0.77	2.7	1.00	3.4	0.79
560 Vaginal Delivery	128	1.8	2.0	0.90	1.8	1.00	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	175	1.7	1.9	0.89	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	185	3.7	5.2	0.71	4.5	0.82	5.7	0.65
775 Alcohol Abuse/Dependence	41	3.3	3.9	0.85	3.9	0.85	3.7	0.89

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$26,721	\$27,893	\$44,321	0.63	\$39,675	0.70	\$50,763	0.55
133	Respiratory failure	\$21,730	\$28,716	\$38,110	0.75	\$36,159	0.79	\$41,427	0.69
137	Respiratory Infections and Inflammations	\$26,190	\$28,327	\$41,782	0.68	\$36,731	0.77	\$44,204	0.64
139	Pneumonia	\$22,217	\$22,253	\$31,722	0.70	\$28,353	0.78	\$33,131	0.67
194	Heart Failure	\$21,997	\$21,741	\$33,627	0.65	\$30,581	0.71	\$38,512	0.56
201	Heart Abnormal Rhythm and Conduction Disorders	\$20,881	\$17,808	\$25,031	0.71	\$24,409	0.73	\$27,857	0.64
247	Intestinal Obstruction without Surgery	\$21,340	\$22,519	\$23,712	0.95	\$23,588	0.95	\$27,065	0.83
383	Cellulitis & other skin infections	\$21,044	\$19,893	\$25,137	0.79	\$26,179	0.76	\$29,240	0.68
463	Kidney/Urinary Tract Infection	\$20,851	\$19,938	\$27,701	0.72	\$25,093	0.79	\$30,445	0.65
469	Acute kidney injury	\$20,555	\$22,742	\$33,591	0.68	\$31,117	0.73	\$39,232	0.58
540	Cesarean Delivery	\$25,587	\$25,398	\$24,471	1.04	\$26,660	0.95	\$31,158	0.82
560	Vaginal Delivery	\$9,611	\$9,341	\$12,893	0.72	\$12,456	0.75	\$16,019	0.58
640	Normal Newborn, Birthweight 2500g+	\$3,252	\$3,431	\$5,470	0.63	\$5,451	0.63	\$5,687	0.60
720	Blood Infection/Septicemia	\$26,655	\$32,491	\$51,287	0.63	\$42,902	0.76	\$56,342	0.58
775	Alcohol Abuse/Dependence	\$18,332	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

124 Aurora Medical Center	- Sheboygan	County		Hospital Type: GMS					
3400 Union Ave				County: Sheboygan					
Sheboygan, WI 53081				Analysis Area: 4-Northeaste	ern				
920-802-2100				Inpatient Volume Group: 5					
Overall Hospital Utilization				Patient Discharge Status					
Total Discharges:	7,057	Average Length of Stay (days):	3.6	Discharge Status	% Discharges				
Total Patient Days:	25,448	Average Charge per Discharge:	\$33,938	Home or Self-Care Other GMS Hospital	67.5% 3.6%				
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%				
Normal Childbirths:	574	Percent of All Childbirths:	73.4%	Skilled Nursing Facility	8.8%				
Cesarean Childbirths:	160	Percent of All Childbirths:	20.5%	Intermediate Care Facility	2.8%				
Other Childbirths:	48	Percent of All Childbirths:	6.1%	Inpatient Rehabilitation Facility	0.1%				
Total Childbirths:	782	r crocht of Air Officialititis.	0.170	Hospice	2.4%				
Total Childbirtins.	102			Other Institution	0.0%				
Total Newborns:	800			Home Health Service	11.5%				
Developing Utilization				Left Against Medical Advice	1.6%				
Psychiatric Utilization				Expired	0.6%				
Discharges:	738	Percent of All Discharges:	10.5%	Discharge/Tran to Court/Law Enforcmnt	0.2%				
Patient Days:	4,063	Percent of All Patient Days:	16.0%	Other	0.8%				
				Expected Pay Source Distri	bution				
AODA Utilization				Primary Payer	% Discharges				
Discharges:	170	Percent of All Discharges:	2.4%	Medicare	63.8%				
Patient Days:	521	Percent of All Patient Days:	2.0%	Medicaid/BadgerCare	18.1%				
-		-		Other Government	1.2%				
				Commercial or Private Insurance	13.2%				
				Self-Pay	3.5%				
				Other or Unknown Insurance	0.2%				

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	11.3%	7.6%	Male	44.5%	47.2%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	1.9%	3.2%	Female	55.5%	52.8%	Asian	4.9%	3.6%
15 - 19	1.8%	2.3%				Black/African Amer.	3.6%	3.7%
20 - 24	3.4%	2.8%				Native Hawaii/Pac.Isl.	0.6%	0.5%
25 - 34	12.5%	8.9%				White	88.8%	90.1%
35 - 44	7.1%	6.6%				Multiracial	1.1%	1.3%
45 - 54	8.0%	8.8%				Declined	0.4%	0.4%
55 - 64	12.0%	14.0%				Unavailable	0.4%	0.2%
65 - 74	16.4%	17.5%						
75 - 84	16.6%	18.7%						
85 & Over	8.9%	9.7%						

124 Aurora Medical Center - Sheboygan County

Sheboygan, WI 53081

APR-DRG Specific Data - Average Length of Stay (ALOS)

	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	109	3.6	3.8	0.95	3.9	0.92	4.6	0.78
133 Respiratory failure	138	3.5	4.3	0.81	4.2	0.83	4.2	0.83
137 Respiratory Infections and Inflammations	116	5.3	5.4	0.98	5.1	1.04	5.1	1.04
139 Pneumonia	137	3.5	3.7	0.95	4.0	0.88	3.9	0.90
194 Heart Failure	339	4.3	4.1	1.05	4.5	0.96	4.7	0.91
201 Heart Abnormal Rhythm and Conduction Disorders	81	2.7	2.9	0.93	3.0	0.90	2.9	0.93
383 Cellulitis & other skin infections	90	3.4	3.9	0.87	3.9	0.87	4.0	0.85
463 Kidney/Urinary Tract Infection	106	3.4	3.7	0.92	3.6	0.94	3.8	0.89
466 Malfunction, reaction, complic of genitourinary device or pro	c 58	4.6	4.8	0.96	5.1	0.90	5.2	0.88
469 Acute kidney injury	126	4.0	4.3	0.93	4.6	0.87	4.8	0.83
540 Cesarean Delivery	160	2.7	3.5	0.77	2.9	0.93	3.4	0.79
560 Vaginal Delivery	574	1.7	2.0	0.85	1.9	0.89	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	743	1.7	1.9	0.89	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	721	4.4	5.2	0.85	5.3	0.83	5.7	0.77
775 Alcohol Abuse/Dependence	137	3.2	3.9	0.82	3.4	0.94	3.7	0.86

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted Group Averages				
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$48,500	\$49,573	\$44,321	1.12	\$47,909	1.03	\$50,763	0.98	
133	Respiratory failure	\$33,972	\$37,723	\$38,110	0.99	\$41,132	0.92	\$41,427	0.91	
137	Respiratory Infections and Inflammations	\$43,990	\$40,790	\$41,782	0.98	\$44,693	0.91	\$44,204	0.92	
139	Pneumonia	\$33,284	\$34,215	\$31,722	1.08	\$34,901	0.98	\$33,131	1.03	
194	Heart Failure	\$36,535	\$37,275	\$33,627	1.11	\$36,539	1.02	\$38,512	0.97	
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,575	\$26,647	\$25,031	1.06	\$27,323	0.98	\$27,857	0.96	
383	Cellulitis & other skin infections	\$30,482	\$29,443	\$25,137	1.17	\$29,662	0.99	\$29,240	1.01	
463	Kidney/Urinary Tract Infection	\$31,400	\$31,636	\$27,701	1.14	\$30,920	1.02	\$30,445	1.04	
466	Malfunction, reaction, complic of genitourinary device or proc	\$37,372	\$36,874	\$37,254	0.99	\$41,728	0.88	\$45,131	0.82	
469	Acute kidney injury	\$38,189	\$39,373	\$33,591	1.17	\$37,998	1.04	\$39,232	1.00	
540	Cesarean Delivery	\$28,230	\$29,498	\$24,471	1.21	\$29,193	1.01	\$31,158	0.95	
560	Vaginal Delivery	\$12,973	\$13,330	\$12,893	1.03	\$14,839	0.90	\$16,019	0.83	
640	Normal Newborn, Birthweight 2500g+	\$4,964	\$5,209	\$5,470	0.95	\$5,740	0.91	\$5,687	0.92	
720	Blood Infection/Septicemia	\$46,010	\$49,023	\$51,287	0.96	\$52,940	0.93	\$56,342	0.87	
775	Alcohol Abuse/Dependence	\$24,666	#	#	#	#	#	#	#	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Total Discharges: 1,612 Average Length of Stay (days): 3.1 Discharge Status Home or Self-Care Home or Self-Care	Sheboygan
920-459-8300 Inpatient Volume Group: 4 Overall Hospital Utilization Patient Discl Total Discharges: 1,612 Average Length of Stay (days): 3.1 Discharge Status Home or Self-Care Home or Self-Care	
Overall Hospital Utilization Patient Discl Total Discharges: 1,612 Average Length of Stay (days): 3.1 Discharge Status Home or Self-Care	-Northeastern
Total Discharges: 1,612 Average Length of Stay (days): 3.1 Discharge Status Home or Self-Care Home or Self-Care	•
Home or Self-Care	harge Status
Home or Self-Care	<u>% Discharges</u>
Total Patient Days: 4,940 Average Charge per Discharge: \$31,342 Other GMS Hospital	64.1% 6.2%
Obstetrical Utilization Critical Access Hospital (CAH)	0.1%
Normal Childbirths: 157 Percent of All Childbirths: 72.0% Skilled Nursing Facility	11.4%
Cesarean Childbirths: 57 Percent of All Childbirths: 26.1% Intermediate Care Facility	1.4%
Other Childbirths: 4 Percent of All Childbirths: 1.8%	0.3%
Total Childbirths: 218 Hospice	4.6%
Other Institution	0.0%
Total Newborns: 222 Home Health Service	10.0%
Left Against Medical Advice	1.1%
Psychiatric Utilization Expired	0.6%
Discharges: 0 Percent of All Discharges: 0.0% Discharge/Tran to Court/Law Er	nforcmnt 0.0%
Patient Days: 0 Percent of All Patient Days: 0.0% Other	0.2%
	ource Distribution
AODA Utilization Primary Payer	% Discharges
Discharges: 22 Percent of All Discharges: 1.4% Medicare	49.9%
Patient Days: 69 Percent of All Patient Days: 1.4% Medicaid/BadgerCare	12.2%
Other Government	2.8%
Commercial or Private Insurance	ce 32.2%
Self-Pay	2.7%
Other or Unknown Insurance	0.3%

	Age Distribution	<u> </u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	13.8%	7.6%	Male	40.3%	41.5%	Amer.Ind/Alaskan Native	e 0.4%	0.3%
Under 15	0.3%	0.1%	Female	59.7%	58.5%	Asian	5.1%	3.8%
15 - 19	0.3%	0.3%				Black/African Amer.	2.4%	2.1%
20 - 24	3.1%	2.2%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	10.4%	7.7%				White	90.1%	92.1%
35 - 44	6.6%	4.7%				Multiracial	0.7%	0.6%
45 - 54	5.9%	5.4%				Declined	0.7%	0.5%
55 - 64	9.9%	10.6%				Unavailable	0.6%	0.6%
65 - 74	17.2%	20.2%						
75 - 84	17.8%	22.5%						
85 & Over	14.7%	18.7%						

125 St Nicholas Hospital

Sheboygan, WI 53081

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	<u>Analysis Area</u>		olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	32	3.4	3.8	0.89	3.5	0.97	4.6	0.74
133 Respiratory failure	69	2.9	4.3	0.67	3.5	0.83	4.2	0.69
137 Respiratory Infections and Inflammations	44	4.0	5.4	0.74	4.4	0.91	5.1	0.78
139 Pneumonia	42	3.1	3.7	0.84	3.6	0.86	3.9	0.79
194 Heart Failure	47	4.1	4.1	1.00	3.8	1.08	4.7	0.87
201 Heart Abnormal Rhythm and Conduction Disorders	23	2.2	2.9	0.76	2.6	0.85	2.9	0.76
247 Intestinal Obstruction without Surgery	23	3.6	3.1	1.16	3.0	1.20	3.4	1.06
383 Cellulitis & other skin infections	17	3.4	3.9	0.87	4.1	0.83	4.0	0.85
463 Kidney/Urinary Tract Infection	28	3.9	3.7	1.05	3.4	1.15	3.8	1.03
469 Acute kidney injury	29	3.7	4.3	0.86	4.2	0.88	4.8	0.77
540 Cesarean Delivery	57	2.5	3.5	0.71	2.7	0.93	3.4	0.74
560 Vaginal Delivery	157	2.0	2.0	1.00	1.8	1.11	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	208	1.7	1.9	0.89	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	146	4.1	5.2	0.79	4.5	0.91	5.7	0.72
775 Alcohol Abuse/Dependence	16	3.7	3.9	0.95	3.9	0.95	3.7	1.00

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$39,343	\$46,235	\$44,321	1.04	\$39,675	1.17	\$50,763	0.91
133	Respiratory failure	\$31,218	\$37,157	\$38,110	0.97	\$36,159	1.03	\$41,427	0.90
137	Respiratory Infections and Inflammations	\$39,791	\$43,855	\$41,782	1.05	\$36,731	1.19	\$44,204	0.99
139	Pneumonia	\$30,477	\$30,775	\$31,722	0.97	\$28,353	1.09	\$33,131	0.93
194	Heart Failure	\$34,445	\$35,318	\$33,627	1.05	\$30,581	1.15	\$38,512	0.92
201	Heart Abnormal Rhythm and Conduction Disorders	\$27,816	\$27,300	\$25,031	1.09	\$24,409	1.12	\$27,857	0.98
247	Intestinal Obstruction without Surgery	\$24,611	\$26,975	\$23,712	1.14	\$23,588	1.14	\$27,065	1.00
383	Cellulitis & other skin infections	\$28,913	\$27,543	\$25,137	1.10	\$26,179	1.05	\$29,240	0.94
463	Kidney/Urinary Tract Infection	\$35,247	\$32,698	\$27,701	1.18	\$25,093	1.30	\$30,445	1.07
469	Acute kidney injury	\$32,532	\$33,273	\$33,591	0.99	\$31,117	1.07	\$39,232	0.85
540	Cesarean Delivery	\$25,053	\$26,305	\$24,471	1.07	\$26,660	0.99	\$31,158	0.84
560	Vaginal Delivery	\$12,906	\$12,899	\$12,893	1.00	\$12,456	1.04	\$16,019	0.81
640	Normal Newborn, Birthweight 2500g+	\$3,913	\$4,246	\$5,470	0.78	\$5,451	0.78	\$5,687	0.75
720	Blood Infection/Septicemia	\$43,101	\$50,258	\$51,287	0.98	\$42,902	1.17	\$56,342	0.89
775	Alcohol Abuse/Dependence	\$29,896	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

179 Indianhead Medical Center	r/Shell Lak	(e		Hospital Type: GMS	
113 Fourth Avenue, PO Box 30	0			County: Washburn	
Shell Lake, WI 54871				Analysis Area: 7-Western La	ake Superior
715-468-7833				Inpatient Volume Group: 1	
Overall Hospital Utilization				IS	
Total Discharges:	107	Average Length of Stay (days):	4.3	Discharge Status	<u>% Discharges</u>
Total Patient Days:	458	Average Charge per Discharge:	\$11,606	Home or Self-Care Other GMS Hospital	61.7% 7.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	9.3% 0.0%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice Other Institution	0.9% 0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 5.6%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	13.1%
				Expected Pay Source Distril	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	1.9%	Medicare	81.3%
Patient Days:	6	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	8.4%
				Other Government	0.0%
				Commercial or Private Insurance	10.3%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.6%	45.4%	Amer.Ind/Alaskan Native	e 1.9%	0.9%
Under 15	0.0%	0.0%	Female	51.4%	54.6%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	1.9%	0.9%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.9%	1.7%				White	98.1%	99.1%
35 - 44	0.9%	1.3%				Multiracial	0.0%	0.0%
45 - 54	5.6%	3.5%				Declined	0.0%	0.0%
55 - 64	13.1%	12.4%				Unavailable	0 %	0 %
65 - 74	20.6%	24.5%						
75 - 84	37.4%	36.2%						
85 & Over	18.7%	19.4%						

179 Indianhead Medical Center/Shell Lake

Shell Lake, WI 54871

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages					
			Analysis Area Inpatient Volume Group				<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	3.3	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	*	*	4.9	*	3.4	*	5.1	*
139 Pneumonia	*	*	4.1	*	3.2	*	3.9	*
140 Chronic Obstructive Pulmonary Disease	7	4.4	3.4	1.29	2.5	1.76	3.3	1.33
194 Heart Failure	12	4.0	3.7	1.08	3.2	1.25	4.7	0.85
249 Other gastroenteritis, nausea & vomiting	*	*	3.8	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	2.6	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	6	4.3	4.0	1.08	3.4	1.26	4.0	1.08
420 Diabetes	*	*	3.8	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	5	4.6	4.0	1.15	3.4	1.35	3.8	1.21
469 Acute kidney injury	7	5.3	3.0	1.77	2.6	2.04	4.8	1.10
720 Blood Infection/Septicemia	0	N/A	4.2	N/A	3.1	N/A	5.7	N/A
775 Alcohol Abuse/Dependence	*	*	4.3	*	3.1	*	3.7	*
861 Signs & Symptoms	*	*	5.3	*	9.1	*	5.8	*
862 Other Factors Influencing Health Status	0	N/A	6.8	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRO	G # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Res	piratory failure	*	*	\$20,007	*	\$23,461	*	\$41,427	*
137 Res	piratory Infections and Inflammations	*	*	\$22,722	*	\$26,728	*	\$44,204	*
139 Pne	eumonia	*	*	\$20,478	*	\$19,737	*	\$33,131	*
140 Chro	onic Obstructive Pulmonary Disease	\$14,749	\$18,566	\$16,367	1.13	\$14,984	1.24	\$32,611	0.57
194 Hea	art Failure	\$11,791	\$16,752	\$17,648	0.95	\$18,454	0.91	\$38,512	0.43
249 Othe	er gastroenteritis, nausea & vomiting	*	*	\$17,512	*	\$14,692	*	\$30,820	*
282 Disc	orders of Pancreas Except Malignancy	*	*	\$21,364	*	\$18,126	*	\$35,124	*
383 Cell	lulitis & other skin infections	\$11,864	\$16,275	\$16,229	1.00	\$17,133	0.95	\$29,240	0.56
420 Diab	betes	*	*	\$20,745	*	\$16,894	*	\$30,138	*
463 Kidn	ney/Urinary Tract Infection	\$10,001	\$12,732	\$16,198	0.79	\$17,003	0.75	\$30,445	0.42
469 Acut	te kidney injury	\$12,552	\$21,707	\$15,237	1.42	\$16,299	1.33	\$39,232	0.55
720 Bloc	od Infection/Septicemia	N/A	N/A	\$26,033	*	\$27,572	*	\$56,342	*
775 Alco	phol Abuse/Dependence	*	#	#	*	#	*	#	*
861 Sign	ns & Symptoms	*	*	\$18,814	*	\$22,684	*	\$36,306	*
862 Othe	er Factors Influencing Health Status	N/A	N/A	\$15,162	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

310 West Main StreetCounty: MontoSparta, WI 54656Analysis Area: 5B-Sc608-269-2132Inpatient Volume Group: 1Overall Hospital UtilizationPatient DischargeTotal Discharges:127Average Length of Stay (days):3.6Total Patient Days:452Average Charge per Discharge:\$13,511Obstetrical UtilizationCritical Access Hospital (CAH)Normal Childbirths:0Percent of All Childbirths:0.0%Normal Childbirths:0Percent of All Childbirths:0.0%Other GMS Hospital Care FacilityIntermediate Care FacilityInpatient Rehabilitation FacilityInpatient Rehabilitation Facility	
608-269-2132 Inpatient Volume Group: 1 Overall Hospital Utilization Patient Discharg Total Discharges: 127 Average Length of Stay (days): 3.6 Discharge Status Total Patient Days: 452 Average Charge per Discharge: \$13,511 Home or Self-Care Obstetrical Utilization Critical Access Hospital (CAH) Normal Childbirths: 0 Percent of All Childbirths: 0.0% Skilled Nursing Facility Normal Childbirths: 0 Percent of All Childbirths: 0.0% Inpatient Rehabilitation Facility	e
Patient DischargeOverall Hospital UtilizationPatient DischargeTotal Discharges:127Average Length of Stay (days):3.6Discharge StatusTotal Patient Days:452Average Charge per Discharge:\$13,511Home or Self-Care Other GMS HospitalObstetrical UtilizationCritical Access Hospital (CAH)Normal Childbirths:0Percent of All Childbirths:0.0%Skilled Nursing Facility Intermediate Care FacilityNormal Childbirths:0Percent of All Childbirths:0.0%Intermediate Care Facility Intermediate Care Facility	outhwestern
Total Discharges:127Average Length of Stay (days):3.6Discharge StatusTotal Patient Days:452Average Charge per Discharge:\$13,511Home or Self-Care Other GMS HospitalObstetrical UtilizationCritical Access Hospital (CAH)Normal Childbirths:0Percent of All Childbirths:0.0%Descent of All Childbirths:0.0%Intermediate Care FacilityIntermediate Care FacilityIntermediate Care Facility	
Total Patient Days:452Average Charge per Discharge:\$13,511Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH)Obstetrical UtilizationPercent of All Childbirths:0.0%Skilled Nursing Facility Intermediate Care FacilityNormal Childbirths:0Percent of All Childbirths:0.0%Skilled Nursing Facility Intermediate Care Facility	e Status
Total Patient Days:452Average Charge per Discharge:\$13,511Other GMS Hospital Critical Access Hospital (CAH)Obstetrical UtilizationPercent of All Childbirths:0.0%Skilled Nursing Facility Intermediate Care FacilityNormal Childbirths:0Percent of All Childbirths:0.0%Skilled Nursing Facility Intermediate Care Facility	<u>% Discharges</u>
Normal Childbirths: 0 Percent of All Childbirths: 0.0% Skilled Nursing Facility Cesarean Childbirths: 0 Percent of All Childbirths: 0.0% Intermediate Care Facility Inpatient Rehabilitation Facility 0.0% Intermediate Care Facility	60.6% 9.4%
Normal Childbirths: 0 Percent of All Childbirths: 0.0% Intermediate Care Facility Cesarean Childbirths: 0 Percent of All Childbirths: 0.0% Intermediate Care Facility	0.0%
Cesarean Childbirths: 0 Percent of All Childbirths: 0.0%	11.8% 0.0%
	0.0%
Other Childbirths: 0 Percent of All Childbirths: 0.0% Hospice	1.6%
Total Childbirths: 0 Other Institution	0.0%
Total Newborns: 0 Home Health Service	1.6%
Left Against Medical Advice	5.5%
Psychiatric Utilization Expired	0.8%
Discharges: 1 Percent of All Discharges: 0.8% Discharge/Tran to Court/Law Enforce	nnt 0.0%
Patient Days: 78 Percent of All Patient Days: 17.3% Other	8.7%
Expected Pay Source	Distribution
AODA Utilization Primary Payer	% Discharges
Discharges: 2 Percent of All Discharges: 1.6% Medicare	70.1%
Patient Days: 0.7% Medicaid/BadgerCare	5.5%
Other Government	12.6%
Commercial or Private Insurance	8.7%
Self-Pay	3.1%
Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	44.1%	37.4%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	55.9%	62.6%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.8%	0.2%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.4%	2.2%				White	98.4%	98.5%
35 - 44	3.9%	3.3%				Multiracial	0.0%	0.0%
45 - 54	7.1%	5.5%				Declined	0.0%	0.0%
55 - 64	15.0%	27.2%				Unavailable	0.8%	1.3%
65 - 74	29.9%	24.8%						
75 - 84	25.2%	20.8%						
85 & Over	16.5%	16.2%						

127 Mayo Clinic Health System - Sparta

Sparta, WI 54656

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	is Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	0	N/A	3.6	N/A	3.0	N/A	4.2	N/A
137 Respiratory Infections and Inflammations	6	3.3	4.5	0.73	3.4	0.97	5.1	0.65
139 Pneumonia	16	2.8	3.2	0.88	3.2	0.88	3.9	0.72
140 Chronic Obstructive Pulmonary Disease	7	1.3	2.9	0.45	2.5	0.52	3.3	0.39
194 Heart Failure	14	3.9	4.0	0.98	3.2	1.22	4.7	0.83
249 Other gastroenteritis, nausea & vomiting	*	*	2.9	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.0	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	6	2.2	3.8	0.58	3.4	0.65	4.0	0.55
420 Diabetes	*	*	2.7	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	6	2.3	3.2	0.72	3.4	0.68	3.8	0.61
469 Acute kidney injury	10	3.8	4.2	0.90	2.6	1.46	4.8	0.79
720 Blood Infection/Septicemia	15	3.3	4.5	0.73	3.1	1.06	5.7	0.58
775 Alcohol Abuse/Dependence	*	*	4.7	*	3.1	*	3.7	*
861 Signs & Symptoms	0	N/A	6.6	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	11.5	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	N/A	N/A	\$25,776	*	\$23,461	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$19,096	\$20,563	\$30,904	0.67	\$26,728	0.77	\$44,204	0.47
139	Pneumonia	\$11,133	\$12,963	\$21,981	0.59	\$19,737	0.66	\$33,131	0.39
140	Chronic Obstructive Pulmonary Disease	\$7,738	\$8,170	\$20,738	0.39	\$14,984	0.55	\$32,611	0.25
194	Heart Failure	\$17,693	\$20,964	\$24,595	0.85	\$18,454	1.14	\$38,512	0.54
249	Other gastroenteritis, nausea & vomiting	*	*	\$18,113	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$19,309	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	\$11,206	\$11,426	\$18,125	0.63	\$17,133	0.67	\$29,240	0.39
420	Diabetes	*	*	\$17,345	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$7,166	\$8,138	\$17,248	0.47	\$17,003	0.48	\$30,445	0.27
469	Acute kidney injury	\$15,646	\$19,633	\$23,553	0.83	\$16,299	1.20	\$39,232	0.50
720	Blood Infection/Septicemia	\$13,639	\$24,119	\$30,431	0.79	\$27,572	0.87	\$56,342	0.43
775	Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861	Signs & Symptoms	N/A	N/A	\$27,408	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$38,307	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

128 Spooner Health				Hospital Type: GMS	
1280 Chandler Drive				County: Washburn	
Spooner, WI 54801				Analysis Area: 7-Western L	ake Superior
715-635-2111				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	281	Average Length of Stay (days):	3.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,045	Average Charge per Discharge:	\$18,369	Home or Self-Care Other GMS Hospital	49.8% 14.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.7%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	9.3% 2.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	2.1%
Total Childbirths:	0		0.070	Hospice	3.2%
-				Other Institution	0.0%
Total Newborns:	0			Home Health Service	9.3%
Psychiatric Utilization				Left Against Medical Advice Expired	0.4% 3.2%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	5.3%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	71.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	8.2%
-		-		Other Government	9.3%
				Commercial or Private Insurance	9.6%
				Self-Pay	1.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	47.7%	52.9%	Amer.Ind/Alaskan Native	e 7.5%	5.2%
Under 15	0.0%	0.0%	Female	52.3%	47.1%	Asian	0.0%	0.0%
15 - 19	0.4%	0.1%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.4%	0.5%
25 - 34	1.1%	0.8%				White	92.2%	94.4%
35 - 44	2.5%	1.5%				Multiracial	0.0%	0.0%
45 - 54	6.0%	4.1%				Declined	0.0%	0.0%
55 - 64	12.1%	10.4%				Unavailable	0 %	0 %
65 - 74	27.4%	27.1%						
75 - 84	28.1%	30.7%						
85 & Over	22.4%	25.3%						

128 Spooner Health

Spooner, WI 54801

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages			
		<u>Analysis Area</u>				olume Group	<u>All GMS H</u>	All GMS Hospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	10	3.2	3.3	0.97	3.5	0.91	4.2	0.76	
137 Respiratory Infections and Inflammations	14	3.9	4.9	0.80	3.9	1.00	5.1	0.76	
139 Pneumonia	26	3.8	4.1	0.93	3.6	1.06	3.9	0.97	
140 Chronic Obstructive Pulmonary Disease	8	3.3	3.4	0.97	3.5	0.94	3.3	1.00	
194 Heart Failure	26	4.5	3.7	1.22	3.6	1.25	4.7	0.96	
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.6	*	2.9	*	
247 Intestinal Obstruction without Surgery	7	3.0	3.2	0.94	3.0	1.00	3.4	0.88	
383 Cellulitis & other skin infections	6	4.5	4.0	1.13	3.8	1.18	4.0	1.13	
463 Kidney/Urinary Tract Infection	10	4.9	4.0	1.23	3.5	1.40	3.8	1.29	
469 Acute kidney injury	21	2.7	3.0	0.90	3.1	0.87	4.8	0.56	
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.7	N/A	1.6	N/A	1.9	N/A	
720 Blood Infection/Septicemia	36	4.4	4.2	1.05	3.7	1.19	5.7	0.77	
861 Signs & Symptoms	*	*	5.3	*	6.9	*	5.8	*	
862 Other Factors Influencing Health Status	*	*	6.8	*	11.6	*	7.9	*	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$17,292	\$25,481	\$20,007	1.27	\$26,133	0.98	\$41,427	0.62
137	Respiratory Infections and Inflammations	\$20,418	\$25,294	\$22,722	1.11	\$25,355	1.00	\$44,204	0.57
139	Pneumonia	\$18,729	\$21,627	\$20,478	1.06	\$23,433	0.92	\$33,131	0.65
140	Chronic Obstructive Pulmonary Disease	\$18,907	\$19,789	\$16,367	1.21	\$23,153	0.85	\$32,611	0.61
194	Heart Failure	\$22,152	\$28,696	\$17,648	1.63	\$23,717	1.21	\$38,512	0.75
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$12,246	*	\$17,441	*	\$27,857	*
247	Intestinal Obstruction without Surgery	\$14,409	\$17,074	\$14,725	1.16	\$19,525	0.87	\$27,065	0.63
383	Cellulitis & other skin infections	\$18,036	\$19,816	\$16,229	1.22	\$19,976	0.99	\$29,240	0.68
463	Kidney/Urinary Tract Infection	\$23,429	\$28,519	\$16,198	1.76	\$21,286	1.34	\$30,445	0.94
469	Acute kidney injury	\$13,810	\$20,684	\$15,237	1.36	\$22,049	0.94	\$39,232	0.53
560	Vaginal Delivery	N/A	N/A	\$7,868	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,533	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$24,670	\$30,777	\$26,033	1.18	\$33,506	0.92	\$56,342	0.55
861	Signs & Symptoms	*	*	\$18,814	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	*	*	\$15,162	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

129 St Croix Health				Hospital Type: GMS	
235 State Street				County: Polk	
St Croix Falls, WI 54024				Analysis Area: 5A-West Cer	ntral
715-483-3261				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,297	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	4,471	Average Charge per Discharge:	\$14,776	Home or Self-Care Other GMS Hospital	63.5% 5.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	144 43 10	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	73.1% 21.8% 5.1%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	13.6% 0.0% 0.0%
Total Childbirths:	197		0.170	Hospice	2.1%
Total Newborns:	208			Other Institution Home Health Service	0.2% 10.7%
Psychiatric Utilization				Left Against Medical Advice Expired	0.4% 1.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	2.1%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	13	Percent of All Discharges:	1.0%	Medicare	49.8%
Patient Days:	74	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare	17.3%
				Other Government	6.1%
				Commercial or Private Insurance	21.7%
				Self-Pay	5.2%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	16.0%	8.2%	Male	39.7%	41.8%	Amer.Ind/Alaskan Native	e 1.0%	1.5%
Under 15	0.1%	0.0%	Female	60.3%	58.2%	Asian	0.1%	0.1%
15 - 19	1.0%	0.6%				Black/African Amer.	0.1%	0.0%
20 - 24	3.9%	2.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	10.4%	6.6%				White	97.3%	97.1%
35 - 44	4.9%	3.9%				Multiracial	0.8%	0.8%
45 - 54	3.2%	3.7%				Declined	0.7%	0.4%
55 - 64	8.6%	9.3%				Unavailable	0 %	0 %
65 - 74	16.6%	19.0%						
75 - 84	22.3%	27.3%						
85 & Over	13.0%	18.7%						

129 St Croix Health

St Croix Falls, WI 54024

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	68	4.3	4.6	0.93	3.6	1.19	4.2	1.02
137 Respiratory Infections and Inflammations	32	3.8	4.6	0.83	3.7	1.03	5.1	0.75
139 Pneumonia	32	4.7	3.8	1.24	3.4	1.38	3.9	1.21
140 Chronic Obstructive Pulmonary Disease	22	3.1	3.3	0.94	3.0	1.03	3.3	0.94
194 Heart Failure	76	4.7	4.7	1.00	3.7	1.27	4.7	1.00
201 Heart Abnormal Rhythm and Conduction Disorders	12	3.2	2.9	1.10	2.7	1.19	2.9	1.10
247 Intestinal Obstruction without Surgery	16	2.1	2.9	0.72	2.8	0.75	3.4	0.62
326 Elective knee joint replacement	22	2.4	2.7	0.89	1.6	1.50	2.0	1.20
383 Cellulitis & other skin infections	13	5.5	4.4	1.25	3.8	1.45	4.0	1.38
463 Kidney/Urinary Tract Infection	29	3.7	3.7	1.00	3.3	1.12	3.8	0.97
469 Acute kidney injury	23	4.7	4.5	1.04	3.4	1.38	4.8	0.98
540 Cesarean Delivery	43	2.5	2.8	0.89	2.8	0.89	3.4	0.74
560 Vaginal Delivery	144	2.1	2.0	1.05	1.9	1.11	2.1	1.00
640 Normal Newborn, Birthweight 2500g+	186	1.7	1.8	0.94	1.8	0.94	1.9	0.89
720 Blood Infection/Septicemia	45	4.4	5.3	0.83	3.9	1.13	5.7	0.77

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages						
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio	
133	Respiratory failure	\$17,852	\$21,252	\$31,031	0.68	\$27,996	0.76	\$41,427	0.51	
137	Respiratory Infections and Inflammations	\$17,329	\$20,805	\$33,451	0.62	\$25,863	0.80	\$44,204	0.47	
139	Pneumonia	\$18,573	\$20,821	\$24,141	0.86	\$23,921	0.87	\$33,131	0.63	
140	Chronic Obstructive Pulmonary Disease	\$14,187	\$14,867	\$21,372	0.70	\$20,883	0.71	\$32,611	0.46	
194	Heart Failure	\$16,847	\$20,296	\$29,089	0.70	\$24,051	0.84	\$38,512	0.53	
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,932	\$14,255	\$21,213	0.67	\$18,840	0.76	\$27,857	0.51	
247	Intestinal Obstruction without Surgery	\$8,444	\$7,408	\$15,833	0.47	\$17,509	0.42	\$27,065	0.27	
326	Elective knee joint replacement	\$36,839	\$37,109	\$44,423	0.84	\$53,216	0.70	\$65,010	0.57	
383	Cellulitis & other skin infections	\$18,874	\$20,797	\$21,652	0.96	\$21,588	0.96	\$29,240	0.71	
463	Kidney/Urinary Tract Infection	\$13,056	\$12,862	\$20,430	0.63	\$17,785	0.72	\$30,445	0.42	
469	Acute kidney injury	\$13,471	\$17,812	\$28,871	0.62	\$22,228	0.80	\$39,232	0.45	
540	Cesarean Delivery	\$15,526	\$15,974	\$22,518	0.71	\$26,138	0.61	\$31,158	0.51	
560	Vaginal Delivery	\$8,250	\$8,266	\$11,125	0.74	\$12,000	0.69	\$16,019	0.52	
640	Normal Newborn, Birthweight 2500g+	\$2,176	\$2,196	\$3,955	0.56	\$4,404	0.50	\$5,687	0.39	
720	Blood Infection/Septicemia	\$16,661	\$20,709	\$42,770	0.48	\$33,539	0.62	\$56,342	0.37	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

130 Aspirus Stanley Hospital				Hospital Type: GMS	
1120 Pine Street				County: Clark	
Stanley, WI 54768				Analysis Area: 5A-West Ce	ntral
715-644-5571				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	289	Average Length of Stay (days):	3.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,104	Average Charge per Discharge:	\$26,535	Home or Self-Care Other GMS Hospital	37.7% 12.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	1.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	15.6% 4.8%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	0			Hospice	3.5%
Total Newborns:	0			Other Institution Home Health Service	0.0% 8.7%
Psychiatric Utilization				Left Against Medical Advice Expired	1.4% 3.5%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	2.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	9.0%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.3%	Medicare	76.1%
Patient Days:	12	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	3.8%
				Other Government	9.7%
				Commercial or Private Insurance	10.0%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.3%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	47.4%	48.2%	Amer.Ind/Alaskan Native	e 0.3%	0.6%
Under 15	0.0%	0.0%	Female	52.6%	51.8%	Asian	0.3%	0.2%
15 - 19	0.0%	0.0%				Black/African Amer.	1.0%	1.4%
20 - 24	0.7%	0.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.7%	0.8%				White	97.6%	96.1%
35 - 44	2.4%	2.7%				Multiracial	0.0%	0.0%
45 - 54	6.2%	6.6%				Declined	0.7%	1.7%
55 - 64	14.5%	15.1%				Unavailable	0 %	0 %
65 - 74	23.5%	23.0%						
75 - 84	29.8%	28.8%						
85 & Over	21.1%	22.6%						

130 Aspirus Stanley Hospital

Stanley, WI 54768

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	6	2.8	4.6	0.61	3.5	0.80	4.2	0.67		
137 Respiratory Infections and Inflammations	8	5.1	4.6	1.11	3.9	1.31	5.1	1.00		
139 Pneumonia	14	3.5	3.8	0.92	3.6	0.97	3.9	0.90		
140 Chronic Obstructive Pulmonary Disease	*	*	3.3	*	3.5	*	3.3	*		
194 Heart Failure	35	3.1	4.7	0.66	3.6	0.86	4.7	0.66		
201 Heart Abnormal Rhythm and Conduction Disorders	8	1.9	2.9	0.66	2.6	0.73	2.9	0.66		
247 Intestinal Obstruction without Surgery	5	3.8	2.9	1.31	3.0	1.27	3.4	1.12		
383 Cellulitis & other skin infections	9	4.7	4.4	1.07	3.8	1.24	4.0	1.18		
463 Kidney/Urinary Tract Infection	10	4.0	3.7	1.08	3.5	1.14	3.8	1.05		
469 Acute kidney injury	9	2.7	4.5	0.60	3.1	0.87	4.8	0.56		
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A		
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.8	N/A	1.6	N/A	1.9	N/A		
720 Blood Infection/Septicemia	34	5.1	5.3	0.96	3.7	1.38	5.7	0.89		
861 Signs & Symptoms	5	3.4	5.5	0.62	6.9	0.49	5.8	0.59		
862 Other Factors Influencing Health Status	5	2.4	10.8	0.22	11.6	0.21	7.9	0.30		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$21,821	\$31,789	\$31,031	1.02	\$26,133	1.22	\$41,427	0.77
137	Respiratory Infections and Inflammations	\$33,198	\$34,342	\$33,451	1.03	\$25,355	1.35	\$44,204	0.78
139	Pneumonia	\$21,491	\$22,911	\$24,141	0.95	\$23,433	0.98	\$33,131	0.69
140	Chronic Obstructive Pulmonary Disease	*	*	\$21,372	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$22,631	\$24,486	\$29,089	0.84	\$23,717	1.03	\$38,512	0.64
201	Heart Abnormal Rhythm and Conduction Disorders	\$17,337	\$15,710	\$21,213	0.74	\$17,441	0.90	\$27,857	0.56
247	Intestinal Obstruction without Surgery	\$24,659	\$28,791	\$15,833	1.82	\$19,525	1.47	\$27,065	1.06
383	Cellulitis & other skin infections	\$27,612	\$27,805	\$21,652	1.28	\$19,976	1.39	\$29,240	0.95
463	Kidney/Urinary Tract Infection	\$24,516	\$27,164	\$20,430	1.33	\$21,286	1.28	\$30,445	0.89
469	Acute kidney injury	\$20,855	\$21,308	\$28,871	0.74	\$22,049	0.97	\$39,232	0.54
560	Vaginal Delivery	N/A	N/A	\$11,125	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$3,955	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$36,182	\$40,774	\$42,770	0.95	\$33,506	1.22	\$56,342	0.72
861	Signs & Symptoms	\$18,384	\$27,622	\$21,215	1.30	\$20,582	1.34	\$36,306	0.76
862	Other Factors Influencing Health Status	\$8,174	\$6,823	\$18,785	0.36	\$19,795	0.34	\$31,921	0.21

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

324 Aspirus Plover Hospital				Hospital Type: GMS	
5409 Vern Holmes Dr				County: Portage	
Stevens Point, WI 54482				Analysis Area: 6-North Cen	tral
715-344-1600				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	208	Average Length of Stay (days):	5.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,210	Average Charge per Discharge:	\$71,543	Home or Self-Care Other GMS Hospital	59.6% 1.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	1	Percent of All Childbirths:	33.3%	Skilled Nursing Facility	10.1%
Cesarean Childbirths:	2	Percent of All Childbirths:	66.7%	Intermediate Care Facility	1.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	4.3%
Total Childbirths:	3		0.070	Hospice	4.3%
Total Childbirths.	5			Other Institution	0.0%
Total Newborns:	1			Home Health Service	13.0%
Develoption Utilization				Left Against Medical Advice	0.5%
Psychiatric Utilization				Expired	5.3%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	63.9%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	6.3%
-		-		Other Government	5.3%
				Commercial or Private Insurance	24.5%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.5%	0.2%	Male	55.8%	51.2%	Amer.Ind/Alaskan Native	e 0.5%	0.7%
Under 15	1.0%	0.6%	Female	44.2%	48.8%	Asian	1.4%	0.5%
15 - 19	0.5%	0.1%				Black/African Amer.	0.5%	0.2%
20 - 24	1.0%	0.6%				Native Hawaii/Pac.Isl.	0.5%	0.5%
25 - 34	5.3%	8.4%				White	96.2%	97.4%
35 - 44	4.3%	6.4%				Multiracial	0.0%	0.0%
45 - 54	9.1%	11.7%				Declined	1.0%	0.7%
55 - 64	15.9%	12.6%				Unavailable	0 %	0 %
65 - 74	32.7%	27.9%						
75 - 84	19.7%	22.9%						
85 & Over	10.1%	8.7%						

324 Aspirus Plover Hospital

Stevens Point, WI 54482

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity	Group Averages							
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	*	*	4.1	*	3.5	*	4.2	*		
137 Respiratory Infections and Inflammations	*	*	5.1	*	3.9	*	5.1	*		
139 Pneumonia	*	*	4.0	*	3.6	*	3.9	*		
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.5	*	3.3	*		
194 Heart Failure	9	5.6	4.6	1.22	3.6	1.56	4.7	1.19		
201 Heart Abnormal Rhythm and Conduction Disorders	6	3.2	2.8	1.14	2.6	1.23	2.9	1.10		
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*		
383 Cellulitis & other skin infections	*	*	4.1	*	3.8	*	4.0	*		
463 Kidney/Urinary Tract Infection	5	12.0	3.9	3.08	3.5	3.43	3.8	3.16		
469 Acute kidney injury	*	*	4.8	*	3.1	*	4.8	*		
560 Vaginal Delivery	*	*	2.0	*	1.8	*	2.1	*		
640 Normal Newborn, Birthweight 2500g+	*	*	1.9	*	1.6	*	1.9	*		
720 Blood Infection/Septicemia	18	7.7	5.6	1.38	3.7	2.08	5.7	1.35		
861 Signs & Symptoms	0	N/A	6.7	N/A	6.9	N/A	5.8	N/A		
862 Other Factors Influencing Health Status	0	N/A	9.2	N/A	11.6	N/A	l 7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Descrip	tion	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133 Respiratory failure		*	*	\$37,801	*	\$26,133	*	\$41,427	*
137 Respiratory Infection	s and Inflammations	*	*	\$37,786	*	\$25,355	*	\$44,204	*
139 Pneumonia		*	*	\$30,317	*	\$23,433	*	\$33,131	*
140 Chronic Obstructive	Pulmonary Disease	*	*	\$32,438	*	\$23,153	*	\$32,611	*
194 Heart Failure		\$48,092	\$44,726	\$34,805	1.29	\$23,717	1.89	\$38,512	1.16
201 Heart Abnormal Rhy	thm and Conduction Disorders	\$36,298	\$24,777	\$24,857	1.00	\$17,441	1.42	\$27,857	0.89
247 Intestinal Obstruction	n without Surgery	*	*	\$21,658	*	\$19,525	*	\$27,065	*
383 Cellulitis & other skir	infections	*	*	\$25,899	*	\$19,976	*	\$29,240	*
463 Kidney/Urinary Tract	Infection	\$127,158	\$105,240	\$28,365	3.71	\$21,286	4.94	\$30,445	3.46
469 Acute kidney injury		*	*	\$36,852	*	\$22,049	*	\$39,232	*
560 Vaginal Delivery		*	*	\$12,421	*	\$9,420	*	\$16,019	*
640 Normal Newborn, Bi	thweight 2500g+	*	*	\$7,016	*	\$3,997	*	\$5,687	*
720 Blood Infection/Sept	cemia	\$88,202	\$78,109	\$48,275	1.62	\$33,506	2.33	\$56,342	1.39
861 Signs & Symptoms		N/A	N/A	\$35,451	*	\$20,582	*	\$36,306	*
862 Other Factors Influer	ncing Health Status	N/A	N/A	\$40,395	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

131 Aspirus Stevens Point H	lospital			Hospital Type: GMS	
900 Illinois Avenue				County: Portage	
Stevens Point, WI 54481				Analysis Area: 6-North Cen	tral
715-346-5000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	3,497	Average Length of Stay (days):	3.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	12,712	Average Charge per Discharge:	\$27,778	Home or Self-Care Other GMS Hospital	58.0% 5.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	131	Percent of All Childbirths:	72.0%	Skilled Nursing Facility Intermediate Care Facility	9.1% 3.9%
Cesarean Childbirths: Other Childbirths:	43 8	Percent of All Childbirths: Percent of All Childbirths:	23.6% 4.4%	Inpatient Rehabilitation Facility	0.8%
Total Childbirths:	182			Hospice Other Institution	3.5%
Total Newborns:	185			Home Health Service	0.0% 13.6%
Psychiatric Utilization				Left Against Medical Advice Expired	2.3% 1.2%
Discharges:	368	Percent of All Discharges:	10.5%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	1,145	Percent of All Patient Days:	9.0%	Other	2.3%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	286	Percent of All Discharges:	8.2%	Medicare	53.3%
Patient Days:	787	Percent of All Patient Days:	6.2%	Medicaid/BadgerCare	14.8%
				Other Government	4.6%
				Commercial or Private Insurance	27.2%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	5.3%	2.7%	Male	46.0%	47.4%	Amer.Ind/Alaskan Native	e 0.7%	0.6%
Under 15	0.1%	0.0%	Female	54.0%	52.6%	Asian	1.4%	1.0%
15 - 19	1.7%	1.1%				Black/African Amer.	1.2%	1.2%
20 - 24	3.8%	2.5%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	8.9%	6.3%				White	95.6%	96.3%
35 - 44	8.8%	6.9%				Multiracial	0.5%	0.4%
45 - 54	8.1%	7.3%				Declined	0.5%	0.5%
55 - 64	13.6%	14.7%				Unavailable	0 %	0 %
65 - 74	19.1%	20.8%						
75 - 84	17.4%	21.6%						
85 & Over	13.3%	16.3%						

131 Aspirus Stevens Point Hospital

Stevens Point, WI 54481

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	68	4.0	4.4	0.91	3.9	1.03	4.6	0.87
133 Respiratory failure	89	3.2	4.1	0.78	4.2	0.76	4.2	0.76
137 Respiratory Infections and Inflammations	67	4.6	5.1	0.90	5.1	0.90	5.1	0.90
139 Pneumonia	76	3.8	4.0	0.95	4.0	0.95	3.9	0.97
194 Heart Failure	188	4.0	4.6	0.87	4.5	0.89	4.7	0.85
201 Heart Abnormal Rhythm and Conduction Disorders	70	3.2	2.8	1.14	3.0	1.07	2.9	1.10
383 Cellulitis & other skin infections	34	3.5	4.1	0.85	3.9	0.90	4.0	0.88
463 Kidney/Urinary Tract Infection	71	4.3	3.9	1.10	3.6	1.19	3.8	1.13
466 Malfunction, reaction, complic of genitourinary device or pro-	c 71	5.6	5.5	1.02	5.1	1.10	5.2	1.08
469 Acute kidney injury	79	3.9	4.8	0.81	4.6	0.85	4.8	0.81
540 Cesarean Delivery	43	2.8	3.5	0.80	2.9	0.97	3.4	0.82
560 Vaginal Delivery	131	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	179	1.8	1.9	0.95	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	361	4.9	5.6	0.88	5.3	0.92	5.7	0.86
775 Alcohol Abuse/Dependence	221	2.8	3.7	0.76	3.4	0.82	3.7	0.76

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$39,992	\$43,416	\$41,794	1.04	\$47,909	0.91	\$50,763	0.86
133	Respiratory failure	\$27,273	\$34,225	\$37,801	0.91	\$41,132	0.83	\$41,427	0.83
137	Respiratory Infections and Inflammations	\$32,336	\$34,085	\$37,786	0.90	\$44,693	0.76	\$44,204	0.77
139	Pneumonia	\$28,658	\$28,971	\$30,317	0.96	\$34,901	0.83	\$33,131	0.87
194	Heart Failure	\$29,721	\$31,866	\$34,805	0.92	\$36,539	0.87	\$38,512	0.83
201	Heart Abnormal Rhythm and Conduction Disorders	\$28,452	\$29,983	\$24,857	1.21	\$27,323	1.10	\$27,857	1.08
383	Cellulitis & other skin infections	\$20,474	\$21,809	\$25,899	0.84	\$29,662	0.74	\$29,240	0.75
463	Kidney/Urinary Tract Infection	\$25,763	\$25,939	\$28,365	0.91	\$30,920	0.84	\$30,445	0.85
466	Malfunction, reaction, complic of genitourinary device or proc	\$37,832	\$41,634	\$41,941	0.99	\$41,728	1.00	\$45,131	0.92
469	Acute kidney injury	\$25,095	\$31,129	\$36,852	0.84	\$37,998	0.82	\$39,232	0.79
540	Cesarean Delivery	\$24,159	\$26,075	\$27,634	0.94	\$29,193	0.89	\$31,158	0.84
560	Vaginal Delivery	\$10,896	\$11,159	\$12,421	0.90	\$14,839	0.75	\$16,019	0.70
640	Normal Newborn, Birthweight 2500g+	\$5,825	\$6,012	\$7,016	0.86	\$5,740	1.05	\$5,687	1.06
720	Blood Infection/Septicemia	\$38,400	\$42,489	\$48,275	0.88	\$52,940	0.80	\$56,342	0.75
775	Alcohol Abuse/Dependence	\$15,044	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

335 Marshfield Medical Center	-River Reg	gion at Stevens Point		Hospital Type: GMS	
1400 State Highway 66				County: Portage	
Stevens Point, WI 54481				Analysis Area: 6-North Cen	tral
715-997-6000				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	75	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	202	Average Charge per Discharge:	\$16,691	Home or Self-Care Other GMS Hospital	42.7% 20.0%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	6.7% 9.3% 0.0%
Total Childbirths:	0	-		Hospice	1.3%
Total Newborns:	0			Other Institution Home Health Service	0.0% 17.3%
Psychiatric Utilization				Left Against Medical Advice Expired	1.3% 1.3%
Discharges: Patient Days:	2 6	Percent of All Discharges: Percent of All Patient Days:	2.7% 3.0%	Discharge/Tran to Court/Law Enforcmnt Other	0.0%
	Ũ		0.070	Expected Pay Source Distri	
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	76.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare Other Government Commercial or Private Insurance	6.7% 4.0% 13.3%
				Self-Pay Other or Unknown Insurance	0.0% 0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Race	<u>e Distribution</u>	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.0%	50.5%	Amer.Ind/Alaskan Native	.0%	0.0%
Under 15	0.0%	0.0%	Female	52.0%	49.5%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	4.0%	3.5%
20 - 24	4.0%	2.5%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.7%	2.5%				White	93.3%	92.6%
35 - 44	1.3%	1.0%				Multiracial	0.0%	0.0%
45 - 54	4.0%	1.5%				Declined	0.0%	0.0%
55 - 64	12.0%	11.4%				Unavailable	2.7%	4.0%
65 - 74	20.0%	19.3%						
75 - 84	29.3%	35.6%						
85 & Over	26.7%	26.2%						

335 Marshfield Medical Center-River Region at Stevens Point

Stevens Point, WI 54481

APR-DRG Specific Data - Average Length of Stay (ALOS)

_		This Facil	ity			Group	Averages		
				Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR	DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133	Respiratory failure	*	*	4.1	*	3.0	*	4.2	*
137	Respiratory Infections and Inflammations	7	4.0	5.1	0.78	3.4	1.18	5.1	0.78
139	Pneumonia	7	3.0	4.0	0.75	3.2	0.94	3.9	0.77
140	Chronic Obstructive Pulmonary Disease	0	N/A	3.5	N/A	2.5	N/A	3.3	N/A
194	Heart Failure	*	*	4.6	*	3.2	*	4.7	*
249	Other gastroenteritis, nausea & vomiting	*	*	3.3	*	2.4	*	3.3	*
282	Disorders of Pancreas Except Malignancy	0	N/A	3.9	N/A	2.4	N/A	3.9	N/A
383	Cellulitis & other skin infections	*	*	4.1	*	3.4	*	4.0	*
420	Diabetes	0	N/A	3.3	N/A	2.9	N/A	3.3	N/A
463	Kidney/Urinary Tract Infection	7	2.9	3.9	0.74	3.4	0.85	3.8	0.76
469	Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720	Blood Infection/Septicemia	10	2.8	5.6	0.50	3.1	0.90	5.7	0.49
775	Alcohol Abuse/Dependence	0	N/A	3.7	N/A	3.1	N/A	3.7	N/A
861	Signs & Symptoms	*	*	6.7	*	9.1	*	5.8	*
862	Other Factors Influencing Health Status	0	N/A	9.2	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133 Respiratory failure		*	*	\$37,801	*	\$23,461	*	\$41,427	*
137 Respiratory Infections and Inflam	Imations	\$23,117	\$24,324	\$37,786	0.64	\$26,728	0.91	\$44,204	0.55
139 Pneumonia		\$16,411	\$15,184	\$30,317	0.50	\$19,737	0.77	\$33,131	0.46
140 Chronic Obstructive Pulmonary E	Disease	N/A	N/A	\$32,438	*	\$14,984	*	\$32,611	*
194 Heart Failure		*	*	\$34,805	*	\$18,454	*	\$38,512	*
249 Other gastroenteritis, nausea & v	vomiting	*	*	\$25,844	*	\$14,692	*	\$30,820	*
282 Disorders of Pancreas Except Ma	alignancy	N/A	N/A	\$30,353	*	\$18,126	*	\$35,124	*
383 Cellulitis & other skin infections		*	*	\$25,899	*	\$17,133	*	\$29,240	*
420 Diabetes		N/A	N/A	\$28,506	*	\$16,894	*	\$30,138	*
463 Kidney/Urinary Tract Infection		\$17,325	\$18,268	\$28,365	0.64	\$17,003	1.07	\$30,445	0.60
469 Acute kidney injury		*	*	\$36,852	*	\$16,299	*	\$39,232	*
720 Blood Infection/Septicemia		\$18,843	\$28,524	\$48,275	0.59	\$27,572	1.03	\$56,342	0.51
775 Alcohol Abuse/Dependence		N/A	#	#	*	#	*	#	*
861 Signs & Symptoms		*	*	\$35,451	*	\$22,684	*	\$36,306	*
862 Other Factors Influencing Health	Status	N/A	N/A	\$40,395	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

132 Stoughton Hospital Asso	ciation			Hospital Type: GMS	
900 Ridge Street				County: Dane	
Stoughton, WI 53589				Analysis Area: 1-Southern	
608-873-6611				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	650	Average Length of Stay (days):	5.8	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,796	Average Charge per Discharge:	\$28,036	Home or Self-Care Other GMS Hospital	56.2% 5.4%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	20.2% 0.2% 0.5%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	2.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	2.3%
Psychiatric Utilization				Left Against Medical Advice Expired	1.4% 2.6%
Discharges:	127	Percent of All Discharges:	19.5%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	1,418	Percent of All Patient Days:	37.4%	Other	9.2%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	1.5%	Medicare	77.7%
Patient Days:	39	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	4.8%
				Other Government	1.1%
				Commercial or Private Insurance	14.9%
				Self-Pay	1.5%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	44.8%	38.8%	Amer.Ind/Alaskan Native	e 0.2%	0.1%
Under 15	0.0%	0.0%	Female	55.2%	61.2%	Asian	0.2%	0.1%
15 - 19	0.2%	0.1%				Black/African Amer.	1.1%	0.6%
20 - 24	0.8%	0.6%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	2.6%	0.8%				White	96.5%	97.5%
35 - 44	3.5%	1.6%				Multiracial	0.0%	0.0%
45 - 54	4.3%	2.1%				Declined	0.6%	0.3%
55 - 64	10.9%	11.9%				Unavailable	1.5%	1.4%
65 - 74	23.4%	26.0%						
75 - 84	31.7%	36.7%						
85 & Over	22.6%	20.3%						

132 Stoughton Hospital Association

Stoughton, WI 53589

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	26	3.3	4.3	0.77	3.5	0.94	4.2	0.79
137 Respiratory Infections and Inflammations	17	3.6	5.1	0.71	3.9	0.92	5.1	0.71
139 Pneumonia	37	3.6	3.9	0.92	3.6	1.00	3.9	0.92
140 Chronic Obstructive Pulmonary Disease	13	2.2	3.4	0.65	3.5	0.63	3.3	0.67
194 Heart Failure	31	3.5	5.1	0.69	3.6	0.97	4.7	0.74
201 Heart Abnormal Rhythm and Conduction Disorders	22	2.1	3.0	0.70	2.6	0.81	2.9	0.72
247 Intestinal Obstruction without Surgery	14	2.8	3.6	0.78	3.0	0.93	3.4	0.82
383 Cellulitis & other skin infections	16	3.4	4.2	0.81	3.8	0.89	4.0	0.85
463 Kidney/Urinary Tract Infection	15	3.6	3.8	0.95	3.5	1.03	3.8	0.95
469 Acute kidney injury	8	4.1	4.8	0.85	3.1	1.32	4.8	0.85
560 Vaginal Delivery	0	N/A	2.1	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	2.0	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	28	4.1	6.1	0.67	3.7	1.11	5.7	0.72
861 Signs & Symptoms	16	8.6	4.9	1.76	6.9	1.25	5.8	1.48
862 Other Factors Influencing Health Status	0	N/A	5.0	N/A	11.6	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$24,251	\$28,692	\$52,595	0.55	\$26,133	1.10	\$41,427	0.69
137	Respiratory Infections and Inflammations	\$21,622	\$25,650	\$54,668	0.47	\$25,355	1.01	\$44,204	0.58
139	Pneumonia	\$22,673	\$27,820	\$39,479	0.70	\$23,433	1.19	\$33,131	0.84
140	Chronic Obstructive Pulmonary Disease	\$15,673	\$16,632	\$37,773	0.44	\$23,153	0.72	\$32,611	0.51
194	Heart Failure	\$24,605	\$28,980	\$47,309	0.61	\$23,717	1.22	\$38,512	0.75
201	Heart Abnormal Rhythm and Conduction Disorders	\$14,358	\$16,214	\$33,234	0.49	\$17,441	0.93	\$27,857	0.58
247	Intestinal Obstruction without Surgery	\$13,393	\$14,587	\$32,288	0.45	\$19,525	0.75	\$27,065	0.54
383	Cellulitis & other skin infections	\$18,082	\$19,801	\$34,338	0.58	\$19,976	0.99	\$29,240	0.68
463	Kidney/Urinary Tract Infection	\$18,016	\$19,340	\$35,981	0.54	\$21,286	0.91	\$30,445	0.64
469	Acute kidney injury	\$20,521	\$29,575	\$46,091	0.64	\$22,049	1.34	\$39,232	0.75
560	Vaginal Delivery	N/A	N/A	\$17,782	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$5,754	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$34,521	\$53,537	\$70,715	0.76	\$33,506	1.60	\$56,342	0.95
861	Signs & Symptoms	\$30,179	\$34,091	\$34,410	0.99	\$20,582	1.66	\$36,306	0.94
862	Other Factors Influencing Health Status	N/A	N/A	\$21,380	*	\$19,795	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

133 Door County Medical Cent	er			Hospital Type: GMS	
323 South 18th Avenue				County: Door	
Sturgeon Bay, WI 54235				Analysis Area: 4-Northeaste	ern
920-743-5566				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	953	Average Length of Stay (days):	3.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,727	Average Charge per Discharge:	\$27,231	Home or Self-Care Other GMS Hospital	63.1% 4.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	98	Percent of All Childbirths:	77.2%	Skilled Nursing Facility	11.3%
Cesarean Childbirths:	22	Percent of All Childbirths:	17.3%	Intermediate Care Facility	0.0%
Other Childbirths:	7	Percent of All Childbirths:	5.5%	Inpatient Rehabilitation Facility	1.8%
Total Childbirths:	127			Hospice	1.5%
-				Other Institution	0.0%
Total Newborns:	135			Home Health Service	11.1%
Psychiatric Utilization				Left Against Medical Advice	0.2%
	0		0.0%	Expired Discharge/Tran to Court/Law Enforcmnt	4.1%
Discharges:	0	Percent of All Discharges:	0.0%	Other	0.0% 2.4%
Patient Days:	0	Percent of All Patient Days:	0.0%		
AODA Utilization				Expected Pay Source Distri	
				Primary Payer	<u>% Discharges</u>
Discharges:	14	Percent of All Discharges:	1.5%	Medicare	56.1%
Patient Days:	50	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	13.4%
				Other Government	3.4%
				Commercial or Private Insurance	23.7%
				Self-Pay	2.0%
				Other or Unknown Insurance	1.4%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	14.2%	7.2%	Male	40.3%	42.0%	Amer.Ind/Alaskan Native	e 0.1%	0.1%
Under 15	0.7%	0.3%	Female	59.7%	58.0%	Asian	0.0%	0.0%
15 - 19	0.4%	0.2%				Black/African Amer.	0.8%	0.4%
20 - 24	1.8%	1.3%				Native Hawaii/Pac.Isl.	0.1%	0.0%
25 - 34	10.2%	6.1%				White	98.5%	99.2%
35 - 44	4.7%	3.1%				Multiracial	0.0%	0.0%
45 - 54	2.3%	2.4%				Declined	0.0%	0.0%
55 - 64	6.7%	7.6%				Unavailable	0.4%	0.2%
65 - 74	17.0%	20.4%						
75 - 84	23.9%	29.8%						
85 & Over	18.0%	21.7%						

133 Door County Medical Center

Sturgeon Bay, WI 54235

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	35	3.7	4.3	0.86	3.6	1.03	4.2	0.88	
137 Respiratory Infections and Inflammations	21	4.1	5.4	0.76	3.7	1.11	5.1	0.80	
139 Pneumonia	22	3.4	3.7	0.92	3.4	1.00	3.9	0.87	
140 Chronic Obstructive Pulmonary Disease	14	4.1	3.3	1.24	3.0	1.37	3.3	1.24	
194 Heart Failure	36	4.3	4.1	1.05	3.7	1.16	4.7	0.91	
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.8	2.9	0.97	2.7	1.04	2.9	0.97	
247 Intestinal Obstruction without Surgery	27	2.9	3.1	0.94	2.8	1.04	3.4	0.85	
326 Elective knee joint replacement	0	N/A	1.6	N/A	1.6	N/A	2.0	N/A	
383 Cellulitis & other skin infections	32	6.6	3.9	1.69	3.8	1.74	4.0	1.65	
463 Kidney/Urinary Tract Infection	19	5.4	3.7	1.46	3.3	1.64	3.8	1.42	
469 Acute kidney injury	9	4.3	4.3	1.00	3.4	1.26	4.8	0.90	
540 Cesarean Delivery	22	2.9	3.5	0.83	2.8	1.04	3.4	0.85	
560 Vaginal Delivery	98	2.1	2.0	1.05	1.9	1.11	2.1	1.00	
640 Normal Newborn, Birthweight 2500g+	131	1.9	1.9	1.00	1.8	1.06	1.9	1.00	
720 Blood Infection/Septicemia	96	5.3	5.2	1.02	3.9	1.36	5.7	0.93	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$29,046	\$35,427	\$38,110	0.93	\$27,996	1.27	\$41,427	0.86
137	Respiratory Infections and Inflammations	\$32,190	\$33,870	\$41,782	0.81	\$25,863	1.31	\$44,204	0.77
139	Pneumonia	\$32,415	\$34,526	\$31,722	1.09	\$23,921	1.44	\$33,131	1.04
140	Chronic Obstructive Pulmonary Disease	\$41,139	\$43,421	\$31,861	1.36	\$20,883	2.08	\$32,611	1.33
194	Heart Failure	\$28,950	\$32,660	\$33,627	0.97	\$24,051	1.36	\$38,512	0.85
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,192	\$22,818	\$25,031	0.91	\$18,840	1.21	\$27,857	0.82
247	Intestinal Obstruction without Surgery	\$22,162	\$24,574	\$23,712	1.04	\$17,509	1.40	\$27,065	0.91
326	Elective knee joint replacement	N/A	N/A	\$51,572	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$33,994	\$30,414	\$25,137	1.21	\$21,588	1.41	\$29,240	1.04
463	Kidney/Urinary Tract Infection	\$30,243	\$32,056	\$27,701	1.16	\$17,785	1.80	\$30,445	1.05
469	Acute kidney injury	\$31,383	\$31,029	\$33,591	0.92	\$22,228	1.40	\$39,232	0.79
540	Cesarean Delivery	\$17,674	\$18,384	\$24,471	0.75	\$26,138	0.70	\$31,158	0.59
560	Vaginal Delivery	\$7,972	\$8,098	\$12,893	0.63	\$12,000	0.67	\$16,019	0.51
640	Normal Newborn, Birthweight 2500g+	\$5,618	\$5,443	\$5,470	1.00	\$4,404	1.24	\$5,687	0.96
720	Blood Infection/Septicemia	\$39,279	\$49,841	\$51,287	0.97	\$33,539	1.49	\$56,342	0.88

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

314 Aurora Medical Center -	Summit			Hospital Type: GMS	
36500 Aurora Drive				County: Waukesha	
Summit, WI 53066				Analysis Area: 2A-Southeas	stern
262-560-6151				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	5,742	Average Length of Stay (days):	4.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	23,518	Average Charge per Discharge:	\$44,347	Home or Self-Care Other GMS Hospital	62.4% 2.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	357	Percent of All Childbirths:	73.8%	Skilled Nursing Facility Intermediate Care Facility	12.5% 1.0%
Cesarean Childbirths: Other Childbirths:	104 23	Percent of All Childbirths: Percent of All Childbirths:	21.5% 4.8%	Inpatient Rehabilitation Facility	2.1% 2.3%
Total Childbirths:	484			Hospice Other Institution	2.3%
Total Newborns:	514			Home Health Service	14.8%
Psychiatric Utilization				Left Against Medical Advice Expired	0.3% 1.3%
Discharges:	7	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	44	Percent of All Patient Days:	0.2%	Other	0.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	49	Percent of All Discharges:	0.9%	Medicare	74.7%
Patient Days:	168	Percent of All Patient Days:	0.7%	Medicaid/BadgerCare	6.9%
				Other Government	1.4%
				Commercial or Private Insurance	14.6%
				Self-Pay	2.2%
				Other or Unknown Insurance	0.1%

	Age Distribution	<u>l</u>		Sex Distribution	<u>n</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	9.0%	5.5%	Male	45.0%	48.3%	Amer.Ind/Alaskan Native	e 0.4%	0.3%
Under 15	0.4%	0.7%	Female	55.0%	51.7%	Asian	0.8%	0.6%
15 - 19	0.6%	0.4%				Black/African Amer.	1.7%	1.3%
20 - 24	1.6%	1.0%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	8.7%	5.3%				White	95.6%	96.8%
35 - 44	6.4%	5.1%				Multiracial	0.6%	0.5%
45 - 54	6.7%	7.1%				Declined	0.4%	0.2%
55 - 64	13.5%	14.3%				Unavailable	0.3%	0.2%
65 - 74	20.6%	22.7%						
75 - 84	20.7%	24.1%						
85 & Over	11.8%	13.8%						

314 Aurora Medical Center - Summit

Summit, WI 53066

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	128	3.9	3.8	1.03	5.0	0.78	4.6	0.85	
133 Respiratory failure	100	4.0	4.4	0.91	4.5	0.89	4.2	0.95	
137 Respiratory Infections and Inflammations	66	5.2	4.8	1.08	5.6	0.93	5.1	1.02	
139 Pneumonia	63	4.1	3.9	1.05	4.1	1.00	3.9	1.05	
174 Percutaneous coronary intervention w AMI	114	2.8	2.6	1.08	3.0	0.93	2.9	0.97	
175 Percutaneous coronary intervention w/o AMI	24	1.9	2.3	0.83	2.5	0.76	2.5	0.76	
194 Heart Failure	188	4.5	4.5	1.00	5.1	0.88	4.7	0.96	
201 Heart Abnormal Rhythm and Conduction Disorders	66	2.7	2.8	0.96	3.0	0.90	2.9	0.93	
463 Kidney/Urinary Tract Infection	55	3.5	3.5	1.00	4.0	0.88	3.8	0.92	
469 Acute kidney injury	76	4.3	4.8	0.90	5.2	0.83	4.8	0.90	
540 Cesarean Delivery	104	3.2	3.1	1.03	3.7	0.86	3.4	0.94	
560 Vaginal Delivery	357	1.9	2.0	0.95	2.2	0.86	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	499	1.9	1.9	1.00	2.0	0.95	1.9	1.00	
720 Blood Infection/Septicemia	588	5.2	5.2	1.00	6.3	0.83	5.7	0.91	
751 Psychoses	*	*	5.0	*	5.0	*	5.1	*	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045 Stroke and Precerebral Occlusion with Infarct	\$45,816	\$48,095	\$48,872	0.98	\$54,618	0.88	\$50,763	0.95
133 Respiratory failure	\$40,866	\$40,025	\$42,864	0.93	\$44,431	0.90	\$41,427	0.97
137 Respiratory Infections and Inflammations	\$49,998	\$48,480	\$43,676	1.11	\$49,624	0.98	\$44,204	1.10
139 Pneumonia	\$33,878	\$31,867	\$35,485	0.90	\$37,011	0.86	\$33,131	0.96
174 Percutaneous coronary intervention w AMI	\$83,515	\$87,152	\$94,522	0.92	\$92,807	0.94	\$92,242	0.94
175 Percutaneous coronary intervention w/o AMI	\$85,602	\$86,873	\$109,972	0.79	\$112,207	0.77	\$110,305	0.79
194 Heart Failure	\$34,537	\$34,374	\$37,494	0.92	\$43,048	0.80	\$38,512	0.89
201 Heart Abnormal Rhythm and Conduction Disorders	\$24,529	\$25,761	\$29,688	0.87	\$29,715	0.87	\$27,857	0.92
463 Kidney/Urinary Tract Infection	\$30,799	\$31,587	\$30,491	1.04	\$33,907	0.93	\$30,445	1.04
469 Acute kidney injury	\$42,628	\$45,247	\$39,575	1.14	\$43,161	1.05	\$39,232	1.15
540 Cesarean Delivery	\$25,952	\$26,185	\$34,572	0.76	\$32,532	0.80	\$31,158	0.84
560 Vaginal Delivery	\$15,634	\$15,794	\$18,364	0.86	\$17,304	0.91	\$16,019	0.99
640 Normal Newborn, Birthweight 2500g+	\$5,761	\$6,288	\$6,707	0.94	\$5,861	1.07	\$5,687	1.11
720 Blood Infection/Septicemia	\$48,724	\$52,694	\$54,544	0.97	\$62,322	0.85	\$56,342	0.94
751 Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

134 St Mary's Hospital of Sup	perior			Hospital Type: GMS	
3500 Tower Avenue				County: Douglas	
Superior, WI 54880				Analysis Area: 7-Western L	ake Superior
715-392-8281				Inpatient Volume Group: 2	·
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	366	Average Length of Stay (days):	3.6	Discharge Status	<u>% Discharges</u>
Total Patient Days:	1,333	Average Charge per Discharge:	\$12,295	Home or Self-Care Other GMS Hospital	63.4% 6.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.5%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	8.7% 2.7%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	1.4% 2.2%
Total Childbirths:	0			Hospice Other Institution	0.0%
Total Newborns:	0			Home Health Service	4.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.8% 2.2%
Discharges:	1	Percent of All Discharges:	0.3%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	11	Percent of All Patient Days:	0.8%	Other	6.8%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	10	Percent of All Discharges:	2.7%	Medicare	68.0%
Patient Days:	22	Percent of All Patient Days:	1.7%	Medicaid/BadgerCare	12.6%
				Other Government	2.7%
				Commercial or Private Insurance	12.6%
				Self-Pay	4.1%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	43.7%	50.5%	Amer.Ind/Alaskan Native	e 4.4%	5.6%
Under 15	0.0%	0.0%	Female	56.3%	49.5%	Asian	0.3%	0.2%
15 - 19	0.5%	0.2%				Black/African Amer.	1.4%	0.9%
20 - 24	1.1%	0.4%				Native Hawaii/Pac.Isl.	0.3%	0.1%
25 - 34	4.4%	2.9%				White	92.3%	90.5%
35 - 44	6.3%	7.9%				Multiracial	0.3%	1.3%
45 - 54	10.7%	11.6%				Declined	0.8%	0.7%
55 - 64	13.4%	12.3%				Unavailable	0.3%	0.8%
65 - 74	20.8%	21.8%						
75 - 84	27.6%	23.6%						
85 & Over	15.3%	19.4%						

134 St Mary's Hospital of Superior

Superior, WI 54880

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	40	3.0	3.3	0.91	3.5	0.86	4.2	0.71
137 Respiratory Infections and Inflammations	22	4.4	4.9	0.90	3.9	1.13	5.1	0.86
139 Pneumonia	18	2.1	4.1	0.51	3.6	0.58	3.9	0.54
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	3.5	*	3.3	*
194 Heart Failure	25	2.8	3.7	0.76	3.6	0.78	4.7	0.60
201 Heart Abnormal Rhythm and Conduction Disorders	13	4.5	2.8	1.61	2.6	1.73	2.9	1.55
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	23	2.3	4.0	0.58	3.8	0.61	4.0	0.58
463 Kidney/Urinary Tract Infection	13	2.4	4.0	0.60	3.5	0.69	3.8	0.63
469 Acute kidney injury	26	2.1	3.0	0.70	3.1	0.68	4.8	0.44
560 Vaginal Delivery	0	N/A	1.8	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.7	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	37	3.2	4.2	0.76	3.7	0.86	5.7	0.56
861 Signs & Symptoms	*	*	5.3	*	6.9	*	5.8	*
862 Other Factors Influencing Health Status	5	3.0	6.8	0.44	11.6	0.26	7.9	0.38

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge			<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
133	Respiratory failure	\$12,838	\$17,036	\$20,007	0.85	\$26,133	0.65	\$41,427	0.41
137	Respiratory Infections and Inflammations	\$11,135	\$11,972	\$22,722	0.53	\$25,355	0.47	\$44,204	0.27
139	Pneumonia	\$9,893	\$11,984	\$20,478	0.59	\$23,433	0.51	\$33,131	0.36
140	Chronic Obstructive Pulmonary Disease	*	*	\$16,367	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$8,652	\$10,821	\$17,648	0.61	\$23,717	0.46	\$38,512	0.28
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,724	\$13,217	\$12,246	1.08	\$17,441	0.76	\$27,857	0.47
247	Intestinal Obstruction without Surgery	*	*	\$14,725	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$8,020	\$8,987	\$16,229	0.55	\$19,976	0.45	\$29,240	0.31
463	Kidney/Urinary Tract Infection	\$7,454	\$7,327	\$16,198	0.45	\$21,286	0.34	\$30,445	0.24
469	Acute kidney injury	\$8,555	\$10,631	\$15,237	0.70	\$22,049	0.48	\$39,232	0.27
560	Vaginal Delivery	N/A	N/A	\$7,868	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$4,533	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$11,666	\$16,905	\$26,033	0.65	\$33,506	0.50	\$56,342	0.30
861	Signs & Symptoms	*	*	\$18,814	*	\$20,582	*	\$36,306	*
862	Other Factors Influencing Health Status	\$5,061	\$4,764	\$15,162	0.31	\$19,795	0.24	\$31,921	0.15

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

135 Tomah Health				Hospital Type: GMS	
501 Gopher Drive				County: Monroe	
Tomah, WI 54660				Analysis Area: 5B-Southwe	stern
608-372-2181				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,226	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	3,289	Average Charge per Discharge:	\$14,868	Home or Self-Care Other GMS Hospital	75.6% 4.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.2%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	194 48 7	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	77.9% 19.3% 2.8%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	7.4% 6.5% 0.5%
Total Childbirths:	249		2.070	Hospice	0.6%
-				Other Institution	0.0%
Total Newborns:	263			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.8% 1.1%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	3.2%
		-		Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.1%	Medicare	42.9%
Patient Days:	1	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	21.3%
				Other Government	10.8%
				Commercial or Private Insurance	23.3%
				Self-Pay	1.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	21.5%	12.8%	Male	39.2%	42.2%	Amer.Ind/Alaskan Native	e 0.7%	0.9%
Under 15	1.0%	0.6%	Female	60.8%	57.8%	Asian	0.4%	0.2%
15 - 19	1.1%	0.8%				Black/African Amer.	1.0%	1.5%
20 - 24	4.6%	3.7%				Native Hawaii/Pac.Isl.	0.2%	0.1%
25 - 34	15.4%	11.2%				White	95.6%	95.6%
35 - 44	4.4%	3.8%				Multiracial	1.8%	1.6%
45 - 54	3.9%	5.6%				Declined	0.2%	0.1%
55 - 64	8.2%	10.1%				Unavailable	0.2%	0.1%
65 - 74	13.7%	16.5%						
75 - 84	16.5%	21.2%						
85 & Over	9.8%	13.5%						

135 Tomah Health

Tomah, WI 54660

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	29	4.0	3.6	1.11	3.6	1.11	4.2	0.95
137 Respiratory Infections and Inflammations	30	4.0	4.5	0.89	3.7	1.08	5.1	0.78
139 Pneumonia	20	4.1	3.2	1.28	3.4	1.21	3.9	1.05
140 Chronic Obstructive Pulmonary Disease	26	3.0	2.9	1.03	3.0	1.00	3.3	0.91
194 Heart Failure	42	3.0	4.0	0.75	3.7	0.81	4.7	0.64
201 Heart Abnormal Rhythm and Conduction Disorders	27	2.6	2.9	0.90	2.7	0.96	2.9	0.90
247 Intestinal Obstruction without Surgery	28	3.4	2.7	1.26	2.8	1.21	3.4	1.00
326 Elective knee joint replacement	0	N/A	1.9	N/A	1.6	N/A	2.0	N/A
383 Cellulitis & other skin infections	17	3.5	3.8	0.92	3.8	0.92	4.0	0.88
463 Kidney/Urinary Tract Infection	28	2.9	3.2	0.91	3.3	0.88	3.8	0.76
469 Acute kidney injury	16	3.2	4.2	0.76	3.4	0.94	4.8	0.67
540 Cesarean Delivery	48	2.7	3.3	0.82	2.8	0.96	3.4	0.79
560 Vaginal Delivery	194	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	250	1.6	1.7	0.94	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	117	3.6	4.5	0.80	3.9	0.92	5.7	0.63

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	ility			Risk Adjusted	Group Averages			
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	U U		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133 Respiratory failure137 Respiratory Infections and Inflammations	\$19,854 \$23,609	\$24,482 \$27,264	\$25,776 \$30,904	0.95 0.88	\$27,996 \$25,863	0.87 1.05	\$41,427 \$44,204	0.59 0.62	
139 Pneumonia	\$22,874	\$26,460	\$21,981	1.20	\$23,921	1.11	\$33,131	0.80	
140 Chronic Obstructive Pulmonary Disease 194 Heart Failure	\$17,410 \$16,261	\$17,575 \$17,820	\$20,738 \$24,595	0.85 0.72	\$20,883 \$24,051	0.84 0.74	\$32,611 \$38,512	0.54 0.46	
201 Heart Abnormal Rhythm and Conduction Disorders	\$16,107	\$17,820 \$16,197	\$24,595 \$18,874	0.72	\$24,031 \$18,840	0.74	\$36,512 \$27,857	0.40	
247 Intestinal Obstruction without Surgery	\$17,108	\$18,771	\$16,242 \$57,010	1.16	\$17,509 \$52,216	1.07	\$27,065	0.69	
326 Elective knee joint replacement383 Cellulitis & other skin infections	N/A \$16,712	N/A \$15,642	\$57,919 \$18,125	0.86	\$53,216 \$21,588	0.72	\$65,010 \$29,240	0.53	
463 Kidney/Urinary Tract Infection	\$13,253	\$13,081	\$17,248	0.76	\$17,785	0.74	\$30,445	0.43	
469 Acute kidney injury 540 Cesarean Delivery	\$14,600 \$21,717	\$14,512 \$22,050	\$23,553	0.62 0.74	\$22,228	0.65 0.84	\$39,232	0.37 0.71	
540 Cesarean Delivery 560 Vaginal Delivery	\$21,717 \$9,842	\$22,050 \$9,981	\$29,602 \$17,310	0.74	\$26,138 \$12,000	0.83	\$31,158 \$16,019	0.71	
640 Normal Newborn, Birthweight 2500g+	\$2,540	\$2,732	\$4,773	0.57	\$4,404	0.62	\$5,687	0.48	
720 Blood Infection/Septicemia	\$21,524	\$27,256	\$30,431	0.90	\$33,539	0.81	\$56,342	0.48	

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

136 Aspirus Tomahawk Hospita	I			Hospital Type: GMS	
401 West Mohawk Drive				County: Lincoln	
Tomahawk, WI 54487				Analysis Area: 6-North Cen	tral
715-453-7700				Inpatient Volume Group: 2	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	264	Average Length of Stay (days):	3.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	833	Average Charge per Discharge:	\$19,803	Home or Self-Care Other GMS Hospital	30.3% 12.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.4%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	9.8% 1.5%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.4%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Hospice	5.7%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	17.0%
Povobiotrio Utilization				Left Against Medical Advice	1.1%
Psychiatric Utilization				Expired	5.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	15.9%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	3	Percent of All Discharges:	1.1%	Medicare	83.3%
Patient Days:	4	Percent of All Patient Days:	0.5%	Medicaid/BadgerCare	4.9%
		-		Other Government	7.6%
				Commercial or Private Insurance	3.4%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.8%

	Age Distribution			Sex Distributio	<u>1</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	49.6%	47.7%	Amer.Ind/Alaskan Native	e 0.8%	1.0%
Under 15	0.0%	0.0%	Female	50.4%	52.3%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	0.8%	0.4%				White	98.9%	98.4%
35 - 44	0.4%	0.4%				Multiracial	0.0%	0.0%
45 - 54	3.8%	2.9%				Declined	0.4%	0.6%
55 - 64	8.0%	7.0%				Unavailable	0 %	0 %
65 - 74	21.6%	25.0%						
75 - 84	31.4%	32.4%						
85 & Over	34.1%	32.1%						

136 Aspirus Tomahawk Hospital

Tomahawk, WI 54487

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group /	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	12	3.4	4.1	0.83	3.5	0.97	4.2	0.81
137 Respiratory Infections and Inflammations	14	3.4	5.1	0.67	3.9	0.87	5.1	0.67
139 Pneumonia	17	3.9	4.0	0.98	3.6	1.08	3.9	1.00
140 Chronic Obstructive Pulmonary Disease	*	*	3.5	*	3.5	*	3.3	*
194 Heart Failure	24	3.5	4.6	0.76	3.6	0.97	4.7	0.74
201 Heart Abnormal Rhythm and Conduction Disorders	*	*	2.8	*	2.6	*	2.9	*
247 Intestinal Obstruction without Surgery	*	*	3.2	*	3.0	*	3.4	*
383 Cellulitis & other skin infections	7	3.9	4.1	0.95	3.8	1.03	4.0	0.98
463 Kidney/Urinary Tract Infection	13	2.7	3.9	0.69	3.5	0.77	3.8	0.71
469 Acute kidney injury	16	2.9	4.8	0.60	3.1	0.94	4.8	0.60
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.6	N/A	1.9	N/A
720 Blood Infection/Septicemia	45	2.7	5.6	0.48	3.7	0.73	5.7	0.47
861 Signs & Symptoms	5	2.8	6.7	0.42	6.9	0.41	5.8	0.48
862 Other Factors Influencing Health Status	9	2.1	9.2	0.23	11.6	0.18	7.9	0.27

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	Average Avera		olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
133	Respiratory failure	\$20,707	\$24,849	\$37,801	0.66	\$26,133	0.95	\$41,427	0.60
137	Respiratory Infections and Inflammations	\$19,515	\$21,829	\$37,786	0.58	\$25,355	0.86	\$44,204	0.49
139	Pneumonia	\$21,616	\$20,305	\$30,317	0.67	\$23,433	0.87	\$33,131	0.61
140	Chronic Obstructive Pulmonary Disease	*	*	\$32,438	*	\$23,153	*	\$32,611	*
194	Heart Failure	\$20,003	\$18,588	\$34,805	0.53	\$23,717	0.78	\$38,512	0.48
201	Heart Abnormal Rhythm and Conduction Disorders	*	*	\$24,857	*	\$17,441	*	\$27,857	*
247	Intestinal Obstruction without Surgery	*	*	\$21,658	*	\$19,525	*	\$27,065	*
383	Cellulitis & other skin infections	\$20,008	\$17,713	\$25,899	0.68	\$19,976	0.89	\$29,240	0.61
463	Kidney/Urinary Tract Infection	\$19,976	\$21,782	\$28,365	0.77	\$21,286	1.02	\$30,445	0.72
469	Acute kidney injury	\$17,916	\$17,325	\$36,852	0.47	\$22,049	0.79	\$39,232	0.44
560	Vaginal Delivery	N/A	N/A	\$12,421	*	\$9,420	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$7,016	*	\$3,997	*	\$5,687	*
720	Blood Infection/Septicemia	\$20,957	\$21,968	\$48,275	0.46	\$33,506	0.66	\$56,342	0.39
861	Signs & Symptoms	\$19,617	\$22,172	\$35,451	0.63	\$20,582	1.08	\$36,306	0.61
862	Other Factors Influencing Health Status	\$12,255	\$13,803	\$40,395	0.34	\$19,795	0.70	\$31,921	0.43

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

Total Patient Days:6,992Average Charge per Discharge:\$27,768Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH)Obstetrical UtilizationPercent of All Childbirths:75.9%Intermediate Care Facility Intermediate Care FacilityNormal Childbirths:318 Cesarean Childbirths:Percent of All Childbirths:75.9%Intermediate Care Facility Intermediate Care FacilityOther Childbirths:24 Percent of All Childbirths:Percent of All Childbirths:5.7%Inpatient Rehabilitation Facility HospiceTotal Childbirths:419 Percent of All Childbirths:5.7%Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH)Total Newborns:436Percent of All Childbirths:18.4% Home or Self-Care Other InstitutionDischarges:4 Percent of All Discharges:0.2%Discharge/Tran to Court/Law EnforcmntPatient Days:7 Percent of All Patient Days:0.1%Other	137 Aurora Medical Center Ma	anitowoc C	ounty		Hospital Type: GMS	
Two Rivers, WI 54241 Analysis Area: 4-Northeastern 920-794-5000 Inpatient Volume Group: 4 Overall Hospital Utilization Patient Discharge Status % 0 Total Discharges: 2,489 Average Length of Stay (days): 2,8 Discharge Status % 0 Total Patient Days: 6,992 Average Charge per Discharge: \$27,768 Discharge Status % 0 Obstetrical Utilization Critical Access Hospital (CAH) Korne or Self-Care Other GMS Hospital Chere Obstetrical Utilization Percent of All Childbirths: 75.9% Intermediate Care Facility Korne Other Childbirths: 71 Percent of All Childbirths: 18.4% Intermediate Care Facility Korne Other Childbirths: 71 Percent of All Childbirths: 18.4% Intermediate Care Facility Korne Total Childbirths: 71 Percent of All Childbirths: 18.4% Intermediate Care Facility Korne Total Newborns: 4.36 Percent of All Childbirths: 18.4% Intermediate Care Facility Korne Discharges: 4 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt	5000 Memorial Drive				County: Manitowoc	
920-794-5000 Inpatient Volume Group: 4 Overall Hospital Utilization Patient Discharge Status Total Discharges: 2,489 Average Length of Stay (days): 2.8 Discharge Status % I Total Patient Days: 6,992 Average Charge per Discharge: \$27,768 Home or Self-Care Other GMS Hospital % I Obstetrical Utilization Critical Access Hospital (CAH) Skilled Nursing Facility Intermediate Care Facility Intermediate Care Facility Normal Childbirths: 77 Percent of All Childbirths: 75.9% Intermediate Care Facility Intermediate Care Facility Other Childbirths: 24 Percent of All Childbirths: 5.7% Home or Self-Care Other Institution Total Childbirths: 419 Percent of All Childbirths: 5.7% Inpatient Rehabilitation Facility Total Newborns: 436 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Discharges: 4 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Patient Days: 7 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Discharges: 26 Pe	Two Rivers, WI 54241				-	ern
Total Discharges:2,489Average Length of Stay (days):2.8Discharge Status% ITotal Patient Days:6,992Average Charge per Discharge:\$27,768Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH)Obstetrical Utilization </th <th></th> <th></th> <th></th> <th></th> <th>5</th> <th></th>					5	
Total Patient Days:6,992Average Charge per Discharge:\$27,768Home or Self-Care Other GMS Hospital Critical Access Hospital (CAH)Obstetrical UtilizationCritical Access Hospital (CAH)Skilled Nursing Facility Intermediate Care Facility Intermediate Care Facility Inpatient Rehabilitation Facility HospiceSkilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other InstitutionTotal Childbirths:24 Percent of All Childbirths:75.9% Percent of All Childbirths:Intermediate Care Facility Inpatient Rehabilitation Facility Hospice Other InstitutionTotal Childbirths:419Percent of All Childbirths:5.7%Inpatient Rehabilitation Facility Hospice Other InstitutionTotal Newborns:436Percent of All Discharges:0.2%Discharge/Tran to Court/Law EnforcmntDischarges:7 Percent of All Patient Days:0.1%OtherAODA Utilization Discharges:26 Percent of All Discharges:1.0%MedicareDischarges:26 Percent of All Discharges:1.0%MedicarePatient Days:81Percent of All Patient Days:1.2%Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	Overall Hospital Utilization				Patient Discharge Statu	IS
Total Patient Days:6,992Average Charge per Discharge:\$27,768Other GMS Hospital Critical Access Hospital Critical Access Hospital Skilled Nursing Facility Intermediate Care Facility	Total Discharges:	2,489	Average Length of Stay (days):	2.8	Discharge Status	<u>% Discharges</u>
Normal Childbirths:318 Cesarean Childbirths:Percent of All Childbirths:75.9% Hercent of All Childbirths:Skilled Nursing Facility Intermediate Care FacilityOther Childbirths:24 Percent of All Childbirths:Percent of All Childbirths:18.4% HorspiceInpatient Rehabilitation Facility HospiceTotal Childbirths:419Percent of All Childbirths:5.7%Inpatient Rehabilitation Facility HospiceTotal Newborns:436Home Health Service Left Against Medical Advice ExpiredDischarges:4Percent of All Discharges:0.2%Discharge/Tran to Court/Law EnforcmntPatient Days:7Percent of All Discharges:0.1%OtherDischarges:26Percent of All Discharges:1.0%MedicarePatient Days:81Percent of All Patient Days:1.2%MedicareDischarges:26Percent of All Discharges:1.0%MedicarePatient Days:81Percent of All Patient Days:1.2%MedicareDischarges:26Percent of All Patient Days:1.2%MedicarePatient Days:81Percent of All Patient Days:1.2%MedicaidBadgerCare Other Government Commercial or Private Insurance Self-Pay	Total Patient Days:	6,992	Average Charge per Discharge:	\$27,768		61.3% 5.3%
Normal Childbirths:318Percent of All Childbirths:75.9%Skilled Nursing Facility Intermediate Care FacilityCesarean Childbirths:77Percent of All Childbirths:18.4%Inpatient Rehabilitation FacilityOther Childbirths:24Percent of All Childbirths:5.7%Inpatient Rehabilitation FacilityTotal Childbirths:419Home Health ServiceUther InstitutionTotal Newborns:436Home Health ServiceLeft Against Medical AdvicePsychiatric UtilizationPercent of All Discharges:0.2%Discharge/Tran to Court/Law EnforcmntDischarges:4Percent of All Patient Days:0.1%OtherPatient Days:7Percent of All Discharges:0.1%DischargeDischarges:26Percent of All Discharges:1.0%MedicarePatient Days:81Percent of All Patient Days:1.2%Medicaid/BadgerCareOther GovernmentCommercial or Private InsuranceSelf-Pay	Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Total Childbirths:LiHospiceTotal Childbirths:419Other InstitutionTotal Newborns:436Home Health ServicePsychiatric UtilizationLeft Against Medical AdviceDischarges:4Percent of All Discharges:0.2%Patient Days:7Percent of All Patient Days:0.1%ODA UtilizationPrimary Payer% IDischarges:26Percent of All Discharges:1.0%Patient Days:26Percent of All Patient Days:1.0%Medicaid/BadgerCareOther GovernmentOther GovernmentCommercial or Private InsuranceSelf-Pay	Normal Childbirths: Cesarean Childbirths:	77	Percent of All Childbirths:	18.4%	Intermediate Care Facility	12.1% 2.6% 0.3%
Total Newborns: 436 Home Health Service Psychiatric Utilization Left Against Medical Advice Expired Discharges: 4 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Patient Days: 7 Percent of All Patient Days: 0.1% Other AODA Utilization Primary Payer % II Discharges: 26 Percent of All Discharges: 1.0% Medicare Patient Days: 26 Percent of All Patient Days: 1.0% Medicare Discharges: 26 Percent of All Patient Days: 1.0% Medicaid/BadgerCare 0/ther Government Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare 0/ther Government Commercial or Private Insurance Self-Pay 0/ther Government 0/ther Government 0/ther Government Commercial or Private Insurance Self-Pay Self-Pay 0/ther Government 0/ther Government				5.770	Hospice	3.2%
Psychiatric Utilization Left Against Medical Advice Expired Discharges: 4 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Patient Days: 7 Percent of All Patient Days: 0.1% Other AODA Utilization Percent of All Discharges: 9 Percent of All Discharges: 1.0% Medicare Discharges: 26 Percent of All Patient Days: 1.0% Medicaid/BadgerCare % I Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay Self-Pay Self-Pay Self-Pay	Total Childbirths.	419			Other Institution	0.1%
Psychiatric Utilization Expired Discharges: 4 Percent of All Discharges: 0.2% Discharge/Tran to Court/Law Enforcmnt Patient Days: 7 Percent of All Patient Days: 0.1% Other AODA Utilization Primary Payer % I Discharges: 26 Percent of All Discharges: 1.0% Medicare Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	Total Newborns:	436			Home Health Service	12.8%
Patient Days: 7 Percent of All Patient Days: 0.1% Other AODA Utilization Expected Pay Source Distribution Primary Payer % [Discharges: 26 Percent of All Discharges: 1.0% Medicare % [Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Output 0.1% Other Other 0.1% Medicaid/BadgerCare 0.1% Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare 0ther Government Commercial or Private Insurance Self-Pay Self-Pay Self-Pay Self-Pay	Psychiatric Utilization					1.1% 0.6%
AODA Utilization Expected Pay Source Distribution Discharges: 26 Percent of All Discharges: 1.0% Medicare Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	Discharges:	4	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
AODA Utilization Primary Payer % [Discharges: 26 Percent of All Discharges: 1.0% Medicare Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Other Government Commercial or Private Insurance Self-Pay	Patient Days:	7	Percent of All Patient Days:	0.1%	Other	0.3%
Discharges: 26 Percent of All Discharges: 1.0% Medicare Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay					Expected Pay Source Distri	<u>bution</u>
Patient Days: 81 Percent of All Patient Days: 1.2% Medicaid/BadgerCare Other Government Commercial or Private Insurance Self-Pay	AODA Utilization				Primary Payer	<u>% Discharges</u>
Other Government Commercial or Private Insurance Self-Pay	Discharges:	26	Percent of All Discharges:	1.0%	Medicare	64.9%
Commercial or Private Insurance Self-Pay	Patient Days:	81	Percent of All Patient Days:	1.2%	Medicaid/BadgerCare	17.0%
Self-Pay					Other Government	0.9%
5					Commercial or Private Insurance	11.8%
Other or Unknown Insurance					Self-Pay	5.0%
					Other or Unknown Insurance	0.3%

	Age Distribution			Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	17.5%	10.0%	Male	41.6%	48.2%	Amer.Ind/Alaskan Native	e 0.5%	0.5%
Under 15	0.6%	0.4%	Female	58.4%	51.8%	Asian	2.9%	2.1%
15 - 19	1.4%	1.0%				Black/African Amer.	3.7%	2.9%
20 - 24	4.1%	2.8%				Native Hawaii/Pac.Isl.	0.6%	0.4%
25 - 34	12.8%	8.7%				White	90.3%	92.8%
35 - 44	5.1%	4.0%				Multiracial	1.8%	1.1%
45 - 54	4.1%	4.5%				Declined	0.2%	0.1%
55 - 64	9.7%	12.1%				Unavailable	0 %	0 %
65 - 74	18.4%	23.1%						
75 - 84	14.6%	17.9%						
85 & Over	11.8%	15.4%						

137 Aurora Medical Center Manitowoc County

Two Rivers, WI 54241

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	38	4.2	3.8	1.11	3.5	1.20	4.6	0.91
133 Respiratory failure	46	2.9	4.3	0.67	3.5	0.83	4.2	0.69
137 Respiratory Infections and Inflammations	41	3.4	5.4	0.63	4.4	0.77	5.1	0.67
139 Pneumonia	48	2.9	3.7	0.78	3.6	0.81	3.9	0.74
194 Heart Failure	147	3.0	4.1	0.73	3.8	0.79	4.7	0.64
201 Heart Abnormal Rhythm and Conduction Disorders	23	3.6	2.9	1.24	2.6	1.38	2.9	1.24
247 Intestinal Obstruction without Surgery	30	3.2	3.1	1.03	3.0	1.07	3.4	0.94
383 Cellulitis & other skin infections	27	2.9	3.9	0.74	4.1	0.71	4.0	0.73
463 Kidney/Urinary Tract Infection	28	2.8	3.7	0.76	3.4	0.82	3.8	0.74
469 Acute kidney injury	36	4.5	4.3	1.05	4.2	1.07	4.8	0.94
540 Cesarean Delivery	77	2.6	3.5	0.74	2.7	0.96	3.4	0.76
560 Vaginal Delivery	318	1.7	2.0	0.85	1.8	0.94	2.1	0.81
640 Normal Newborn, Birthweight 2500g+	397	1.6	1.9	0.84	1.8	0.89	1.9	0.84
720 Blood Infection/Septicemia	254	3.8	5.2	0.73	4.5	0.84	5.7	0.67
775 Alcohol Abuse/Dependence	16	3.2	3.9	0.82	3.9	0.82	3.7	0.86

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	5		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$48,734	\$48,376	\$44,321	1.09	\$39,675	1.22	\$50,763	0.95
133	Respiratory failure	\$34,159	\$29,113	\$38,110	0.76	\$36,159	0.81	\$41,427	0.70
137	Respiratory Infections and Inflammations	\$33,679	\$37,801	\$41,782	0.90	\$36,731	1.03	\$44,204	0.86
139	Pneumonia	\$27,939	\$27,459	\$31,722	0.87	\$28,353	0.97	\$33,131	0.83
194	Heart Failure	\$28,219	\$28,745	\$33,627	0.85	\$30,581	0.94	\$38,512	0.75
201	Heart Abnormal Rhythm and Conduction Disorders	\$30,693	\$30,123	\$25,031	1.20	\$24,409	1.23	\$27,857	1.08
247	Intestinal Obstruction without Surgery	\$27,183	\$27,737	\$23,712	1.17	\$23,588	1.18	\$27,065	1.02
383	Cellulitis & other skin infections	\$23,832	\$24,590	\$25,137	0.98	\$26,179	0.94	\$29,240	0.84
463	Kidney/Urinary Tract Infection	\$27,532	\$26,584	\$27,701	0.96	\$25,093	1.06	\$30,445	0.87
469	Acute kidney injury	\$34,521	\$35,784	\$33,591	1.07	\$31,117	1.15	\$39,232	0.91
540	Cesarean Delivery	\$26,711	\$26,424	\$24,471	1.08	\$26,660	0.99	\$31,158	0.85
560	Vaginal Delivery	\$13,822	\$14,088	\$12,893	1.09	\$12,456	1.13	\$16,019	0.88
640	Normal Newborn, Birthweight 2500g+	\$4,834	\$4,761	\$5,470	0.87	\$5,451	0.87	\$5,687	0.84
720	Blood Infection/Septicemia	\$38,891	\$42,523	\$51,287	0.83	\$42,902	0.99	\$56,342	0.75
775	Alcohol Abuse/Dependence	\$30,595	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

138 Vernon Memorial Health	care			Hospital Type: GMS	
507 S Main Street				County: Vernon	
Viroqua, WI 54665				Analysis Area: 5B-Southwe	stern
608-637-2101				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	849	Average Length of Stay (days):	2.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,498	Average Charge per Discharge:	\$18,899	Home or Self-Care Other GMS Hospital	75.3% 5.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	76	Percent of All Childbirths:	70.4%	Skilled Nursing Facility Intermediate Care Facility	15.4% 0.0%
Cesarean Childbirths: Other Childbirths:	28 4	Percent of All Childbirths: Percent of All Childbirths:	25.9% 3.7%	Inpatient Rehabilitation Facility	0.0%
Total Childbirths:	108		••••	Hospice	0.0%
				Other Institution	0.0%
Total Newborns:	114			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.2% 2.4%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	2	Percent of All Patient Days:	0.1%	Other	1.5%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	0	Percent of All Discharges:	0.0%	Medicare	57.8%
Patient Days:	0	Percent of All Patient Days:	0.0%	Medicaid/BadgerCare	12.5%
				Other Government	3.4%
				Commercial or Private Insurance	16.1%
				Self-Pay	10.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>n</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	13.4%	8.4%	Male	43.2%	45.6%	Amer.Ind/Alaskan Native	e 0.1%	0.2%
Under 15	0.2%	0.1%	Female	56.8%	54.4%	Asian	0.2%	0.2%
15 - 19	0.8%	0.6%				Black/African Amer.	0.2%	0.4%
20 - 24	3.7%	2.2%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	9.3%	7.1%				White	98.5%	98.5%
35 - 44	4.2%	3.6%				Multiracial	0.1%	0.1%
45 - 54	2.2%	2.5%				Declined	0.1%	0.1%
55 - 64	9.5%	8.7%				Unavailable	0.5%	0.4%
65 - 74	18.1%	17.5%						
75 - 84	19.4%	24.9%						
85 & Over	19.0%	24.3%						

138 Vernon Memorial Healthcare

Viroqua, WI 54665

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
133 Respiratory failure	49	3.5	3.6	0.97	3.6	0.97	4.2	0.83	
137 Respiratory Infections and Inflammations	20	4.4	4.5	0.98	3.7	1.19	5.1	0.86	
139 Pneumonia	37	3.6	3.2	1.13	3.4	1.06	3.9	0.92	
140 Chronic Obstructive Pulmonary Disease	19	3.6	2.9	1.24	3.0	1.20	3.3	1.09	
194 Heart Failure	33	3.7	4.0	0.93	3.7	1.00	4.7	0.79	
201 Heart Abnormal Rhythm and Conduction Disorders	10	2.2	2.9	0.76	2.7	0.81	2.9	0.76	
247 Intestinal Obstruction without Surgery	9	2.9	2.7	1.07	2.8	1.04	3.4	0.85	
326 Elective knee joint replacement	6	1.0	1.9	0.53	1.6	0.63	2.0	0.50	
383 Cellulitis & other skin infections	24	4.4	3.8	1.16	3.8	1.16	4.0	1.10	
463 Kidney/Urinary Tract Infection	37	3.6	3.2	1.13	3.3	1.09	3.8	0.95	
469 Acute kidney injury	9	3.7	4.2	0.88	3.4	1.09	4.8	0.77	
540 Cesarean Delivery	28	2.9	3.3	0.88	2.8	1.04	3.4	0.85	
560 Vaginal Delivery	76	1.7	2.1	0.81	1.9	0.89	2.1	0.81	
640 Normal Newborn, Birthweight 2500g+	110	1.9	1.7	1.12	1.8	1.06	1.9	1.00	
720 Blood Infection/Septicemia	37	3.5	4.5	0.78	3.9	0.90	5.7	0.61	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
133	Respiratory failure	\$19,362	\$23,761	\$25,776	0.92	\$27,996	0.85	\$41,427	0.57
137	Respiratory Infections and Inflammations	\$19,748	\$23,703	\$30,904	0.77	\$25,863	0.92	\$44,204	0.54
139	Pneumonia	\$17,261	\$21,558	\$21,981	0.98	\$23,921	0.90	\$33,131	0.65
140	Chronic Obstructive Pulmonary Disease	\$19,075	\$21,576	\$20,738	1.04	\$20,883	1.03	\$32,611	0.66
194	Heart Failure	\$16,414	\$21,660	\$24,595	0.88	\$24,051	0.90	\$38,512	0.56
201	Heart Abnormal Rhythm and Conduction Disorders	\$11,057	\$14,352	\$18,874	0.76	\$18,840	0.76	\$27,857	0.52
247	Intestinal Obstruction without Surgery	\$11,400	\$14,154	\$16,242	0.87	\$17,509	0.81	\$27,065	0.52
326	Elective knee joint replacement	\$63,127	\$63,510	\$57,919	1.10	\$53,216	1.19	\$65,010	0.98
383	Cellulitis & other skin infections	\$17,323	\$20,922	\$18,125	1.15	\$21,588	0.97	\$29,240	0.72
463	Kidney/Urinary Tract Infection	\$13,134	\$14,932	\$17,248	0.87	\$17,785	0.84	\$30,445	0.49
469	Acute kidney injury	\$14,417	\$26,053	\$23,553	1.11	\$22,228	1.17	\$39,232	0.66
540	Cesarean Delivery	\$33,100	\$35,403	\$29,602	1.20	\$26,138	1.35	\$31,158	1.14
560	Vaginal Delivery	\$12,518	\$12,924	\$17,310	0.75	\$12,000	1.08	\$16,019	0.81
640	Normal Newborn, Birthweight 2500g+	\$3,761	\$3,941	\$4,773	0.83	\$4,404	0.89	\$5,687	0.69
720	Blood Infection/Septicemia	\$17,811	\$27,687	\$30,431	0.91	\$33,539	0.83	\$56,342	0.49

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

139 Watertown Regional Me	dical Center			Hospital Type: GMS	
125 Hospital Drive				County: Dodge	
Watertown, WI 53098				Analysis Area: 1-Southern	
920-261-4210				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	2,042	Average Length of Stay (days):	3.5	Discharge Status	<u>% Discharges</u>
Total Patient Days:	7,220	Average Charge per Discharge:	\$37,883	Home or Self-Care Other GMS Hospital	65.9% 3.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	91	Percent of All Childbirths:	64.1%	Skilled Nursing Facility Intermediate Care Facility	13.8% 3.5%
Cesarean Childbirths: Other Childbirths:	43 8	Percent of All Childbirths: Percent of All Childbirths:	30.3% 5.6%	Inpatient Rehabilitation Facility	1.6%
Total Childbirths:	142			Hospice Other Institution	4.4% 0.0%
Total Newborns:	158			Home Health Service	4.4%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 1.3%
Discharges:	107	Percent of All Discharges:	5.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	1,400	Percent of All Patient Days:	19.4%	Other	1.2%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	32	Percent of All Discharges:	1.6%	Medicare	63.0%
Patient Days:	144	Percent of All Patient Days:	2.0%	Medicaid/BadgerCare	12.6%
				Other Government	0.3%
				Commercial or Private Insurance	23.0%
				Self-Pay	1.0%
				Other or Unknown Insurance	0.0%

	Age Distribution	<u>l</u>		Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	7.7%	4.6%	Male	44.7%	44.3%	Amer.Ind/Alaskan Native	e 1.3%	0.9%
Under 15	0.3%	0.1%	Female	55.3%	55.7%	Asian	0.2%	0.3%
15 - 19	1.0%	0.8%				Black/African Amer.	0.8%	1.3%
20 - 24	2.0%	1.3%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	6.3%	4.3%				White	96.8%	96.6%
35 - 44	5.6%	4.4%				Multiracial	0.2%	0.1%
45 - 54	7.0%	6.2%				Declined	0.6%	0.7%
55 - 64	12.8%	13.7%				Unavailable	0 %	0 %
65 - 74	21.3%	25.6%						
75 - 84	22.7%	25.8%						
85 & Over	13.3%	13.1%						

139 Watertown Regional Medical Center

Watertown, WI 53098

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages						
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>	
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	38	2.7	4.5	0.60	3.5	0.77	4.6	0.59	
133 Respiratory failure	23	3.5	4.3	0.81	3.5	1.00	4.2	0.83	
137 Respiratory Infections and Inflammations	37	2.8	5.1	0.55	4.4	0.64	5.1	0.55	
139 Pneumonia	58	2.8	3.9	0.72	3.6	0.78	3.9	0.72	
194 Heart Failure	69	2.8	5.1	0.55	3.8	0.74	4.7	0.60	
201 Heart Abnormal Rhythm and Conduction Disorders	62	2.2	3.0	0.73	2.6	0.85	2.9	0.76	
247 Intestinal Obstruction without Surgery	25	2.6	3.6	0.72	3.0	0.87	3.4	0.76	
383 Cellulitis & other skin infections	18	3.4	4.2	0.81	4.1	0.83	4.0	0.85	
463 Kidney/Urinary Tract Infection	38	2.7	3.8	0.71	3.4	0.79	3.8	0.71	
469 Acute kidney injury	23	3.3	4.8	0.69	4.2	0.79	4.8	0.69	
540 Cesarean Delivery	43	3.1	3.7	0.84	2.7	1.15	3.4	0.91	
560 Vaginal Delivery	91	2.3	2.1	1.10	1.8	1.28	2.1	1.10	
640 Normal Newborn, Birthweight 2500g+	152	2.1	2.0	1.05	1.8	1.17	1.9	1.11	
720 Blood Infection/Septicemia	204	4.0	6.1	0.66	4.5	0.89	5.7	0.70	
775 Alcohol Abuse/Dependence	29	4.7	3.8	1.24	3.9	1.21	3.7	1.27	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-D	RG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
	troke and Precerebral Occlusion with Infarct	\$34,600 \$41,645	\$37,890 \$37,463	\$59,881 \$52,595	0.63 0.71	\$39,675 \$36,159	0.96 1.04	\$50,763 \$41,427	0.75 0.90
	Respiratory Infections and Inflammations Pneumonia	\$28,047 \$27,553	\$31,106 \$29,551	\$54,668 \$39,479	0.57 0.75	\$36,731 \$28,353	0.85 1.04	\$44,204 \$33,131	0.70 0.89
194 H	leart Failure	\$26,857	\$31,795	\$47,309	0.67	\$30,581	1.04	\$38,512	0.83
247 In	leart Abnormal Rhythm and Conduction Disorders ntestinal Obstruction without Surgery	\$25,443 \$26,525	\$26,380 \$31,106	\$33,234 \$32,288	0.79 0.96	\$24,409 \$23,588	1.08 1.32	\$27,857 \$27,065	0.95 1.15
	Cellulitis & other skin infections Cidney/Urinary Tract Infection	\$27,045 \$23,734	\$26,604 \$26,096	\$34,338 \$35,981	0.77 0.73	\$26,179 \$25,093	1.02 1.04	\$29,240 \$30,445	0.91 0.86
	cute kidney injury Cesarean Delivery	\$30,327 \$41,471	\$40,232 \$47,149	\$46,091 \$36,417	0.87 1.29	\$31,117 \$26,660	1.29 1.77	\$39,232 \$31,158	1.03 1.51
560 V	aginal Delivery	\$22,427	\$22,794	\$17,782	1.28	\$12,456	1.83	\$16,019	1.42
	lormal Newborn, Birthweight 2500g+ lood Infection/Septicemia	\$6,018 \$41,102	\$6,306 \$46,716	\$5,754 \$70,715	1.10 0.66	\$5,451 \$42,902	1.16 1.09	\$5,687 \$56,342	1.11 0.83
775 A	Icohol Abuse/Dependence	\$39,966	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

330 Ascension Wisconsin Hos	spital - Wa	ukesha		Hospital Type: GMS	
2325 Fox Run Boulevard, Suit	te 100			County: Waukesha	
Waukesha, WI 53188				Analysis Area: 2A-Southeas	stern
262-732-3865				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	49	Average Length of Stay (days):	3.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	152	Average Charge per Discharge:	\$17,376	Home or Self-Care Other GMS Hospital	75.5% 4.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	0 0 0	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	4.1% 0.0% 0.0%
Total Childbirths:	0	reitent of All Childbirths.	0.0%	Hospice	0.0%
Total Childpinths.	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	12.2%
Psychiatric Utilization				Left Against Medical Advice Expired	4.1% 0.0%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	0.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	2	Percent of All Discharges:	4.1%	Medicare	28.6%
Patient Days:	6	Percent of All Patient Days:	3.9%	Medicaid/BadgerCare	0.0%
				Other Government	0.0%
				Commercial or Private Insurance	69.4%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	28.6%	20.4%	Amer.Ind/Alaskan Native	e 0.0%	0.0%
Under 15	0.0%	0.0%	Female	69.4%	78.3%	Asian	0.0%	0.0%
15 - 19	4.1%	3.3%				Black/African Amer.	24.5%	19.1%
20 - 24	0.0%	0.0%				Native Hawaii/Pac.Isl.	28.6%	28.3%
25 - 34	10.2%	7.2%				White	40.8%	44.7%
35 - 44	6.1%	4.6%				Multiracial	0.0%	0.0%
45 - 54	8.2%	7.2%				Declined	0.0%	0.0%
55 - 64	16.3%	11.2%				Unavailable	6.1%	7.9%
65 - 74	26.5%	27.6%						
75 - 84	18.4%	25.7%						
85 & Over	10.2%	13.2%						

330 Ascension Wisconsin Hospital - Waukesha

Waukesha, WI 53188

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	*	*	4.4	*	3.0	*	4.2	*
137 Respiratory Infections and Inflammations	*	*	4.8	*	3.4	*	5.1	*
139 Pneumonia	*	*	3.9	*	3.2	*	3.9	*
140 Chronic Obstructive Pulmonary Disease	*	*	3.4	*	2.5	*	3.3	*
194 Heart Failure	*	*	4.5	*	3.2	*	4.7	*
249 Other gastroenteritis, nausea & vomiting	*	*	3.1	*	2.4	*	3.3	*
282 Disorders of Pancreas Except Malignancy	*	*	3.9	*	2.4	*	3.9	*
383 Cellulitis & other skin infections	*	*	3.9	*	3.4	*	4.0	*
420 Diabetes	*	*	3.2	*	2.9	*	3.3	*
463 Kidney/Urinary Tract Infection	*	*	3.5	*	3.4	*	3.8	*
469 Acute kidney injury	*	*	4.8	*	2.6	*	4.8	*
720 Blood Infection/Septicemia	5	4.4	5.2	0.85	3.1	1.42	5.7	0.77
775 Alcohol Abuse/Dependence	*	*	3.1	*	3.1	*	3.7	*
861 Signs & Symptoms	0	N/A	4.2	N/A	9.1	N/A	5.8	N/A
862 Other Factors Influencing Health Status	0	N/A	5.6	N/A	13.4	N/A	7.9	N/A

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

	This Fac	,	Risk Adjusted Group Averages						
APR-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	<u>olume Group</u> Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio	
133 Respiratory failure	*	*	\$42,864	*	\$23,461	*	\$41,427	*	
137 Respiratory Infections and Inflammations	*	*	\$43,676	*	\$26,728	*	\$44,204	*	
139 Pneumonia	*	*	\$35,485	*	\$19,737	*	\$33,131	*	
140 Chronic Obstructive Pulmonary Disease	*	*	\$33,454	*	\$14,984	*	\$32,611	*	
194 Heart Failure	*	*	\$37,494	*	\$18,454	*	\$38,512	*	
249 Other gastroenteritis, nausea & vomiting	*	*	\$31,380	*	\$14,692	*	\$30,820	*	
282 Disorders of Pancreas Except Malignancy	*	*	\$37,597	*	\$18,126	*	\$35,124	*	
383 Cellulitis & other skin infections	*	*	\$30,428	*	\$17,133	*	\$29,240	*	
420 Diabetes	*	*	\$31,276	*	\$16,894	*	\$30,138	*	
463 Kidney/Urinary Tract Infection	*	*	\$30,491	*	\$17,003	*	\$30,445	*	
469 Acute kidney injury	*	*	\$39,575	*	\$16,299	*	\$39,232	*	
720 Blood Infection/Septicemia	\$24,551	\$31,883	\$54,544	0.58	\$27,572	1.16	\$56,342	0.57	
775 Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*	
861 Signs & Symptoms	N/A	N/A	\$34,568	*	\$22,684	*	\$36,306	*	
862 Other Factors Influencing Health Status	N/A	N/A	\$23,464	*	\$24,289	*	\$31,921	*	

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

141 ProHealth Waukesha Me	emorial Hosp	bital		Hospital Type: GMS	
725 American Avenue				County: Waukesha	
Waukesha, WI 53188				Analysis Area: 2A-Southeas	stern
262-928-1000				Inpatient Volume Group: 6	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	14,343	Average Length of Stay (days):	3.9	Discharge Status	<u>% Discharges</u>
Total Patient Days:	55,817	Average Charge per Discharge:	\$57,324	Home or Self-Care Other GMS Hospital	66.9% 0.7%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	965	Percent of All Childbirths:	64.7%	Skilled Nursing Facility Intermediate Care Facility	7.2% 1.1%
Cesarean Childbirths: Other Childbirths:	453 74	Percent of All Childbirths: Percent of All Childbirths:	30.4% 5.0%	Inpatient Rehabilitation Facility Hospice	5.6% 3.8%
Total Childbirths:	1,492			Other Institution	0.1%
Total Newborns:	1,559			Home Health Service	12.1%
Psychiatric Utilization				Left Against Medical Advice Expired	0.7% 0.6%
Discharges:	410	Percent of All Discharges:	2.9%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	2,097	Percent of All Patient Days:	3.8%	Other	1.0%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	299	Percent of All Discharges:	2.1%	Medicare	53.7%
Patient Days:	745	Percent of All Patient Days:	1.3%	Medicaid/BadgerCare	10.4%
				Other Government	0.7%
				Commercial or Private Insurance	33.2%
				Self-Pay	2.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	10.9%	9.4%	Male	43.1%	46.5%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.0%	0.0%	Female	56.9%	53.5%	Asian	1.3%	1.2%
15 - 19	0.5%	0.4%				Black/African Amer.	2.2%	2.4%
20 - 24	2.1%	1.7%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	9.7%	6.8%				White	93.3%	93.5%
35 - 44	7.2%	5.7%				Multiracial	0.3%	0.3%
45 - 54	6.8%	6.6%				Declined	0.3%	0.2%
55 - 64	11.8%	13.4%				Unavailable	2.3%	2.1%
65 - 74	18.7%	21.7%						
75 - 84	20.2%	21.6%						
85 & Over	12.0%	12.7%						

141 ProHealth Waukesha Memorial Hospital

Waukesha, WI 53188

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	195	3.3	3.8	0.87	5.0	0.66	4.6	0.72
133 Respiratory failure	59	5.3	4.4	1.20	4.5	1.18	4.2	1.26
137 Respiratory Infections and Inflammations	223	4.1	4.8	0.85	5.6	0.73	5.1	0.80
139 Pneumonia	261	3.5	3.9	0.90	4.1	0.85	3.9	0.90
174 Percutaneous coronary intervention w AMI	153	2.7	2.6	1.04	3.0	0.90	2.9	0.93
175 Percutaneous coronary intervention w/o AMI	238	1.8	2.3	0.78	2.5	0.72	2.5	0.72
194 Heart Failure	516	4.5	4.5	1.00	5.1	0.88	4.7	0.96
201 Heart Abnormal Rhythm and Conduction Disorders	259	2.5	2.8	0.89	3.0	0.83	2.9	0.86
463 Kidney/Urinary Tract Infection	343	3.1	3.5	0.89	4.0	0.78	3.8	0.82
469 Acute kidney injury	182	4.4	4.8	0.92	5.2	0.85	4.8	0.92
540 Cesarean Delivery	453	3.4	3.1	1.10	3.7	0.92	3.4	1.00
560 Vaginal Delivery	965	2.0	2.0	1.00	2.2	0.91	2.1	0.95
640 Normal Newborn, Birthweight 2500g+	1,337	1.8	1.9	0.95	2.0	0.90	1.9	0.95
720 Blood Infection/Septicemia	979	5.1	5.2	0.98	6.3	0.81	5.7	0.89
751 Psychoses	170	4.2	5.0	0.84	5.0	0.84	5.1	0.82

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
045 133	Stroke and Precerebral Occlusion with Infarct Respiratory failure	\$50,762 \$69,800	\$53,897 \$56,774	\$48,872 \$42,864	1.10 1.32	\$54,618 \$44,431	0.99 1.28	\$50,763 \$41,427	1.06 1.37
137	Respiratory Infections and Inflammations	\$38,142	\$41,761	\$43,676	0.96	\$49,624	0.84	\$44,204	0.94
139	Pneumonia	\$37,575	\$41,934	\$35,485	1.18	\$37,011	1.13	\$33,131	1.27
174	Percutaneous coronary intervention w AMI	\$101,923	\$97,543	\$94,522	1.03	\$92,807	1.05	\$92,242	1.06
175	Percutaneous coronary intervention w/o AMI	\$106,519	\$109,385	\$109,972	0.99	\$112,207	0.97	\$110,305	0.99
194	Heart Failure	\$41,464	\$42,824	\$37,494	1.14	\$43,048	0.99	\$38,512	1.11
201	Heart Abnormal Rhythm and Conduction Disorders	\$29,879	\$31,924	\$29,688	1.08	\$29,715	1.07	\$27,857	1.15
463	Kidney/Urinary Tract Infection	\$29,390	\$30,924	\$30,491	1.01	\$33,907	0.91	\$30,445	1.02
469	Acute kidney injury	\$39,059	\$40,363	\$39,575	1.02	\$43,161	0.94	\$39,232	1.03
540	Cesarean Delivery	\$44,535	\$44,679	\$34,572	1.29	\$32,532	1.37	\$31,158	1.43
560	Vaginal Delivery	\$25,185	\$24,959	\$18,364	1.36	\$17,304	1.44	\$16,019	1.56
640	Normal Newborn, Birthweight 2500g+	\$7,893	\$8,036	\$6,707	1.20	\$5,861	1.37	\$5,687	1.41
720	Blood Infection/Septicemia	\$59,204	\$61,379	\$54,544	1.13	\$62,322	0.98	\$56,342	1.09
751	Psychoses	\$19,274	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

142 ThedaCare Medical Cen	ter - Waupac	a		Hospital Type: GMS	
800 Riverside Drive				County: Waupaca	
Waupaca, WI 54981				Analysis Area: 3-Lake Winn	ebago
715-258-1000				Inpatient Volume Group: 3	3
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	930	Average Length of Stay (days):	2.9	Discharge Status	% Discharges
Total Patient Days:	2,701	Average Charge per Discharge:	\$17,840	Home or Self-Care Other GMS Hospital	61.4% 6.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	76 12	Percent of All Childbirths: Percent of All Childbirths:	80.0% 12.6%	Skilled Nursing Facility Intermediate Care Facility	13.5% 3.5%
Other Childbirths:	7	Percent of All Childbirths:	7.4%	Inpatient Rehabilitation Facility	0.2%
Total Childbirths:	95			Hospice Other Institution	4.1%
Total Newborns:	102			Home Health Service	0.0% 6.9%
Psychiatric Utilization				Left Against Medical Advice Expired	0.4% 0.9%
Discharges:	1	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.9%
Patient Days:	24	Percent of All Patient Days:	0.9%	Other	1.5%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	20	Percent of All Discharges:	2.2%	Medicare	55.8%
Patient Days:	58	Percent of All Patient Days:	2.1%	Medicaid/BadgerCare	14.5%
		-		Other Government	6.9%
				Commercial or Private Insurance	19.7%
				Self-Pay	2.9%
				Other or Unknown Insurance	0.2%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.0%	6.6%	Male	44.6%	43.7%	Amer.Ind/Alaskan Native	e 0.4%	0.4%
Under 15	0.0%	0.0%	Female	55.4%	56.3%	Asian	0.2%	0.3%
15 - 19	0.5%	0.4%				Black/African Amer.	1.3%	1.0%
20 - 24	2.5%	1.8%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	9.5%	6.9%				White	96.6%	97.1%
35 - 44	4.3%	3.7%				Multiracial	0.1%	0.1%
45 - 54	5.3%	5.6%				Declined	0.8%	0.6%
55 - 64	10.1%	10.1%				Unavailable	0.6%	0.4%
65 - 74	21.3%	24.1%						
75 - 84	19.4%	23.2%						
85 & Over	16.2%	17.7%						

142 ThedaCare Medical Center - Waupaca

Waupaca, WI 54981

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	16	2.9	3.7	0.78	3.6	0.81	4.2	0.69		
137 Respiratory Infections and Inflammations	22	4.6	5.0	0.92	3.7	1.24	5.1	0.90		
139 Pneumonia	49	2.8	3.7	0.76	3.4	0.82	3.9	0.72		
140 Chronic Obstructive Pulmonary Disease	11	2.1	2.8	0.75	3.0	0.70	3.3	0.64		
194 Heart Failure	67	3.3	4.1	0.80	3.7	0.89	4.7	0.70		
201 Heart Abnormal Rhythm and Conduction Disorders	34	2.6	2.5	1.04	2.7	0.96	2.9	0.90		
247 Intestinal Obstruction without Surgery	20	3.1	3.3	0.94	2.8	1.11	3.4	0.91		
326 Elective knee joint replacement	0	N/A	1.8	N/A	1.6	N/A	2.0	N/A		
383 Cellulitis & other skin infections	25	3.0	3.7	0.81	3.8	0.79	4.0	0.75		
463 Kidney/Urinary Tract Infection	21	3.0	3.4	0.88	3.3	0.91	3.8	0.79		
469 Acute kidney injury	40	3.1	4.1	0.76	3.4	0.91	4.8	0.65		
540 Cesarean Delivery	12	3.1	3.1	1.00	2.8	1.11	3.4	0.91		
560 Vaginal Delivery	76	1.9	1.9	1.00	1.9	1.00	2.1	0.90		
640 Normal Newborn, Birthweight 2500g+	90	1.8	1.9	0.95	1.8	1.00	1.9	0.95		
720 Blood Infection/Septicemia	72	3.8	5.1	0.75	3.9	0.97	5.7	0.67		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge			<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$20,899	\$23,264	\$29,067	0.80	\$27,996	0.83	\$41,427	0.56
137	Respiratory Infections and Inflammations	\$27,176	\$27,390	\$31,076	0.88	\$25,863	1.06	\$44,204	0.62
139	Pneumonia	\$19,269	\$20,284	\$25,465	0.80	\$23,921	0.85	\$33,131	0.61
140	Chronic Obstructive Pulmonary Disease	\$15,881	\$17,631	\$23,561	0.75	\$20,883	0.84	\$32,611	0.54
194	Heart Failure	\$19,523	\$22,613	\$26,437	0.86	\$24,051	0.94	\$38,512	0.59
201	Heart Abnormal Rhythm and Conduction Disorders	\$19,409	\$18,931	\$19,751	0.96	\$18,840	1.00	\$27,857	0.68
247	Intestinal Obstruction without Surgery	\$19,091	\$18,188	\$18,938	0.96	\$17,509	1.04	\$27,065	0.67
326	Elective knee joint replacement	N/A	N/A	\$44,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$16,290	\$16,251	\$21,780	0.75	\$21,588	0.75	\$29,240	0.56
463	Kidney/Urinary Tract Infection	\$19,822	\$19,479	\$22,229	0.88	\$17,785	1.10	\$30,445	0.64
469	Acute kidney injury	\$16,355	\$18,915	\$26,749	0.71	\$22,228	0.85	\$39,232	0.48
540	Cesarean Delivery	\$27,003	\$28,310	\$20,549	1.38	\$26,138	1.08	\$31,158	0.91
560	Vaginal Delivery	\$9,891	\$9,949	\$9,705	1.03	\$12,000	0.83	\$16,019	0.62
640	Normal Newborn, Birthweight 2500g+	\$3,292	\$3,551	\$4,293	0.83	\$4,404	0.81	\$5,687	0.62
720	Blood Infection/Septicemia	\$23,449	\$28,537	\$38,002	0.75	\$33,539	0.85	\$56,342	0.51

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

143 SSM Health Waupun Me	emorial Hosp	ital		Hospital Type: GMS	
620 W Brown Street				County: Dodge	
Waupun, WI 53963				Analysis Area: 1-Southern	
920-324-5581				Inpatient Volume Group: 3	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	977	Average Length of Stay (days):	2.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	2,652	Average Charge per Discharge:	\$21,956	Home or Self-Care Other GMS Hospital	70.5% 4.5%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths: Other Childbirths:	118 26 2	Percent of All Childbirths: Percent of All Childbirths: Percent of All Childbirths:	80.8% 17.8% 1.4%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	10.1% 0.7% 0.1%
Total Childbirths:	146		1.170	Hospice	2.7%
Total Newborns:	157			Other Institution Home Health Service	0.1% 7.1%
Psychiatric Utilization				Left Against Medical Advice Expired	0.2% 0.8%
Discharges:	0	Percent of All Discharges: Percent of All Patient Days:	0.0% 0.0%	Discharge/Tran to Court/Law Enforcmnt Other	3.0% 0.2%
Patient Days:	0	Percent of All Patient Days.	0.0%	-	
AODA Utilization				Expected Pay Source Distril Primary Payer	
Discharges:	11	Percent of All Discharges:	1.1%	Medicare	<u>% Discharges</u> 45.0%
Patient Days:	42	Percent of All Patient Days:	1.6%	Medicaid/BadgerCare Other Government	14.3% 5.8%
				Commercial or Private Insurance	32.5%
				Self-Pav	2.3%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	16.1%	10.7%	Male	43.1%	45.1%	Amer.Ind/Alaskan Native	e 0.2%	0.2%
Under 15	0.5%	0.3%	Female	56.9%	54.9%	Asian	0.5%	0.3%
15 - 19	0.7%	0.5%				Black/African Amer.	1.2%	1.4%
20 - 24	2.8%	2.2%				Native Hawaii/Pac.Isl.	0.2%	0.2%
25 - 34	13.8%	11.4%				White	82.5%	86.7%
35 - 44	5.0%	4.5%				Multiracial	0.1%	0.2%
45 - 54	5.3%	6.0%				Declined	0.4%	0.3%
55 - 64	10.6%	11.4%				Unavailable	14.8%	10.7%
65 - 74	16.8%	19.5%						
75 - 84	15.1%	16.2%						
85 & Over	13.2%	17.3%						

143 SSM Health Waupun Memorial Hospital

Waupun, WI 53963

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
133 Respiratory failure	15	4.0	4.3	0.93	3.6	1.11	4.2	0.95
137 Respiratory Infections and Inflammations	24	3.3	5.1	0.65	3.7	0.89	5.1	0.65
139 Pneumonia	62	3.2	3.9	0.82	3.4	0.94	3.9	0.82
140 Chronic Obstructive Pulmonary Disease	15	2.3	3.4	0.68	3.0	0.77	3.3	0.70
194 Heart Failure	32	3.8	5.1	0.75	3.7	1.03	4.7	0.81
201 Heart Abnormal Rhythm and Conduction Disorders	17	2.4	3.0	0.80	2.7	0.89	2.9	0.83
247 Intestinal Obstruction without Surgery	7	1.9	3.6	0.53	2.8	0.68	3.4	0.56
326 Elective knee joint replacement	*	*	2.0	*	1.6	*	2.0	*
383 Cellulitis & other skin infections	30	2.5	4.2	0.60	3.8	0.66	4.0	0.63
463 Kidney/Urinary Tract Infection	14	2.4	3.8	0.63	3.3	0.73	3.8	0.63
469 Acute kidney injury	29	2.7	4.8	0.56	3.4	0.79	4.8	0.56
540 Cesarean Delivery	26	2.8	3.7	0.76	2.8	1.00	3.4	0.82
560 Vaginal Delivery	118	1.9	2.1	0.90	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	151	1.8	2.0	0.90	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	61	3.5	6.1	0.57	3.9	0.90	5.7	0.61

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	ty Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	<u>ospitals</u> Ratio
133	Respiratory failure	\$29,966	\$38,117	\$52,595	0.72	\$27,996	1.36	\$41,427	0.92
137	Respiratory Infections and Inflammations	\$26,141	\$29,599	\$54,668	0.54	\$25,863	1.14	\$44,204	0.67
139	Pneumonia	\$24,809	\$26,247	\$39,479	0.66	\$23,921	1.10	\$33,131	0.79
140	Chronic Obstructive Pulmonary Disease	\$20,413	\$20,866	\$37,773	0.55	\$20,883	1.00	\$32,611	0.64
194	Heart Failure	\$28,655	\$26,336	\$47,309	0.56	\$24,051	1.10	\$38,512	0.68
201	Heart Abnormal Rhythm and Conduction Disorders	\$23,936	\$23,191	\$33,234	0.70	\$18,840	1.23	\$27,857	0.83
247	Intestinal Obstruction without Surgery	\$14,747	\$14,861	\$32,288	0.46	\$17,509	0.85	\$27,065	0.55
326	Elective knee joint replacement	*	*	\$59,463	*	\$53,216	*	\$65,010	*
383	Cellulitis & other skin infections	\$16,703	\$16,816	\$34,338	0.49	\$21,588	0.78	\$29,240	0.58
463	Kidney/Urinary Tract Infection	\$15,657	\$17,883	\$35,981	0.50	\$17,785	1.01	\$30,445	0.59
469	Acute kidney injury	\$20,856	\$19,867	\$46,091	0.43	\$22,228	0.89	\$39,232	0.51
540	Cesarean Delivery	\$26,069	\$27,476	\$36,417	0.75	\$26,138	1.05	\$31,158	0.88
560	Vaginal Delivery	\$10,465	\$10,751	\$17,782	0.60	\$12,000	0.90	\$16,019	0.67
640	Normal Newborn, Birthweight 2500g+	\$4,128	\$4,181	\$5,754	0.73	\$4,404	0.95	\$5,687	0.74
720	Blood Infection/Septicemia	\$28,535	\$38,000	\$70,715	0.54	\$33,539	1.13	\$56,342	0.67

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

145 Aspirus Wausau Hospital 333 Pine Ridge Boulevard Wausau, WI 54401 715-847-2121				Hospital Type: GMS County: Marathon Analysis Area: 6-North Cen Inpatient Volume Group: 6	tral
Overall Hospital Utilization				Patient Discharge Statu	<u>is</u>
Total Discharges:	16,075	Average Length of Stay (days):	5.1	Discharge Status	<u>% Discharges</u>
Total Patient Days:	81,350	Average Charge per Discharge:	\$55,401	Home or Self-Care Other GMS Hospital	65.0% 0.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	818 361	Percent of All Childbirths: Percent of All Childbirths:	67.3% 29.7%	Skilled Nursing Facility Intermediate Care Facility Inpatient Rehabilitation Facility	10.1% 0.8% 1.8%
Other Childbirths:	37	Percent of All Childbirths:	3.0%	Hospice	2.5%
Total Childbirths:	1,216			Other Institution	0.1%
Total Newborns:	1,336			Home Health Service	13.0%
Psychiatric Utilization				Left Against Medical Advice Expired	1.0% 3.8%
Discharges:	26	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	197	Percent of All Patient Days:	0.2%	Other	0.8%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Paver	% Discharges
Discharges:	134	Percent of All Discharges:	0.8%	Medicare	51.6%
Patient Days:	685	Percent of All Patient Days:	0.8%	Medicaid/BadgerCare	11.5%
-		-		Other Government	5.5%
				Commercial or Private Insurance	31.1%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.4%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	8.3%	6.8%	Male	50.4%	52.3%	Amer.Ind/Alaskan Native	e 1.2%	1.4%
Under 15	1.1%	1.3%	Female	49.5%	47.7%	Asian	3.1%	2.2%
15 - 19	0.7%	0.5%				Black/African Amer.	0.9%	0.7%
20 - 24	2.5%	1.6%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	8.0%	5.4%				White	93.8%	94.7%
35 - 44	5.7%	5.0%				Multiracial	0.3%	0.3%
45 - 54	7.3%	7.3%				Declined	0.5%	0.5%
55 - 64	14.9%	15.9%				Unavailable	0 %	0.1%
65 - 74	23.1%	24.5%						
75 - 84	19.5%	21.6%						
85 & Over	9.0%	10.1%						

145 Aspirus Wausau Hospital

Wausau, WI 54401

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	232	5.3	4.4	1.20	5.0	1.06	4.6	1.15
133 Respiratory failure	333	5.0	4.1	1.22	4.5	1.11	4.2	1.19
137 Respiratory Infections and Inflammations	143	7.0	5.1	1.37	5.6	1.25	5.1	1.37
139 Pneumonia	160	5.1	4.0	1.28	4.1	1.24	3.9	1.31
174 Percutaneous coronary intervention w AMI	325	2.9	3.0	0.97	3.0	0.97	2.9	1.00
175 Percutaneous coronary intervention w/o AMI	354	2.0	2.5	0.80	2.5	0.80	2.5	0.80
194 Heart Failure	570	5.3	4.6	1.15	5.1	1.04	4.7	1.13
201 Heart Abnormal Rhythm and Conduction Disorders	350	2.7	2.8	0.96	3.0	0.90	2.9	0.93
463 Kidney/Urinary Tract Infection	141	5.0	3.9	1.28	4.0	1.25	3.8	1.32
469 Acute kidney injury	206	5.7	4.8	1.19	5.2	1.10	4.8	1.19
540 Cesarean Delivery	361	3.8	3.5	1.09	3.7	1.03	3.4	1.12
560 Vaginal Delivery	818	1.8	2.0	0.90	2.2	0.82	2.1	0.86
640 Normal Newborn, Birthweight 2500g+	1,138	2.1	1.9	1.11	2.0	1.05	1.9	1.11
720 Blood Infection/Septicemia	1,088	6.6	5.6	1.18	6.3	1.05	5.7	1.16
751 Psychoses	*	*	4.0	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-	DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$49,001	\$49,954	\$41,794	1.20	\$54,618	0.91	\$50,763	0.98
133	Respiratory failure	\$46,178	\$44,924	\$37,801	1.19	\$44,431	1.01	\$41,427	1.08
137	Respiratory Infections and Inflammations	\$49,120	\$48,186	\$37,786	1.28	\$49,624	0.97	\$44,204	1.09
139	Pneumonia	\$41,021	\$40,893	\$30,317	1.35	\$37,011	1.10	\$33,131	1.23
174	Percutaneous coronary intervention w AMI	\$73,645	\$73,791	\$74,905	0.99	\$92,807	0.80	\$92,242	0.80
175	Percutaneous coronary intervention w/o AMI	\$73,486	\$76,012	\$80,668	0.94	\$112,207	0.68	\$110,305	0.69
194	Heart Failure	\$45,240	\$44,950	\$34,805	1.29	\$43,048	1.04	\$38,512	1.17
201	Heart Abnormal Rhythm and Conduction Disorders	\$27,497	\$28,384	\$24,857	1.14	\$29,715	0.96	\$27,857	1.02
463	Kidney/Urinary Tract Infection	\$34,408	\$34,712	\$28,365	1.22	\$33,907	1.02	\$30,445	1.14
469	Acute kidney injury	\$44,462	\$45,217	\$36,852	1.23	\$43,161	1.05	\$39,232	1.15
540	Cesarean Delivery	\$29,010	\$28,925	\$27,634	1.05	\$32,532	0.89	\$31,158	0.93
560	Vaginal Delivery	\$11,739	\$12,062	\$12,421	0.97	\$17,304	0.70	\$16,019	0.75
640	Normal Newborn, Birthweight 2500g+	\$8,384	\$8,438	\$7,016	1.20	\$5,861	1.44	\$5,687	1.48
720	Blood Infection/Septicemia	\$60,300	\$58,044	\$48,275	1.20	\$62,322	0.93	\$56,342	1.03
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

150 Aurora West Allis Media 8901 W Lincoln Avenue West Allis, WI 53227 414-328-6000	cal Center			Hospital Type: GMS County: Milwaukee Analysis Area: 2B-Milwauke Inpatient Volume Group: 6	ee County
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	13,235	Average Length of Stay (days):	3.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	48,942	Average Charge per Discharge:	\$39,707	Home or Self-Care Other GMS Hospital	73.9% 2.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	2.223	Percent of All Childbirths:	69.8%	Skilled Nursing Facility	6.7%
Cesarean Childbirths:	833	Percent of All Childbirths:	26.2%	Intermediate Care Facility	1.5%
Other Childbirths:	129	Percent of All Childbirths:	4.1%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	3,185		4.170	Hospice	1.9%
Total Childbirths.	5,105			Other Institution	0.2%
Total Newborns:	3,326			Home Health Service	11.0%
Develotrie Utilization				Left Against Medical Advice	0.9%
Psychiatric Utilization				Expired	0.4%
Discharges:	17	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	111	Percent of All Patient Days:	0.2%	Other	0.6%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	139	Percent of All Discharges:	1.1%	Medicare	57.1%
Patient Days:	426	Percent of All Patient Days:	0.9%	Medicaid/BadgerCare	24.6%
		-		Other Government	0.9%
				Commercial or Private Insurance	14.3%
				Self-Pay	3.1%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	25.1%	23.6%	Male	33.2%	36.9%	Amer.Ind/Alaskan Native	e 0.5%	0.8%
Under 15	0.3%	1.3%	Female	66.8%	63.1%	Asian	4.3%	3.4%
15 - 19	0.8%	0.7%				Black/African Amer.	12.2%	13.2%
20 - 24	4.2%	3.2%				Native Hawaii/Pac.Isl.	0.4%	0.3%
25 - 34	18.3%	12.5%				White	79.5%	79.6%
35 - 44	9.0%	7.3%				Multiracial	2.5%	2.3%
45 - 54	4.6%	4.4%				Declined	0.6%	0.4%
55 - 64	7.7%	8.9%				Unavailable	0 %	0 %
65 - 74	11.4%	15.0%						
75 - 84	10.0%	12.9%						
85 & Over	8.7%	10.1%						

150 Aurora West Allis Medical Center

West Allis, WI 53227

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facili	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	79	3.3	6.5	0.51	5.0	0.66	4.6	0.72
133 Respiratory failure	117	3.5	4.4	0.80	4.5	0.78	4.2	0.83
137 Respiratory Infections and Inflammations	129	4.1	5.6	0.73	5.6	0.73	5.1	0.80
139 Pneumonia	115	3.6	4.1	0.88	4.1	0.88	3.9	0.92
174 Percutaneous coronary intervention w AMI	0	N/A	3.6	N/A	3.0	N/A	2.9	N/A
175 Percutaneous coronary intervention w/o AMI	0	N/A	3.1	N/A	2.5	N/A	2.5	N/A
194 Heart Failure	407	3.9	5.3	0.74	5.1	0.76	4.7	0.83
201 Heart Abnormal Rhythm and Conduction Disorders	75	3.1	3.3	0.94	3.0	1.03	2.9	1.07
463 Kidney/Urinary Tract Infection	185	3.9	4.3	0.91	4.0	0.98	3.8	1.03
469 Acute kidney injury	196	5.4	5.6	0.96	5.2	1.04	4.8	1.13
540 Cesarean Delivery	833	3.4	3.7	0.92	3.7	0.92	3.4	1.00
560 Vaginal Delivery	2,223	2.3	2.2	1.05	2.2	1.05	2.1	1.10
640 Normal Newborn, Birthweight 2500g+	2,908	1.9	1.9	1.00	2.0	0.95	1.9	1.00
720 Blood Infection/Septicemia	892	5.0	6.8	0.74	6.3	0.79	5.7	0.88
751 Psychoses	*	*	5.2	*	5.0	*	5.1	*

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysis Area</u> Average Charge Ratio		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Ratio	
045	Stroke and Precerebral Occlusion with Infarct	\$55,305	\$61,618	\$66,752	0.92	\$54,618	1.13	\$50,763	1.21
133	Respiratory failure	\$45,173	\$45,588	\$45,892	0.99	\$44,431	1.03	\$41,427	1.10
137	Respiratory Infections and Inflammations	\$52,393	\$51,386	\$54,053	0.95	\$49,624	1.04	\$44,204	1.16
139	Pneumonia	\$43,809	\$42,979	\$38,942	1.10	\$37,011	1.16	\$33,131	1.30
174	Percutaneous coronary intervention w AMI	N/A	N/A	\$126,749	*	\$92,807	*	\$92,242	*
175	Percutaneous coronary intervention w/o AMI	N/A	N/A	\$158,168	*	\$112,207	*	\$110,305	*
194	Heart Failure	\$43,236	\$43,776	\$48,131	0.91	\$43,048	1.02	\$38,512	1.14
201	Heart Abnormal Rhythm and Conduction Disorders	\$38,103	\$37,215	\$34,368	1.08	\$29,715	1.25	\$27,857	1.34
463	Kidney/Urinary Tract Infection	\$38,915	\$39,096	\$38,452	1.02	\$33,907	1.15	\$30,445	1.28
469	Acute kidney injury	\$56,270	\$52,222	\$49,167	1.06	\$43,161	1.21	\$39,232	1.33
540	Cesarean Delivery	\$31,192	\$31,029	\$35,225	0.88	\$32,532	0.95	\$31,158	1.00
560	Vaginal Delivery	\$21,013	\$20,989	\$19,729	1.06	\$17,304	1.21	\$16,019	1.31
640	Normal Newborn, Birthweight 2500g+	\$6,281	\$6,139	\$6,018	1.02	\$5,861	1.05	\$5,687	1.08
720	Blood Infection/Septicemia	\$60,005	\$67,171	\$73,707	0.91	\$62,322	1.08	\$56,342	1.19
751	Psychoses	*	#	#	*	#	*	#	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M ™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

151 Froedtert West Bend Ho	ospital			Hospital Type: GMS	
3200 Pleasant Valley Road				County: Washington	
West Bend, WI 53095				Analysis Area: 2A-Southeas	stern
262-334-5533				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	5,038	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	17,116	Average Charge per Discharge:	\$35,862	Home or Self-Care Other GMS Hospital	65.3% 2.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	515	Percent of All Childbirths:	69.4%	Skilled Nursing Facility	12.2%
Cesarean Childbirths:	203	Percent of All Childbirths:	27.4%	Intermediate Care Facility	1.5%
Other Childbirths:	24	Percent of All Childbirths:	3.2%	Inpatient Rehabilitation Facility	0.8%
Total Childbirths:	742		0.270	Hospice	4.0%
				Other Institution	0.4%
Total Newborns:	776			Home Health Service	10.0%
Psychiatric Utilization				Left Against Medical Advice	1.1%
<u>Psychiatric Othization</u>				Expired	1.1%
Discharges:	8	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	29	Percent of All Patient Days:	0.2%	Other	0.6%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	78	Percent of All Discharges:	1.5%	Medicare	51.4%
Patient Days:	244	Percent of All Patient Days:	1.4%	Medicaid/BadgerCare	10.0%
-		-		Other Government	1.6%
				Commercial or Private Insurance	32.4%
				Self-Pay	4.6%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	% Patient Days	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	% Discharges	<u>% Patient Days</u>
Newborn	15.4%	9.1%	Male	41.3%	45.2%	Amer.Ind/Alaskan Native	e 0.4%	0.3%
Under 15	0.0%	0.0%	Female	58.7%	54.8%	Asian	1.4%	0.7%
15 - 19	0.5%	0.4%				Black/African Amer.	2.1%	1.7%
20 - 24	2.1%	1.4%				Native Hawaii/Pac.Isl.	0.1%	0.1%
25 - 34	12.4%	8.0%				White	94.0%	95.9%
35 - 44	6.4%	4.4%				Multiracial	0.0%	0.0%
45 - 54	4.2%	3.8%				Declined	1.4%	1.0%
55 - 64	10.4%	11.5%				Unavailable	0.6%	0.3%
65 - 74	16.3%	20.1%						
75 - 84	19.1%	23.5%						
85 & Over	13.1%	17.7%						

151 Froedtert West Bend Hospital

West Bend, WI 53095

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	olume Group	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	85	3.6	3.8	0.95	3.9	0.92	4.6	0.78
133 Respiratory failure	116	4.1	4.4	0.93	4.2	0.98	4.2	0.98
137 Respiratory Infections and Inflammations	130	4.9	4.8	1.02	5.1	0.96	5.1	0.96
139 Pneumonia	77	3.6	3.9	0.92	4.0	0.90	3.9	0.92
194 Heart Failure	267	4.4	4.5	0.98	4.5	0.98	4.7	0.94
201 Heart Abnormal Rhythm and Conduction Disorders	80	2.5	2.8	0.89	3.0	0.83	2.9	0.86
383 Cellulitis & other skin infections	55	3.9	3.9	1.00	3.9	1.00	4.0	0.98
463 Kidney/Urinary Tract Infection	60	3.1	3.5	0.89	3.6	0.86	3.8	0.82
466 Malfunction, reaction, complic of genitourinary device or pro-	c 74	5.1	5.1	1.00	5.1	1.00	5.2	0.98
469 Acute kidney injury	86	4.2	4.8	0.88	4.6	0.91	4.8	0.88
540 Cesarean Delivery	203	3.0	3.1	0.97	2.9	1.03	3.4	0.88
560 Vaginal Delivery	515	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	692	1.9	1.9	1.00	1.8	1.06	1.9	1.00
720 Blood Infection/Septicemia	381	5.0	5.2	0.96	5.3	0.94	5.7	0.88
775 Alcohol Abuse/Dependence	40	3.2	3.1	1.03	3.4	0.94	3.7	0.86

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	ity Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$47,426	\$46,598	\$48,872	0.95	\$47,909	0.97	\$50,763	0.92
133	Respiratory failure	\$38,542	\$38,980	\$42,864	0.91	\$41,132	0.95	\$41,427	0.94
137	Respiratory Infections and Inflammations	\$48,363	\$45,757	\$43,676	1.05	\$44,693	1.02	\$44,204	1.04
139	Pneumonia	\$38,918	\$32,832	\$35,485	0.93	\$34,901	0.94	\$33,131	0.99
194	Heart Failure	\$36,324	\$35,335	\$37,494	0.94	\$36,539	0.97	\$38,512	0.92
201	Heart Abnormal Rhythm and Conduction Disorders	\$26,885	\$25,999	\$29,688	0.88	\$27,323	0.95	\$27,857	0.93
383	Cellulitis & other skin infections	\$33,340	\$30,238	\$30,428	0.99	\$29,662	1.02	\$29,240	1.03
463	Kidney/Urinary Tract Infection	\$32,164	\$33,582	\$30,491	1.10	\$30,920	1.09	\$30,445	1.10
466	Malfunction, reaction, complic of genitourinary device or proc	\$40,598	\$39,541	\$42,902	0.92	\$41,728	0.95	\$45,131	0.88
469	Acute kidney injury	\$40,529	\$39,251	\$39,575	0.99	\$37,998	1.03	\$39,232	1.00
540	Cesarean Delivery	\$30,638	\$31,187	\$34,572	0.90	\$29,193	1.07	\$31,158	1.00
560	Vaginal Delivery	\$19,170	\$19,874	\$18,364	1.08	\$14,839	1.34	\$16,019	1.24
640	Normal Newborn, Birthweight 2500g+	\$5,559	\$5,566	\$6,707	0.83	\$5,740	0.97	\$5,687	0.98
720	Blood Infection/Septicemia	\$53,755	\$53,371	\$54,544	0.98	\$52,940	1.01	\$56,342	0.95
775	Alcohol Abuse/Dependence	\$31,292	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M ™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

308 Marshfield Medical Cen 3400 Ministry Parkway	ter-Weston			Hospital Type: GMS County: Marathon	
Weston, WI 54476				Analysis Area: 6-North Cen	tral
715-393-3000				Inpatient Volume Group: 5	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	3,874	Average Length of Stay (days):	3.7	Discharge Status	<u>% Discharges</u>
Total Patient Days:	14,209	Average Charge per Discharge:	\$34,503	Home or Self-Care Other GMS Hospital	71.4% 2.8%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	292	Percent of All Childbirths:	70.4%	Skilled Nursing Facility Intermediate Care Facility	9.1% 0.4%
Cesarean Childbirths: Other Childbirths:	106 17	Percent of All Childbirths: Percent of All Childbirths:	25.5% 4.1%	Inpatient Rehabilitation Facility	0.6%
Total Childbirths:	415			Hospice Other Institution	2.0%
Total Newborns:	425			Other Institution Home Health Service	0.0% 9.7%
Psychiatric Utilization				Left Against Medical Advice Expired	0.9% 2.3%
Discharges:	4	Percent of All Discharges:	0.1%	Discharge/Tran to Court/Law Enforcmnt	0.1%
Patient Days:	17	Percent of All Patient Days:	0.1%	Other	0.6%
				Expected Pay Source Distril	<u>bution</u>
AODA Utilization				Primary Payer	<u>% Discharges</u>
Discharges:	45	Percent of All Discharges:	1.2%	Medicare	51.5%
Patient Days:	147	Percent of All Patient Days:	1.0%	Medicaid/BadgerCare	14.5%
				Other Government	4.1%
				Commercial or Private Insurance	26.9%
				Self-Pay	3.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Race	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	11.0%	5.8%	Male	47.4%	48.4%	Amer.Ind/Alaskan Native	e 1.7%	1.9%
Under 15	0.6%	0.2%	Female	52.6%	51.6%	Asian	3.8%	2.5%
15 - 19	0.6%	0.5%				Black/African Amer.	0.9%	1.0%
20 - 24	2.6%	1.5%				Native Hawaii/Pac.Isl.	0.2%	0.3%
25 - 34	9.4%	6.2%				White	90.3%	91.8%
35 - 44	6.0%	4.7%				Multiracial	0.0%	0.0%
45 - 54	6.6%	5.9%				Declined	0.7%	0.8%
55 - 64	13.0%	14.4%				Unavailable	2.4%	1.7%
65 - 74	19.0%	22.7%						
75 - 84	20.0%	22.7%						
85 & Over	11.2%	15.5%						

308 Marshfield Medical Center-Weston

Weston, WI 54476

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity			Group	Averages		
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio
045 Stroke and Precerebral Occlusion with Infarct	44	3.7	4.4	0.84	3.9	0.95	4.6	0.80
133 Respiratory failure	73	4.6	4.1	1.12	4.2	1.10	4.2	1.10
137 Respiratory Infections and Inflammations	49	5.9	5.1	1.16	5.1	1.16	5.1	1.16
139 Pneumonia	47	4.7	4.0	1.18	4.0	1.18	3.9	1.21
194 Heart Failure	196	4.9	4.6	1.07	4.5	1.09	4.7	1.04
201 Heart Abnormal Rhythm and Conduction Disorders	182	2.7	2.8	0.96	3.0	0.90	2.9	0.93
383 Cellulitis & other skin infections	20	3.0	4.1	0.73	3.9	0.77	4.0	0.75
463 Kidney/Urinary Tract Infection	27	2.8	3.9	0.72	3.6	0.78	3.8	0.74
466 Malfunction, reaction, complic of genitourinary device or p	roc 22	4.9	5.5	0.89	5.1	0.96	5.2	0.94
469 Acute kidney injury	67	5.2	4.8	1.08	4.6	1.13	4.8	1.08
540 Cesarean Delivery	106	2.7	3.5	0.77	2.9	0.93	3.4	0.79
560 Vaginal Delivery	292	1.9	2.0	0.95	1.9	1.00	2.1	0.90
640 Normal Newborn, Birthweight 2500g+	410	1.8	1.9	0.95	1.8	1.00	1.9	0.95
720 Blood Infection/Septicemia	341	5.9	5.6	1.05	5.3	1.11	5.7	1.04
775 Alcohol Abuse/Dependence	34	3.6	3.7	0.97	3.4	1.06	3.7	0.97

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages	;	
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	0		<u>Inpatient Volume Group</u> Average Charge Ratio		ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$31,589	\$31,584	\$41,794	0.76	\$47,909	0.66	\$50,763	0.62
133	Respiratory failure	\$32,918	\$32,007	\$37,801	0.85	\$41,132	0.78	\$41,427	0.77
137	Respiratory Infections and Inflammations	\$35,573	\$35,997	\$37,786	0.95	\$44,693	0.81	\$44,204	0.81
139	Pneumonia	\$27,087	\$24,558	\$30,317	0.81	\$34,901	0.70	\$33,131	0.74
194	Heart Failure	\$28,617	\$27,444	\$34,805	0.79	\$36,539	0.75	\$38,512	0.71
201	Heart Abnormal Rhythm and Conduction Disorders	\$17,875	\$18,693	\$24,857	0.75	\$27,323	0.68	\$27,857	0.67
383	Cellulitis & other skin infections	\$18,427	\$17,570	\$25,899	0.68	\$29,662	0.59	\$29,240	0.60
463	Kidney/Urinary Tract Infection	\$19,895	\$19,885	\$28,365	0.70	\$30,920	0.64	\$30,445	0.65
466	Malfunction, reaction, complic of genitourinary device or proc	\$26,420	\$28,175	\$41,941	0.67	\$41,728	0.68	\$45,131	0.62
469	Acute kidney injury	\$29,109	\$30,334	\$36,852	0.82	\$37,998	0.80	\$39,232	0.77
540	Cesarean Delivery	\$20,965	\$21,999	\$27,634	0.80	\$29,193	0.75	\$31,158	0.71
560	Vaginal Delivery	\$9,420	\$9,636	\$12,421	0.78	\$14,839	0.65	\$16,019	0.60
640	Normal Newborn, Birthweight 2500g+	\$4,762	\$4,867	\$7,016	0.69	\$5,740	0.85	\$5,687	0.86
720	Blood Infection/Septicemia	\$41,418	\$39,262	\$48,275	0.81	\$52,940	0.74	\$56,342	0.70
775	Alcohol Abuse/Dependence	\$23,207	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

152 Gundersen Tri-County Hos 18601 Lincoln Street Whitehall, WI 54773 715-538-4361	spital and	Clinics		Hospital Type: GMS County: Trempealeau Analysis Area: 5B-Southwe Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	175	Average Length of Stay (days):	3.2	Discharge Status	<u>% Discharges</u>
Total Patient Days:	557	Average Charge per Discharge:	\$15,830	Home or Self-Care Other GMS Hospital	55.4% 12.6%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths: Cesarean Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Skilled Nursing Facility Intermediate Care Facility	4.6% 0.0%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility Hospice	0.0% 0.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	0.0%
Psychiatric Utilization				Left Against Medical Advice Expired	0.6% 3.4%
Discharges:	1	Percent of All Discharges:	0.6%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	7	Percent of All Patient Days:	1.3%	Other	23.4%
				Expected Pay Source Distri	bution
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.6%	Medicare	81.1%
Patient Days:	1	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	2.9%
				Other Government	4.6%
				Commercial or Private Insurance	7.4%
				Self-Pay	2.9%
				Other or Unknown Insurance	1.1%

	Age Distribution			Sex Distributio	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	48.6%	52.2%	Amer.Ind/Alaskan Native	e 1.1%	0.7%
Under 15	0.0%	0.0%	Female	51.4%	47.8%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	1.1%	0.4%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	4.0%	2.0%				White	97.7%	98.6%
35 - 44	3.4%	1.8%				Multiracial	0.0%	0.0%
45 - 54	5.1%	4.8%				Declined	0.0%	0.0%
55 - 64	8.6%	13.5%				Unavailable	1.1%	0.7%
65 - 74	29.1%	28.9%						
75 - 84	26.9%	25.0%						
85 & Over	21.7%	23.7%						

152 Gundersen Tri-County Hospital and Clinics

Whitehall, WI 54773

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	is Area	Inpatient V	olume Group	<u>All GMS H</u>	ospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	14	3.0	3.6	0.83	3.0	1.00	4.2	0.71		
137 Respiratory Infections and Inflammations	7	3.6	4.5	0.80	3.4	1.06	5.1	0.71		
139 Pneumonia	9	3.0	3.2	0.94	3.2	0.94	3.9	0.77		
140 Chronic Obstructive Pulmonary Disease	*	*	2.9	*	2.5	*	3.3	*		
194 Heart Failure	10	3.4	4.0	0.85	3.2	1.06	4.7	0.72		
249 Other gastroenteritis, nausea & vomiting	0	N/A	2.9	N/A	2.4	N/A	3.3	N/A		
282 Disorders of Pancreas Except Malignancy	*	*	3.0	*	2.4	*	3.9	*		
383 Cellulitis & other skin infections	8	3.0	3.8	0.79	3.4	0.88	4.0	0.75		
420 Diabetes	5	1.8	2.7	0.67	2.9	0.62	3.3	0.55		
463 Kidney/Urinary Tract Infection	9	2.9	3.2	0.91	3.4	0.85	3.8	0.76		
469 Acute kidney injury	5	3.0	4.2	0.71	2.6	1.15	4.8	0.63		
720 Blood Infection/Septicemia	24	4.3	4.5	0.96	3.1	1.39	5.7	0.75		
775 Alcohol Abuse/Dependence	*	*	4.7	*	3.1	*	3.7	*		
861 Signs & Symptoms	5	1.8	6.6	0.27	9.1	0.20	5.8	0.31		
862 Other Factors Influencing Health Status	0	N/A	11.5	N/A	13.4	N/A	7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility	Risk Adjusted Group Averages					
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	U U		<u>Inpatient Volume Group</u> Average Charge Ratio		<u>ospitals</u> Ratio
133	Respiratory failure	\$17,530	\$23,238	\$25,776	0.90	\$23,461	0.99	\$41,427	0.56
137	Respiratory Infections and Inflammations	\$20,138	\$21,889	\$30,904	0.71	\$26,728	0.82	\$44,204	0.50
139	Pneumonia	\$14,905	\$19,784	\$21,981	0.90	\$19,737	1.00	\$33,131	0.60
140	Chronic Obstructive Pulmonary Disease	*	*	\$20,738	*	\$14,984	*	\$32,611	*
194	Heart Failure	\$15,949	\$20,633	\$24,595	0.84	\$18,454	1.12	\$38,512	0.54
249	Other gastroenteritis, nausea & vomiting	N/A	N/A	\$18,113	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$19,309	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	\$13,367	\$14,036	\$18,125	0.77	\$17,133	0.82	\$29,240	0.48
420	Diabetes	\$10,155	\$10,607	\$17,345	0.61	\$16,894	0.63	\$30,138	0.35
463	Kidney/Urinary Tract Infection	\$12,987	\$15,860	\$17,248	0.92	\$17,003	0.93	\$30,445	0.52
469	Acute kidney injury	\$13,414	\$18,818	\$23,553	0.80	\$16,299	1.15	\$39,232	0.48
720	Blood Infection/Septicemia	\$23,127	\$35,935	\$30,431	1.18	\$27,572	1.30	\$56,342	0.64
775	Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861	Signs & Symptoms	\$9,413	\$11,136	\$27,408	0.41	\$22,684	0.49	\$36,306	0.31
862	Other Factors Influencing Health Status	N/A	N/A	\$38,307	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

153 ThedaCare Medical Cente	er - Wild Ro	se		Hospital Type: GMS	
Box 243, 601 Grove Avenue				County: Waushara	
Wild Rose, WI 54984				Analysis Area: 3-Lake Winn	ebago
920-622-3257				Inpatient Volume Group: 1	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	118	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	405	Average Charge per Discharge:	\$23,773	Home or Self-Care	57.6%
Iotal Fallent Days.	405	Average Charge per Discharge.	φ23,773	Other GMS Hospital	5.9%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.0%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility	3.4%
Cesarean Childbirths:	0	Percent of All Childbirths:	0.0%	Intermediate Care Facility	5.9%
Other Childbirths:	0	Percent of All Childbirths:	0.0%	Inpatient Rehabilitation Facility	0.0%
	<u> </u>	reicent of All Childbirths.	0.0%	Hospice	11.0%
Total Childbirths:	0			Other Institution	0.0%
Total Newborns:	0			Home Health Service	5.9%
				Left Against Medical Advice	0.8%
Psychiatric Utilization				Expired	1.7%
Discharges:	0	Percent of All Discharges:	0.0%	Discharge/Tran to Court/Law Enforcmnt	0.0%
Patient Days:	0	Percent of All Patient Days:	0.0%	Other	7.6%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	1	Percent of All Discharges:	0.8%	Medicare	84.7%
Patient Days:	1	Percent of All Patient Days:	0.2%	Medicaid/BadgerCare	5.1%
-		-		Other Government	0.8%
				Commercial or Private Insurance	7.6%
				Self-Pay	1.7%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>1</u>	Rac	e Distribution	
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>
Newborn	0.0%	0.0%	Male	44.9%	44.2%	Amer.Ind/Alaskan Native	e 0.8%	1.0%
Under 15	0.0%	0.0%	Female	55.1%	55.8%	Asian	0.0%	0.0%
15 - 19	0.0%	0.0%				Black/African Amer.	0.0%	0.0%
20 - 24	0.8%	1.7%				Native Hawaii/Pac.Isl.	0.0%	0.0%
25 - 34	1.7%	0.5%				White	96.6%	96.5%
35 - 44	4.2%	3.2%				Multiracial	0.0%	0.0%
45 - 54	3.4%	2.5%				Declined	0.8%	1.0%
55 - 64	9.3%	5.2%				Unavailable	1.7%	1.5%
65 - 74	22.0%	19.3%						
75 - 84	29.7%	36.0%						
85 & Over	28.8%	31.6%						

153 ThedaCare Medical Center - Wild Rose

Wild Rose, WI 54984

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	ity	Group Averages							
			Analys	sis Area	Inpatient V	<u>'olume Group</u>	<u>All GMS H</u>	<u>ospitals</u>		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio		
133 Respiratory failure	*	*	3.7	*	3.0	*	4.2	*		
137 Respiratory Infections and Inflammations	7	4.0	5.0	0.80	3.4	1.18	5.1	0.78		
139 Pneumonia	18	3.7	3.7	1.00	3.2	1.16	3.9	0.95		
140 Chronic Obstructive Pulmonary Disease	8	3.4	2.8	1.21	2.5	1.36	3.3	1.03		
194 Heart Failure	5	4.4	4.1	1.07	3.2	1.38	4.7	0.94		
249 Other gastroenteritis, nausea & vomiting	*	*	3.0	*	2.4	*	3.3	*		
282 Disorders of Pancreas Except Malignancy	*	*	3.8	*	2.4	*	3.9	*		
383 Cellulitis & other skin infections	9	3.9	3.7	1.05	3.4	1.15	4.0	0.98		
420 Diabetes	*	*	3.0	*	2.9	*	3.3	*		
463 Kidney/Urinary Tract Infection	7	6.0	3.4	1.76	3.4	1.76	3.8	1.58		
469 Acute kidney injury	*	*	4.1	*	2.6	*	4.8	*		
720 Blood Infection/Septicemia	*	*	5.1	*	3.1	*	5.7	*		
775 Alcohol Abuse/Dependence	*	*	3.3	*	3.1	*	3.7	*		
861 Signs & Symptoms	*	*	4.6	*	9.1	*	5.8	*		
862 Other Factors Influencing Health Status	0	N/A	5.0	N/A	13.4	N/A	7.9	N/A		

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR	-DRG # and Description	Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient Volume Group</u> Average Charge Ratio		<u>All GMS Hospitals</u> Average Charge Rati	
133	Respiratory failure	*	*	\$29,067	*	\$23,461	*	\$41,427	*
137	Respiratory Infections and Inflammations	\$31,487	\$34,225	\$31,076	1.10	\$26,728	1.28	\$44,204	0.77
139	Pneumonia	\$25,733	\$31,591	\$25,465	1.24	\$19,737	1.60	\$33,131	0.95
140	Chronic Obstructive Pulmonary Disease	\$22,745	\$27,074	\$23,561	1.15	\$14,984	1.81	\$32,611	0.83
194	Heart Failure	\$30,747	\$36,889	\$26,437	1.40	\$18,454	2.00	\$38,512	0.96
249	Other gastroenteritis, nausea & vomiting	*	*	\$21,448	*	\$14,692	*	\$30,820	*
282	Disorders of Pancreas Except Malignancy	*	*	\$25,777	*	\$18,126	*	\$35,124	*
383	Cellulitis & other skin infections	\$19,490	\$22,880	\$21,780	1.05	\$17,133	1.34	\$29,240	0.78
420	Diabetes	*	*	\$21,276	*	\$16,894	*	\$30,138	*
463	Kidney/Urinary Tract Infection	\$25,219	\$25,223	\$22,229	1.13	\$17,003	1.48	\$30,445	0.83
469	Acute kidney injury	*	*	\$26,749	*	\$16,299	*	\$39,232	*
720	Blood Infection/Septicemia	*	*	\$38,002	*	\$27,572	*	\$56,342	*
775	Alcohol Abuse/Dependence	*	#	#	*	#	*	#	*
861	Signs & Symptoms	*	*	\$24,875	*	\$22,684	*	\$36,306	*
862	Other Factors Influencing Health Status	N/A	N/A	\$15,253	*	\$24,289	*	\$31,921	*

N/A - Zero Discharges reported

* 1 through 4 Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

155 Aspirus Wisconsin Rap	oids Hospital	& Clinics, Inc.		Hospital Type: GMS	
410 Dewey Street, PO Box 8	8080			County: Wood	
Wisconsin Rapids, WI 5449				Analysis Area: 6-North Cen	tral
715-423-6060	-			Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	<u>IS</u>
Total Discharges:	3,130	Average Length of Stay (days):	3.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	10,784	Average Charge per Discharge:	\$26,668	Home or Self-Care Other GMS Hospital	64.3% 6.2%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths: Cesarean Childbirths:	dbirths: 377 Percent of All Childbirths:		71.8% 26.7%	Skilled Nursing Facility Intermediate Care Facility	11.2% 2.2%
Other Childbirths:	8	Percent of All Childbirths:	1.5%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	525		1.570	Hospice	2.0%
	525			Other Institution	0.0%
Total Newborns:	554			Home Health Service	9.1%
Psychiatric Utilization				Left Against Medical Advice Expired	1.1% 2.5%
Discharges:	5	Percent of All Discharges:	0.2%	Discharge/Tran to Court/Law Enforcmnt	0.2%
Patient Days:	32	Percent of All Patient Days:	0.3%	Other	0.6%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	34	Percent of All Discharges:	1.1%	Medicare	45.2%
Patient Days:	120	Percent of All Patient Days:	1.1%	Medicaid/BadgerCare	17.0%
				Other Government	4.5%
				Commercial or Private Insurance	33.3%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.0%

	Age Distribution			Sex Distribution	<u>n</u>	Race Distribution				
<u>Age Group</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	Race	<u>% Discharges</u>	<u>% Patient Days</u>		
Newborn	17.7%	8.0%	Male	38.7%	43.4%	Amer.Ind/Alaskan Native	0.7%	0.5%		
Under 15	0.4%	0.1%	Female	61.3%	56.6%	Asian	1.4%	1.2%		
15 - 19	1.0%	0.6%				Black/African Amer.	1.0%	0.5%		
20 - 24	3.5%	2.0%				Native Hawaii/Pac.Isl.	0.1%	0.1%		
25 - 34	13.5%	8.1%				White	96.3%	97.4%		
35 - 44	5.8%	4.5%				Multiracial	0.4%	0.2%		
45 - 54	4.8%	5.8%				Declined	0.2%	0.2%		
55 - 64	9.5%	11.6%				Unavailable	0 %	0 %		
65 - 74	16.6%	21.9%								
75 - 84	16.3%	22.9%								
85 & Over	11.1%	14.4%								

155 Aspirus Wisconsin Rapids Hospital & Clinics, Inc.

Wisconsin Rapids, WI 54495

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	Group Averages							
			Analysis Area		Inpatient V	<u>'olume Group</u>	All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	49	4.3	4.4	0.98	3.5	1.23	4.6	0.93	
133 Respiratory failure	100	3.7	4.1	0.90	3.5	1.06	4.2	0.88	
137 Respiratory Infections and Inflammations	43	5.4	5.1	1.06	4.4	1.23	5.1	1.06	
139 Pneumonia	67	3.5	4.0	0.88	3.6	0.97	3.9	0.90	
194 Heart Failure	160	4.0	4.6	0.87	3.8	1.05	4.7	0.85	
201 Heart Abnormal Rhythm and Conduction Disorders	58	2.9	2.8	1.04	2.6	1.12	2.9	1.00	
247 Intestinal Obstruction without Surgery	31	3.4	3.2	1.06	3.0	1.13	3.4	1.00	
383 Cellulitis & other skin infections	26	5.5	4.1	1.34	4.1	1.34	4.0	1.38	
463 Kidney/Urinary Tract Infection	25	4.8	3.9	1.23	3.4	1.41	3.8	1.26	
469 Acute kidney injury	69	4.1	4.8	0.85	4.2	0.98	4.8	0.85	
540 Cesarean Delivery	140	2.6	3.5	0.74	2.7	0.96	3.4	0.76	
560 Vaginal Delivery	377	1.9	2.0	0.95	1.8	1.06	2.1	0.90	
640 Normal Newborn, Birthweight 2500g+	483	1.6	1.9	0.84	1.8	0.89	1.9	0.84	
720 Blood Infection/Septicemia	275	5.4	5.6	0.96	4.5	1.20	5.7	0.95	
775 Alcohol Abuse/Dependence	29	3.8	3.7	1.03	3.9	0.97	3.7	1.03	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>is Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS He</u> Average Charge	<u>ospitals</u> Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$36,455	\$36,733	\$41,794	0.88	\$39,675	0.93	\$50,763	0.72
133	Respiratory failure	\$27,813	\$34,184	\$37,801	0.90	\$36,159	0.95	\$41,427	0.83
137	Respiratory Infections and Inflammations	\$37,160	\$33,578	\$37,786	0.89	\$36,731	0.91	\$44,204	0.76
139	Pneumonia	\$25,403	\$24,819	\$30,317	0.82	\$28,353	0.88	\$33,131	0.75
194	Heart Failure	\$27,470	\$27,795	\$34,805	0.80	\$30,581	0.91	\$38,512	0.72
201	Heart Abnormal Rhythm and Conduction Disorders	\$25,410	\$26,871	\$24,857	1.08	\$24,409	1.10	\$27,857	0.96
247	Intestinal Obstruction without Surgery	\$22,266	\$21,286	\$21,658	0.98	\$23,588	0.90	\$27,065	0.79
383	Cellulitis & other skin infections	\$32,109	\$31,556	\$25,899	1.22	\$26,179	1.21	\$29,240	1.08
463	Kidney/Urinary Tract Infection	\$29,866	\$28,441	\$28,365	1.00	\$25,093	1.13	\$30,445	0.93
469	Acute kidney injury	\$28,479	\$28,426	\$36,852	0.77	\$31,117	0.91	\$39,232	0.72
540	Cesarean Delivery	\$25,240	\$25,959	\$27,634	0.94	\$26,660	0.97	\$31,158	0.83
560	Vaginal Delivery	\$11,924	\$11,943	\$12,421	0.96	\$12,456	0.96	\$16,019	0.75
640	Normal Newborn, Birthweight 2500g+	\$5,686	\$5,760	\$7,016	0.82	\$5,451	1.06	\$5,687	1.01
720	Blood Infection/Septicemia	\$38,026	\$36,739	\$48,275	0.76	\$42,902	0.86	\$56,342	0.65
775	Alcohol Abuse/Dependence	\$27,614	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported

156 Howard Young Medical	Center			Hospital Type: GMS	
240 Maple Street, PO Box 47	70			County: Oneida	
Woodruff, WI 54568				Analysis Area: 6-North Cen	tral
715-356-8000				Inpatient Volume Group: 4	
Overall Hospital Utilization				Patient Discharge Statu	IS
Total Discharges:	1,115	Average Length of Stay (days):	4.4	Discharge Status	<u>% Discharges</u>
Total Patient Days:	4,915	Average Charge per Discharge:	\$30,067	Home or Self-Care Other GMS Hospital	46.3% 7.1%
Obstetrical Utilization				Critical Access Hospital (CAH)	0.1%
Normal Childbirths:	0	Percent of All Childbirths:	0.0%	Skilled Nursing Facility Intermediate Care Facility	11.4% 1.4%
Cesarean Childbirths: Other Childbirths:	0 0	Percent of All Childbirths: Percent of All Childbirths:	0.0% 0.0%	Inpatient Rehabilitation Facility	0.7%
Total Childbirths:	0			Hospice Other Institution	4.7% 0.0%
Total Newborns:	0			Home Health Service	19.2%
Psychiatric Utilization				Left Against Medical Advice	1.4% 4.1%
Discharges:	1	Percent of All Discharges:	0.1%	Expired Discharge/Tran to Court/Law Enforcmnt	4.1% 0.0%
Patient Days:	1	Percent of All Patient Days:	0.0%	Other	3.6%
				Expected Pay Source Distri	<u>bution</u>
AODA Utilization				Primary Payer	% Discharges
Discharges:	56	Percent of All Discharges:	5.0%	Medicare	70.6%
Patient Days:	206	Percent of All Patient Days:	4.2%	Medicaid/BadgerCare	11.0%
				Other Government	4.4%
				Commercial or Private Insurance	13.9%
				Self-Pay	0.0%
				Other or Unknown Insurance	0.1%

	Age Distribution			Sex Distributio	<u>1</u>	Race Distribution			
Age Group	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Sex</u>	<u>% Discharges</u>	<u>% Patient Days</u>	<u>Race</u>	<u>% Discharges</u>	<u>% Patient Days</u>	
Newborn	0.0%	0.0%	Male	51.5%	51.7%	Amer.Ind/Alaskan Native	e 7.0%	7.0%	
Under 15	0.0%	0.0%	Female	48.5%	48.3%	Asian	0.0%	0.0%	
15 - 19	0.1%	0.0%				Black/African Amer.	0.3%	0.2%	
20 - 24	1.7%	0.9%				Native Hawaii/Pac.Isl.	0.2%	0.1%	
25 - 34	2.1%	1.4%				White	91.0%	90.9%	
35 - 44	6.9%	6.4%				Multiracial	0.2%	0.2%	
45 - 54	6.5%	5.4%				Declined	1.3%	1.5%	
55 - 64	12.6%	12.7%				Unavailable	0 %	0 %	
65 - 74	25.2%	26.2%							
75 - 84	26.1%	28.3%							
85 & Over	18.7%	18.7%							

156 Howard Young Medical Center

Woodruff, WI 54568

APR-DRG Specific Data - Average Length of Stay (ALOS)

	This Facil	Group Averages							
			Analysis Area		Inpatient Volume Group		All GMS Hospitals		
APR-DRG # and Description	Discharges	ALOS	ALOS	Ratio	ALOS	Ratio	ALOS	Ratio	
045 Stroke and Precerebral Occlusion with Infarct	33	4.6	4.4	1.05	3.5	1.31	4.6	1.00	
133 Respiratory failure	55	4.1	4.1	1.00	3.5	1.17	4.2	0.98	
137 Respiratory Infections and Inflammations	34	6.6	5.1	1.29	4.4	1.50	5.1	1.29	
139 Pneumonia	63	4.1	4.0	1.03	3.6	1.14	3.9	1.05	
194 Heart Failure	94	4.4	4.6	0.96	3.8	1.16	4.7	0.94	
201 Heart Abnormal Rhythm and Conduction Disorders	30	2.5	2.8	0.89	2.6	0.96	2.9	0.86	
247 Intestinal Obstruction without Surgery	17	2.8	3.2	0.88	3.0	0.93	3.4	0.82	
383 Cellulitis & other skin infections	21	4.9	4.1	1.20	4.1	1.20	4.0	1.23	
463 Kidney/Urinary Tract Infection	31	3.8	3.9	0.97	3.4	1.12	3.8	1.00	
469 Acute kidney injury	38	4.4	4.8	0.92	4.2	1.05	4.8	0.92	
540 Cesarean Delivery	0	N/A	3.5	N/A	2.7	N/A	3.4	N/A	
560 Vaginal Delivery	0	N/A	2.0	N/A	1.8	N/A	2.1	N/A	
640 Normal Newborn, Birthweight 2500g+	0	N/A	1.9	N/A	1.8	N/A	1.9	N/A	
720 Blood Infection/Septicemia	170	5.2	5.6	0.93	4.5	1.16	5.7	0.91	
775 Alcohol Abuse/Dependence	48	4.0	3.7	1.08	3.9	1.03	3.7	1.08	

APR-DRG Specific Data - Average Charge per Discharge (Actual & Risk-Adjusted^)

		This Fac	ility			Risk Adjusted	Group Averages		
APR-DRG # and Description		Average Charge	Risk Adjusted Average Charge	<u>Analysi</u> Average Charge	<u>s Area</u> Ratio	<u>Inpatient V</u> Average Charge	olume Group Ratio	<u>All GMS Ho</u> Average Charge	ospitals Ratio
045	Stroke and Precerebral Occlusion with Infarct	\$36,487	\$36,152	\$41,794	0.87	\$39,675	0.91	\$50,763	0.71
133	Respiratory failure	\$30,271	\$36,938	\$37,801	0.98	\$36,159	1.02	\$41,427	0.89
137	Respiratory Infections and Inflammations	\$43,072	\$42,836	\$37,786	1.13	\$36,731	1.17	\$44,204	0.97
139	Pneumonia	\$28,020	\$25,429	\$30,317	0.84	\$28,353	0.90	\$33,131	0.77
194	Heart Failure	\$28,788	\$30,011	\$34,805	0.86	\$30,581	0.98	\$38,512	0.78
201	Heart Abnormal Rhythm and Conduction Disorders	\$21,131	\$22,157	\$24,857	0.89	\$24,409	0.91	\$27,857	0.80
247	Intestinal Obstruction without Surgery	\$18,606	\$20,350	\$21,658	0.94	\$23,588	0.86	\$27,065	0.75
383	Cellulitis & other skin infections	\$26,034	\$26,427	\$25,899	1.02	\$26,179	1.01	\$29,240	0.90
463	Kidney/Urinary Tract Infection	\$20,194	\$19,444	\$28,365	0.69	\$25,093	0.77	\$30,445	0.64
469	Acute kidney injury	\$23,077	\$28,414	\$36,852	0.77	\$31,117	0.91	\$39,232	0.72
540	Cesarean Delivery	N/A	N/A	\$27,634	*	\$26,660	*	\$31,158	*
560	Vaginal Delivery	N/A	N/A	\$12,421	*	\$12,456	*	\$16,019	*
640	Normal Newborn, Birthweight 2500g+	N/A	N/A	\$7,016	*	\$5,451	*	\$5,687	*
720	Blood Infection/Septicemia	\$39,457	\$38,189	\$48,275	0.79	\$42,902	0.89	\$56,342	0.68
775	Alcohol Abuse/Dependence	\$25,198	#	#	#	#	#	#	#

N/A - Zero Discharges reported

^ Risk-Adjusted Charges calculated using 3M™ APR DRG Software licensed through 3M Health Infomation Systems.

* 1 through 4 Discharges reported